





















G5.Conducted Spurious Emissions


Band	Channel	Freq (MHz)	Result	Verdict
2	9262	1852.4	see graph	PASS
2	9538	1907.6	see graph	PASS
4	1312	1712.4	see graph	PASS
4	1513	1752.6	see graph	PASS
5	4132	826.4	see graph	PASS
5	4233	846.6	see graph	PASS




Band 2 5MHz/1852.4/Low




Band 2 5MHz/1907.6/High




Band 4 5MHz/1712.4/Low



Band 4 5MHz/1752.6/High



Band 5 5MHz/826.4/Low



Band 5 5MHz/846.6/High

G6.Frequency Stability-TN/VN

Band	Channel	Freq (MHz)	Deviation (Hz)	Deviation (ppm)	Limit(ppm)	Verdict	Env
2	9262	1852.4	-2.58	-0.001394	±2.5	PASS	TN/VN
2	9400	1880.0	-0.57	-0.000301	±2.5	PASS	TN/VN
2	9538	1907.6	-0.64	-0.000334	±2.5	PASS	TN/VN
4	1312	1712.4	4.1	0.002393	±2.5	PASS	TN/VN
4	1412	1732.4	-3.73	-0.002155	±2.5	PASS	TN/VN
4	1513	1752.6	5.34	0.003049	±2.5	PASS	TN/VN
5	4132	826.4	-0.49	-0.000589	±2.5	PASS	TN/VN
5	4182	836.4	0.32	0.000383	±2.5	PASS	TN/VN
5	4233	846.6	0.65	0.000769	±2.5	PASS	TN/VN

Frequency Stability-TH/VH

Band	Channel	Freq (MHz)	Deviation (Hz)	Deviation (ppm)	Limit(ppm)	Verdict	Env
2	9262	1852.4	-0.64	-0.000348	±2.5	PASS	TH/VH
2	9400	1880.0	-0.31	-0.000167	±2.5	PASS	TH/VH
2	9538	1907.6	-0.4	-0.00021	±2.5	PASS	TH/VH
4	1312	1712.4	-0.82	-0.00048	±2.5	PASS	TH/VH
4	1412	1732.4	-1.67	-0.000966	±2.5	PASS	TH/VH
4	1513	1752.6	0.38	0.000216	±2.5	PASS	TH/VH
5	4132	826.4	0.74	0.0009	±2.5	PASS	TH/VH
5	4182	836.4	0.21	0.000257	±2.5	PASS	TH/VH
5	4233	846.6	-0.7	-0.000828	±2.5	PASS	TH/VH

Frequency Stability-TH/VL

Band	Channel	Freq (MHz)	Deviation (Hz)	Deviation (ppm)	Limit(ppm)	Verdict	Env
2	9262	1852.4	-1.72	-0.000927	±2.5	PASS	TH/VL
2	9400	1880.0	1.28	0.000681	±2.5	PASS	TH/VL
2	9538	1907.6	-1.29	-0.000675	±2.5	PASS	TH/VL
4	1312	1712.4	3.18	0.001859	±2.5	PASS	TH/VL
4	1412	1732.4	2.55	0.001474	±2.5	PASS	TH/VL
4	1513	1752.6	7.77	0.004436	±2.5	PASS	TH/VL
5	4132	826.4	-0.41	-0.000502	±2.5	PASS	TH/VL
5	4182	836.4	1.24	0.001488	±2.5	PASS	TH/VL
5	4233	846.6	0.57	0.000676	±2.5	PASS	TH/VL

Frequency Stability-TH/VN

Band	Channel	Freq (MHz)	Deviation (Hz)	Deviation (ppm)	Limit(ppm)	Verdict	Env
2	9262	1852.4	-1.04	-0.000564	±2.5	PASS	TH/VN
2	9400	1880.0	-1.65	-0.000875	±2.5	PASS	TH/VN
2	9538	1907.6	0.36	0.000187	±2.5	PASS	TH/VN
4	1312	1712.4	3.21	0.001875	±2.5	PASS	TH/VN
4	1412	1732.4	-4.43	-0.002556	±2.5	PASS	TH/VN
4	1513	1752.6	0.96	0.000547	±2.5	PASS	TH/VN
5	4132	826.4	1.79	0.002164	±2.5	PASS	TH/VN
5	4182	836.4	0.32	0.000383	±2.5	PASS	TH/VN
5	4233	846.6	0.23	0.00027	±2.5	PASS	TH/VN

Frequency Stability-TL/VH

Band	Channel	Freq (MHz)	Deviation (Hz)	Deviation (ppm)	Limit(ppm)	Verdict	Env
2	9262	1852.4	-2.77	-0.001494	±2.5	PASS	TL/VH
2	9400	1880.0	-0.84	-0.000449	±2.5	PASS	TL/VH
2	9538	1907.6	1.72	0.000904	±2.5	PASS	TL/VH
4	1312	1712.4	0.32	0.000187	±2.5	PASS	TL/VH
4	1412	1732.4	2.38	0.001375	±2.5	PASS	TL/VH
4	1513	1752.6	2.05	0.001167	±2.5	PASS	TL/VH
5	4132	826.4	-2.2	-0.002666	±2.5	PASS	TL/VH
5	4182	836.4	0.32	0.000383	±2.5	PASS	TL/VH
5	4233	846.6	0.32	0.000378	±2.5	PASS	TL/VH

Frequency Stability-TL/VL

Band	Channel	Freq (MHz)	Deviation (Hz)	Deviation (ppm)	Limit(ppm)	Verdict	Env
2	9262	1852.4	0.25	0.000135	±2.5	PASS	TL/VL
2	9400	1880.0	0.28	0.000148	±2.5	PASS	TL/VL
2	9538	1907.6	-1.02	-0.000536	±2.5	PASS	TL/VL
4	1312	1712.4	-1.73	-0.001011	±2.5	PASS	TL/VL
4	1412	1732.4	-1.55	-0.000896	±2.5	PASS	TL/VL
4	1513	1752.6	-2.7	-0.001539	±2.5	PASS	TL/VL
5	4132	826.4	0.6	0.000727	±2.5	PASS	TL/VL
5	4182	836.4	-0.74	-0.000881	±2.5	PASS	TL/VL
5	4233	846.6	-1.05	-0.001242	±2.5	PASS	TL/VL

Frequency Stability-TL/VN

Band	Channel	Freq (MHz)	Deviation (Hz)	Deviation (ppm)	Limit(ppm)	Verdict	Env
2	9262	1852.4	-0.72	-0.000386	±2.5	PASS	TL/VN
2	9400	1880.0	-0.55	-0.000293	±2.5	PASS	TL/VN
2	9538	1907.6	-0.62	-0.000322	±2.5	PASS	TL/VN
4	1312	1712.4	-0.5	-0.000292	±2.5	PASS	TL/VN
4	1412	1732.4	-0.74	-0.000425	±2.5	PASS	TL/VN
4	1513	1752.6	2.32	0.001322	±2.5	PASS	TL/VN
5	4132	826.4	0.86	0.001039	±2.5	PASS	TL/VN
5	4182	836.4	0.32	0.000385	±2.5	PASS	TL/VN
5	4233	846.6	-0.21	-0.000253	±2.5	PASS	TL/VN

Frequency Stability-TN/VH

Band	Channel	Freq (MHz)	Deviation (Hz)	Deviation (ppm)	Limit(ppm)	Verdict	Env
2	9262	1852.4	-1.14	-0.000614	±2.5	PASS	TN/VH
2	9400	1880.0	-1.2	-0.000639	±2.5	PASS	TN/VH
2	9538	1907.6	-0.64	-0.000334	±2.5	PASS	TN/VH
4	1312	1712.4	-1.53	-0.000894	±2.5	PASS	TN/VH
4	1412	1732.4	0.38	0.000219	±2.5	PASS	TN/VH
4	1513	1752.6	4.2	0.002396	±2.5	PASS	TN/VH
5	4132	826.4	-0.65	-0.000788	±2.5	PASS	TN/VH
5	4182	836.4	0.32	0.000383	±2.5	PASS	TN/VH
5	4233	846.6	0.22	0.000262	±2.5	PASS	TN/VH

Frequency Stability-TN/VL

Band	Channel	Freq (MHz)	Deviation (Hz)	Deviation (ppm)	Limit(ppm)	Verdict	Env
2	9262	1852.4	-0.26	-0.000143	±2.5	PASS	TN/VL
2	9400	1880.0	2.27	0.00121	±2.5	PASS	TN/VL
2	9538	1907.6	0.57	0.000296	±2.5	PASS	TN/VL
4	1312	1712.4	1.09	0.000635	±2.5	PASS	TN/VL
4	1412	1732.4	-0.49	-0.000281	±2.5	PASS	TN/VL
4	1513	1752.6	7.38	0.004212	±2.5	PASS	TN/VL
5	4132	826.4	0.47	0.000571	±2.5	PASS	TN/VL
5	4182	836.4	0.7	0.000838	±2.5	PASS	TN/VL
5	4233	846.6	0.32	0.000378	±2.5	PASS	TN/VL

G7.Modulation Characteristics

Band	Channel	Freq (MHz)	Verdict
2	9262	1852.4	PASS
2	9400	1880.0	PASS
2	9538	1907.6	PASS
4	1312	1712.4	PASS
4	1412	1732.4	PASS
4	1513	1752.6	PASS
5	4132	826.4	PASS
5	4182	836.4	PASS
5	4233	846.6	PASS

