




11AX20SISO_Ant1_5825_5925~40000




11AX20SISO_Ant1_5825_27000~40000




11AX40SISO_Ant1_5190_30~5140




11AX40SISO_Ant1_5190_5360~40000




11AX40SISO_Ant1_5190_27000~40000




11AX40SISO_Ant1_5230_30~5140



11AX40SISO_Ant1_5230_5360~40000




11AX40SISO_Ant1_5230_27000~40000



Date: 16.APR.2026 18:02:14


11AX40SISO_Ant1_5755_30~5650



11AX40SISO_Ant1_5755_5925~40000




11AX40SISO_Ant1_5755_27000~40000



Date: 16.APR.2026 18:02:27


11AX40SISO_Ant1_5795_30~5650




11AX40SISO_Ant1_5795_5925~40000



11AX40SISO_Ant1_5795_27000~40000




11AX80SISO_Ant1_5210_30~5140



11AX80SISO_Ant1_5210_5360~40000



11AX80SISO_Ant1_5210_27000~40000




11AX80SISO_Ant1_5775_30~5650



11AX80SISO_Ant1_5775_5925~40000



11AX80SISO_Ant1_5775_27000~40000



Appendix G: Emissions in Restricted Bands

Test Result

TestMode	ChName	Freq(MHz)	Detector	Freq [MHz]	Result [dBm]	Gain [dB]	DC Factor [dB]	EIRP [dBm]	Limit [dBm]	Verdict
11A	Low	5180	AV	4500.000	-62.07	2.0	1.25	-58.82	≤-41.20	PASS
			AV	5149.600	-52.93	2.0	1.25	-49.68	≤-41.20	PASS
			AV	5150.000	-53.56	2.0	1.25	-50.31	≤-41.20	PASS
			Peak	4500.000	-53.92	2.0	0.00	-51.92	≤-27.00	PASS
			Peak	5144.700	-42.8	2.0	0.00	-40.8	≤-27.00	PASS
			Peak	5150.000	-44.14	2.0	0.00	-42.14	≤-27.00	PASS
	High	5240	AV	5350.000	-59.19	2.0	1.33	-55.86	≤-41.20	PASS
			AV	5355.360	-57.77	2.0	1.33	-54.44	≤-41.20	PASS
			AV	5460.000	-59.71	2.0	1.33	-56.38	≤-41.20	PASS
			Peak	5350.000	-49.55	2.0	0.00	-47.55	≤-27.00	PASS
			Peak	5364.000	-47.31	2.0	0.00	-45.31	≤-27.00	PASS
			Peak	5460.000	-50.6	2.0	0.00	-48.6	≤-27.00	PASS
	Low	5745	Peak	5650.000	-51.574	2.0	0.00	-49.574	≤-27.00	PASS
			Peak	5700.000	-50.21	2.0	0.00	-48.21	≤10.00	PASS
			Peak	5720.000	-43.45	2.0	0.00	-41.45	≤15.60	PASS
			Peak	5725.000	-39.71	2.0	0.00	-37.71	≤27.00	PASS
	High	5825	Peak	5850.000	-44.656	2.0	0.00	-42.656	≤27.00	PASS
			Peak	5855.000	-46.03	2.0	0.00	-44.03	≤15.60	PASS
			Peak	5875.000	-47.31	2.0	0.00	-45.31	≤10.00	PASS
			Peak	5925.000	-50.51	2.0	0.00	-48.51	≤-27.00	PASS
11N20SISO	Low	5180	AV	4500.000	-62.44	2.0	0.87	-59.57	≤-41.20	PASS
			AV	5148.900	-53.49	2.0	0.87	-50.62	≤-41.20	PASS
			AV	5150.000	-53.51	2.0	0.87	-50.64	≤-41.20	PASS
			Peak	4500.000	-53.13	2.0	0.00	-51.13	≤-27.00	PASS
			Peak	5149.600	-42.93	2.0	0.00	-40.93	≤-27.00	PASS
			Peak	5150.000	-42.6	2.0	0.00	-40.6	≤-27.00	PASS
	High	5240	AV	5350.000	-58.72	2.0	1.06	-55.66	≤-41.20	PASS
			AV	5350.800	-58.02	2.0	1.06	-54.96	≤-41.20	PASS
			AV	5460.000	-59.55	2.0	1.06	-56.49	≤-41.20	PASS
			Peak	5350.000	-50.08	2.0	0.00	-48.08	≤-27.00	PASS
			Peak	5400.000	-47.15	2.0	0.00	-45.15	≤-27.00	PASS
			Peak	5460.000	-51.32	2.0	0.00	-49.32	≤-27.00	PASS
	Low	5745	Peak	5650.000	-51.467	2.0	0.00	-49.467	≤-27.00	PASS
			Peak	5700.000	-50.47	2.0	0.00	-48.47	≤10.00	PASS
			Peak	5720.000	-40.81	2.0	0.00	-38.81	≤15.60	PASS

	High	5825	Peak	5725.000	-37.1	2.0	0.00	-35.1	≤27.00	PASS
			Peak	5850.000	-43.368	2.0	0.00	-41.368	≤27.00	PASS
			Peak	5855.000	-47.86	2.0	0.00	-45.86	≤15.60	PASS
			Peak	5875.000	-49.09	2.0	0.00	-47.09	≤10.00	PASS
			Peak	5925.000	-51.02	2.0	0.00	-49.02	≤-27.00	PASS
11N40SISO	Low	5190	AV	4500.000	-62.67	2.0	1.06	-59.61	≤-41.20	PASS
			AV	5148.900	-49.56	2.0	1.06	-46.5	≤-41.20	PASS
			AV	5150.000	-49.33	2.0	1.06	-46.27	≤-41.20	PASS
			Peak	4500.000	-52.75	2.0	0.00	-50.75	≤-27.00	PASS
			Peak	5148.200	-39.29	2.0	0.00	-37.29	≤-27.00	PASS
			Peak	5150.000	-40.1	2.0	0.00	-38.1	≤-27.00	PASS
	High	5230	AV	5350.000	-58.54	2.0	1.06	-55.48	≤-41.20	PASS
			AV	5356.520	-57.49	2.0	1.06	-54.43	≤-41.20	PASS
			AV	5460.000	-59.44	2.0	1.06	-56.38	≤-41.20	PASS
			Peak	5350.000	-48.99	2.0	0.00	-46.99	≤-27.00	PASS
			Peak	5390.580	-47.19	2.0	0.00	-45.19	≤-27.00	PASS
			Peak	5460.000	-49.77	2.0	0.00	-47.77	≤-27.00	PASS
	Low	5755	Peak	5650.000	-50.083	2.0	0.00	-48.083	≤-27.00	PASS
			Peak	5700.000	-46.4	2.0	0.00	-44.4	≤10.00	PASS
			Peak	5720.000	-38.18	2.0	0.00	-36.18	≤15.60	PASS
			Peak	5725.000	-37.94	2.0	0.00	-35.94	≤27.00	PASS
	High	5795	Peak	5850.000	-44.507	2.0	0.00	-42.507	≤27.00	PASS
			Peak	5855.000	-46.36	2.0	0.00	-44.36	≤15.60	PASS
			Peak	5875.000	-48.78	2.0	0.00	-46.78	≤10.00	PASS
			Peak	5925.000	-51.34	2.0	0.00	-49.34	≤-27.00	PASS
11AC20SISO	Low	5180	AV	4500.000	-62.4	2.0	0.74	-59.66	≤-41.20	PASS
			AV	5141.200	-52.82	2.0	0.74	-50.08	≤-41.20	PASS
			AV	5150.000	-53.44	2.0	0.74	-50.7	≤-41.20	PASS
			Peak	4500.000	-54.37	2.0	0.00	-52.37	≤-27.00	PASS
			Peak	5141.200	-41.24	2.0	0.00	-39.24	≤-27.00	PASS
			Peak	5150.000	-43.18	2.0	0.00	-41.18	≤-27.00	PASS
	High	5240	AV	5350.000	-58.78	2.0	0.74	-56.04	≤-41.20	PASS
			AV	5363.760	-57.82	2.0	0.74	-55.08	≤-41.20	PASS
			AV	5460.000	-59.34	2.0	0.74	-56.6	≤-41.20	PASS
			Peak	5350.000	-48.86	2.0	0.00	-46.86	≤-27.00	PASS
			Peak	5376.720	-47.55	2.0	0.00	-45.55	≤-27.00	PASS
			Peak	5460.000	-49.6	2.0	0.00	-47.6	≤-27.00	PASS
	Low	5745	Peak	5650.000	-48.744	2.0	0.00	-46.744	≤-27.00	PASS
			Peak	5700.000	-47.12	2.0	0.00	-45.12	≤10.00	PASS
			Peak	5720.000	-42.83	2.0	0.00	-40.83	≤15.60	PASS
			Peak	5725.000	-38.92	2.0	0.00	-36.92	≤27.00	PASS
	High	5825	Peak	5850.000	-37.543	2.0	0.00	-35.543	≤27.00	PASS
			Peak	5855.000	-46.68	2.0	0.00	-44.68	≤15.60	PASS

			Peak	5875.000	-47.5	2.0	0.00	-45.5	≤10.00	PASS
			Peak	5925.000	-49.91	2.0	0.00	-47.91	≤-27.00	PASS
11AC40SISO	Low	5190	AV	4500.000	-62.47	2.0	0.97	-59.5	≤-41.20	PASS
			AV	5149.600	-49.15	2.0	0.97	-46.18	≤-41.20	PASS
			AV	5150.000	-48.52	2.0	0.97	-45.55	≤-41.20	PASS
			Peak	4500.000	-53.96	2.0	0.00	-51.96	≤-27.00	PASS
			Peak	5148.900	-37.62	2.0	0.00	-35.62	≤-27.00	PASS
			Peak	5150.000	-36.36	2.0	0.00	-34.36	≤-27.00	PASS
	High	5230	AV	5350.000	-58.17	2.0	1.18	-54.99	≤-41.20	PASS
			AV	5352.360	-57.78	2.0	1.18	-54.6	≤-41.20	PASS
			AV	5460.000	-59.06	2.0	1.18	-55.88	≤-41.20	PASS
			Peak	5350.000	-49.97	2.0	0.00	-47.97	≤-27.00	PASS
			Peak	5378.100	-46.92	2.0	0.00	-44.92	≤-27.00	PASS
			Peak	5460.000	-50.4	2.0	0.00	-48.4	≤-27.00	PASS
	Low	5755	Peak	5650.000	-50.602	2.0	0.00	-48.602	≤-27.00	PASS
			Peak	5700.000	-49.02	2.0	0.00	-47.02	≤10.00	PASS
			Peak	5720.000	-41.25	2.0	0.00	-39.25	≤15.60	PASS
			Peak	5725.000	-40.55	2.0	0.00	-38.55	≤27.00	PASS
	High	5795	Peak	5850.000	-43.849	2.0	0.00	-41.849	≤27.00	PASS
			Peak	5855.000	-46.43	2.0	0.00	-44.43	≤15.60	PASS
			Peak	5875.000	-48.75	2.0	0.00	-46.75	≤10.00	PASS
			Peak	5925.000	-51.14	2.0	0.00	-49.14	≤-27.00	PASS
11AC80SISO	Low	5210	AV	4500.000	-62.49	2.0	1.12	-59.37	≤-41.20	PASS
			AV	5147.250	-48.45	2.0	1.12	-45.33	≤-41.20	PASS
			AV	5150.000	-50.09	2.0	1.12	-46.97	≤-41.20	PASS
			Peak	4500.000	-54.18	2.0	0.00	-52.18	≤-27.00	PASS
			Peak	5134.500	-35.59	2.0	0.00	-33.59	≤-27.00	PASS
			Peak	5150.000	-39.9	2.0	0.00	-37.9	≤-27.00	PASS
	High	5210	AV	5350.000	-54.23	2.0	1.12	-51.11	≤-41.20	PASS
			AV	5354.160	-54.11	2.0	1.12	-50.99	≤-41.20	PASS
			AV	5460.000	-56.86	2.0	1.12	-53.74	≤-41.20	PASS
			Peak	5350.000	-44.82	2.0	0.00	-42.82	≤-27.00	PASS
			Peak	5370.120	-43.07	2.0	0.00	-41.07	≤-27.00	PASS
			Peak	5460.000	-48.27	2.0	0.00	-46.27	≤-27.00	PASS
	Low	5775	Peak	5650.000	-49.81	2.0	0.00	-47.81	≤-27.00	PASS
			Peak	5700.000	-39.21	2.0	0.00	-37.21	≤10.00	PASS
			Peak	5720.000	-41.15	2.0	0.00	-39.15	≤15.60	PASS
			Peak	5725.000	-32.51	2.0	0.00	-30.51	≤27.00	PASS
	High	5775	Peak	5850.000	-38.897	2.0	0.00	-36.897	≤27.00	PASS
			Peak	5855.000	-38.74	2.0	0.00	-36.74	≤15.60	PASS
			Peak	5875.000	-42.16	2.0	0.00	-40.16	≤10.00	PASS
			Peak	5925.000	-49.31	2.0	0.00	-47.31	≤-27.00	PASS
11AX20SISO	Low	5180	AV	4500.000	-62.22	2.0	0.74	-59.48	≤-41.20	PASS


			AV	5148.900	-53.06	2.0	0.74	-50.32	≤-41.20	PASS
			AV	5150.000	-52.63	2.0	0.74	-49.89	≤-41.20	PASS
			Peak	4500.000	-53.71	2.0	0.00	-51.71	≤-27.00	PASS
			Peak	5141.900	-42.51	2.0	0.00	-40.51	≤-27.00	PASS
			Peak	5150.000	-42.07	2.0	0.00	-40.07	≤-27.00	PASS
	High	5240	AV	5350.000	-58.3	2.0	0.74	-55.56	≤-41.20	PASS
			AV	5364.240	-57.58	2.0	0.74	-54.84	≤-41.20	PASS
			AV	5460.000	-59.37	2.0	0.74	-56.63	≤-41.20	PASS
			Peak	5350.000	-49.14	2.0	0.00	-47.14	≤-27.00	PASS
			Peak	5368.560	-47.68	2.0	0.00	-45.68	≤-27.00	PASS
			Peak	5460.000	-51.28	2.0	0.00	-49.28	≤-27.00	PASS
	Low	5745	Peak	5650.000	-49.58	2.0	0.00	-47.58	≤-27.00	PASS
			Peak	5700.000	-48.83	2.0	0.00	-46.83	≤10.00	PASS
			Peak	5720.000	-42.72	2.0	0.00	-40.72	≤15.60	PASS
			Peak	5725.000	-37.79	2.0	0.00	-35.79	≤27.00	PASS
	High	5825	Peak	5850.000	-38.156	2.0	0.00	-36.156	≤27.00	PASS
			Peak	5855.000	-45.1	2.0	0.00	-43.1	≤15.60	PASS
			Peak	5875.000	-49.13	2.0	0.00	-47.13	≤10.00	PASS
			Peak	5925.000	-50.04	2.0	0.00	-48.04	≤-27.00	PASS
11AX40SISO	Low	5190	AV	4500.000	-62.48	2.0	0.97	-59.51	≤-41.20	PASS
			AV	5148.900	-48.83	2.0	0.97	-45.86	≤-41.20	PASS
			AV	5150.000	-48.06	2.0	0.97	-45.09	≤-41.20	PASS
			Peak	4500.000	-53.98	2.0	0.00	-51.98	≤-27.00	PASS
			Peak	5149.600	-37.43	2.0	0.00	-35.43	≤-27.00	PASS
			Peak	5150.000	-35.93	2.0	0.00	-33.93	≤-27.00	PASS
	High	5230	AV	5350.000	-57.61	2.0	1.25	-54.36	≤-41.20	PASS
			AV	5350.020	-57.61	2.0	1.25	-54.36	≤-41.20	PASS
			AV	5460.000	-59.17	2.0	1.25	-55.92	≤-41.20	PASS
			Peak	5350.000	-49.58	2.0	0.00	-47.58	≤-27.00	PASS
			Peak	5377.580	-47.74	2.0	0.00	-45.74	≤-27.00	PASS
			Peak	5460.000	-51.74	2.0	0.00	-49.74	≤-27.00	PASS
	Low	5755	Peak	5650.000	-51.033	2.0	0.00	-49.033	≤-27.00	PASS
			Peak	5700.000	-48.13	2.0	0.00	-46.13	≤10.00	PASS
			Peak	5720.000	-36.79	2.0	0.00	-34.79	≤15.60	PASS
			Peak	5725.000	-39.49	2.0	0.00	-37.49	≤27.00	PASS
	High	5795	Peak	5850.000	-43.979	2.0	0.00	-41.979	≤27.00	PASS
			Peak	5855.000	-48.18	2.0	0.00	-46.18	≤15.60	PASS
			Peak	5875.000	-49.27	2.0	0.00	-47.27	≤10.00	PASS
			Peak	5925.000	-50.81	2.0	0.00	-48.81	≤-27.00	PASS
11AX80SISO	Low	5210	AV	4500.000	-62.52	2.0	1.12	-59.4	≤-41.20	PASS
			AV	5148.750	-48.67	2.0	1.12	-45.55	≤-41.20	PASS
			AV	5150.000	-50.15	2.0	1.12	-47.03	≤-41.20	PASS
			Peak	4500.000	-54.38	2.0	0.00	-52.38	≤-27.00	PASS


			Peak	5135.250	-36.23	2.0	0.00	-34.23	≤-27.00	PASS
			Peak	5150.000	-38.32	2.0	0.00	-36.32	≤-27.00	PASS
	High	5210	AV	5350.000	-54.79	2.0	1.12	-51.67	≤-41.20	PASS
			AV	5369.840	-54.14	2.0	1.12	-51.02	≤-41.20	PASS
			AV	5460.000	-56.8	2.0	1.12	-53.68	≤-41.20	PASS
			Peak	5350.000	-46	2.0	0.00	-44	≤-27.00	PASS
			Peak	5356.680	-43.21	2.0	0.00	-41.21	≤-27.00	PASS
			Peak	5460.000	-48.43	2.0	0.00	-46.43	≤-27.00	PASS
			Peak	5650.000	-49.574	2.0	0.00	-47.574	≤-27.00	PASS
	Low	5775	Peak	5700.000	-40.48	2.0	0.00	-38.48	≤10.00	PASS
			Peak	5720.000	-40.9	2.0	0.00	-38.9	≤15.60	PASS
			Peak	5725.000	-33.97	2.0	0.00	-31.97	≤27.00	PASS
			Peak	5850.000	-43.328	2.0	0.00	-41.328	≤27.00	PASS
	High	5775	Peak	5855.000	-39.49	2.0	0.00	-37.49	≤15.60	PASS
			Peak	5875.000	-44.39	2.0	0.00	-42.39	≤10.00	PASS
			Peak	5925.000	-49.38	2.0	0.00	-47.38	≤-27.00	PASS

Note:


For transmitters operating in 5150-5350 GHz band and 5470-5725 GHz band: The limit in dBm for average detector is conversion from -27.00dBm, according to 15.209(a). The limit in dBm for peak detector is 20dB above the limit of average detector in dBm.

Test Graphs





11A_Ant1_High_5240_Peak



11A_Ant1_Low_5745_Peak

