







11N40SISO_Ant2_5230




11N40SISO_Ant2_5755




11N40SISO_Ant2_5795




11AC20SISO_Ant2_5180




11AC20SISO_Ant2_5220




11AC20SISO_Ant2_5240




11AC20SISO_Ant2_5745




11AC20SISO_Ant2_5785




11AC20SISO_Ant2_5825




11AC40SISO_Ant2_5190




11AC40SISO_Ant2_5230




11AC40SISO_Ant2_5755




11AC40SISO_Ant2_5795




11AC80SISO_Ant2_5210




11AC80SISO_Ant2_5775




11AX20SISO_Ant2_5180




11AX20SISO_Ant2_5220




11AX20SISO_Ant2_5240




11AX20SISO_Ant2_5745




11AX20SISO_Ant2_5785




11AX20ISO_Ant2_5825




11AX40ISO_Ant2_5190




11AX40SISO_Ant2_5230




11AX40SISO_Ant2_5755




11AX40SISO_Ant2_5795



11AX80SISO_Ant2_5210



11AX80SISO_Ant2_5775



Appendix C: Maximum conducted output power

Test Result

Test Mode	Antenna	Freq(MHz)	Channel Power [dBm]	Duty Cycle [%]	DC Factor [dBm]	Result [dBm]	Limit [dBm]	Verdict
11A	Ant2	5180	9.06	78.95	1.03	10.09	≤23.98	PASS
		5220	10.78	78.95	1.03	11.81	≤23.98	PASS
		5240	10.60	75.00	1.25	11.85	≤23.98	PASS
		5745	10.01	73.68	1.33	11.34	≤30.00	PASS
		5785	9.71	73.68	1.33	11.04	≤30.00	PASS
		5825	9.65	75.00	1.25	10.90	≤30.00	PASS
11N20SI SO	Ant2	5180	10.76	77.27	1.12	11.88	≤23.98	PASS
		5220	10.93	77.27	1.12	12.05	≤23.98	PASS
		5240	10.74	78.26	1.06	11.80	≤23.98	PASS
		5745	10.17	77.27	1.12	11.29	≤30.00	PASS
		5785	10.10	78.26	1.06	11.16	≤30.00	PASS
		5825	9.84	78.26	1.06	10.90	≤30.00	PASS
11N40SI SO	Ant2	5190	10.90	78.26	1.06	11.96	≤23.98	PASS
		5230	10.79	78.26	1.06	11.85	≤23.98	PASS
		5755	10.02	78.26	1.06	11.08	≤30.00	PASS
		5795	9.82	78.26	1.06	10.88	≤30.00	PASS
11AC20S ISO	Ant2	5180	10.75	83.87	0.76	11.51	≤23.98	PASS
		5220	10.85	83.87	0.76	11.61	≤23.98	PASS
		5240	10.57	83.87	0.76	11.33	≤23.98	PASS
		5745	9.97	83.87	0.76	10.73	≤30.00	PASS
		5785	9.72	83.33	0.79	10.51	≤30.00	PASS
		5825	9.56	86.67	0.62	10.18	≤30.00	PASS
11AC40S ISO	Ant2	5190	10.30	81.82	0.87	11.17	≤23.98	PASS
		5230	10.26	81.82	0.87	11.13	≤23.98	PASS
		5755	9.34	81.82	0.87	10.21	≤30.00	PASS
		5795	9.38	78.26	1.06	10.44	≤30.00	PASS
11AC80S ISO	Ant2	5210	10.46	76.19	1.18	11.64	≤23.98	PASS
		5775	9.54	76.19	1.18	10.72	≤30.00	PASS
11AX20S ISO	Ant2	5180	10.57	83.33	0.79	11.36	≤23.98	PASS
		5220	10.51	83.33	0.79	11.30	≤23.98	PASS
		5240	10.38	83.87	0.76	11.14	≤23.98	PASS
		5745	9.81	83.87	0.76	10.57	≤30.00	PASS
		5785	9.62	83.87	0.76	10.38	≤30.00	PASS
		5825	9.44	83.87	0.76	10.20	≤30.00	PASS
11AX40S ISO	Ant2	5190	10.32	78.26	1.06	11.38	≤23.98	PASS
		5230	10.20	77.27	1.12	11.32	≤23.98	PASS

11AX80S ISO		5755	9.37	78.26	1.06	10.43	≤30.00	PASS
		5795	9.27	81.82	0.87	10.14	≤30.00	PASS
	Ant2	5210	10.26	76.19	1.18	11.44	≤23.98	PASS
		5775	9.58	76.19	1.18	10.76	≤30.00	PASS

Appendix D: Maximum power spectral density

Test Result

TestMode	Antenna	Freq(MHz)	RawData [dBm/MHz]	DC Factor [dBm]	RBW Factor [dBm]	Result [dBm/MHz] For 5.2G	Result [dBm/MHz] For 5.2G]	Verdict
						Result [dBm/500kHz] For 5.8G	Result [dBm/500kHz] For 5.8G	
11A	Ant2	5180	-0.84	1.03	0.00	0.19	≤11.00	PASS
		5220	1.05	1.03	0.00	2.08	≤11.00	PASS
		5240	0.44	1.25	0.00	1.69	≤11.00	PASS
		5745	-5.53	1.33	2.22	-1.98	≤30.00	PASS
		5785	-6.13	1.33	2.22	-2.58	≤30.00	PASS
		5825	-5.83	1.25	2.22	-2.36	≤30.00	PASS
11N20SISO	Ant2	5180	0.22	1.12	0.00	1.34	≤11.00	PASS
		5220	0.77	1.12	0.00	1.89	≤11.00	PASS
		5240	0.48	1.06	0.00	1.54	≤11.00	PASS
		5745	-5.76	1.12	2.22	-2.42	≤30.00	PASS
		5785	-5.53	1.06	2.22	-2.25	≤30.00	PASS
		5825	-5.8	1.06	2.22	-2.52	≤30.00	PASS
11N40SISO	Ant2	5190	-2.68	1.06	0.00	-1.62	≤11.00	PASS
		5230	-2.67	1.06	0.00	-1.61	≤11.00	PASS
		5755	-8.66	1.06	2.22	-5.38	≤30.00	PASS
		5795	-9.28	1.06	2.22	-6.00	≤30.00	PASS
11AC20SISO	Ant2	5180	0.13	0.76	0.00	0.89	≤11.00	PASS
		5220	0.27	0.76	0.00	1.03	≤11.00	PASS
		5240	0.08	0.76	0.00	0.84	≤11.00	PASS
		5745	-6.37	0.76	2.22	-3.39	≤30.00	PASS
		5785	-6.57	0.79	2.22	-3.56	≤30.00	PASS
		5825	-6.74	0.62	2.22	-3.90	≤30.00	PASS
11AC40SISO	Ant2	5190	-3.52	0.87	0.00	-2.65	≤11.00	PASS
		5230	-3.67	0.87	0.00	-2.80	≤11.00	PASS
		5755	-9.27	0.87	2.22	-6.18	≤30.00	PASS
		5795	-9.89	1.06	2.22	-6.61	≤30.00	PASS
11AC80SISO	Ant2	5210	-6.21	1.18	0.00	-5.03	≤11.00	PASS
		5775	-12.03	1.18	2.22	-8.63	≤30.00	PASS
11AX20SISO	Ant2	5180	-0.05	0.79	0.00	0.74	≤11.00	PASS
		5220	0.18	0.79	0.00	0.97	≤11.00	PASS
		5240	-0.18	0.76	0.00	0.58	≤11.00	PASS
		5745	-6.28	0.76	2.22	-3.30	≤30.00	PASS
		5785	-6.15	0.76	2.22	-3.17	≤30.00	PASS