




11AC40SISO_Ant2_5795_30~5650




11AC40SISO_Ant2_5795_5925~40000




11AC80SISO_Ant2_5210_30~5140




11AC80SISO_Ant2_5210_5360~40000




11AC80SISO_Ant2_5775_30~5650



11AC80SISO_Ant2_5775_5925~40000




11AX20SISO_Ant2_5180_30~5140




11AX20SISO_Ant2_5180_5360~40000




11AX20SISO_Ant2_5220_30~5140



11AX20SISO_Ant2_5220_5360~40000



11AX20SISO_Ant2_5240_30~5140




11AX20SISO_Ant2_5240_5360~40000




11AX20SISO_Ant2_5745_30~5650



11AX20SISO_Ant2_5745_5925~40000




11AX20SISO_Ant2_5785_30~5650



11AX20SISO_Ant2_5785_5925~40000




11AX20SISO_Ant2_5825_30~5650



11AX20SISO_Ant2_5825_5925~40000




11AX40SISO_Ant2_5190_30~5140



11AX40SISO_Ant2_5190_5360~40000




11AX40SISO_Ant2_5230_30~5140




11AX40SISO_Ant2_5230_5360~40000




11AX40SISO_Ant2_5755_30~5650



11AX40SISO_Ant2_5755_5925~40000




11AX40SISO_Ant2_5795_30~5650



11AX40SISO_Ant2_5795_5925~40000




11AX80SISO_Ant2_5210_30~5140




11AX80SISO_Ant2_5210_5360~40000



11AX80SISO_Ant2_5775_30~5650



11AX80SISO_Ant2_5775_5925~40000



Appendix G: Emissions in Restricted Bands

Test Result

TestMode	Antenna	ChName	Freq(MHz)	Detect or	Freq [MHz]	Result [dBm]	Gain [dB]	DC Factor [dB]	EIRP [dBm]	Limit [dBm]	Verdict
11A	Ant2	Low	5180	AV	4500.000	-62.46	2.0	1.03	-59.43	≤-41.20	PASS
				AV	5148.900	-57.87	2.0	1.03	-54.84	≤-41.20	PASS
				AV	5150.000	-58.69	2.0	1.03	-55.66	≤-41.20	PASS
				Peak	4500.000	-54.08	2.0	0.00	-52.08	≤-27.00	PASS
				Peak	5117.400	-48.24	2.0	0.00	-46.24	≤-27.00	PASS
				Peak	5150.000	-48.34	2.0	0.00	-46.34	≤-27.00	PASS
		High	5240	AV	5350.000	-58.58	2.0	1.25	-55.33	≤-41.20	PASS
				AV	5364.480	-57.8	2.0	1.25	-54.55	≤-41.20	PASS
				AV	5460.000	-59.61	2.0	1.25	-56.36	≤-41.20	PASS
				Peak	5350.000	-49.59	2.0	0.00	-47.59	≤-27.00	PASS
				Peak	5350.560	-47.31	2.0	0.00	-45.31	≤-27.00	PASS
				Peak	5460.000	-50.82	2.0	0.00	-48.82	≤-27.00	PASS
		Low	5745	Peak	5650.000	-51.435	2.0	0.00	-49.435	≤-27.00	PASS
				Peak	5700.000	-50.34	2.0	0.00	-48.34	≤10.00	PASS
				Peak	5720.000	-49.54	2.0	0.00	-47.54	≤15.60	PASS
				Peak	5725.000	-47.09	2.0	0.00	-45.09	≤27.00	PASS
		High	5825	Peak	5850.000	-46.562	2.0	0.00	-44.562	≤27.00	PASS
				Peak	5855.000	-47.69	2.0	0.00	-45.69	≤15.60	PASS
				Peak	5875.000	-49.63	2.0	0.00	-47.63	≤10.00	PASS
				Peak	5925.000	-50.0	2.0	0.00	-48	≤-27.00	PASS
11N20SI SO	Ant2	Low	5180	AV	4500.000	-62.48	2.0	1.12	-59.36	≤-41.20	PASS
				AV	5138.400	-57.96	2.0	1.12	-54.84	≤-41.20	PASS
				AV	5150.000	-58.37	2.0	1.12	-55.25	≤-41.20	PASS
				Peak	4500.000	-54.42	2.0	0.00	-52.42	≤-27.00	PASS
				Peak	5132.100	-47.65	2.0	0.00	-45.65	≤-27.00	PASS
				Peak	5150.000	-49.86	2.0	0.00	-47.86	≤-27.00	PASS
		High	5240	AV	5350.000	-58.3	2.0	1.06	-55.24	≤-41.20	PASS
				AV	5356.320	-57.79	2.0	1.06	-54.73	≤-41.20	PASS
				AV	5460.000	-59.62	2.0	1.06	-56.56	≤-41.20	PASS
				Peak	5350.000	-48.93	2.0	0.00	-46.93	≤-27.00	PASS
				Peak	5400.000	-45.92	2.0	0.00	-43.92	≤-27.00	PASS
				Peak	5460.000	-49.95	2.0	0.00	-47.95	≤-27.00	PASS
		Low	5745	Peak	5650.000	-52.045	2.0	0.00	-50.045	≤-27.00	PASS
				Peak	5700.000	-50.37	2.0	0.00	-48.37	≤10.00	PASS
				Peak	5720.000	-49.95	2.0	0.00	-47.95	≤15.60	PASS
				Peak	5725.000	-45.46	2.0	0.00	-43.46	≤27.00	PASS

		High	5825	Peak	5850.000	-42.441	2.0	0.00	-40.441	≤27.00	PASS
				Peak	5855.000	-48.76	2.0	0.00	-46.76	≤15.60	PASS
				Peak	5875.000	-48.16	2.0	0.00	-46.16	≤10.00	PASS
				Peak	5925.000	-51.77	2.0	0.00	-49.77	≤-27.00	PASS
11N40SI SO	Ant2	Low	5190	AV	4500.000	-62.69	2.0	1.06	-59.63	≤-41.20	PASS
				AV	5144.700	-55.97	2.0	1.06	-52.91	≤-41.20	PASS
				AV	5150.000	-56.87	2.0	1.06	-53.81	≤-41.20	PASS
				Peak	4500.000	-55.39	2.0	0.00	-53.39	≤-27.00	PASS
				Peak	5146.800	-44.56	2.0	0.00	-42.56	≤-27.00	PASS
				Peak	5150.000	-48.03	2.0	0.00	-46.03	≤-27.00	PASS
		High	5230	AV	5350.000	-58.0	2.0	1.06	-54.94	≤-41.20	PASS
				AV	5361.980	-57.81	2.0	1.06	-54.75	≤-41.20	PASS
				AV	5460.000	-59.16	2.0	1.06	-56.1	≤-41.20	PASS
				Peak	5350.000	-48.64	2.0	0.00	-46.64	≤-27.00	PASS
				Peak	5390.060	-45.02	2.0	0.00	-43.02	≤-27.00	PASS
				Peak	5460.000	-50.62	2.0	0.00	-48.62	≤-27.00	PASS
		Low	5755	Peak	5650.000	-52.022	2.0	0.00	-50.022	≤-27.00	PASS
				Peak	5700.000	-49.97	2.0	0.00	-47.97	≤10.00	PASS
				Peak	5720.000	-43.66	2.0	0.00	-41.66	≤15.60	PASS
				Peak	5725.000	-43.87	2.0	0.00	-41.87	≤27.00	PASS
		High	5795	Peak	5850.000	-47.035	2.0	0.00	-45.035	≤27.00	PASS
				Peak	5855.000	-47.0	2.0	0.00	-45	≤15.60	PASS
				Peak	5875.000	-48.62	2.0	0.00	-46.62	≤10.00	PASS
				Peak	5925.000	-50.8	2.0	0.00	-48.8	≤-27.00	PASS
11AC20S ISO	Ant2	Low	5180	AV	4500.000	-62.79	2.0	0.76	-60.03	≤-41.20	PASS
				AV	5142.600	-57.8	2.0	0.76	-55.04	≤-41.20	PASS
				AV	5150.000	-58.04	2.0	0.76	-55.28	≤-41.20	PASS
				Peak	4500.000	-53.93	2.0	0.00	-51.93	≤-27.00	PASS
				Peak	5141.200	-48.18	2.0	0.00	-46.18	≤-27.00	PASS
				Peak	5150.000	-48.17	2.0	0.00	-46.17	≤-27.00	PASS
		High	5240	AV	5350.000	-57.94	2.0	0.76	-55.18	≤-41.20	PASS
				AV	5354.160	-57.82	2.0	0.76	-55.06	≤-41.20	PASS
				AV	5460.000	-59.34	2.0	0.76	-56.58	≤-41.20	PASS
				Peak	5350.000	-48.62	2.0	0.00	-46.62	≤-27.00	PASS
				Peak	5392.080	-47.69	2.0	0.00	-45.69	≤-27.00	PASS
				Peak	5460.000	-51.84	2.0	0.00	-49.84	≤-27.00	PASS
		Low	5745	Peak	5650.000	-51.876	2.0	0.00	-49.876	≤-27.00	PASS
				Peak	5700.000	-49.99	2.0	0.00	-47.99	≤10.00	PASS
				Peak	5720.000	-49.32	2.0	0.00	-47.32	≤15.60	PASS
				Peak	5725.000	-44.79	2.0	0.00	-42.79	≤27.00	PASS
		High	5825	Peak	5850.000	-42.675	2.0	0.00	-40.675	≤27.00	PASS
				Peak	5855.000	-49.74	2.0	0.00	-47.74	≤15.60	PASS
				Peak	5875.000	-49.44	2.0	0.00	-47.44	≤10.00	PASS