






11N20SISO_Ant1_5240



11N20SISO_Ant1_5745



11N20SISO_Ant1_5785




11N20SISO_Ant1_5825




11N40SISO_Ant1_5190



11N40SISO_Ant1_5230




11N40SISO_Ant1_5755




11N40SISO_Ant1_5795




11AC20SISO_Ant1_5180




11AC20SISO_Ant1_5220



11AC20SISO_Ant1_5240



11AC20SISO_Ant1_5745




11AC20SISO_Ant1_5785




11AC20SISO_Ant1_5825




11AC40SISO_Ant1_5190



11AC40SISO_Ant1_5230



11AC40SISO_Ant1_5755



11AC40SISO_Ant1_5795




11AC80SISO_Ant1_5210




11AC80SISO_Ant1_5775



11AX20SISO_Ant1_5180



11AX20SISO_Ant1_5220



11AX20SISO_Ant1_5240




11AX20SISO_Ant1_5745




11AX20SISO_Ant1_5785




11AX20SISO_Ant1_5825



11AX40SISO_Ant1_5190



11AX40SISO_Ant1_5230




11AX40SISO_Ant1_5755




11AX40SISO_Ant1_5795



11AX80SISO_Ant1_5210



11AX80SISO_Ant1_5775



Appendix E: Band edge measurements

Test Result B1

TestMode	Antenna	ChName	Freq(MHz)	Result[dBm]	Limit[dBm]	Verdict
11A	Ant1	Low	5180	-43.54	≤-27	PASS
		High	5240	-47.09	≤-27	PASS
11N20SISO	Ant1	Low	5180	-42.35	≤-27	PASS
		High	5240	-46.76	≤-27	PASS
11N40SISO	Ant1	Low	5190	-38.85	≤-27	PASS
		High	5230	-47.43	≤-27	PASS
11AC20SISO	Ant1	Low	5180	-42.35	≤-27	PASS
		High	5240	-46.75	≤-27	PASS
11AC40SISO	Ant1	Low	5190	-37.98	≤-27	PASS
		High	5230	-46.71	≤-27	PASS
11AC80SISO	Ant1	Low	5210	-36.11	≤-27	PASS
		High	5210	-42.93	≤-27	PASS
11AX20SISO	Ant1	Low	5180	-42.26	≤-27	PASS
		High	5240	-47.2	≤-27	PASS
11AX40SISO	Ant1	Low	5190	-35.71	≤-27	PASS
		High	5230	-47.3	≤-27	PASS
11AX80SISO	Ant1	Low	5210	-35.87	≤-27	PASS
		High	5210	-43.46	≤-27	PASS

Test Result B4

TestMode	Antenna	ChName	Freq(MHz)	FreqRange [MHz]	Result [dBm]	Limit [dBm]	Verdict
11A	Ant1	Low	5745	5645~5650	-49.47	≤-27	PASS
				5650~5700	-49.36	≤-26.79	PASS
				5700~5720	-40.09	≤15.56	PASS
				5720~5725	-42.72	≤16.34	PASS
		High	5825	5850~5855	-41.11	≤16.96	PASS
				5855~5875	-47.2	≤10.10	PASS
				5875~5925	-48.61	≤-26.71	PASS
				5925~5935	-48.65	≤-27	PASS
11N20SISO	Ant1	Low	5745	5645~5650	-48.74	≤-27	PASS
				5650~5700	-49.65	≤-26.70	PASS
				5700~5720	-37.43	≤15.30	PASS
				5720~5725	-41.26	≤15.82	PASS
		High	5825	5850~5855	-45.25	≤16.03	PASS

				5855~5875	-44.16	≤ 12.59	PASS
				5875~5925	-49.36	≤ -26.51	PASS
				5925~5935	-47.89	≤ -27	PASS
11N40SI SO	Ant1	Low	5755	5645~5650	-49.01	≤ -27	PASS
				5650~5700	-49.55	≤ -26.70	PASS
				5700~5720	-36.73	≤ 15.54	PASS
				5720~5725	-36.48	≤ 15.74	PASS
		High	5795	5850~5855	-44.21	≤ 16.41	PASS
				5855~5875	-46.12	≤ 11.22	PASS
				5875~5925	-48.56	≤ -26.46	PASS
				5925~5935	-47.2	≤ -27	PASS
11AC20S ISO	Ant1	Low	5745	5645~5650	-46.08	≤ -27	PASS
				5650~5700	-46.71	≤ -26.10	PASS
				5700~5720	-44.3	≤ 10.12	PASS
				5720~5725	-39.07	≤ 16.34	PASS
		High	5825	5850~5855	-44.34	≤ 16.34	PASS
				5855~5875	-47.51	≤ 10.70	PASS
				5875~5925	-49.7	≤ -26.51	PASS
				5925~5935	-48.53	≤ -27	PASS
11AC40S ISO	Ant1	Low	5755	5645~5650	-48.7	≤ -27	PASS
				5650~5700	-49.28	≤ -26.30	PASS
				5700~5720	-36.82	≤ 15.31	PASS
				5720~5725	-37.78	≤ 15.74	PASS
		High	5795	5850~5855	-45.76	≤ 15.66	PASS
				5855~5875	-47.14	≤ 10.43	PASS
				5875~5925	-49.43	≤ -26.95	PASS
				5925~5935	-47.6	≤ -27	PASS
11AC80S ISO	Ant1	Low	5775	5645~5650	-46.22	≤ -27	PASS
				5650~5700	-47.09	≤ -25.08	PASS
				5700~5720	-39.19	≤ 10.05	PASS
				5720~5725	-37.5	≤ 17.77	PASS
		High	5775	5850~5855	-37.13	≤ 15.84	PASS
				5855~5875	-40.97	≤ 10.50	PASS
				5875~5925	-46.31	≤ -24.54	PASS
				5925~5935	-46.89	≤ -27	PASS
11AX20S ISO	Ant1	Low	5745	5645~5650	-48.88	≤ -27	PASS
				5650~5700	-49.17	≤ -26.62	PASS
				5700~5720	-39.53	≤ 15.08	PASS
				5720~5725	-40.32	≤ 16.60	PASS
		High	5825	5850~5855	-37.12	≤ 21.88	PASS
				5855~5875	-47.53	≤ 10.36	PASS
				5875~5925	-47.38	≤ -26.21	PASS
				5925~5935	-47.77	≤ -27	PASS