**5550MHz, Radar 4**

| Trial Id | Radar Type | Pulse Width(μs) | PRI (μs) | Number of Pulses | Waveform Length (μs) | conclusion |
|---|---|---|---|---|---|---|
| 0 | 4 | 16.0 | 355.0 | 14 | 4970.0 | Y |
| 1 | 4 | 11.3 | 487.0 | 12 | 5844.0 | Y |
| 2 | 4 | 13.5 | 344.0 | 13 | 4472.0 | Y |
| 3 | 4 | 19.4 | 288.0 | 16 | 4608.0 | Y |
| 4 | 4 | 17.5 | 230.0 | 15 | 3450.0 | Y |
| 5 | 4 | 15.3 | 432.0 | 14 | 6048.0 | Y |
| 6 | 4 | 15.9 | 207.0 | 14 | 2898.0 | Y |
| 7 | 4 | 14.3 | 443.0 | 13 | 5759.0 | Y |
| 8 | 4 | 15.8 | 439.0 | 14 | 6146.0 | Y |
| 9 | 4 | 11.5 | 223.0 | 12 | 2676.0 | Y |
| 10 | 4 | 17.4 | 208.0 | 15 | 3120.0 | Y |
| 11 | 4 | 19.0 | 463.0 | 16 | 7408.0 | Y |
| 12 | 4 | 16.0 | 441.0 | 14 | 6174.0 | Y |
| 13 | 4 | 13.8 | 323.0 | 13 | 4199.0 | Y |
| 14 | 4 | 18.9 | 297.0 | 16 | 4752.0 | Y |
| 15 | 4 | 15.5 | 412.0 | 14 | 5768.0 | Y |
| 16 | 4 | 19.9 | 324.0 | 16 | 5184.0 | Y |
| 17 | 4 | 14.1 | 271.0 | 13 | 3523.0 | Y |
| 18 | 4 | 15.2 | 349.0 | 14 | 4886.0 | Y |
| 19 | 4 | 13.8 | 409.0 | 13 | 5317.0 | Y |
| 20 | 4 | 17.1 | 373.0 | 15 | 5595.0 | Y |
| 21 | 4 | 13.8 | 254.0 | 13 | 3302.0 | Y |
| 22 | 4 | 19.8 | 274.0 | 16 | 4384.0 | Y |
| 23 | 4 | 15.3 | 278.0 | 14 | 3892.0 | Y |
| 24 | 4 | 14.5 | 317.0 | 13 | 4121.0 | Y |
| 25 | 4 | 11.3 | 260.0 | 12 | 3120.0 | Y |
| 26 | 4 | 17.3 | 211.0 | 15 | 3165.0 | Y |
| 27 | 4 | 19.2 | 272.0 | 16 | 4352.0 | Y |
| 28 | 4 | 14.2 | 264.0 | 13 | 3432.0 | Y |
| 29 | 4 | 18.2 | 284.0 | 15 | 4260.0 | Y |
| Detection rate: 100% | | | | | | |


*This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.*

**5550MHz, Radar 5**

| Trial Id | Radar Type | Number of Pulses | Chip Width (MHz) | Burst Period (s) | Waveform Length (μs) | Center Frequency (MHz) | conclusion |
|---|---|---|---|---|---|---|---|
| 0 | 5 | 15 | 13 | 0.8000000 | 12.0 | 5.2700 | Y |
| 1 | 5 | 8 | 19 | 1.5000000 | 12.0 | 5.2700 | Y |
| 2 | 5 | 11 | 11 | 1.0909091 | 12.0 | 5.2700 | Y |
| 3 | 5 | 20 | 12 | 0.6000000 | 12.0 | 5.2700 | Y |
| 4 | 5 | 17 | 6 | 0.7058824 | 12.0 | 5.2700 | Y |
| 5 | 5 | 14 | 15 | 0.8571429 | 12.0 | 5.2700 | Y |
| 6 | 5 | 15 | 16 | 0.8000000 | 12.0 | 5.2700 | Y |
| 7 | 5 | 12 | 17 | 1.0000000 | 12.0 | 5.2700 | Y |
| 8 | 5 | 14 | 19 | 0.8571429 | 12.0 | 5.2700 | Y |
| 9 | 5 | 8 | 12 | 1.5000000 | 12.0 | 5.2700 | Y |
| 10 | 5 | 17 | 7 | 0.7058824 | 12.0 | 5.2564 | Y |
| 11 | 5 | 19 | 11 | 0.6315789 | 12.0 | 5.2576 | Y |
| 12 | 5 | 15 | 14 | 0.8000000 | 12.0 | 5.2552 | Y |
| 13 | 5 | 12 | 16 | 1.0000000 | 12.0 | 5.2540 | Y |
| 14 | 5 | 19 | 9 | 0.6315789 | 12.0 | 5.2572 | Y |
| 15 | 5 | 14 | 16 | 0.8571429 | 12.0 | 5.2548 | Y |
| 16 | 5 | 20 | 13 | 0.6000000 | 12.0 | 5.2580 | Y |
| 17 | 5 | 12 | 7 | 1.0000000 | 12.0 | 5.2540 | Y |
| 18 | 5 | 14 | 10 | 0.8571429 | 12.0 | 5.2548 | Y |
| 19 | 5 | 12 | 19 | 1.0000000 | 12.0 | 5.2540 | Y |
| 20 | 5 | 16 | 12 | 0.7500000 | 12.0 | 5.2840 | Y |
| 21 | 5 | 12 | 14 | 1.0000000 | 12.0 | 5.2864 | Y |
| 22 | 5 | 20 | 9 | 0.6000000 | 12.0 | 5.2820 | Y |
| 23 | 5 | 14 | 14 | 0.8571429 | 12.0 | 5.2852 | Y |
| 24 | 5 | 13 | 6 | 0.9230769 | 12.0 | 5.2856 | Y |
| 25 | 5 | 8 | 7 | 1.5000000 | 12.0 | 5.2880 | Y |
| 26 | 5 | 17 | 18 | 0.7058824 | 12.0 | 5.2836 | Y |
| 27 | 5 | 19 | 16 | 0.6315789 | 12.0 | 5.2824 | Y |
| 28 | 5 | 12 | 17 | 1.0000000 | 12.0 | 5.2860 | Y |
| 29 | 5 | 18 | 16 | 0.6666667 | 12.0 | 5.2832 | Y |
| Detection rate: 100% | | | | | | | |


*This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.*

| Trial Number | | | 0 | | | |
|---|---|---|---|---|---|---|
| Bursts in Trial | | | 16 | | | |
| Center Frequency (MHz) | | | 5550 | | | |
| Burst | Number of Pulses | Pulse Width (µsec) | Chirp Width (MHz) | Pulse 1-to-2 PRI (µsec) | Pulse 2-to-3 PRI (µsec) | Start Location Within Interval (msec) |
| 1 | 1 | 71.5 | 13 | -- | -- | 382.157 |
| 2 | 1 | 73.2 | 13 | -- | -- | 537.38 |
| 3 | 1 | 95.5 | 13 | -- | -- | 301.44 |
| 4 | 2 | 88.4 | 13 | 1280 | -- | 586.04 |
| 5 | 2 | 64.8 | 13 | 1624 | -- | 322.44 |
| 6 | 1 | 77.3 | 13 | -- | -- | 33.47 |
| 7 | 2 | 64.3 | 13 | 1035 | -- | 238.39 |
| 8 | 1 | 97.4 | 13 | -- | -- | 422.7 |
| 9 | 1 | 60.5 | 13 | -- | -- | 589.16 |
| 10 | 2 | 77.3 | 13 | 1797 | -- | 269.82 |
| 11 | 1 | 60.3 | 13 | -- | -- | 14.29 |
| 12 | 1 | 99.3 | 13 | -- | -- | 734.54 |
| 13 | 2 | 65.1 | 13 | 1528 | -- | 118.33 |
| 14 | 2 | 56.9 | 13 | 1137 | -- | 496.3 |
| 15 | 1 | 86 | 13 | -- | -- | 208.7 |
| 16 | 1 | 83.5 | 13 | -- | -- | 545 |
| Detection Check (Y=Detection; N=No Detection) | | | | | | Y |


*This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.*

| Trial Number | | | 1 | | | |
|---|---|---|---|---|---|---|
| Bursts in Trial | | | 12 | | | |
| Center Frequency (MHz) | | | 5550 | | | |
| Burst | Number of Pulses | Pulse Width (µsec) | Chirp Width (MHz) | Pulse 1-to-2 PRI (µsec) | Pulse 2-to-3 PRI (µsec) | Start Location Within Interval (msec) |
| 1 | 3 | 96.6 | 19 | 1441 | 1588 | 157.072 |
| 2 | 2 | 57 | 19 | 1003 | -- | 31.84 |
| 3 | 1 | 99.4 | 19 | -- | -- | 593.46 |
| 4 | 3 | 51.4 | 19 | 1076 | 1207 | 174.33 |
| 5 | 3 | 71.5 | 19 | 1105 | 1860 | 53.87 |
| 6 | 2 | 99.5 | 19 | 1009 | -- | 204.9 |
| 7 | 2 | 96.8 | 19 | 1888 | -- | 972.89 |
| 8 | 2 | 62.8 | 19 | 1708 | -- | 421.81 |
| 9 | 2 | 68.6 | 19 | 1979 | -- | 675.92 |
| 10 | 1 | 52.2 | 19 | -- | -- | 905.33 |
| 11 | 2 | 71.2 | 19 | 1891 | -- | 626.2 |
| 12 | 1 | 80.7 | 19 | -- | -- | 297.1 |
| Detection Check (Y=Detection; N=No Detection) | | | | | | Y |


*This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.*

| Trial Number | | | 2 | | | |
|---|---|---|---|---|---|---|
| Bursts in Trial | | | 12 | | | |
| Center Frequency (MHz) | | | 5550 | | | |
| Burst | Number of Pulses | Pulse Width (µsec) | Chirp Width (MHz) | Pulse 1-to-2 PRI (µsec) | Pulse 2-to-3 PRI (µsec) | Start Location Within Interval (msec) |
| 1 | 2 | 73 | 11 | 1720 | -- | 60.341 |
| 2 | 2 | 86.6 | 11 | 1086 | -- | 471.34 |
| 3 | 2 | 52 | 11 | 1769 | -- | 149.46 |
| 4 | 3 | 89.5 | 11 | 1050 | 1774 | 665.26 |
| 5 | 2 | 91.3 | 11 | 1275 | -- | 763.12 |
| 6 | 1 | 87.6 | 11 | -- | -- | 242.46 |
| 7 | 2 | 95.7 | 11 | 1592 | -- | 386.09 |
| 8 | 1 | 79.1 | 11 | -- | -- | 690.82 |
| 9 | 2 | 63 | 11 | 1026 | -- | 448.47 |
| 10 | 3 | 78.5 | 11 | 1233 | 1434 | 781.34 |
| 11 | 2 | 71.4 | 11 | 1774 | -- | 534 |
| 12 | 2 | 93.2 | 11 | 1268 | -- | 689.3 |
| Detection Check (Y=Detection; N=No Detection) | | | | | | Y |


*This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.*

| Trial Number | | | 3 | | | |
|---|---|---|---|---|---|---|
| Bursts in Trial | | | 15 | | | |
| Center Frequency (MHz) | | | 5550 | | | |
| Burst | Number of Pulses | Pulse Width (µsec) | Chirp Width (MHz) | Pulse 1-to-2 PRI (µsec) | Pulse 2-to-3 PRI (µsec) | Start Location Within Interval (msec) |
| 1 | 3 | 51.8 | 12 | 1987 | 1673 | 785.215 |
| 2 | 1 | 67.1 | 12 | -- | -- | 304.74 |
| 3 | 2 | 80.4 | 12 | 1189 | -- | 234.53 |
| 4 | 2 | 57.2 | 12 | 1369 | -- | 400.36 |
| 5 | 3 | 80.9 | 12 | 1841 | 1377 | 257.92 |
| 6 | 2 | 66.8 | 12 | 1850 | -- | 641.28 |
| 7 | 2 | 78.3 | 12 | 1566 | -- | 763.04 |
| 8 | 1 | 95.7 | 12 | -- | -- | 315.89 |
| 9 | 2 | 72.6 | 12 | 1987 | -- | 694.91 |
| 10 | 2 | 86.1 | 12 | 1099 | -- | 12.39 |
| 11 | 3 | 54.6 | 12 | 1547 | 1020 | 744.49 |
| 12 | 3 | 82.4 | 12 | 1778 | 1816 | 623.75 |
| 13 | 2 | 52.6 | 12 | 1943 | -- | 704.1 |
| 14 | 3 | 88.8 | 12 | 1592 | 1140 | 155.2 |
| 15 | 2 | 91.6 | 12 | 1430 | -- | 771.7 |
| Detection Check (Y=Detection; N=No Detection) | | | | | | Y |


*This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.*

| Trial Number | | | 4 | | | |
|---|---|---|---|---|---|---|
| Bursts in Trial | | | 15 | | | |
| Center Frequency (MHz) | | | 5550 | | | |
| Burst | Number of Pulses | Pulse Width (µsec) | Chirp Width (MHz) | Pulse 1-to-2 PRI (µsec) | Pulse 2-to-3 PRI (µsec) | Start Location Within Interval (msec) |
| 1 | 2 | 91.5 | 6 | 1778 | -- | 131.166 |
| 2 | 1 | 58.6 | 6 | -- | -- | 306.44 |
| 3 | 1 | 54.2 | 6 | -- | -- | 157.68 |
| 4 | 1 | 68.4 | 6 | -- | -- | 464.16 |
| 5 | 2 | 62.8 | 6 | 1467 | -- | 725.57 |
| 6 | 1 | 90.9 | 6 | -- | -- | 277.06 |
| 7 | 1 | 93.9 | 6 | -- | -- | 278.94 |
| 8 | 2 | 67.7 | 6 | 1128 | -- | 83.93 |
| 9 | 2 | 57.2 | 6 | 1328 | -- | 324.65 |
| 10 | 2 | 77.5 | 6 | 1726 | -- | 269.88 |
| 11 | 1 | 53.8 | 6 | -- | -- | 538.06 |
| 12 | 2 | 56.7 | 6 | 1884 | -- | 731.59 |
| 13 | 3 | 50.7 | 6 | 1243 | 1550 | 206.21 |
| 14 | 2 | 86.2 | 6 | 1189 | -- | 307.7 |
| 15 | 1 | 82.7 | 6 | -- | -- | 208.1 |
| Detection Check (Y=Detection; N=No Detection) | | | | | | Y |


*This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.*

| Trial Number | | | 5 | | | |
|---|---|---|---|---|---|---|
| Bursts in Trial | | | 10 | | | |
| Center Frequency (MHz) | | | 5550 | | | |
| Burst | Number of Pulses | Pulse Width (µsec) | Chirp Width (MHz) | Pulse 1-to-2 PRI (µsec) | Pulse 2-to-3 PRI (µsec) | Start Location Within Interval (msec) |
| 1 | 1 | 90.1 | 15 | -- | -- | 1033.2 |
| 2 | 2 | 80.7 | 15 | 1532 | -- | 510.9 |
| 3 | 1 | 99.6 | 15 | -- | -- | 454.39 |
| 4 | 1 | 50.8 | 15 | -- | -- | 577.37 |
| 5 | 1 | 60.7 | 15 | -- | -- | 101.54 |
| 6 | 3 | 90 | 15 | 1254 | 1217 | 724.3 |
| 7 | 2 | 89.1 | 15 | 1337 | -- | 977.24 |
| 8 | 2 | 96.6 | 15 | 1506 | -- | 497.64 |
| 9 | 1 | 76.3 | 15 | -- | -- | 19.63 |
| 10 | 1 | 55.9 | 15 | -- | -- | 793.8 |
| Detection Check (Y=Detection; N=No Detection) | | | | | | Y |


*This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.*

| Trial Number | | | 6 | | | |
|---|---|---|---|---|---|---|
| Bursts in Trial | | | 16 | | | |
| Center Frequency (MHz) | | | 5550 | | | |
| Burst | Number of Pulses | Pulse Width (µsec) | Chirp Width (MHz) | Pulse 1-to-2 PRI (µsec) | Pulse 2-to-3 PRI (µsec) | Start Location Within Interval (msec) |
| 1 | 3 | 57.1 | 16 | 1529 | 1704 | 329.074 |
| 2 | 2 | 89.7 | 16 | 1153 | -- | 181.929 |
| 3 | 1 | 57 | 16 | -- | -- | 661.73 |
| 4 | 3 | 76.3 | 16 | 1421 | 1729 | 676.54 |
| 5 | 2 | 85 | 16 | 1471 | -- | 195.28 |
| 6 | 2 | 51.1 | 16 | 1777 | -- | 133.14 |
| 7 | 2 | 87.4 | 16 | 1935 | -- | 235.39 |
| 8 | 1 | 76.9 | 16 | -- | -- | 689.87 |
| 9 | 2 | 53.7 | 16 | 1406 | -- | 108.86 |
| 10 | 1 | 63.5 | 16 | -- | -- | 298.5 |
| 11 | 2 | 71.6 | 16 | 1480 | -- | 455.93 |
| 12 | 1 | 54.9 | 16 | -- | -- | 458.73 |
| 13 | 1 | 54.9 | 16 | -- | -- | 655.32 |
| 14 | 1 | 74.4 | 16 | -- | -- | 342.5 |
| 15 | 3 | 57.1 | 16 | 1803 | 1961 | 253.6 |
| 16 | 2 | 60.1 | 16 | 1173 | -- | 626.3 |
| Detection Check (Y=Detection; N=No Detection) | | | | | | Y |


*This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.*

| Trial Number | | | 7 | | | |
|---|---|---|---|---|---|---|
| Bursts in Trial | | | 10 | | | |
| Center Frequency (MHz) | | | 5550 | | | |
| Burst | Number of Pulses | Pulse Width (µsec) | Chirp Width (MHz) | Pulse 1-to-2 PRI (µsec) | Pulse 2-to-3 PRI (µsec) | Start Location Within Interval (msec) |
| 1 | 1 | 73.5 | 17 | -- | -- | 1027.02 |
| 2 | 1 | 89.6 | 17 | -- | -- | 288.87 |
| 3 | 2 | 96.4 | 17 | 1502 | -- | 940.16 |
| 4 | 1 | 55.4 | 17 | -- | -- | 538.88 |
| 5 | 3 | 77.4 | 17 | 1678 | 1866 | 313.88 |
| 6 | 3 | 94.7 | 17 | 1377 | 1225 | 810.56 |
| 7 | 3 | 87.8 | 17 | 1040 | 1623 | 571.58 |
| 8 | 3 | 69.1 | 17 | 1265 | 1703 | 573.24 |
| 9 | 2 | 93.1 | 17 | 1526 | -- | 732 |
| 10 | 2 | 84.2 | 17 | 1218 | -- | 1135.7 |
| Detection Check (Y=Detection; N=No Detection) | | | | | | Y |


*This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.*

| Trial Number | | | 8 | | | |
|---|---|---|---|---|---|---|
| Bursts in Trial | | | 17 | | | |
| Center Frequency (MHz) | | | 5550 | | | |
| Burst | Number of Pulses | Pulse Width (µsec) | Chirp Width (MHz) | Pulse 1-to-2 PRI (µsec) | Pulse 2-to-3 PRI (µsec) | Start Location Within Interval (msec) |
| 1 | 1 | 99.9 | 19 | -- | -- | 379.224 |
| 2 | 3 | 66.9 | 19 | 1884 | 1117 | 141.215 |
| 3 | 3 | 93.9 | 19 | 1541 | 1081 | 385.095 |
| 4 | 1 | 68.1 | 19 | -- | -- | 381.083 |
| 5 | 3 | 64.4 | 19 | 1524 | 1742 | 555.971 |
| 6 | 1 | 55.5 | 19 | -- | -- | 305.368 |
| 7 | 2 | 75.7 | 19 | 1657 | -- | 524.546 |
| 8 | 2 | 79.3 | 19 | 1445 | -- | 300.074 |
| 9 | 2 | 92.5 | 19 | 1739 | -- | 217.191 |
| 10 | 1 | 53.5 | 19 | -- | -- | 379.719 |
| 11 | 1 | 76 | 19 | -- | -- | 408.816 |
| 12 | 2 | 90.7 | 19 | 1974 | -- | 321.334 |
| 13 | 3 | 50 | 19 | 1043 | 1917 | 429.582 |
| 14 | 3 | 55.9 | 19 | 1721 | 1782 | 269.669 |
| 15 | 3 | 62.5 | 19 | 1735 | 1532 | 392.247 |
| 16 | 2 | 97.3 | 19 | 1930 | -- | 543.265 |
| 17 | 3 | 64 | 19 | 1406 | 1172 | 103.082 |
| Detection Check (Y=Detection; N=No Detection) | | | | | | Y |


*This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.*

| Trial Number | | | 9 | | | |
|---|---|---|---|---|---|---|
| Bursts in Trial | | | 8 | | | |
| Center Frequency (MHz) | | | 5550 | | | |
| Burst | Number of Pulses | Pulse Width (µsec) | Chirp Width (MHz) | Pulse 1-to-2 PRI (µsec) | Pulse 2-to-3 PRI (µsec) | Start Location Within Interval (msec) |
| 1 | 1 | 72.5 | 12 | -- | -- | 509.857 |
| 2 | 1 | 82.2 | 12 | -- | -- | 164.27 |
| 3 | 2 | 95.6 | 12 | 1652 | -- | 1336.41 |
| 4 | 3 | 97.5 | 12 | 1913 | 1669 | 1403.44 |
| 5 | 3 | 56.8 | 12 | 1289 | 1286 | 1431.47 |
| 6 | 1 | 59.1 | 12 | -- | -- | 847.09 |
| 7 | 2 | 79.4 | 12 | 1668 | -- | 1007.5 |
| 8 | 1 | 57 | 12 | -- | -- | 1064.5 |
| Detection Check (Y=Detection; N=No Detection) | | | | | | Y |


*This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.*

| Trial Number | | | 10 | | | |
|---|---|---|---|---|---|---|
| Bursts in Trial | | | 17 | | | |
| Center Frequency (MHz) | | | 5550 | | | |
| Burst | Number of Pulses | Pulse Width (µsec) | Chirp Width (MHz) | Pulse 1-to-2 PRI (µsec) | Pulse 2-to-3 PRI (µsec) | Start Location Within Interval (msec) |
| 1 | 1 | 78.3 | 7 | -- | -- | 66.832 |
| 2 | 2 | 84.7 | 7 | 1277 | -- | 533.498 |
| 3 | 3 | 66.8 | 7 | 1498 | 1487 | 363.275 |
| 4 | 3 | 85.1 | 7 | 1385 | 1978 | 101.033 |
| 5 | 3 | 50.6 | 7 | 1597 | 1042 | 240.291 |
| 6 | 2 | 70.9 | 7 | 1963 | -- | 359.558 |
| 7 | 2 | 52.6 | 7 | 1254 | -- | 587.176 |
| 8 | 1 | 99.2 | 7 | -- | -- | 324.064 |
| 9 | 1 | 99.4 | 7 | -- | -- | 661.481 |
| 10 | 1 | 60.8 | 7 | -- | -- | 618.299 |
| 11 | 1 | 98.1 | 7 | -- | -- | 161.846 |
| 12 | 3 | 71.3 | 7 | 1514 | 1297 | 681.744 |
| 13 | 1 | 71.1 | 7 | -- | -- | 57.432 |
| 14 | 1 | 64.2 | 7 | -- | -- | 614.609 |
| 15 | 3 | 94.2 | 7 | 1515 | 1757 | 3.997 |
| 16 | 2 | 90.2 | 7 | 1007 | -- | 409.465 |
| 17 | 2 | 94.5 | 7 | 1152 | -- | 96.682 |
| Detection Check (Y=Detection; N=No Detection) | | | | | | N |


*This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.*

| Trial Number | | | 11 | | | |
|---|---|---|---|---|---|---|
| Bursts in Trial | | | 14 | | | |
| Center Frequency (MHz) | | | 5550 | | | |
| Burst | Number of Pulses | Pulse Width (µsec) | Chirp Width (MHz) | Pulse 1-to-2 PRI (µsec) | Pulse 2-to-3 PRI (µsec) | Start Location Within Interval (msec) |
| 1 | 1 | 56.2 | 11 | -- | -- | 837.948 |
| 2 | 3 | 97.4 | 11 | 1384 | 1150 | 805.177 |
| 3 | 1 | 82.6 | 11 | -- | -- | 108.874 |
| 4 | 2 | 81.2 | 11 | 1739 | -- | 561.491 |
| 5 | 3 | 57.1 | 11 | 1500 | 1788 | 637.839 |
| 6 | 1 | 96.9 | 11 | -- | -- | 470.256 |
| 7 | 2 | 78.8 | 11 | 1644 | -- | 186.843 |
| 8 | 2 | 55.2 | 11 | 1314 | -- | 537.84 |
| 9 | 2 | 90.3 | 11 | 1517 | -- | 210.307 |
| 10 | 2 | 86.8 | 11 | 1352 | -- | 340.554 |
| 11 | 1 | 72 | 11 | -- | -- | 461.061 |
| 12 | 2 | 56.3 | 11 | 1749 | -- | 109.089 |
| 13 | 2 | 77.1 | 11 | 1952 | -- | 370.286 |
| 14 | 1 | 93.2 | 11 | -- | -- | 5.543 |
| Detection Check (Y=Detection; N=No Detection) | | | | | | N |


*This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.*

| Trial Number | | | 12 | | | |
|---|---|---|---|---|---|---|
| Bursts in Trial | | | 13 | | | |
| Center Frequency (MHz) | | | 5550 | | | |
| Burst | Number of Pulses | Pulse Width (µsec) | Chirp Width (MHz) | Pulse 1-to-2 PRI (µsec) | Pulse 2-to-3 PRI (µsec) | Start Location Within Interval (msec) |
| 1 | 3 | 95.8 | 14 | 1940 | 1066 | 135.166 |
| 2 | 2 | 96.9 | 14 | 1620 | -- | 508.763 |
| 3 | 2 | 64.3 | 14 | 1609 | -- | 877.786 |
| 4 | 3 | 97.1 | 14 | 1568 | 1125 | 354.559 |
| 5 | 2 | 69.8 | 14 | 1068 | -- | 329.312 |
| 6 | 2 | 82 | 14 | 1940 | -- | 103.175 |
| 7 | 2 | 97 | 14 | 1961 | -- | 131.808 |
| 8 | 2 | 93.5 | 14 | 1084 | -- | 199.242 |
| 9 | 3 | 59.3 | 14 | 1735 | 1223 | 244.985 |
| 10 | 2 | 54.1 | 14 | 1500 | -- | 916.988 |
| 11 | 1 | 86.7 | 14 | -- | -- | 784.231 |
| 12 | 3 | 84.8 | 14 | 1763 | 1920 | 134.054 |
| 13 | 2 | 99.9 | 14 | 1595 | -- | 885.077 |
| Detection Check (Y=Detection; N=No Detection) | | | | | | Y |


*This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.*

| Trial Number | | | 13 | | | |
|---|---|---|---|---|---|---|
| Bursts in Trial | | | 12 | | | |
| Center Frequency (MHz) | | | 5550 | | | |
| Burst | Number of Pulses | Pulse Width (µsec) | Chirp Width (MHz) | Pulse 1-to-2 PRI (µsec) | Pulse 2-to-3 PRI (µsec) | Start Location Within Interval (msec) |
| 1 | 2 | 53 | 16 | 1035 | -- | 758.419 |
| 2 | 2 | 94.5 | 16 | 1456 | -- | 599.82 |
| 3 | 1 | 92.9 | 16 | -- | -- | 897.55 |
| 4 | 3 | 50.5 | 16 | 1461 | 1898 | 387.44 |
| 5 | 1 | 55.8 | 16 | -- | -- | 663.7 |
| 6 | 2 | 55.8 | 16 | 1153 | -- | 876.84 |
| 7 | 1 | 96.8 | 16 | -- | -- | 258.85 |
| 8 | 2 | 57.6 | 16 | 1472 | -- | 697.38 |
| 9 | 1 | 52.8 | 16 | -- | -- | 238.05 |
| 10 | 2 | 84.7 | 16 | 1477 | -- | 269.11 |
| 11 | 2 | 92.9 | 16 | 1337 | -- | 540.7 |
| 12 | 2 | 61.8 | 16 | 1878 | -- | 662.5 |
| Detection Check (Y=Detection; N=No Detection) | | | | | | N |


*This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.*

| Trial Number | | | 14 | | | |
|---|---|---|---|---|---|---|
| Bursts in Trial | | | 12 | | | |
| Center Frequency (MHz) | | | 5550 | | | |
| Burst | Number of Pulses | Pulse Width (µsec) | Chirp Width (MHz) | Pulse 1-to-2 PRI (µsec) | Pulse 2-to-3 PRI (µsec) | Start Location Within Interval (msec) |
| 1 | 3 | 87.7 | 9 | 1289 | 1972 | 865.268 |
| 2 | 2 | 75.3 | 9 | 1086 | -- | 643.12 |
| 3 | 3 | 61.7 | 9 | 1399 | 1818 | 607.79 |
| 4 | 1 | 84.4 | 9 | -- | -- | 423.86 |
| 5 | 2 | 80 | 9 | 1874 | -- | 777.53 |
| 6 | 2 | 91.9 | 9 | 1107 | -- | 742.23 |
| 7 | 3 | 80.6 | 9 | 1890 | 1876 | 467.68 |
| 8 | 1 | 52.4 | 9 | -- | -- | 420.12 |
| 9 | 1 | 65.8 | 9 | -- | -- | 764.91 |
| 10 | 1 | 88.1 | 9 | -- | -- | 921.18 |
| 11 | 2 | 97.7 | 9 | 1534 | -- | 726 |
| 12 | 2 | 53.1 | 9 | 1425 | -- | 270.3 |
| Detection Check (Y=Detection; N=No Detection) | | | | | | N |


*This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.*

| Trial Number | | | 15 | | | |
|---|---|---|---|---|---|---|
| Bursts in Trial | | | 16 | | | |
| Center Frequency (MHz) | | | 5550 | | | |
| Burst | Number of Pulses | Pulse Width (µsec) | Chirp Width (MHz) | Pulse 1-to-2 PRI (µsec) | Pulse 2-to-3 PRI (µsec) | Start Location Within Interval (msec) |
| 1 | 3 | 97.9 | 16 | 1023 | 1938 | 381.483 |
| 2 | 3 | 70.6 | 16 | 1507 | 1652 | 143.51 |
| 3 | 3 | 79.6 | 16 | 1185 | 1158 | 742.51 |
| 4 | 2 | 57.2 | 16 | 1657 | -- | 694.15 |
| 5 | 2 | 61.8 | 16 | 1683 | -- | 337.15 |
| 6 | 1 | 66.3 | 16 | -- | -- | 683.08 |
| 7 | 1 | 82.8 | 16 | -- | -- | 472.18 |
| 8 | 3 | 93.4 | 16 | 1072 | 1130 | 445.02 |
| 9 | 2 | 89.6 | 16 | 1646 | -- | 593.37 |
| 10 | 3 | 94.1 | 16 | 1786 | 1020 | 448.75 |
| 11 | 1 | 66.7 | 16 | -- | -- | 26.17 |
| 12 | 2 | 58.1 | 16 | 1687 | -- | 734.86 |
| 13 | 2 | 72.2 | 16 | 1767 | -- | 337.55 |
| 14 | 3 | 69.4 | 16 | 1373 | 1948 | 365.9 |
| 15 | 2 | 90.3 | 16 | 1006 | -- | 82.7 |
| 16 | 2 | 78.6 | 16 | 1093 | -- | 219.7 |
| Detection Check (Y=Detection; N=No Detection) | | | | | | Y |


*This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.*

| Trial Number | | | 16 | | | |
|---|---|---|---|---|---|---|
| Bursts in Trial | | | 20 | | | |
| Center Frequency (MHz) | | | 5550 | | | |
| Burst | Number of Pulses | Pulse Width (µsec) | Chirp Width (MHz) | Pulse 1-to-2 PRI (µsec) | Pulse 2-to-3 PRI (µsec) | Start Location Within Interval (msec) |
| 1 | 3 | 86.8 | 13 | 1633 | 1688 | 157.83 |
| 2 | 2 | 85.7 | 13 | 1004 | -- | 161.457 |
| 3 | 2 | 68.1 | 13 | 1361 | -- | 539.54 |
| 4 | 2 | 70.2 | 13 | 1542 | -- | 410.24 |
| 5 | 3 | 60.2 | 13 | 1702 | 1157 | 148.84 |
| 6 | 1 | 53.2 | 13 | -- | -- | 367.52 |
| 7 | 3 | 60.5 | 13 | 1463 | 1735 | 451.72 |
| 8 | 2 | 93.9 | 13 | 1676 | -- | 576.92 |
| 9 | 3 | 65.7 | 13 | 1695 | 1344 | 391.29 |
| 10 | 2 | 62.9 | 13 | 1065 | -- | 220.07 |
| 11 | 3 | 93.5 | 13 | 1923 | 1287 | 303.52 |
| 12 | 2 | 75.6 | 13 | 1938 | -- | 287.4 |
| 13 | 2 | 64.2 | 13 | 1300 | -- | 193.44 |
| 14 | 3 | 83.3 | 13 | 1347 | 1628 | 380.54 |
| 15 | 1 | 65.3 | 13 | -- | -- | 504.53 |
| 16 | 1 | 54.3 | 13 | -- | -- | 38.58 |
| 17 | 3 | 67.7 | 13 | 1394 | 1690 | 206.63 |
| 18 | 3 | 80.2 | 13 | 1533 | 1199 | 278.5 |
| 19 | 1 | 52.8 | 13 | -- | -- | 418.4 |
| 20 | 1 | 51.8 | 13 | -- | -- | 522 |
| Detection Check (Y=Detection; N=No Detection) | | | | | | Y |


*This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.*

| Trial Number | | | 17 | | | |
|---|---|---|---|---|---|---|
| Bursts in Trial | | | 12 | | | |
| Center Frequency (MHz) | | | 5550 | | | |
| Burst | Number of Pulses | Pulse Width (µsec) | Chirp Width (MHz) | Pulse 1-to-2 PRI (µsec) | Pulse 2-to-3 PRI (µsec) | Start Location Within Interval (msec) |
| 1 | 2 | 75.1 | 7 | 1527 | -- | 378.064 |
| 2 | 1 | 52 | 7 | -- | -- | 894.91 |
| 3 | 3 | 86.1 | 7 | 1038 | 1823 | 566.72 |
| 4 | 2 | 87.3 | 7 | 1203 | -- | 633.91 |
| 5 | 1 | 76.6 | 7 | -- | -- | 748.36 |
| 6 | 2 | 52.1 | 7 | 1428 | -- | 938.9 |
| 7 | 1 | 80.2 | 7 | -- | -- | 916.04 |
| 8 | 2 | 84.9 | 7 | 1434 | -- | 220.9 |
| 9 | 3 | 66 | 7 | 1680 | 1545 | 735.64 |
| 10 | 3 | 98.9 | 7 | 1069 | 1516 | 489.68 |
| 11 | 2 | 88.8 | 7 | 1462 | -- | 6.6 |
| 12 | 2 | 83.7 | 7 | 1680 | -- | 832.6 |
| Detection Check (Y=Detection; N=No Detection) | | | | | | Y |


*This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.*

| Trial Number | | | 18 | | | |
|---|---|---|---|---|---|---|
| Bursts in Trial | | | 14 | | | |
| Center Frequency (MHz) | | | 5550 | | | |
| Burst | Number of Pulses | Pulse Width (µsec) | Chirp Width (MHz) | Pulse 1-to-2 PRI (µsec) | Pulse 2-to-3 PRI (µsec) | Start Location Within Interval (msec) |
| 1 | 3 | 79.3 | 10 | 1020 | 1017 | 192.931 |
| 2 | 1 | 62.2 | 10 | -- | -- | 96.667 |
| 3 | 3 | 83.7 | 10 | 1630 | 1335 | 273.514 |
| 4 | 2 | 53.7 | 10 | 1764 | -- | 110.471 |
| 5 | 2 | 77.8 | 10 | 1592 | -- | 263.819 |
| 6 | 2 | 60.9 | 10 | 1984 | -- | 632.906 |
| 7 | 1 | 67.9 | 10 | -- | -- | 627.323 |
| 8 | 2 | 69.3 | 10 | 1449 | -- | 368.52 |
| 9 | 2 | 64.3 | 10 | 1398 | -- | 298.147 |
| 10 | 1 | 58.3 | 10 | -- | -- | 130.664 |
| 11 | 3 | 54 | 10 | 1917 | 1051 | 9.831 |
| 12 | 2 | 58.9 | 10 | 1493 | -- | 454.209 |
| 13 | 2 | 75.9 | 10 | 1065 | -- | 520.086 |
| 14 | 2 | 52.5 | 10 | 1808 | -- | 280.443 |
| Detection Check (Y=Detection; N=No Detection) | | | | | | Y |


*This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.*

| Trial Number | | | 19 | | | |
|---|---|---|---|---|---|---|
| Bursts in Trial | | | 18 | | | |
| Center Frequency (MHz) | | | 5550 | | | |
| Burst | Number of Pulses | Pulse Width (µsec) | Chirp Width (MHz) | Pulse 1-to-2 PRI (µsec) | Pulse 2-to-3 PRI (µsec) | Start Location Within Interval (msec) |
| 1 | 2 | 81.4 | 19 | 1665 | -- | 379.976 |
| 2 | 2 | 98.8 | 19 | 1428 | -- | 272.868 |
| 3 | 2 | 60.4 | 19 | 1371 | -- | 570.017 |
| 4 | 2 | 97 | 19 | 1547 | -- | 562.33 |
| 5 | 2 | 86.2 | 19 | 1951 | -- | 145.103 |
| 6 | 3 | 79.4 | 19 | 1380 | 1824 | 78.747 |
| 7 | 3 | 88.9 | 19 | 1956 | 1288 | 310.78 |
| 8 | 2 | 65 | 19 | 1220 | -- | 502.523 |
| 9 | 2 | 67.4 | 19 | 1831 | -- | 239.657 |
| 10 | 3 | 57.6 | 19 | 1469 | 1682 | 12.3 |
| 11 | 1 | 51.4 | 19 | -- | -- | 612.783 |
| 12 | 1 | 65.1 | 19 | -- | -- | 70.597 |
| 13 | 2 | 58.8 | 19 | 1161 | -- | 630.95 |
| 14 | 1 | 56.5 | 19 | -- | -- | 239.533 |
| 15 | 3 | 72.5 | 19 | 1697 | 1127 | 465.857 |
| 16 | 2 | 86 | 19 | 1139 | -- | 25.3 |
| 17 | 3 | 82.8 | 19 | 1615 | 1859 | 279.433 |
| 18 | 3 | 63.2 | 19 | 1338 | 1480 | 607.867 |
| Detection Check (Y=Detection; N=No Detection) | | | | | | Y |


*This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.*

| Trial Number | | | 20 | | | |
|---|---|---|---|---|---|---|
| Bursts in Trial | | | 16 | | | |
| Center Frequency (MHz) | | | 5550 | | | |
| Burst | Number of Pulses | Pulse Width (µsec) | Chirp Width (MHz) | Pulse 1-to-2 PRI (µsec) | Pulse 2-to-3 PRI (µsec) | Start Location Within Interval (msec) |
| 1 | 1 | 87.9 | 12 | -- | -- | 203.419 |
| 2 | 3 | 91.8 | 12 | 1177 | 1664 | 420.39 |
| 3 | 2 | 81.2 | 12 | 1861 | -- | 263.57 |
| 4 | 3 | 69 | 12 | 1086 | 1723 | 420.04 |
| 5 | 3 | 71.3 | 12 | 1867 | 1451 | 255.33 |
| 6 | 2 | 66 | 12 | 1807 | -- | 76.06 |
| 7 | 3 | 59.7 | 12 | 1364 | 1272 | 600.22 |
| 8 | 2 | 99.1 | 12 | 1254 | -- | 491.16 |
| 9 | 3 | 76.3 | 12 | 1765 | 1703 | 475 |
| 10 | 2 | 74.7 | 12 | 1510 | -- | 275.44 |
| 11 | 1 | 91.8 | 12 | -- | -- | 108 |
| 12 | 3 | 78 | 12 | 1049 | 1889 | 264.44 |
| 13 | 2 | 56.7 | 12 | 1249 | -- | 224.56 |
| 14 | 2 | 78.3 | 12 | 1730 | -- | 164.37 |
| 15 | 2 | 80.3 | 12 | 1064 | -- | 105.5 |
| 16 | 2 | 95.9 | 12 | 1232 | -- | 642.7 |
| Detection Check (Y=Detection; N=No Detection) | | | | | | Y |


*This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.*

| Trial Number | | | 21 | | | |
|---|---|---|---|---|---|---|
| Bursts in Trial | | | 11 | | | |
| Center Frequency (MHz) | | | 5550 | | | |
| Burst | Number of Pulses | Pulse Width (µsec) | Chirp Width (MHz) | Pulse 1-to-2 PRI (µsec) | Pulse 2-to-3 PRI (µsec) | Start Location Within Interval (msec) |
| 1 | 2 | 78.3 | 14 | 1107 | -- | 328.895 |
| 2 | 2 | 90.5 | 14 | 1373 | -- | 193.381 |
| 3 | 2 | 52.1 | 14 | 1732 | -- | 90.162 |
| 4 | 2 | 83.4 | 14 | 1217 | -- | 576.633 |
| 5 | 2 | 99.9 | 14 | 1450 | -- | 434.734 |
| 6 | 3 | 80.9 | 14 | 1048 | 1373 | 344.525 |
| 7 | 2 | 96.3 | 14 | 1883 | -- | 6.815 |
| 8 | 1 | 58.1 | 14 | -- | -- | 927.796 |
| 9 | 1 | 71.2 | 14 | -- | -- | 210.757 |
| 10 | 1 | 66.5 | 14 | -- | -- | 480.218 |
| 11 | 3 | 94.5 | 14 | 1844 | 1097 | 523.709 |
| Detection Check (Y=Detection; N=No Detection) | | | | | | Y |


*This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.*

| Trial Number | | | 22 | | | |
|---|---|---|---|---|---|---|
| Bursts in Trial | | | 11 | | | |
| Center Frequency (MHz) | | | 5550 | | | |
| Burst | Number of Pulses | Pulse Width (µsec) | Chirp Width (MHz) | Pulse 1-to-2 PRI (µsec) | Pulse 2-to-3 PRI (µsec) | Start Location Within Interval (msec) |
| 1 | 1 | 82 | 9 | -- | -- | 172.917 |
| 2 | 1 | 59.3 | 9 | -- | -- | 608.461 |
| 3 | 2 | 89.6 | 9 | 1905 | -- | 424.392 |
| 4 | 1 | 53.5 | 9 | -- | -- | 180.013 |
| 5 | 2 | 68.9 | 9 | 1503 | -- | 348.334 |
| 6 | 2 | 97.5 | 9 | 1399 | -- | 582.715 |
| 7 | 1 | 65.1 | 9 | -- | -- | 909.895 |
| 8 | 2 | 63.7 | 9 | 1299 | -- | 873.616 |
| 9 | 2 | 57.5 | 9 | 1730 | -- | 417.387 |
| 10 | 3 | 76.2 | 9 | 1237 | 1939 | 647.018 |
| 11 | 2 | 83.3 | 9 | 1928 | -- | 781.609 |
| Detection Check (Y=Detection; N=No Detection) | | | | | | Y |


*This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.*

| Trial Number | | | 23 | | | |
|---|---|---|---|---|---|---|
| Bursts in Trial | | | 15 | | | |
| Center Frequency (MHz) | | | 5550 | | | |
| Burst | Number of Pulses | Pulse Width (µsec) | Chirp Width (MHz) | Pulse 1-to-2 PRI (µsec) | Pulse 2-to-3 PRI (µsec) | Start Location Within Interval (msec) |
| 1 | 1 | 57.1 | 14 | -- | -- | 65.901 |
| 2 | 1 | 86.7 | 14 | -- | -- | 334.79 |
| 3 | 3 | 91.2 | 14 | 1464 | 1074 | 722.8 |
| 4 | 2 | 62.7 | 14 | 1790 | -- | 317.33 |
| 5 | 3 | 80.8 | 14 | 1118 | 1285 | 129.98 |
| 6 | 2 | 84.3 | 14 | 1360 | -- | 249.47 |
| 7 | 2 | 64.6 | 14 | 1038 | -- | 25.27 |
| 8 | 2 | 79.1 | 14 | 1527 | -- | 756.97 |
| 9 | 1 | 86.8 | 14 | -- | -- | 409.03 |
| 10 | 2 | 78.2 | 14 | 1256 | -- | 668.58 |
| 11 | 3 | 50.4 | 14 | 1968 | 1182 | 306.55 |
| 12 | 2 | 55.9 | 14 | 1089 | -- | 309.2 |
| 13 | 2 | 67.9 | 14 | 1084 | -- | 236.1 |
| 14 | 3 | 85 | 14 | 1065 | 1119 | 168.6 |
| 15 | 2 | 78.1 | 14 | 1259 | -- | 728.3 |
| Detection Check (Y=Detection; N=No Detection) | | | | | | Y |


*This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.*

| Trial Number | | | 24 | | | |
|---|---|---|---|---|---|---|
| Bursts in Trial | | | 16 | | | |
| Center Frequency (MHz) | | | 5550 | | | |
| Burst | Number of Pulses | Pulse Width (µsec) | Chirp Width (MHz) | Pulse 1-to-2 PRI (µsec) | Pulse 2-to-3 PRI (µsec) | Start Location Within Interval (msec) |
| 1 | 2 | 64.7 | 6 | 1189 | -- | 620.783 |
| 2 | 3 | 54.8 | 6 | 1622 | 1448 | 256.86 |
| 3 | 2 | 75.1 | 6 | 1284 | -- | 23.87 |
| 4 | 1 | 71 | 6 | -- | -- | 303.19 |
| 5 | 3 | 88.2 | 6 | 1851 | 1581 | 385.32 |
| 6 | 1 | 75.6 | 6 | -- | -- | 597.77 |
| 7 | 2 | 75.6 | 6 | 1269 | -- | 435.6 |
| 8 | 1 | 82.6 | 6 | -- | -- | 360.56 |
| 9 | 2 | 96.8 | 6 | 1761 | -- | 77.78 |
| 10 | 2 | 58.1 | 6 | 1040 | -- | 173.34 |
| 11 | 2 | 59.3 | 6 | 1366 | -- | 737.85 |
| 12 | 3 | 98.3 | 6 | 1913 | 1459 | 603.56 |
| 13 | 3 | 80.2 | 6 | 1438 | 1558 | 374.67 |
| 14 | 3 | 78.3 | 6 | 1477 | 1776 | 335.3 |
| 15 | 3 | 82.7 | 6 | 1555 | 1484 | 146.8 |
| 16 | 3 | 56.2 | 6 | 1229 | 1598 | 79.4 |
| Detection Check (Y=Detection; N=No Detection) | | | | | | Y |


*This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.*

| Trial Number | | | 25 | | | |
|---|---|---|---|---|---|---|
| Bursts in Trial | | | 16 | | | |
| Center Frequency (MHz) | | | 5550 | | | |
| Burst | Number of Pulses | Pulse Width (µsec) | Chirp Width (MHz) | Pulse 1-to-2 PRI (µsec) | Pulse 2-to-3 PRI (µsec) | Start Location Within Interval (msec) |
| 1 | 3 | 54.5 | 7 | 1015 | 1238 | 429.994 |
| 2 | 1 | 80.7 | 7 | -- | -- | 679.08 |
| 3 | 3 | 70 | 7 | 1156 | 1260 | 249.98 |
| 4 | 1 | 56.2 | 7 | -- | -- | 719.15 |
| 5 | 1 | 61.1 | 7 | -- | -- | 527.59 |
| 6 | 2 | 78.2 | 7 | 1561 | -- | 92.59 |
| 7 | 3 | 88.1 | 7 | 1583 | 1525 | 437.61 |
| 8 | 2 | 57 | 7 | 1883 | -- | 39.85 |
| 9 | 1 | 84 | 7 | -- | -- | 411.41 |
| 10 | 3 | 86 | 7 | 1306 | 1025 | 189.06 |
| 11 | 1 | 77.4 | 7 | -- | -- | 606.17 |
| 12 | 1 | 93.7 | 7 | -- | -- | 431.02 |
| 13 | 2 | 54.8 | 7 | 1904 | -- | 159.91 |
| 14 | 2 | 74.2 | 7 | 1678 | -- | 147.02 |
| 15 | 2 | 93.7 | 7 | 1653 | -- | 56.4 |
| 16 | 2 | 86.6 | 7 | 1395 | -- | 355.2 |
| Detection Check (Y=Detection; N=No Detection) | | | | | | Y |


*This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.*

| Trial Number | | | 26 | | | |
|---|---|---|---|---|---|---|
| Bursts in Trial | | | 19 | | | |
| Center Frequency (MHz) | | | 5550 | | | |
| Burst | Number of Pulses | Pulse Width (µsec) | Chirp Width (MHz) | Pulse 1-to-2 PRI (µsec) | Pulse 2-to-3 PRI (µsec) | Start Location Within Interval (msec) |
| 1 | 1 | 64.4 | 18 | -- | -- | 308.658 |
| 2 | 2 | 90.1 | 18 | 1488 | -- | 373.081 |
| 3 | 2 | 86.6 | 18 | 1562 | -- | 547.442 |
| 4 | 2 | 98.4 | 18 | 1568 | -- | 139.593 |
| 5 | 2 | 50.6 | 18 | 1465 | -- | 463.894 |
| 6 | 3 | 66.6 | 18 | 1313 | 1964 | 83.195 |
| 7 | 2 | 69.7 | 18 | 1977 | -- | 136.706 |
| 8 | 3 | 51 | 18 | 1127 | 1391 | 393.717 |
| 9 | 2 | 57.6 | 18 | 1806 | -- | 0.548 |
| 10 | 2 | 94.8 | 18 | 1198 | -- | 469.749 |
| 11 | 2 | 87 | 18 | 1561 | -- | 301.451 |
| 12 | 2 | 92.4 | 18 | 1357 | -- | 62.642 |
| 13 | 2 | 78.6 | 18 | 1422 | -- | 573.103 |
| 14 | 2 | 85.5 | 18 | 1778 | -- | 33.424 |
| 15 | 3 | 94.5 | 18 | 1220 | 1042 | 392.475 |
| 16 | 2 | 57 | 18 | 1894 | -- | 168.156 |
| 17 | 3 | 70 | 18 | 1275 | 1186 | 160.537 |
| 18 | 2 | 92.5 | 18 | 1694 | -- | 458.758 |
| 19 | 3 | 89.3 | 18 | 1325 | 1258 | 311.379 |
| Detection Check (Y=Detection; N=No Detection) | | | | | | Y |


*This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.*

| Trial Number | | | 27 | | | |
|---|---|---|---|---|---|---|
| Bursts in Trial | | | 11 | | | |
| Center Frequency (MHz) | | | 5550 | | | |
| Burst | Number of Pulses | Pulse Width (µsec) | Chirp Width (MHz) | Pulse 1-to-2 PRI (µsec) | Pulse 2-to-3 PRI (µsec) | Start Location Within Interval (msec) |
| 1 | 3 | 64 | 16 | 1368 | 1167 | 476.207 |
| 2 | 2 | 62.1 | 16 | 1444 | -- | 524.961 |
| 3 | 1 | 86.2 | 16 | -- | -- | 337.732 |
| 4 | 2 | 58.5 | 16 | 1064 | -- | 8.483 |
| 5 | 3 | 89.1 | 16 | 1071 | 1544 | 985.664 |
| 6 | 2 | 71.8 | 16 | 1683 | -- | 770.295 |
| 7 | 2 | 64.2 | 16 | 1878 | -- | 33.785 |
| 8 | 1 | 85.4 | 16 | -- | -- | 440.826 |
| 9 | 2 | 91.8 | 16 | 1552 | -- | 1052.437 |
| 10 | 2 | 77.3 | 16 | 1498 | -- | 467.118 |
| 11 | 2 | 77.9 | 16 | 1991 | -- | 436.609 |
| Detection Check (Y=Detection; N=No Detection) | | | | | | Y |


*This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.*

| Trial Number | | | 28 | | | |
|---|---|---|---|---|---|---|
| Bursts in Trial | | | 19 | | | |
| Center Frequency (MHz) | | | 5550 | | | |
| Burst | Number of Pulses | Pulse Width (µsec) | Chirp Width (MHz) | Pulse 1-to-2 PRI (µsec) | Pulse 2-to-3 PRI (µsec) | Start Location Within Interval (msec) |
| 1 | 3 | 76.4 | 17 | 1347 | 1144 | 51.36 |
| 2 | 3 | 52.4 | 17 | 1992 | 1827 | 562.281 |
| 3 | 3 | 85.4 | 17 | 1786 | 1251 | 43.492 |
| 4 | 2 | 54.2 | 17 | 1282 | -- | 130.973 |
| 5 | 3 | 83.6 | 17 | 1299 | 1137 | 613.204 |
| 6 | 2 | 96.3 | 17 | 1921 | -- | 136.395 |
| 7 | 2 | 92 | 17 | 1825 | -- | 343.526 |
| 8 | 2 | 80.6 | 17 | 1159 | -- | 428.897 |
| 9 | 1 | 67.8 | 17 | -- | -- | 398.418 |
| 10 | 2 | 58.3 | 17 | 1413 | -- | 208.519 |
| 11 | 1 | 81.9 | 17 | -- | -- | 618.001 |
| 12 | 2 | 55.6 | 17 | 1845 | -- | 299.562 |
| 13 | 2 | 52.5 | 17 | 1827 | -- | 284.473 |
| 14 | 2 | 99.8 | 17 | 1290 | -- | 560.544 |
| 15 | 2 | 56.5 | 17 | 1607 | -- | 396.155 |
| 16 | 1 | 70.8 | 17 | -- | -- | 506.436 |
| 17 | 2 | 80 | 17 | 1582 | -- | 560.837 |
| 18 | 2 | 50 | 17 | 1957 | -- | 334.158 |
| 19 | 1 | 86.5 | 17 | -- | -- | 129.179 |
| Detection Check (Y=Detection; N=No Detection) | | | | | | Y |


*This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.*

| Trial Number | | | 29 | | | |
|---|---|---|---|---|---|---|
| Bursts in Trial | | | 11 | | | |
| Center Frequency (MHz) | | | 5550 | | | |
| Burst | Number of Pulses | Pulse Width (µsec) | Chirp Width (MHz) | Pulse 1-to-2 PRI (µsec) | Pulse 2-to-3 PRI (µsec) | Start Location Within Interval (msec) |
| 1 | 3 | 72.5 | 16 | 1326 | 1085 | 418.338 |
| 2 | 3 | 53.2 | 16 | 1255 | 1936 | 774.251 |
| 3 | 2 | 80.8 | 16 | 1517 | -- | 84.442 |
| 4 | 3 | 52.8 | 16 | 1186 | 1080 | 587.603 |
| 5 | 3 | 88.6 | 16 | 1232 | 1276 | 343.594 |
| 6 | 2 | 57.3 | 16 | 1273 | -- | 151.485 |
| 7 | 2 | 76.7 | 16 | 1543 | -- | 524.595 |
| 8 | 2 | 78.2 | 16 | 1355 | -- | 1037.786 |
| 9 | 3 | 63.2 | 16 | 1638 | 1805 | 377.997 |
| 10 | 3 | 65.6 | 16 | 1036 | 1727 | 298.618 |
| 11 | 1 | 97.1 | 16 | -- | -- | 86.409 |
| Detection Check (Y=Detection; N=No Detection) | | | | | | Y |


*This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.*

**5550MHz, Radar 6**

| Trial Id | Radar Type | Pulse Width(μs) | PRI (μs) | Pulses Per Hop | Hopping Rate (kHz) | Hopping Sequence Length (ms) | Visible Frequency Number | conclusion |
|---|---|---|---|---|---|---|---|---|
| 0 | 6 | 1.0 | 333.3 | 9 | 0.3333 | 300.00 | 33 | Y |
| 1 | 6 | 1.0 | 333.3 | 9 | 0.3333 | 300.00 | 29 | Y |
| 2 | 6 | 1.0 | 333.3 | 9 | 0.3333 | 300.00 | 28 | Y |
| 3 | 6 | 1.0 | 333.3 | 9 | 0.3333 | 300.00 | 35 | Y |
| 4 | 6 | 1.0 | 333.3 | 9 | 0.3333 | 300.00 | 35 | Y |
| 5 | 6 | 1.0 | 333.3 | 9 | 0.3333 | 300.00 | 31 | Y |
| 6 | 6 | 1.0 | 333.3 | 9 | 0.3333 | 300.00 | 33 | Y |
| 7 | 6 | 1.0 | 333.3 | 9 | 0.3333 | 300.00 | 29 | Y |
| 8 | 6 | 1.0 | 333.3 | 9 | 0.3333 | 300.00 | 33 | Y |
| 9 | 6 | 1.0 | 333.3 | 9 | 0.3333 | 300.00 | 32 | Y |
| 10 | 6 | 1.0 | 333.3 | 9 | 0.3333 | 300.00 | 36 | Y |
| 11 | 6 | 1.0 | 333.3 | 9 | 0.3333 | 300.00 | 40 | Y |
| 12 | 6 | 1.0 | 333.3 | 9 | 0.3333 | 300.00 | 37 | Y |
| 13 | 6 | 1.0 | 333.3 | 9 | 0.3333 | 300.00 | 34 | Y |
| 14 | 6 | 1.0 | 333.3 | 9 | 0.3333 | 300.00 | 31 | Y |
| 15 | 6 | 1.0 | 333.3 | 9 | 0.3333 | 300.00 | 39 | Y |
| 16 | 6 | 1.0 | 333.3 | 9 | 0.3333 | 300.00 | 35 | Y |
| 17 | 6 | 1.0 | 333.3 | 9 | 0.3333 | 300.00 | 36 | Y |
| 18 | 6 | 1.0 | 333.3 | 9 | 0.3333 | 300.00 | 29 | Y |
| 19 | 6 | 1.0 | 333.3 | 9 | 0.3333 | 300.00 | 32 | Y |
| 20 | 6 | 1.0 | 333.3 | 9 | 0.3333 | 300.00 | 35 | Y |
| 21 | 6 | 1.0 | 333.3 | 9 | 0.3333 | 300.00 | 38 | Y |
| 22 | 6 | 1.0 | 333.3 | 9 | 0.3333 | 300.00 | 40 | Y |
| 23 | 6 | 1.0 | 333.3 | 9 | 0.3333 | 300.00 | 37 | Y |
| 24 | 6 | 1.0 | 333.3 | 9 | 0.3333 | 300.00 | 31 | Y |
| 25 | 6 | 1.0 | 333.3 | 9 | 0.3333 | 300.00 | 33 | Y |
| 26 | 6 | 1.0 | 333.3 | 9 | 0.3333 | 300.00 | 29 | Y |
| 27 | 6 | 1.0 | 333.3 | 9 | 0.3333 | 300.00 | 35 | Y |
| 28 | 6 | 1.0 | 333.3 | 9 | 0.3333 | 300.00 | 32 | Y |
| 29 | 6 | 1.0 | 333.3 | 9 | 0.3333 | 300.00 | 37 | Y |
| Detection rate: 100% | | | | | | | | |


*This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.*

**5570MHz, Radar 1**

| Trial Id | Radar Type | Pulse Width(μs) | PRI (μs) | Number of Pulses | Waveform Length (μs) | conclusion |
|---|---|---|---|---|---|---|
| 0 | 1 | 1.0 | 938.0 | 57 | 53466.0 | Y |
| 1 | 1 | 1.0 | 698.0 | 76 | 53048.0 | Y |
| 2 | 1 | 1.0 | 618.0 | 86 | 53148.0 | Y |
| 3 | 1 | 1.0 | 538.0 | 99 | 53262.0 | Y |
| 4 | 1 | 1.0 | 878.0 | 61 | 53558.0 | Y |
| 5 | 1 | 1.0 | 3066.0 | 18 | 55188.0 | Y |
| 6 | 1 | 1.0 | 638.0 | 83 | 52954.0 | Y |
| 7 | 1 | 1.0 | 918.0 | 58 | 53244.0 | Y |
| 8 | 1 | 1.0 | 838.0 | 63 | 52794.0 | Y |
| 9 | 1 | 1.0 | 858.0 | 62 | 53196.0 | Y |
| 10 | 1 | 1.0 | 798.0 | 67 | 53466.0 | Y |
| 11 | 1 | 1.0 | 718.0 | 74 | 53132.0 | Y |
| 12 | 1 | 1.0 | 578.0 | 92 | 53176.0 | Y |
| 13 | 1 | 1.0 | 598.0 | 89 | 53222.0 | Y |
| 14 | 1 | 1.0 | 558.0 | 95 | 53010.0 | Y |
| 15 | 1 | 1.0 | 2536.0 | 21 | 53256.0 | Y |
| 16 | 1 | 1.0 | 966.0 | 55 | 53130.0 | Y |
| 17 | 1 | 1.0 | 827.0 | 64 | 52928.0 | Y |
| 18 | 1 | 1.0 | 2501.0 | 22 | 55022.0 | Y |
| 19 | 1 | 1.0 | 2595.0 | 21 | 54495.0 | Y |
| 20 | 1 | 1.0 | 1114.0 | 48 | 53472.0 | Y |
| 21 | 1 | 1.0 | 1302.0 | 41 | 53382.0 | Y |
| 22 | 1 | 1.0 | 3045.0 | 18 | 54810.0 | Y |
| 23 | 1 | 1.0 | 1624.0 | 33 | 53592.0 | Y |
| 24 | 1 | 1.0 | 2878.0 | 19 | 54682.0 | Y |
| 25 | 1 | 1.0 | 1027.0 | 52 | 53404.0 | Y |
| 26 | 1 | 1.0 | 2485.0 | 22 | 54670.0 | Y |
| 27 | 1 | 1.0 | 1600.0 | 33 | 52800.0 | Y |
| 28 | 1 | 1.0 | 1172.0 | 46 | 53912.0 | Y |
| 29 | 1 | 1.0 | 1177.0 | 45 | 52965.0 | Y |
| Detection rate: 100% | | | | | | |


*This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.*

**5570MHz, Radar 2**

| Trial Id | Radar Type | Pulse Width(μs) | PRI (μs) | Number of Pulses | Waveform Length (μs) | conclusion |
|---|---|---|---|---|---|---|
| 0 | 2 | 3.2 | 179.0 | 26 | 4654.0 | Y |
| 1 | 2 | 1.1 | 207.0 | 23 | 4761.0 | Y |
| 2 | 2 | 2.1 | 230.0 | 24 | 5520.0 | Y |
| 3 | 2 | 4.8 | 200.0 | 29 | 5800.0 | Y |
| 4 | 2 | 3.9 | 214.0 | 28 | 5992.0 | Y |
| 5 | 2 | 2.9 | 222.0 | 26 | 5772.0 | Y |
| 6 | 2 | 3.2 | 204.0 | 26 | 5304.0 | Y |
| 7 | 2 | 2.5 | 192.0 | 25 | 4800.0 | Y |
| 8 | 2 | 3.1 | 164.0 | 26 | 4264.0 | Y |
| 9 | 2 | 1.2 | 156.0 | 23 | 3588.0 | Y |
| 10 | 2 | 3.9 | 210.0 | 27 | 5670.0 | Y |
| 11 | 2 | 4.6 | 201.0 | 29 | 5829.0 | Y |
| 12 | 2 | 3.2 | 162.0 | 26 | 4212.0 | Y |
| 13 | 2 | 2.2 | 197.0 | 25 | 4925.0 | Y |
| 14 | 2 | 4.5 | 163.0 | 29 | 4727.0 | Y |
| 15 | 2 | 3.0 | 203.0 | 26 | 5278.0 | Y |
| 16 | 2 | 5.0 | 168.0 | 29 | 4872.0 | Y |
| 17 | 2 | 2.4 | 217.0 | 25 | 5425.0 | Y |
| 18 | 2 | 2.9 | 191.0 | 26 | 4966.0 | Y |
| 19 | 2 | 2.3 | 166.0 | 25 | 4150.0 | Y |
| 20 | 2 | 3.7 | 150.0 | 27 | 4050.0 | Y |
| 21 | 2 | 2.2 | 176.0 | 25 | 4400.0 | Y |
| 22 | 2 | 4.9 | 195.0 | 29 | 5655 | Y |
| 23 | 2 | 2.9 | 202.0 | 26 | 5252.0 | Y |
| 24 | 2 | 2.5 | 178.0 | 25 | 4450.0 | Y |
| 25 | 2 | 1.1 | 206.0 | 23 | 4738.0 | Y |
| 26 | 2 | 3.8 | 155.0 | 27 | 4185.0 | Y |
| 27 | 2 | 4.7 | 157.0 | 29 | 4553.0 | Y |
| 28 | 2 | 2.4 | 224.0 | 25 | 5600.0 | Y |
| 29 | 2 | 4.2 | 159.0 | 28 | 4452.0 | Y |
| Detection rate: 100% | | | | | | |


*This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.*

**5570MHz, Radar 3**

| Trial Id | Radar Type | Pulse Width(μs) | PRI (μs) | Number of Pulses | Waveform Length (μs) | conclusion |
|---|---|---|---|---|---|---|
| 0 | 3 | 8.2 | 355.0 | 17 | 6035.0 | Y |
| 1 | 3 | 6.1 | 487.0 | 16 | 7792.0 | Y |
| 2 | 3 | 7.1 | 344.0 | 16 | 5504.0 | Y |
| 3 | 3 | 9.8 | 288.0 | 18 | 5184.0 | Y |
| 4 | 3 | 8.9 | 230.0 | 18 | 4140.0 | Y |
| 5 | 3 | 7.9 | 432.0 | 17 | 7344.0 | Y |
| 6 | 3 | 8.2 | 207.0 | 17 | 3519.0 | Y |
| 7 | 3 | 7.5 | 443.0 | 17 | 7531.0 | Y |
| 8 | 3 | 8.1 | 439.0 | 17 | 7463.0 | Y |
| 9 | 3 | 6.2 | 223.0 | 16 | 3568.0 | Y |
| 10 | 3 | 8.9 | 208.0 | 18 | 3744.0 | Y |
| 11 | 3 | 9.6 | 463.0 | 18 | 8334.0 | Y |
| 12 | 3 | 8.2 | 441.0 | 17 | 7497.0 | Y |
| 13 | 3 | 7.2 | 323.0 | 16 | 5168.0 | Y |
| 14 | 3 | 9.5 | 297.0 | 18 | 5346.0 | Y |
| 15 | 3 | 8.0 | 412.0 | 17 | 7004.0 | Y |
| 16 | 3 | 10.0 | 324.0 | 18 | 5832.0 | Y |
| 17 | 3 | 7.4 | 271.0 | 17 | 4607.0 | Y |
| 18 | 3 | 7.9 | 349.0 | 17 | 5933.0 | Y |
| 19 | 3 | 7.3 | 409.0 | 16 | 6544.0 | Y |
| 20 | 3 | 8.7 | 373.0 | 18 | 6714.0 | Y |
| 21 | 3 | 7.2 | 254.0 | 16 | 4064.0 | Y |
| 22 | 3 | 9.9 | 274.0 | 18 | 4932.0 | Y |
| 23 | 3 | 7.9 | 278.0 | 17 | 4726.0 | Y |
| 24 | 3 | 7.5 | 317.0 | 17 | 5389.0 | Y |
| 25 | 3 | 6.1 | 260.0 | 16 | 4160.0 | Y |
| 26 | 3 | 8.8 | 211.0 | 18 | 3798.0 | Y |
| 27 | 3 | 9.7 | 272.0 | 18 | 4896.0 | Y |
| 28 | 3 | 7.4 | 264.0 | 17 | 4488.0 | Y |
| 29 | 3 | 9.2 | 284.0 | 18 | 5112.0 | Y |
| Detection rate: 100% | | | | | | |


*This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.*

**5570MHz, Radar 4**

| Trial Id | Radar Type | Pulse Width(μs) | PRI (μs) | Number of Pulses | Waveform Length (μs) | conclusion |
|---|---|---|---|---|---|---|
| 0 | 4 | 16.0 | 355.0 | 14 | 4970.0 | Y |
| 1 | 4 | 11.3 | 487.0 | 12 | 5844.0 | Y |
| 2 | 4 | 13.5 | 344.0 | 13 | 4472.0 | Y |
| 3 | 4 | 19.4 | 288.0 | 16 | 4608.0 | Y |
| 4 | 4 | 17.5 | 230.0 | 15 | 3450.0 | Y |
| 5 | 4 | 15.3 | 432.0 | 14 | 6048.0 | Y |
| 6 | 4 | 15.9 | 207.0 | 14 | 2898.0 | Y |
| 7 | 4 | 14.3 | 443.0 | 13 | 5759.0 | Y |
| 8 | 4 | 15.8 | 439.0 | 14 | 6146.0 | Y |
| 9 | 4 | 11.5 | 223.0 | 12 | 2676.0 | Y |
| 10 | 4 | 17.4 | 208.0 | 15 | 3120.0 | Y |
| 11 | 4 | 19.0 | 463.0 | 16 | 7408.0 | Y |
| 12 | 4 | 16.0 | 441.0 | 14 | 6174.0 | Y |
| 13 | 4 | 13.8 | 323.0 | 13 | 4199.0 | Y |
| 14 | 4 | 18.9 | 297.0 | 16 | 4752.0 | Y |
| 15 | 4 | 15.5 | 412.0 | 14 | 5768.0 | Y |
| 16 | 4 | 19.9 | 324.0 | 16 | 5184.0 | Y |
| 17 | 4 | 14.1 | 271.0 | 13 | 3523.0 | Y |
| 18 | 4 | 15.2 | 349.0 | 14 | 4886.0 | Y |
| 19 | 4 | 13.8 | 409.0 | 13 | 5317.0 | Y |
| 20 | 4 | 17.1 | 373.0 | 15 | 5595.0 | Y |
| 21 | 4 | 13.8 | 254.0 | 13 | 3302.0 | Y |
| 22 | 4 | 19.8 | 274.0 | 16 | 4384.0 | Y |
| 23 | 4 | 15.3 | 278.0 | 14 | 3892.0 | Y |
| 24 | 4 | 14.5 | 317.0 | 13 | 4121.0 | Y |
| 25 | 4 | 11.3 | 260.0 | 12 | 3120.0 | Y |
| 26 | 4 | 17.3 | 211.0 | 15 | 3165.0 | Y |
| 27 | 4 | 19.2 | 272.0 | 16 | 4352.0 | Y |
| 28 | 4 | 14.2 | 264.0 | 13 | 3432.0 | Y |
| 29 | 4 | 18.2 | 284.0 | 15 | 4260.0 | Y |
| Detection rate: 100% | | | | | | |


*This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.*

**5570MHz, Radar 5**

| Trial Id | Radar Type | Number of Pulses | Chip Width (MHz) | Burst Period (s) | Waveform Length (μs) | Center Frequency (MHz) | conclusion |
|---|---|---|---|---|---|---|---|
| 0 | 5 | 15 | 13 | 0.8000000 | 12.0 | 5.2700 | Y |
| 1 | 5 | 8 | 19 | 1.5000000 | 12.0 | 5.2700 | Y |
| 2 | 5 | 11 | 11 | 1.0909091 | 12.0 | 5.2700 | Y |
| 3 | 5 | 20 | 12 | 0.6000000 | 12.0 | 5.2700 | Y |
| 4 | 5 | 17 | 6 | 0.7058824 | 12.0 | 5.2700 | Y |
| 5 | 5 | 14 | 15 | 0.8571429 | 12.0 | 5.2700 | Y |
| 6 | 5 | 15 | 16 | 0.8000000 | 12.0 | 5.2700 | Y |
| 7 | 5 | 12 | 17 | 1.0000000 | 12.0 | 5.2700 | Y |
| 8 | 5 | 14 | 19 | 0.8571429 | 12.0 | 5.2700 | Y |
| 9 | 5 | 8 | 12 | 1.5000000 | 12.0 | 5.2700 | Y |
| 10 | 5 | 17 | 7 | 0.7058824 | 12.0 | 5.2564 | N |
| 11 | 5 | 19 | 11 | 0.6315789 | 12.0 | 5.2576 | N |
| 12 | 5 | 15 | 14 | 0.8000000 | 12.0 | 5.2552 | N |
| 13 | 5 | 12 | 16 | 1.0000000 | 12.0 | 5.2540 | Y |
| 14 | 5 | 19 | 9 | 0.6315789 | 12.0 | 5.2572 | N |
| 15 | 5 | 14 | 16 | 0.8571429 | 12.0 | 5.2548 | Y |
| 16 | 5 | 20 | 13 | 0.6000000 | 12.0 | 5.2580 | Y |
| 17 | 5 | 12 | 7 | 1.0000000 | 12.0 | 5.2540 | Y |
| 18 | 5 | 14 | 10 | 0.8571429 | 12.0 | 5.2548 | Y |
| 19 | 5 | 12 | 19 | 1.0000000 | 12.0 | 5.2540 | Y |
| 20 | 5 | 16 | 12 | 0.7500000 | 12.0 | 5.2840 | Y |
| 21 | 5 | 12 | 14 | 1.0000000 | 12.0 | 5.2864 | N |
| 22 | 5 | 20 | 9 | 0.6000000 | 12.0 | 5.2820 | Y |
| 23 | 5 | 14 | 14 | 0.8571429 | 12.0 | 5.2852 | Y |
| 24 | 5 | 13 | 6 | 0.9230769 | 12.0 | 5.2856 | Y |
| 25 | 5 | 8 | 7 | 1.5000000 | 12.0 | 5.2880 | Y |
| 26 | 5 | 17 | 18 | 0.7058824 | 12.0 | 5.2836 | Y |
| 27 | 5 | 19 | 16 | 0.6315789 | 12.0 | 5.2824 | Y |
| 28 | 5 | 12 | 17 | 1.0000000 | 12.0 | 5.2860 | Y |
| 29 | 5 | 18 | 16 | 0.6666667 | 12.0 | 5.2832 | Y |
| Detection rate: 83% | | | | | | | |


*This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.*

| Trial Number | | | 0 | | | |
|---|---|---|---|---|---|---|
| Bursts in Trial | | | 16 | | | |
| Center Frequency (MHz) | | | 5570 | | | |
| Burst | Number of Pulses | Pulse Width (µsec) | Chirp Width (MHz) | Pulse 1-to-2 PRI (µsec) | Pulse 2-to-3 PRI (µsec) | Start Location Within Interval (msec) |
| 1 | 1 | 71.5 | 13 | -- | -- | 382.157 |
| 2 | 1 | 73.2 | 13 | -- | -- | 537.38 |
| 3 | 1 | 95.5 | 13 | -- | -- | 301.44 |
| 4 | 2 | 88.4 | 13 | 1280 | -- | 586.04 |
| 5 | 2 | 64.8 | 13 | 1624 | -- | 322.44 |
| 6 | 1 | 77.3 | 13 | -- | -- | 33.47 |
| 7 | 2 | 64.3 | 13 | 1035 | -- | 238.39 |
| 8 | 1 | 97.4 | 13 | -- | -- | 422.7 |
| 9 | 1 | 60.5 | 13 | -- | -- | 589.16 |
| 10 | 2 | 77.3 | 13 | 1797 | -- | 269.82 |
| 11 | 1 | 60.3 | 13 | -- | -- | 14.29 |
| 12 | 1 | 99.3 | 13 | -- | -- | 734.54 |
| 13 | 2 | 65.1 | 13 | 1528 | -- | 118.33 |
| 14 | 2 | 56.9 | 13 | 1137 | -- | 496.3 |
| 15 | 1 | 86 | 13 | -- | -- | 208.7 |
| 16 | 1 | 83.5 | 13 | -- | -- | 545 |
| Detection Check (Y=Detection; N=No Detection) | | | | | | Y |


*This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.*

| Trial Number | | | 1 | | | |
|---|---|---|---|---|---|---|
| Bursts in Trial | | | 12 | | | |
| Center Frequency (MHz) | | | 5570 | | | |
| Burst | Number of Pulses | Pulse Width (µsec) | Chirp Width (MHz) | Pulse 1-to-2 PRI (µsec) | Pulse 2-to-3 PRI (µsec) | Start Location Within Interval (msec) |
| 1 | 3 | 96.6 | 19 | 1441 | 1588 | 157.072 |
| 2 | 2 | 57 | 19 | 1003 | -- | 31.84 |
| 3 | 1 | 99.4 | 19 | -- | -- | 593.46 |
| 4 | 3 | 51.4 | 19 | 1076 | 1207 | 174.33 |
| 5 | 3 | 71.5 | 19 | 1105 | 1860 | 53.87 |
| 6 | 2 | 99.5 | 19 | 1009 | -- | 204.9 |
| 7 | 2 | 96.8 | 19 | 1888 | -- | 972.89 |
| 8 | 2 | 62.8 | 19 | 1708 | -- | 421.81 |
| 9 | 2 | 68.6 | 19 | 1979 | -- | 675.92 |
| 10 | 1 | 52.2 | 19 | -- | -- | 905.33 |
| 11 | 2 | 71.2 | 19 | 1891 | -- | 626.2 |
| 12 | 1 | 80.7 | 19 | -- | -- | 297.1 |
| Detection Check (Y=Detection; N=No Detection) | | | | | | Y |


*This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.*

| Trial Number | | | 2 | | | |
|---|---|---|---|---|---|---|
| Bursts in Trial | | | 12 | | | |
| Center Frequency (MHz) | | | 5570 | | | |
| Burst | Number of Pulses | Pulse Width (µsec) | Chirp Width (MHz) | Pulse 1-to-2 PRI (µsec) | Pulse 2-to-3 PRI (µsec) | Start Location Within Interval (msec) |
| 1 | 2 | 73 | 11 | 1720 | -- | 60.341 |
| 2 | 2 | 86.6 | 11 | 1086 | -- | 471.34 |
| 3 | 2 | 52 | 11 | 1769 | -- | 149.46 |
| 4 | 3 | 89.5 | 11 | 1050 | 1774 | 665.26 |
| 5 | 2 | 91.3 | 11 | 1275 | -- | 763.12 |
| 6 | 1 | 87.6 | 11 | -- | -- | 242.46 |
| 7 | 2 | 95.7 | 11 | 1592 | -- | 386.09 |
| 8 | 1 | 79.1 | 11 | -- | -- | 690.82 |
| 9 | 2 | 63 | 11 | 1026 | -- | 448.47 |
| 10 | 3 | 78.5 | 11 | 1233 | 1434 | 781.34 |
| 11 | 2 | 71.4 | 11 | 1774 | -- | 534 |
| 12 | 2 | 93.2 | 11 | 1268 | -- | 689.3 |
| Detection Check (Y=Detection; N=No Detection) | | | | | | Y |


*This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.*

| Trial Number | | | 3 | | | |
|---|---|---|---|---|---|---|
| Bursts in Trial | | | 15 | | | |
| Center Frequency (MHz) | | | 5570 | | | |
| Burst | Number of Pulses | Pulse Width (µsec) | Chirp Width (MHz) | Pulse 1-to-2 PRI (µsec) | Pulse 2-to-3 PRI (µsec) | Start Location Within Interval (msec) |
| 1 | 3 | 51.8 | 12 | 1987 | 1673 | 785.215 |
| 2 | 1 | 67.1 | 12 | -- | -- | 304.74 |
| 3 | 2 | 80.4 | 12 | 1189 | -- | 234.53 |
| 4 | 2 | 57.2 | 12 | 1369 | -- | 400.36 |
| 5 | 3 | 80.9 | 12 | 1841 | 1377 | 257.92 |
| 6 | 2 | 66.8 | 12 | 1850 | -- | 641.28 |
| 7 | 2 | 78.3 | 12 | 1566 | -- | 763.04 |
| 8 | 1 | 95.7 | 12 | -- | -- | 315.89 |
| 9 | 2 | 72.6 | 12 | 1987 | -- | 694.91 |
| 10 | 2 | 86.1 | 12 | 1099 | -- | 12.39 |
| 11 | 3 | 54.6 | 12 | 1547 | 1020 | 744.49 |
| 12 | 3 | 82.4 | 12 | 1778 | 1816 | 623.75 |
| 13 | 2 | 52.6 | 12 | 1943 | -- | 704.1 |
| 14 | 3 | 88.8 | 12 | 1592 | 1140 | 155.2 |
| 15 | 2 | 91.6 | 12 | 1430 | -- | 771.7 |
| Detection Check (Y=Detection; N=No Detection) | | | | | | Y |


*This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.*

| Trial Number | | | 4 | | | |
|---|---|---|---|---|---|---|
| Bursts in Trial | | | 15 | | | |
| Center Frequency (MHz) | | | 5570 | | | |
| Burst | Number of Pulses | Pulse Width (µsec) | Chirp Width (MHz) | Pulse 1-to-2 PRI (µsec) | Pulse 2-to-3 PRI (µsec) | Start Location Within Interval (msec) |
| 1 | 2 | 91.5 | 6 | 1778 | -- | 131.166 |
| 2 | 1 | 58.6 | 6 | -- | -- | 306.44 |
| 3 | 1 | 54.2 | 6 | -- | -- | 157.68 |
| 4 | 1 | 68.4 | 6 | -- | -- | 464.16 |
| 5 | 2 | 62.8 | 6 | 1467 | -- | 725.57 |
| 6 | 1 | 90.9 | 6 | -- | -- | 277.06 |
| 7 | 1 | 93.9 | 6 | -- | -- | 278.94 |
| 8 | 2 | 67.7 | 6 | 1128 | -- | 83.93 |
| 9 | 2 | 57.2 | 6 | 1328 | -- | 324.65 |
| 10 | 2 | 77.5 | 6 | 1726 | -- | 269.88 |
| 11 | 1 | 53.8 | 6 | -- | -- | 538.06 |
| 12 | 2 | 56.7 | 6 | 1884 | -- | 731.59 |
| 13 | 3 | 50.7 | 6 | 1243 | 1550 | 206.21 |
| 14 | 2 | 86.2 | 6 | 1189 | -- | 307.7 |
| 15 | 1 | 82.7 | 6 | -- | -- | 208.1 |
| Detection Check (Y=Detection; N=No Detection) | | | | | | Y |


*This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.*

| Trial Number | | | 5 | | | |
|---|---|---|---|---|---|---|
| Bursts in Trial | | | 10 | | | |
| Center Frequency (MHz) | | | 5570 | | | |
| Burst | Number of Pulses | Pulse Width (µsec) | Chirp Width (MHz) | Pulse 1-to-2 PRI (µsec) | Pulse 2-to-3 PRI (µsec) | Start Location Within Interval (msec) |
| 1 | 1 | 90.1 | 15 | -- | -- | 1033.2 |
| 2 | 2 | 80.7 | 15 | 1532 | -- | 510.9 |
| 3 | 1 | 99.6 | 15 | -- | -- | 454.39 |
| 4 | 1 | 50.8 | 15 | -- | -- | 577.37 |
| 5 | 1 | 60.7 | 15 | -- | -- | 101.54 |
| 6 | 3 | 90 | 15 | 1254 | 1217 | 724.3 |
| 7 | 2 | 89.1 | 15 | 1337 | -- | 977.24 |
| 8 | 2 | 96.6 | 15 | 1506 | -- | 497.64 |
| 9 | 1 | 76.3 | 15 | -- | -- | 19.63 |
| 10 | 1 | 55.9 | 15 | -- | -- | 793.8 |
| Detection Check (Y=Detection; N=No Detection) | | | | | | Y |


*This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.*

| Trial Number | | | 6 | | | |
|---|---|---|---|---|---|---|
| Bursts in Trial | | | 16 | | | |
| Center Frequency (MHz) | | | 5570 | | | |
| Burst | Number of Pulses | Pulse Width (µsec) | Chirp Width (MHz) | Pulse 1-to-2 PRI (µsec) | Pulse 2-to-3 PRI (µsec) | Start Location Within Interval (msec) |
| 1 | 3 | 57.1 | 16 | 1529 | 1704 | 329.074 |
| 2 | 2 | 89.7 | 16 | 1153 | -- | 181.929 |
| 3 | 1 | 57 | 16 | -- | -- | 661.73 |
| 4 | 3 | 76.3 | 16 | 1421 | 1729 | 676.54 |
| 5 | 2 | 85 | 16 | 1471 | -- | 195.28 |
| 6 | 2 | 51.1 | 16 | 1777 | -- | 133.14 |
| 7 | 2 | 87.4 | 16 | 1935 | -- | 235.39 |
| 8 | 1 | 76.9 | 16 | -- | -- | 689.87 |
| 9 | 2 | 53.7 | 16 | 1406 | -- | 108.86 |
| 10 | 1 | 63.5 | 16 | -- | -- | 298.5 |
| 11 | 2 | 71.6 | 16 | 1480 | -- | 455.93 |
| 12 | 1 | 54.9 | 16 | -- | -- | 458.73 |
| 13 | 1 | 54.9 | 16 | -- | -- | 655.32 |
| 14 | 1 | 74.4 | 16 | -- | -- | 342.5 |
| 15 | 3 | 57.1 | 16 | 1803 | 1961 | 253.6 |
| 16 | 2 | 60.1 | 16 | 1173 | -- | 626.3 |
| Detection Check (Y=Detection; N=No Detection) | | | | | | Y |


*This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.*

| Trial Number | | | 7 | | | |
|---|---|---|---|---|---|---|
| Bursts in Trial | | | 10 | | | |
| Center Frequency (MHz) | | | 5570 | | | |
| Burst | Number of Pulses | Pulse Width (µsec) | Chirp Width (MHz) | Pulse 1-to-2 PRI (µsec) | Pulse 2-to-3 PRI (µsec) | Start Location Within Interval (msec) |
| 1 | 1 | 73.5 | 17 | -- | -- | 1027.02 |
| 2 | 1 | 89.6 | 17 | -- | -- | 288.87 |
| 3 | 2 | 96.4 | 17 | 1502 | -- | 940.16 |
| 4 | 1 | 55.4 | 17 | -- | -- | 538.88 |
| 5 | 3 | 77.4 | 17 | 1678 | 1866 | 313.88 |
| 6 | 3 | 94.7 | 17 | 1377 | 1225 | 810.56 |
| 7 | 3 | 87.8 | 17 | 1040 | 1623 | 571.58 |
| 8 | 3 | 69.1 | 17 | 1265 | 1703 | 573.24 |
| 9 | 2 | 93.1 | 17 | 1526 | -- | 732 |
| 10 | 2 | 84.2 | 17 | 1218 | -- | 1135.7 |
| Detection Check (Y=Detection; N=No Detection) | | | | | | Y |


*This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.*

| Trial Number | | | 8 | | | |
|---|---|---|---|---|---|---|
| Bursts in Trial | | | 17 | | | |
| Center Frequency (MHz) | | | 5570 | | | |
| Burst | Number of Pulses | Pulse Width (µsec) | Chirp Width (MHz) | Pulse 1-to-2 PRI (µsec) | Pulse 2-to-3 PRI (µsec) | Start Location Within Interval (msec) |
| 1 | 1 | 99.9 | 19 | -- | -- | 379.224 |
| 2 | 3 | 66.9 | 19 | 1884 | 1117 | 141.215 |
| 3 | 3 | 93.9 | 19 | 1541 | 1081 | 385.095 |
| 4 | 1 | 68.1 | 19 | -- | -- | 381.083 |
| 5 | 3 | 64.4 | 19 | 1524 | 1742 | 555.971 |
| 6 | 1 | 55.5 | 19 | -- | -- | 305.368 |
| 7 | 2 | 75.7 | 19 | 1657 | -- | 524.546 |
| 8 | 2 | 79.3 | 19 | 1445 | -- | 300.074 |
| 9 | 2 | 92.5 | 19 | 1739 | -- | 217.191 |
| 10 | 1 | 53.5 | 19 | -- | -- | 379.719 |
| 11 | 1 | 76 | 19 | -- | -- | 408.816 |
| 12 | 2 | 90.7 | 19 | 1974 | -- | 321.334 |
| 13 | 3 | 50 | 19 | 1043 | 1917 | 429.582 |
| 14 | 3 | 55.9 | 19 | 1721 | 1782 | 269.669 |
| 15 | 3 | 62.5 | 19 | 1735 | 1532 | 392.247 |
| 16 | 2 | 97.3 | 19 | 1930 | -- | 543.265 |
| 17 | 3 | 64 | 19 | 1406 | 1172 | 103.082 |
| Detection Check (Y=Detection; N=No Detection) | | | | | | Y |


*This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.*

| Trial Number | | | 9 | | | |
|---|---|---|---|---|---|---|
| Bursts in Trial | | | 8 | | | |
| Center Frequency (MHz) | | | 5570 | | | |
| Burst | Number of Pulses | Pulse Width (µsec) | Chirp Width (MHz) | Pulse 1-to-2 PRI (µsec) | Pulse 2-to-3 PRI (µsec) | Start Location Within Interval (msec) |
| 1 | 1 | 72.5 | 12 | -- | -- | 509.857 |
| 2 | 1 | 82.2 | 12 | -- | -- | 164.27 |
| 3 | 2 | 95.6 | 12 | 1652 | -- | 1336.41 |
| 4 | 3 | 97.5 | 12 | 1913 | 1669 | 1403.44 |
| 5 | 3 | 56.8 | 12 | 1289 | 1286 | 1431.47 |
| 6 | 1 | 59.1 | 12 | -- | -- | 847.09 |
| 7 | 2 | 79.4 | 12 | 1668 | -- | 1007.5 |
| 8 | 1 | 57 | 12 | -- | -- | 1064.5 |
| Detection Check (Y=Detection; N=No Detection) | | | | | | Y |


*This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.*

| Trial Number | | | 10 | | | |
|---|---|---|---|---|---|---|
| Bursts in Trial | | | 17 | | | |
| Center Frequency (MHz) | | | 5570 | | | |
| Burst | Number of Pulses | Pulse Width (µsec) | Chirp Width (MHz) | Pulse 1-to-2 PRI (µsec) | Pulse 2-to-3 PRI (µsec) | Start Location Within Interval (msec) |
| 1 | 1 | 78.3 | 7 | -- | -- | 66.832 |
| 2 | 2 | 84.7 | 7 | 1277 | -- | 533.498 |
| 3 | 3 | 66.8 | 7 | 1498 | 1487 | 363.275 |
| 4 | 3 | 85.1 | 7 | 1385 | 1978 | 101.033 |
| 5 | 3 | 50.6 | 7 | 1597 | 1042 | 240.291 |
| 6 | 2 | 70.9 | 7 | 1963 | -- | 359.558 |
| 7 | 2 | 52.6 | 7 | 1254 | -- | 587.176 |
| 8 | 1 | 99.2 | 7 | -- | -- | 324.064 |
| 9 | 1 | 99.4 | 7 | -- | -- | 661.481 |
| 10 | 1 | 60.8 | 7 | -- | -- | 618.299 |
| 11 | 1 | 98.1 | 7 | -- | -- | 161.846 |
| 12 | 3 | 71.3 | 7 | 1514 | 1297 | 681.744 |
| 13 | 1 | 71.1 | 7 | -- | -- | 57.432 |
| 14 | 1 | 64.2 | 7 | -- | -- | 614.609 |
| 15 | 3 | 94.2 | 7 | 1515 | 1757 | 3.997 |
| 16 | 2 | 90.2 | 7 | 1007 | -- | 409.465 |
| 17 | 2 | 94.5 | 7 | 1152 | -- | 96.682 |
| Detection Check (Y=Detection; N=No Detection) | | | | | | N |


*This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.*

| Trial Number | | | 11 | | | |
|---|---|---|---|---|---|---|
| Bursts in Trial | | | 14 | | | |
| Center Frequency (MHz) | | | 5570 | | | |
| Burst | Number of Pulses | Pulse Width (µsec) | Chirp Width (MHz) | Pulse 1-to-2 PRI (µsec) | Pulse 2-to-3 PRI (µsec) | Start Location Within Interval (msec) |
| 1 | 1 | 56.2 | 11 | -- | -- | 837.948 |
| 2 | 3 | 97.4 | 11 | 1384 | 1150 | 805.177 |
| 3 | 1 | 82.6 | 11 | -- | -- | 108.874 |
| 4 | 2 | 81.2 | 11 | 1739 | -- | 561.491 |
| 5 | 3 | 57.1 | 11 | 1500 | 1788 | 637.839 |
| 6 | 1 | 96.9 | 11 | -- | -- | 470.256 |
| 7 | 2 | 78.8 | 11 | 1644 | -- | 186.843 |
| 8 | 2 | 55.2 | 11 | 1314 | -- | 537.84 |
| 9 | 2 | 90.3 | 11 | 1517 | -- | 210.307 |
| 10 | 2 | 86.8 | 11 | 1352 | -- | 340.554 |
| 11 | 1 | 72 | 11 | -- | -- | 461.061 |
| 12 | 2 | 56.3 | 11 | 1749 | -- | 109.089 |
| 13 | 2 | 77.1 | 11 | 1952 | -- | 370.286 |
| 14 | 1 | 93.2 | 11 | -- | -- | 5.543 |
| Detection Check (Y=Detection; N=No Detection) | | | | | | N |


*This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.*

| Trial Number | | | 12 | | | |
|---|---|---|---|---|---|---|
| Bursts in Trial | | | 13 | | | |
| Center Frequency (MHz) | | | 5570 | | | |
| Burst | Number of Pulses | Pulse Width (µsec) | Chirp Width (MHz) | Pulse 1-to-2 PRI (µsec) | Pulse 2-to-3 PRI (µsec) | Start Location Within Interval (msec) |
| 1 | 3 | 95.8 | 14 | 1940 | 1066 | 135.166 |
| 2 | 2 | 96.9 | 14 | 1620 | -- | 508.763 |
| 3 | 2 | 64.3 | 14 | 1609 | -- | 877.786 |
| 4 | 3 | 97.1 | 14 | 1568 | 1125 | 354.559 |
| 5 | 2 | 69.8 | 14 | 1068 | -- | 329.312 |
| 6 | 2 | 82 | 14 | 1940 | -- | 103.175 |
| 7 | 2 | 97 | 14 | 1961 | -- | 131.808 |
| 8 | 2 | 93.5 | 14 | 1084 | -- | 199.242 |
| 9 | 3 | 59.3 | 14 | 1735 | 1223 | 244.985 |
| 10 | 2 | 54.1 | 14 | 1500 | -- | 916.988 |
| 11 | 1 | 86.7 | 14 | -- | -- | 784.231 |
| 12 | 3 | 84.8 | 14 | 1763 | 1920 | 134.054 |
| 13 | 2 | 99.9 | 14 | 1595 | -- | 885.077 |
| Detection Check (Y=Detection; N=No Detection) | | | | | | N |


*This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.*

| Trial Number | | | 13 | | | |
|---|---|---|---|---|---|---|
| Bursts in Trial | | | 12 | | | |
| Center Frequency (MHz) | | | 5570 | | | |
| Burst | Number of Pulses | Pulse Width (µsec) | Chirp Width (MHz) | Pulse 1-to-2 PRI (µsec) | Pulse 2-to-3 PRI (µsec) | Start Location Within Interval (msec) |
| 1 | 2 | 53 | 16 | 1035 | -- | 758.419 |
| 2 | 2 | 94.5 | 16 | 1456 | -- | 599.82 |
| 3 | 1 | 92.9 | 16 | -- | -- | 897.55 |
| 4 | 3 | 50.5 | 16 | 1461 | 1898 | 387.44 |
| 5 | 1 | 55.8 | 16 | -- | -- | 663.7 |
| 6 | 2 | 55.8 | 16 | 1153 | -- | 876.84 |
| 7 | 1 | 96.8 | 16 | -- | -- | 258.85 |
| 8 | 2 | 57.6 | 16 | 1472 | -- | 697.38 |
| 9 | 1 | 52.8 | 16 | -- | -- | 238.05 |
| 10 | 2 | 84.7 | 16 | 1477 | -- | 269.11 |
| 11 | 2 | 92.9 | 16 | 1337 | -- | 540.7 |
| 12 | 2 | 61.8 | 16 | 1878 | -- | 662.5 |
| Detection Check (Y=Detection; N=No Detection) | | | | | | Y |


*This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.*

| Trial Number | | | 14 | | | |
|---|---|---|---|---|---|---|
| Bursts in Trial | | | 12 | | | |
| Center Frequency (MHz) | | | 5570 | | | |
| Burst | Number of Pulses | Pulse Width (µsec) | Chirp Width (MHz) | Pulse 1-to-2 PRI (µsec) | Pulse 2-to-3 PRI (µsec) | Start Location Within Interval (msec) |
| 1 | 3 | 87.7 | 9 | 1289 | 1972 | 865.268 |
| 2 | 2 | 75.3 | 9 | 1086 | -- | 643.12 |
| 3 | 3 | 61.7 | 9 | 1399 | 1818 | 607.79 |
| 4 | 1 | 84.4 | 9 | -- | -- | 423.86 |
| 5 | 2 | 80 | 9 | 1874 | -- | 777.53 |
| 6 | 2 | 91.9 | 9 | 1107 | -- | 742.23 |
| 7 | 3 | 80.6 | 9 | 1890 | 1876 | 467.68 |
| 8 | 1 | 52.4 | 9 | -- | -- | 420.12 |
| 9 | 1 | 65.8 | 9 | -- | -- | 764.91 |
| 10 | 1 | 88.1 | 9 | -- | -- | 921.18 |
| 11 | 2 | 97.7 | 9 | 1534 | -- | 726 |
| 12 | 2 | 53.1 | 9 | 1425 | -- | 270.3 |
| Detection Check (Y=Detection; N=No Detection) | | | | | | N |


*This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.*

| Trial Number | | | 15 | | | |
|---|---|---|---|---|---|---|
| Bursts in Trial | | | 16 | | | |
| Center Frequency (MHz) | | | 5570 | | | |
| Burst | Number of Pulses | Pulse Width (µsec) | Chirp Width (MHz) | Pulse 1-to-2 PRI (µsec) | Pulse 2-to-3 PRI (µsec) | Start Location Within Interval (msec) |
| 1 | 3 | 97.9 | 16 | 1023 | 1938 | 381.483 |
| 2 | 3 | 70.6 | 16 | 1507 | 1652 | 143.51 |
| 3 | 3 | 79.6 | 16 | 1185 | 1158 | 742.51 |
| 4 | 2 | 57.2 | 16 | 1657 | -- | 694.15 |
| 5 | 2 | 61.8 | 16 | 1683 | -- | 337.15 |
| 6 | 1 | 66.3 | 16 | -- | -- | 683.08 |
| 7 | 1 | 82.8 | 16 | -- | -- | 472.18 |
| 8 | 3 | 93.4 | 16 | 1072 | 1130 | 445.02 |
| 9 | 2 | 89.6 | 16 | 1646 | -- | 593.37 |
| 10 | 3 | 94.1 | 16 | 1786 | 1020 | 448.75 |
| 11 | 1 | 66.7 | 16 | -- | -- | 26.17 |
| 12 | 2 | 58.1 | 16 | 1687 | -- | 734.86 |
| 13 | 2 | 72.2 | 16 | 1767 | -- | 337.55 |
| 14 | 3 | 69.4 | 16 | 1373 | 1948 | 365.9 |
| 15 | 2 | 90.3 | 16 | 1006 | -- | 82.7 |
| 16 | 2 | 78.6 | 16 | 1093 | -- | 219.7 |
| Detection Check (Y=Detection; N=No Detection) | | | | | | Y |


*This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.*

| Trial Number | | | 16 | | | |
|---|---|---|---|---|---|---|
| Bursts in Trial | | | 20 | | | |
| Center Frequency (MHz) | | | 5570 | | | |
| Burst | Number of Pulses | Pulse Width (µsec) | Chirp Width (MHz) | Pulse 1-to-2 PRI (µsec) | Pulse 2-to-3 PRI (µsec) | Start Location Within Interval (msec) |
| 1 | 3 | 86.8 | 13 | 1633 | 1688 | 157.83 |
| 2 | 2 | 85.7 | 13 | 1004 | -- | 161.457 |
| 3 | 2 | 68.1 | 13 | 1361 | -- | 539.54 |
| 4 | 2 | 70.2 | 13 | 1542 | -- | 410.24 |
| 5 | 3 | 60.2 | 13 | 1702 | 1157 | 148.84 |
| 6 | 1 | 53.2 | 13 | -- | -- | 367.52 |
| 7 | 3 | 60.5 | 13 | 1463 | 1735 | 451.72 |
| 8 | 2 | 93.9 | 13 | 1676 | -- | 576.92 |
| 9 | 3 | 65.7 | 13 | 1695 | 1344 | 391.29 |
| 10 | 2 | 62.9 | 13 | 1065 | -- | 220.07 |
| 11 | 3 | 93.5 | 13 | 1923 | 1287 | 303.52 |
| 12 | 2 | 75.6 | 13 | 1938 | -- | 287.4 |
| 13 | 2 | 64.2 | 13 | 1300 | -- | 193.44 |
| 14 | 3 | 83.3 | 13 | 1347 | 1628 | 380.54 |
| 15 | 1 | 65.3 | 13 | -- | -- | 504.53 |
| 16 | 1 | 54.3 | 13 | -- | -- | 38.58 |
| 17 | 3 | 67.7 | 13 | 1394 | 1690 | 206.63 |
| 18 | 3 | 80.2 | 13 | 1533 | 1199 | 278.5 |
| 19 | 1 | 52.8 | 13 | -- | -- | 418.4 |
| 20 | 1 | 51.8 | 13 | -- | -- | 522 |
| Detection Check (Y=Detection; N=No Detection) | | | | | | Y |


*This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.*

| Trial Number | | | 17 | | | |
|---|---|---|---|---|---|---|
| Bursts in Trial | | | 12 | | | |
| Center Frequency (MHz) | | | 5570 | | | |
| Burst | Number of Pulses | Pulse Width (µsec) | Chirp Width (MHz) | Pulse 1-to-2 PRI (µsec) | Pulse 2-to-3 PRI (µsec) | Start Location Within Interval (msec) |
| 1 | 2 | 75.1 | 7 | 1527 | -- | 378.064 |
| 2 | 1 | 52 | 7 | -- | -- | 894.91 |
| 3 | 3 | 86.1 | 7 | 1038 | 1823 | 566.72 |
| 4 | 2 | 87.3 | 7 | 1203 | -- | 633.91 |
| 5 | 1 | 76.6 | 7 | -- | -- | 748.36 |
| 6 | 2 | 52.1 | 7 | 1428 | -- | 938.9 |
| 7 | 1 | 80.2 | 7 | -- | -- | 916.04 |
| 8 | 2 | 84.9 | 7 | 1434 | -- | 220.9 |
| 9 | 3 | 66 | 7 | 1680 | 1545 | 735.64 |
| 10 | 3 | 98.9 | 7 | 1069 | 1516 | 489.68 |
| 11 | 2 | 88.8 | 7 | 1462 | -- | 6.6 |
| 12 | 2 | 83.7 | 7 | 1680 | -- | 832.6 |
| Detection Check (Y=Detection; N=No Detection) | | | | | | Y |


*This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.*

| Trial Number | | | 18 | | | |
|---|---|---|---|---|---|---|
| Bursts in Trial | | | 14 | | | |
| Center Frequency (MHz) | | | 5570 | | | |
| Burst | Number of Pulses | Pulse Width (µsec) | Chirp Width (MHz) | Pulse 1-to-2 PRI (µsec) | Pulse 2-to-3 PRI (µsec) | Start Location Within Interval (msec) |
| 1 | 3 | 79.3 | 10 | 1020 | 1017 | 192.931 |
| 2 | 1 | 62.2 | 10 | -- | -- | 96.667 |
| 3 | 3 | 83.7 | 10 | 1630 | 1335 | 273.514 |
| 4 | 2 | 53.7 | 10 | 1764 | -- | 110.471 |
| 5 | 2 | 77.8 | 10 | 1592 | -- | 263.819 |
| 6 | 2 | 60.9 | 10 | 1984 | -- | 632.906 |
| 7 | 1 | 67.9 | 10 | -- | -- | 627.323 |
| 8 | 2 | 69.3 | 10 | 1449 | -- | 368.52 |
| 9 | 2 | 64.3 | 10 | 1398 | -- | 298.147 |
| 10 | 1 | 58.3 | 10 | -- | -- | 130.664 |
| 11 | 3 | 54 | 10 | 1917 | 1051 | 9.831 |
| 12 | 2 | 58.9 | 10 | 1493 | -- | 454.209 |
| 13 | 2 | 75.9 | 10 | 1065 | -- | 520.086 |
| 14 | 2 | 52.5 | 10 | 1808 | -- | 280.443 |
| Detection Check (Y=Detection; N=No Detection) | | | | | | Y |


*This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.*

| Trial Number | | | 19 | | | |
|---|---|---|---|---|---|---|
| Bursts in Trial | | | 18 | | | |
| Center Frequency (MHz) | | | 5570 | | | |
| Burst | Number of Pulses | Pulse Width (µsec) | Chirp Width (MHz) | Pulse 1-to-2 PRI (µsec) | Pulse 2-to-3 PRI (µsec) | Start Location Within Interval (msec) |
| 1 | 2 | 81.4 | 19 | 1665 | -- | 379.976 |
| 2 | 2 | 98.8 | 19 | 1428 | -- | 272.868 |
| 3 | 2 | 60.4 | 19 | 1371 | -- | 570.017 |
| 4 | 2 | 97 | 19 | 1547 | -- | 562.33 |
| 5 | 2 | 86.2 | 19 | 1951 | -- | 145.103 |
| 6 | 3 | 79.4 | 19 | 1380 | 1824 | 78.747 |
| 7 | 3 | 88.9 | 19 | 1956 | 1288 | 310.78 |
| 8 | 2 | 65 | 19 | 1220 | -- | 502.523 |
| 9 | 2 | 67.4 | 19 | 1831 | -- | 239.657 |
| 10 | 3 | 57.6 | 19 | 1469 | 1682 | 12.3 |
| 11 | 1 | 51.4 | 19 | -- | -- | 612.783 |
| 12 | 1 | 65.1 | 19 | -- | -- | 70.597 |
| 13 | 2 | 58.8 | 19 | 1161 | -- | 630.95 |
| 14 | 1 | 56.5 | 19 | -- | -- | 239.533 |
| 15 | 3 | 72.5 | 19 | 1697 | 1127 | 465.857 |
| 16 | 2 | 86 | 19 | 1139 | -- | 25.3 |
| 17 | 3 | 82.8 | 19 | 1615 | 1859 | 279.433 |
| 18 | 3 | 63.2 | 19 | 1338 | 1480 | 607.867 |
| Detection Check (Y=Detection; N=No Detection) | | | | | | Y |


*This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.*

| Trial Number | | | 20 | | | |
|---|---|---|---|---|---|---|
| Bursts in Trial | | | 16 | | | |
| Center Frequency (MHz) | | | 5570 | | | |
| Burst | Number of Pulses | Pulse Width (µsec) | Chirp Width (MHz) | Pulse 1-to-2 PRI (µsec) | Pulse 2-to-3 PRI (µsec) | Start Location Within Interval (msec) |
| 1 | 1 | 87.9 | 12 | -- | -- | 203.419 |
| 2 | 3 | 91.8 | 12 | 1177 | 1664 | 420.39 |
| 3 | 2 | 81.2 | 12 | 1861 | -- | 263.57 |
| 4 | 3 | 69 | 12 | 1086 | 1723 | 420.04 |
| 5 | 3 | 71.3 | 12 | 1867 | 1451 | 255.33 |
| 6 | 2 | 66 | 12 | 1807 | -- | 76.06 |
| 7 | 3 | 59.7 | 12 | 1364 | 1272 | 600.22 |
| 8 | 2 | 99.1 | 12 | 1254 | -- | 491.16 |
| 9 | 3 | 76.3 | 12 | 1765 | 1703 | 475 |
| 10 | 2 | 74.7 | 12 | 1510 | -- | 275.44 |
| 11 | 1 | 91.8 | 12 | -- | -- | 108 |
| 12 | 3 | 78 | 12 | 1049 | 1889 | 264.44 |
| 13 | 2 | 56.7 | 12 | 1249 | -- | 224.56 |
| 14 | 2 | 78.3 | 12 | 1730 | -- | 164.37 |
| 15 | 2 | 80.3 | 12 | 1064 | -- | 105.5 |
| 16 | 2 | 95.9 | 12 | 1232 | -- | 642.7 |
| Detection Check (Y=Detection; N=No Detection) | | | | | | Y |


*This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.*

| Trial Number | | | 21 | | | |
|---|---|---|---|---|---|---|
| Bursts in Trial | | | 11 | | | |
| Center Frequency (MHz) | | | 5570 | | | |
| Burst | Number of Pulses | Pulse Width (µsec) | Chirp Width (MHz) | Pulse 1-to-2 PRI (µsec) | Pulse 2-to-3 PRI (µsec) | Start Location Within Interval (msec) |
| 1 | 2 | 78.3 | 14 | 1107 | -- | 328.895 |
| 2 | 2 | 90.5 | 14 | 1373 | -- | 193.381 |
| 3 | 2 | 52.1 | 14 | 1732 | -- | 90.162 |
| 4 | 2 | 83.4 | 14 | 1217 | -- | 576.633 |
| 5 | 2 | 99.9 | 14 | 1450 | -- | 434.734 |
| 6 | 3 | 80.9 | 14 | 1048 | 1373 | 344.525 |
| 7 | 2 | 96.3 | 14 | 1883 | -- | 6.815 |
| 8 | 1 | 58.1 | 14 | -- | -- | 927.796 |
| 9 | 1 | 71.2 | 14 | -- | -- | 210.757 |
| 10 | 1 | 66.5 | 14 | -- | -- | 480.218 |
| 11 | 3 | 94.5 | 14 | 1844 | 1097 | 523.709 |
| Detection Check (Y=Detection; N=No Detection) | | | | | | N |


*This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.*

| Trial Number | | | 22 | | | |
|---|---|---|---|---|---|---|
| Bursts in Trial | | | 11 | | | |
| Center Frequency (MHz) | | | 5570 | | | |
| Burst | Number of Pulses | Pulse Width (µsec) | Chirp Width (MHz) | Pulse 1-to-2 PRI (µsec) | Pulse 2-to-3 PRI (µsec) | Start Location Within Interval (msec) |
| 1 | 1 | 82 | 9 | -- | -- | 172.917 |
| 2 | 1 | 59.3 | 9 | -- | -- | 608.461 |
| 3 | 2 | 89.6 | 9 | 1905 | -- | 424.392 |
| 4 | 1 | 53.5 | 9 | -- | -- | 180.013 |
| 5 | 2 | 68.9 | 9 | 1503 | -- | 348.334 |
| 6 | 2 | 97.5 | 9 | 1399 | -- | 582.715 |
| 7 | 1 | 65.1 | 9 | -- | -- | 909.895 |
| 8 | 2 | 63.7 | 9 | 1299 | -- | 873.616 |
| 9 | 2 | 57.5 | 9 | 1730 | -- | 417.387 |
| 10 | 3 | 76.2 | 9 | 1237 | 1939 | 647.018 |
| 11 | 2 | 83.3 | 9 | 1928 | -- | 781.609 |
| Detection Check (Y=Detection; N=No Detection) | | | | | | Y |


*This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.*

| Trial Number | | | 23 | | | |
|---|---|---|---|---|---|---|
| Bursts in Trial | | | 15 | | | |
| Center Frequency (MHz) | | | 5570 | | | |
| Burst | Number of Pulses | Pulse Width (µsec) | Chirp Width (MHz) | Pulse 1-to-2 PRI (µsec) | Pulse 2-to-3 PRI (µsec) | Start Location Within Interval (msec) |
| 1 | 1 | 57.1 | 14 | -- | -- | 65.901 |
| 2 | 1 | 86.7 | 14 | -- | -- | 334.79 |
| 3 | 3 | 91.2 | 14 | 1464 | 1074 | 722.8 |
| 4 | 2 | 62.7 | 14 | 1790 | -- | 317.33 |
| 5 | 3 | 80.8 | 14 | 1118 | 1285 | 129.98 |
| 6 | 2 | 84.3 | 14 | 1360 | -- | 249.47 |
| 7 | 2 | 64.6 | 14 | 1038 | -- | 25.27 |
| 8 | 2 | 79.1 | 14 | 1527 | -- | 756.97 |
| 9 | 1 | 86.8 | 14 | -- | -- | 409.03 |
| 10 | 2 | 78.2 | 14 | 1256 | -- | 668.58 |
| 11 | 3 | 50.4 | 14 | 1968 | 1182 | 306.55 |
| 12 | 2 | 55.9 | 14 | 1089 | -- | 309.2 |
| 13 | 2 | 67.9 | 14 | 1084 | -- | 236.1 |
| 14 | 3 | 85 | 14 | 1065 | 1119 | 168.6 |
| 15 | 2 | 78.1 | 14 | 1259 | -- | 728.3 |
| Detection Check (Y=Detection; N=No Detection) | | | | | | Y |


*This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.*

| Trial Number | | | 24 | | | |
|---|---|---|---|---|---|---|
| Bursts in Trial | | | 16 | | | |
| Center Frequency (MHz) | | | 5570 | | | |
| Burst | Number of Pulses | Pulse Width (µsec) | Chirp Width (MHz) | Pulse 1-to-2 PRI (µsec) | Pulse 2-to-3 PRI (µsec) | Start Location Within Interval (msec) |
| 1 | 2 | 64.7 | 6 | 1189 | -- | 620.783 |
| 2 | 3 | 54.8 | 6 | 1622 | 1448 | 256.86 |
| 3 | 2 | 75.1 | 6 | 1284 | -- | 23.87 |
| 4 | 1 | 71 | 6 | -- | -- | 303.19 |
| 5 | 3 | 88.2 | 6 | 1851 | 1581 | 385.32 |
| 6 | 1 | 75.6 | 6 | -- | -- | 597.77 |
| 7 | 2 | 75.6 | 6 | 1269 | -- | 435.6 |
| 8 | 1 | 82.6 | 6 | -- | -- | 360.56 |
| 9 | 2 | 96.8 | 6 | 1761 | -- | 77.78 |
| 10 | 2 | 58.1 | 6 | 1040 | -- | 173.34 |
| 11 | 2 | 59.3 | 6 | 1366 | -- | 737.85 |
| 12 | 3 | 98.3 | 6 | 1913 | 1459 | 603.56 |
| 13 | 3 | 80.2 | 6 | 1438 | 1558 | 374.67 |
| 14 | 3 | 78.3 | 6 | 1477 | 1776 | 335.3 |
| 15 | 3 | 82.7 | 6 | 1555 | 1484 | 146.8 |
| 16 | 3 | 56.2 | 6 | 1229 | 1598 | 79.4 |
| Detection Check (Y=Detection; N=No Detection) | | | | | | Y |


*This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.*

| Trial Number | | | 25 | | | |
|---|---|---|---|---|---|---|
| Bursts in Trial | | | 16 | | | |
| Center Frequency (MHz) | | | 5570 | | | |
| Burst | Number of Pulses | Pulse Width (µsec) | Chirp Width (MHz) | Pulse 1-to-2 PRI (µsec) | Pulse 2-to-3 PRI (µsec) | Start Location Within Interval (msec) |
| 1 | 3 | 54.5 | 7 | 1015 | 1238 | 429.994 |
| 2 | 1 | 80.7 | 7 | -- | -- | 679.08 |
| 3 | 3 | 70 | 7 | 1156 | 1260 | 249.98 |
| 4 | 1 | 56.2 | 7 | -- | -- | 719.15 |
| 5 | 1 | 61.1 | 7 | -- | -- | 527.59 |
| 6 | 2 | 78.2 | 7 | 1561 | -- | 92.59 |
| 7 | 3 | 88.1 | 7 | 1583 | 1525 | 437.61 |
| 8 | 2 | 57 | 7 | 1883 | -- | 39.85 |
| 9 | 1 | 84 | 7 | -- | -- | 411.41 |
| 10 | 3 | 86 | 7 | 1306 | 1025 | 189.06 |
| 11 | 1 | 77.4 | 7 | -- | -- | 606.17 |
| 12 | 1 | 93.7 | 7 | -- | -- | 431.02 |
| 13 | 2 | 54.8 | 7 | 1904 | -- | 159.91 |
| 14 | 2 | 74.2 | 7 | 1678 | -- | 147.02 |
| 15 | 2 | 93.7 | 7 | 1653 | -- | 56.4 |
| 16 | 2 | 86.6 | 7 | 1395 | -- | 355.2 |
| Detection Check (Y=Detection; N=No Detection) | | | | | | Y |


*This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.*

| Trial Number | | | 26 | | | |
|---|---|---|---|---|---|---|
| Bursts in Trial | | | 19 | | | |
| Center Frequency (MHz) | | | 5570 | | | |
| Burst | Number of Pulses | Pulse Width (µsec) | Chirp Width (MHz) | Pulse 1-to-2 PRI (µsec) | Pulse 2-to-3 PRI (µsec) | Start Location Within Interval (msec) |
| 1 | 1 | 64.4 | 18 | -- | -- | 308.658 |
| 2 | 2 | 90.1 | 18 | 1488 | -- | 373.081 |
| 3 | 2 | 86.6 | 18 | 1562 | -- | 547.442 |
| 4 | 2 | 98.4 | 18 | 1568 | -- | 139.593 |
| 5 | 2 | 50.6 | 18 | 1465 | -- | 463.894 |
| 6 | 3 | 66.6 | 18 | 1313 | 1964 | 83.195 |
| 7 | 2 | 69.7 | 18 | 1977 | -- | 136.706 |
| 8 | 3 | 51 | 18 | 1127 | 1391 | 393.717 |
| 9 | 2 | 57.6 | 18 | 1806 | -- | 0.548 |
| 10 | 2 | 94.8 | 18 | 1198 | -- | 469.749 |
| 11 | 2 | 87 | 18 | 1561 | -- | 301.451 |
| 12 | 2 | 92.4 | 18 | 1357 | -- | 62.642 |
| 13 | 2 | 78.6 | 18 | 1422 | -- | 573.103 |
| 14 | 2 | 85.5 | 18 | 1778 | -- | 33.424 |
| 15 | 3 | 94.5 | 18 | 1220 | 1042 | 392.475 |
| 16 | 2 | 57 | 18 | 1894 | -- | 168.156 |
| 17 | 3 | 70 | 18 | 1275 | 1186 | 160.537 |
| 18 | 2 | 92.5 | 18 | 1694 | -- | 458.758 |
| 19 | 3 | 89.3 | 18 | 1325 | 1258 | 311.379 |
| Detection Check (Y=Detection; N=No Detection) | | | | | | Y |


*This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.*

| Trial Number | | | 27 | | | |
|---|---|---|---|---|---|---|
| Bursts in Trial | | | 11 | | | |
| Center Frequency (MHz) | | | 5570 | | | |
| Burst | Number of Pulses | Pulse Width (µsec) | Chirp Width (MHz) | Pulse 1-to-2 PRI (µsec) | Pulse 2-to-3 PRI (µsec) | Start Location Within Interval (msec) |
| 1 | 3 | 64 | 16 | 1368 | 1167 | 476.207 |
| 2 | 2 | 62.1 | 16 | 1444 | -- | 524.961 |
| 3 | 1 | 86.2 | 16 | -- | -- | 337.732 |
| 4 | 2 | 58.5 | 16 | 1064 | -- | 8.483 |
| 5 | 3 | 89.1 | 16 | 1071 | 1544 | 985.664 |
| 6 | 2 | 71.8 | 16 | 1683 | -- | 770.295 |
| 7 | 2 | 64.2 | 16 | 1878 | -- | 33.785 |
| 8 | 1 | 85.4 | 16 | -- | -- | 440.826 |
| 9 | 2 | 91.8 | 16 | 1552 | -- | 1052.437 |
| 10 | 2 | 77.3 | 16 | 1498 | -- | 467.118 |
| 11 | 2 | 77.9 | 16 | 1991 | -- | 436.609 |
| Detection Check (Y=Detection; N=No Detection) | | | | | | Y |


*This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.*

| Trial Number | | | 28 | | | |
|---|---|---|---|---|---|---|
| Bursts in Trial | | | 19 | | | |
| Center Frequency (MHz) | | | 5570 | | | |
| Burst | Number of Pulses | Pulse Width (µsec) | Chirp Width (MHz) | Pulse 1-to-2 PRI (µsec) | Pulse 2-to-3 PRI (µsec) | Start Location Within Interval (msec) |
| 1 | 3 | 76.4 | 17 | 1347 | 1144 | 51.36 |
| 2 | 3 | 52.4 | 17 | 1992 | 1827 | 562.281 |
| 3 | 3 | 85.4 | 17 | 1786 | 1251 | 43.492 |
| 4 | 2 | 54.2 | 17 | 1282 | -- | 130.973 |
| 5 | 3 | 83.6 | 17 | 1299 | 1137 | 613.204 |
| 6 | 2 | 96.3 | 17 | 1921 | -- | 136.395 |
| 7 | 2 | 92 | 17 | 1825 | -- | 343.526 |
| 8 | 2 | 80.6 | 17 | 1159 | -- | 428.897 |
| 9 | 1 | 67.8 | 17 | -- | -- | 398.418 |
| 10 | 2 | 58.3 | 17 | 1413 | -- | 208.519 |
| 11 | 1 | 81.9 | 17 | -- | -- | 618.001 |
| 12 | 2 | 55.6 | 17 | 1845 | -- | 299.562 |
| 13 | 2 | 52.5 | 17 | 1827 | -- | 284.473 |
| 14 | 2 | 99.8 | 17 | 1290 | -- | 560.544 |
| 15 | 2 | 56.5 | 17 | 1607 | -- | 396.155 |
| 16 | 1 | 70.8 | 17 | -- | -- | 506.436 |
| 17 | 2 | 80 | 17 | 1582 | -- | 560.837 |
| 18 | 2 | 50 | 17 | 1957 | -- | 334.158 |
| 19 | 1 | 86.5 | 17 | -- | -- | 129.179 |
| Detection Check (Y=Detection; N=No Detection) | | | | | | Y |


*This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.*

| Trial Number | | | 29 | | | |
|---|---|---|---|---|---|---|
| Bursts in Trial | | | 11 | | | |
| Center Frequency (MHz) | | | 5570 | | | |
| Burst | Number of Pulses | Pulse Width (µsec) | Chirp Width (MHz) | Pulse 1-to-2 PRI (µsec) | Pulse 2-to-3 PRI (µsec) | Start Location Within Interval (msec) |
| 1 | 3 | 72.5 | 16 | 1326 | 1085 | 418.338 |
| 2 | 3 | 53.2 | 16 | 1255 | 1936 | 774.251 |
| 3 | 2 | 80.8 | 16 | 1517 | -- | 84.442 |
| 4 | 3 | 52.8 | 16 | 1186 | 1080 | 587.603 |
| 5 | 3 | 88.6 | 16 | 1232 | 1276 | 343.594 |
| 6 | 2 | 57.3 | 16 | 1273 | -- | 151.485 |
| 7 | 2 | 76.7 | 16 | 1543 | -- | 524.595 |
| 8 | 2 | 78.2 | 16 | 1355 | -- | 1037.786 |
| 9 | 3 | 63.2 | 16 | 1638 | 1805 | 377.997 |
| 10 | 3 | 65.6 | 16 | 1036 | 1727 | 298.618 |
| 11 | 1 | 97.1 | 16 | -- | -- | 86.409 |
| Detection Check (Y=Detection; N=No Detection) | | | | | | Y |


*This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.*

**5570MHz, Radar 6**

| Trial Id | Radar Type | Pulse Width(μs) | PRI (μs) | Pulses Per Hop | Hopping Rate (kHz) | Hopping Sequence Length (ms) | Visible Frequency Number | conclusion |
|---|---|---|---|---|---|---|---|---|
| 0 | 6 | 1.0 | 333.3 | 9 | 0.3333 | 300.00 | 33 | Y |
| 1 | 6 | 1.0 | 333.3 | 9 | 0.3333 | 300.00 | 29 | Y |
| 2 | 6 | 1.0 | 333.3 | 9 | 0.3333 | 300.00 | 28 | Y |
| 3 | 6 | 1.0 | 333.3 | 9 | 0.3333 | 300.00 | 35 | Y |
| 4 | 6 | 1.0 | 333.3 | 9 | 0.3333 | 300.00 | 35 | Y |
| 5 | 6 | 1.0 | 333.3 | 9 | 0.3333 | 300.00 | 31 | Y |
| 6 | 6 | 1.0 | 333.3 | 9 | 0.3333 | 300.00 | 33 | Y |
| 7 | 6 | 1.0 | 333.3 | 9 | 0.3333 | 300.00 | 29 | Y |
| 8 | 6 | 1.0 | 333.3 | 9 | 0.3333 | 300.00 | 33 | Y |
| 9 | 6 | 1.0 | 333.3 | 9 | 0.3333 | 300.00 | 32 | Y |
| 10 | 6 | 1.0 | 333.3 | 9 | 0.3333 | 300.00 | 36 | Y |
| 11 | 6 | 1.0 | 333.3 | 9 | 0.3333 | 300.00 | 40 | Y |
| 12 | 6 | 1.0 | 333.3 | 9 | 0.3333 | 300.00 | 37 | Y |
| 13 | 6 | 1.0 | 333.3 | 9 | 0.3333 | 300.00 | 34 | Y |
| 14 | 6 | 1.0 | 333.3 | 9 | 0.3333 | 300.00 | 31 | Y |
| 15 | 6 | 1.0 | 333.3 | 9 | 0.3333 | 300.00 | 39 | Y |
| 16 | 6 | 1.0 | 333.3 | 9 | 0.3333 | 300.00 | 35 | Y |
| 17 | 6 | 1.0 | 333.3 | 9 | 0.3333 | 300.00 | 36 | Y |
| 18 | 6 | 1.0 | 333.3 | 9 | 0.3333 | 300.00 | 29 | Y |
| 19 | 6 | 1.0 | 333.3 | 9 | 0.3333 | 300.00 | 32 | Y |
| 20 | 6 | 1.0 | 333.3 | 9 | 0.3333 | 300.00 | 35 | Y |
| 21 | 6 | 1.0 | 333.3 | 9 | 0.3333 | 300.00 | 38 | Y |
| 22 | 6 | 1.0 | 333.3 | 9 | 0.3333 | 300.00 | 40 | Y |
| 23 | 6 | 1.0 | 333.3 | 9 | 0.3333 | 300.00 | 37 | Y |
| 24 | 6 | 1.0 | 333.3 | 9 | 0.3333 | 300.00 | 31 | Y |
| 25 | 6 | 1.0 | 333.3 | 9 | 0.3333 | 300.00 | 33 | Y |
| 26 | 6 | 1.0 | 333.3 | 9 | 0.3333 | 300.00 | 29 | Y |
| 27 | 6 | 1.0 | 333.3 | 9 | 0.3333 | 300.00 | 35 | Y |
| 28 | 6 | 1.0 | 333.3 | 9 | 0.3333 | 300.00 | 32 | Y |
| 29 | 6 | 1.0 | 333.3 | 9 | 0.3333 | 300.00 | 37 | Y |
| Detection rate: 100% | | | | | | | | |


*This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.*

**5290MHz, Radar 1**

| Trial Id | Radar Type | Pulse Width(μs) | PRI (μs) | Number of Pulses | Waveform Length (μs) | conclusion |
|---|---|---|---|---|---|---|
| 0 | 1 | 1.0 | 938.0 | 57 | 53466.0 | Y |
| 1 | 1 | 1.0 | 698.0 | 76 | 53048.0 | Y |
| 2 | 1 | 1.0 | 618.0 | 86 | 53148.0 | Y |
| 3 | 1 | 1.0 | 538.0 | 99 | 53262.0 | Y |
| 4 | 1 | 1.0 | 878.0 | 61 | 53558.0 | Y |
| 5 | 1 | 1.0 | 3066.0 | 18 | 55188.0 | Y |
| 6 | 1 | 1.0 | 638.0 | 83 | 52954.0 | Y |
| 7 | 1 | 1.0 | 918.0 | 58 | 53244.0 | Y |
| 8 | 1 | 1.0 | 838.0 | 63 | 52794.0 | Y |
| 9 | 1 | 1.0 | 858.0 | 62 | 53196.0 | Y |
| 10 | 1 | 1.0 | 798.0 | 67 | 53466.0 | Y |
| 11 | 1 | 1.0 | 718.0 | 74 | 53132.0 | Y |
| 12 | 1 | 1.0 | 578.0 | 92 | 53176.0 | Y |
| 13 | 1 | 1.0 | 598.0 | 89 | 53222.0 | Y |
| 14 | 1 | 1.0 | 558.0 | 95 | 53010.0 | Y |
| 15 | 1 | 1.0 | 2536.0 | 21 | 53256.0 | Y |
| 16 | 1 | 1.0 | 966.0 | 55 | 53130.0 | Y |
| 17 | 1 | 1.0 | 827.0 | 64 | 52928.0 | Y |
| 18 | 1 | 1.0 | 2501.0 | 22 | 55022.0 | Y |
| 19 | 1 | 1.0 | 2595.0 | 21 | 54495.0 | Y |
| 20 | 1 | 1.0 | 1114.0 | 48 | 53472.0 | Y |
| 21 | 1 | 1.0 | 1302.0 | 41 | 53382.0 | Y |
| 22 | 1 | 1.0 | 3045.0 | 18 | 54810.0 | Y |
| 23 | 1 | 1.0 | 1624.0 | 33 | 53592.0 | Y |
| 24 | 1 | 1.0 | 2878.0 | 19 | 54682.0 | Y |
| 25 | 1 | 1.0 | 1027.0 | 52 | 53404.0 | Y |
| 26 | 1 | 1.0 | 2485.0 | 22 | 54670.0 | Y |
| 27 | 1 | 1.0 | 1600.0 | 33 | 52800.0 | Y |
| 28 | 1 | 1.0 | 1172.0 | 46 | 53912.0 | Y |
| 29 | 1 | 1.0 | 1177.0 | 45 | 52965.0 | Y |
| Detection rate: 100% | | | | | | |


*This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.*

**5290MHz, Radar 2**

| Trial Id | Radar Type | Pulse Width(μs) | PRI (μs) | Number of Pulses | Waveform Length (μs) | conclusion |
|---|---|---|---|---|---|---|
| 0 | 2 | 3.2 | 179.0 | 26 | 4654.0 | Y |
| 1 | 2 | 1.1 | 207.0 | 23 | 4761.0 | Y |
| 2 | 2 | 2.1 | 230.0 | 24 | 5520.0 | Y |
| 3 | 2 | 4.8 | 200.0 | 29 | 5800.0 | Y |
| 4 | 2 | 3.9 | 214.0 | 28 | 5992.0 | Y |
| 5 | 2 | 2.9 | 222.0 | 26 | 5772.0 | Y |
| 6 | 2 | 3.2 | 204.0 | 26 | 5304.0 | Y |
| 7 | 2 | 2.5 | 192.0 | 25 | 4800.0 | Y |
| 8 | 2 | 3.1 | 164.0 | 26 | 4264.0 | Y |
| 9 | 2 | 1.2 | 156.0 | 23 | 3588.0 | Y |
| 10 | 2 | 3.9 | 210.0 | 27 | 5670.0 | Y |
| 11 | 2 | 4.6 | 201.0 | 29 | 5829.0 | Y |
| 12 | 2 | 3.2 | 162.0 | 26 | 4212.0 | Y |
| 13 | 2 | 2.2 | 197.0 | 25 | 4925.0 | Y |
| 14 | 2 | 4.5 | 163.0 | 29 | 4727.0 | Y |
| 15 | 2 | 3.0 | 203.0 | 26 | 5278.0 | Y |
| 16 | 2 | 5.0 | 168.0 | 29 | 4872.0 | Y |
| 17 | 2 | 2.4 | 217.0 | 25 | 5425.0 | Y |
| 18 | 2 | 2.9 | 191.0 | 26 | 4966.0 | Y |
| 19 | 2 | 2.3 | 166.0 | 25 | 4150.0 | Y |
| 20 | 2 | 3.7 | 150.0 | 27 | 4050.0 | Y |
| 21 | 2 | 2.2 | 176.0 | 25 | 4400.0 | Y |
| 22 | 2 | 4.9 | 195.0 | 29 | 5655 | Y |
| 23 | 2 | 2.9 | 202.0 | 26 | 5252.0 | Y |
| 24 | 2 | 2.5 | 178.0 | 25 | 4450.0 | Y |
| 25 | 2 | 1.1 | 206.0 | 23 | 4738.0 | Y |
| 26 | 2 | 3.8 | 155.0 | 27 | 4185.0 | Y |
| 27 | 2 | 4.7 | 157.0 | 29 | 4553.0 | Y |
| 28 | 2 | 2.4 | 224.0 | 25 | 5600.0 | Y |
| 29 | 2 | 4.2 | 159.0 | 28 | 4452.0 | Y |
| Detection rate: 100% | | | | | | |


*This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.*

**5290MHz, Radar 3**

| Trial Id | Radar Type | Pulse Width(μs) | PRI (μs) | Number of Pulses | Waveform Length (μs) | conclusion |
|---|---|---|---|---|---|---|
| 0 | 3 | 8.2 | 355.0 | 17 | 6035.0 | Y |
| 1 | 3 | 6.1 | 487.0 | 16 | 7792.0 | Y |
| 2 | 3 | 7.1 | 344.0 | 16 | 5504.0 | Y |
| 3 | 3 | 9.8 | 288.0 | 18 | 5184.0 | Y |
| 4 | 3 | 8.9 | 230.0 | 18 | 4140.0 | Y |
| 5 | 3 | 7.9 | 432.0 | 17 | 7344.0 | Y |
| 6 | 3 | 8.2 | 207.0 | 17 | 3519.0 | Y |
| 7 | 3 | 7.5 | 443.0 | 17 | 7531.0 | Y |
| 8 | 3 | 8.1 | 439.0 | 17 | 7463.0 | Y |
| 9 | 3 | 6.2 | 223.0 | 16 | 3568.0 | Y |
| 10 | 3 | 8.9 | 208.0 | 18 | 3744.0 | Y |
| 11 | 3 | 9.6 | 463.0 | 18 | 8334.0 | Y |
| 12 | 3 | 8.2 | 441.0 | 17 | 7497.0 | Y |
| 13 | 3 | 7.2 | 323.0 | 16 | 5168.0 | Y |
| 14 | 3 | 9.5 | 297.0 | 18 | 5346.0 | Y |
| 15 | 3 | 8.0 | 412.0 | 17 | 7004.0 | Y |
| 16 | 3 | 10.0 | 324.0 | 18 | 5832.0 | Y |
| 17 | 3 | 7.4 | 271.0 | 17 | 4607.0 | Y |
| 18 | 3 | 7.9 | 349.0 | 17 | 5933.0 | Y |
| 19 | 3 | 7.3 | 409.0 | 16 | 6544.0 | Y |
| 20 | 3 | 8.7 | 373.0 | 18 | 6714.0 | Y |
| 21 | 3 | 7.2 | 254.0 | 16 | 4064.0 | Y |
| 22 | 3 | 9.9 | 274.0 | 18 | 4932.0 | Y |
| 23 | 3 | 7.9 | 278.0 | 17 | 4726.0 | Y |
| 24 | 3 | 7.5 | 317.0 | 17 | 5389.0 | Y |
| 25 | 3 | 6.1 | 260.0 | 16 | 4160.0 | Y |
| 26 | 3 | 8.8 | 211.0 | 18 | 3798.0 | Y |
| 27 | 3 | 9.7 | 272.0 | 18 | 4896.0 | Y |
| 28 | 3 | 7.4 | 264.0 | 17 | 4488.0 | Y |
| 29 | 3 | 9.2 | 284.0 | 18 | 5112.0 | Y |
| Detection rate: 100% | | | | | | |


*This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.*

**5290MHz, Radar 4**

| Trial Id | Radar Type | Pulse Width(μs) | PRI (μs) | Number of Pulses | Waveform Length (μs) | conclusion |
|---|---|---|---|---|---|---|
| 0 | 4 | 16.0 | 355.0 | 14 | 4970.0 | Y |
| 1 | 4 | 11.3 | 487.0 | 12 | 5844.0 | Y |
| 2 | 4 | 13.5 | 344.0 | 13 | 4472.0 | Y |
| 3 | 4 | 19.4 | 288.0 | 16 | 4608.0 | Y |
| 4 | 4 | 17.5 | 230.0 | 15 | 3450.0 | Y |
| 5 | 4 | 15.3 | 432.0 | 14 | 6048.0 | Y |
| 6 | 4 | 15.9 | 207.0 | 14 | 2898.0 | Y |
| 7 | 4 | 14.3 | 443.0 | 13 | 5759.0 | Y |
| 8 | 4 | 15.8 | 439.0 | 14 | 6146.0 | Y |
| 9 | 4 | 11.5 | 223.0 | 12 | 2676.0 | Y |
| 10 | 4 | 17.4 | 208.0 | 15 | 3120.0 | Y |
| 11 | 4 | 19.0 | 463.0 | 16 | 7408.0 | Y |
| 12 | 4 | 16.0 | 441.0 | 14 | 6174.0 | Y |
| 13 | 4 | 13.8 | 323.0 | 13 | 4199.0 | Y |
| 14 | 4 | 18.9 | 297.0 | 16 | 4752.0 | Y |
| 15 | 4 | 15.5 | 412.0 | 14 | 5768.0 | Y |
| 16 | 4 | 19.9 | 324.0 | 16 | 5184.0 | Y |
| 17 | 4 | 14.1 | 271.0 | 13 | 3523.0 | Y |
| 18 | 4 | 15.2 | 349.0 | 14 | 4886.0 | Y |
| 19 | 4 | 13.8 | 409.0 | 13 | 5317.0 | Y |
| 20 | 4 | 17.1 | 373.0 | 15 | 5595.0 | Y |
| 21 | 4 | 13.8 | 254.0 | 13 | 3302.0 | Y |
| 22 | 4 | 19.8 | 274.0 | 16 | 4384.0 | Y |
| 23 | 4 | 15.3 | 278.0 | 14 | 3892.0 | Y |
| 24 | 4 | 14.5 | 317.0 | 13 | 4121.0 | Y |
| 25 | 4 | 11.3 | 260.0 | 12 | 3120.0 | Y |
| 26 | 4 | 17.3 | 211.0 | 15 | 3165.0 | Y |
| 27 | 4 | 19.2 | 272.0 | 16 | 4352.0 | Y |
| 28 | 4 | 14.2 | 264.0 | 13 | 3432.0 | Y |
| 29 | 4 | 18.2 | 284.0 | 15 | 4260.0 | Y |
| Detection rate: 100% | | | | | | |


*This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.*

**5290MHz, Radar 5**

| Trial Id | Radar Type | Number of Pulses | Chip Width (MHz) | Burst Period (s) | Waveform Length (μs) | Center Frequency (MHz) | conclusion |
|---|---|---|---|---|---|---|---|
| 0 | 5 | 15 | 13 | 0.8000000 | 12.0 | 5.2700 | Y |
| 1 | 5 | 8 | 19 | 1.5000000 | 12.0 | 5.2700 | Y |
| 2 | 5 | 11 | 11 | 1.0909091 | 12.0 | 5.2700 | Y |
| 3 | 5 | 20 | 12 | 0.6000000 | 12.0 | 5.2700 | Y |
| 4 | 5 | 17 | 6 | 0.7058824 | 12.0 | 5.2700 | Y |
| 5 | 5 | 14 | 15 | 0.8571429 | 12.0 | 5.2700 | Y |
| 6 | 5 | 15 | 16 | 0.8000000 | 12.0 | 5.2700 | Y |
| 7 | 5 | 12 | 17 | 1.0000000 | 12.0 | 5.2700 | Y |
| 8 | 5 | 14 | 19 | 0.8571429 | 12.0 | 5.2700 | Y |
| 9 | 5 | 8 | 12 | 1.5000000 | 12.0 | 5.2700 | Y |
| 10 | 5 | 17 | 7 | 0.7058824 | 12.0 | 5.2564 | Y |
| 11 | 5 | 19 | 11 | 0.6315789 | 12.0 | 5.2576 | Y |
| 12 | 5 | 15 | 14 | 0.8000000 | 12.0 | 5.2552 | Y |
| 13 | 5 | 12 | 16 | 1.0000000 | 12.0 | 5.2540 | Y |
| 14 | 5 | 19 | 9 | 0.6315789 | 12.0 | 5.2572 | Y |
| 15 | 5 | 14 | 16 | 0.8571429 | 12.0 | 5.2548 | Y |
| 16 | 5 | 20 | 13 | 0.6000000 | 12.0 | 5.2580 | Y |
| 17 | 5 | 12 | 7 | 1.0000000 | 12.0 | 5.2540 | Y |
| 18 | 5 | 14 | 10 | 0.8571429 | 12.0 | 5.2548 | Y |
| 19 | 5 | 12 | 19 | 1.0000000 | 12.0 | 5.2540 | Y |
| 20 | 5 | 16 | 12 | 0.7500000 | 12.0 | 5.2840 | Y |
| 21 | 5 | 12 | 14 | 1.0000000 | 12.0 | 5.2864 | Y |
| 22 | 5 | 20 | 9 | 0.6000000 | 12.0 | 5.2820 | Y |
| 23 | 5 | 14 | 14 | 0.8571429 | 12.0 | 5.2852 | Y |
| 24 | 5 | 13 | 6 | 0.9230769 | 12.0 | 5.2856 | Y |
| 25 | 5 | 8 | 7 | 1.5000000 | 12.0 | 5.2880 | Y |
| 26 | 5 | 17 | 18 | 0.7058824 | 12.0 | 5.2836 | Y |
| 27 | 5 | 19 | 16 | 0.6315789 | 12.0 | 5.2824 | Y |
| 28 | 5 | 12 | 17 | 1.0000000 | 12.0 | 5.2860 | Y |
| 29 | 5 | 18 | 16 | 0.6666667 | 12.0 | 5.2832 | Y |
| Detection rate: 100% | | | | | | | |


*This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.*

| Trial Number | | | 0 | | | |
|---|---|---|---|---|---|---|
| Bursts in Trial | | | 16 | | | |
| Center Frequency (MHz) | | | 5290 | | | |
| Burst | Number of Pulses | Pulse Width (µsec) | Chirp Width (MHz) | Pulse 1-to-2 PRI (µsec) | Pulse 2-to-3 PRI (µsec) | Start Location Within Interval (msec) |
| 1 | 1 | 71.5 | 13 | -- | -- | 382.157 |
| 2 | 1 | 73.2 | 13 | -- | -- | 537.38 |
| 3 | 1 | 95.5 | 13 | -- | -- | 301.44 |
| 4 | 2 | 88.4 | 13 | 1280 | -- | 586.04 |
| 5 | 2 | 64.8 | 13 | 1624 | -- | 322.44 |
| 6 | 1 | 77.3 | 13 | -- | -- | 33.47 |
| 7 | 2 | 64.3 | 13 | 1035 | -- | 238.39 |
| 8 | 1 | 97.4 | 13 | -- | -- | 422.7 |
| 9 | 1 | 60.5 | 13 | -- | -- | 589.16 |
| 10 | 2 | 77.3 | 13 | 1797 | -- | 269.82 |
| 11 | 1 | 60.3 | 13 | -- | -- | 14.29 |
| 12 | 1 | 99.3 | 13 | -- | -- | 734.54 |
| 13 | 2 | 65.1 | 13 | 1528 | -- | 118.33 |
| 14 | 2 | 56.9 | 13 | 1137 | -- | 496.3 |
| 15 | 1 | 86 | 13 | -- | -- | 208.7 |
| 16 | 1 | 83.5 | 13 | -- | -- | 545 |
| Detection Check (Y=Detection; N=No Detection) | | | | | | Y |


*This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.*

| Trial Number | | | 1 | | | |
|---|---|---|---|---|---|---|
| Bursts in Trial | | | 12 | | | |
| Center Frequency (MHz) | | | 5290 | | | |
| Burst | Number of Pulses | Pulse Width (µsec) | Chirp Width (MHz) | Pulse 1-to-2 PRI (µsec) | Pulse 2-to-3 PRI (µsec) | Start Location Within Interval (msec) |
| 1 | 3 | 96.6 | 19 | 1441 | 1588 | 157.072 |
| 2 | 2 | 57 | 19 | 1003 | -- | 31.84 |
| 3 | 1 | 99.4 | 19 | -- | -- | 593.46 |
| 4 | 3 | 51.4 | 19 | 1076 | 1207 | 174.33 |
| 5 | 3 | 71.5 | 19 | 1105 | 1860 | 53.87 |
| 6 | 2 | 99.5 | 19 | 1009 | -- | 204.9 |
| 7 | 2 | 96.8 | 19 | 1888 | -- | 972.89 |
| 8 | 2 | 62.8 | 19 | 1708 | -- | 421.81 |
| 9 | 2 | 68.6 | 19 | 1979 | -- | 675.92 |
| 10 | 1 | 52.2 | 19 | -- | -- | 905.33 |
| 11 | 2 | 71.2 | 19 | 1891 | -- | 626.2 |
| 12 | 1 | 80.7 | 19 | -- | -- | 297.1 |
| Detection Check (Y=Detection; N=No Detection) | | | | | | Y |


*This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.*

| Trial Number | | | 2 | | | |
|---|---|---|---|---|---|---|
| Bursts in Trial | | | 12 | | | |
| Center Frequency (MHz) | | | 5290 | | | |
| Burst | Number of Pulses | Pulse Width (µsec) | Chirp Width (MHz) | Pulse 1-to-2 PRI (µsec) | Pulse 2-to-3 PRI (µsec) | Start Location Within Interval (msec) |
| 1 | 2 | 73 | 11 | 1720 | -- | 60.341 |
| 2 | 2 | 86.6 | 11 | 1086 | -- | 471.34 |
| 3 | 2 | 52 | 11 | 1769 | -- | 149.46 |
| 4 | 3 | 89.5 | 11 | 1050 | 1774 | 665.26 |
| 5 | 2 | 91.3 | 11 | 1275 | -- | 763.12 |
| 6 | 1 | 87.6 | 11 | -- | -- | 242.46 |
| 7 | 2 | 95.7 | 11 | 1592 | -- | 386.09 |
| 8 | 1 | 79.1 | 11 | -- | -- | 690.82 |
| 9 | 2 | 63 | 11 | 1026 | -- | 448.47 |
| 10 | 3 | 78.5 | 11 | 1233 | 1434 | 781.34 |
| 11 | 2 | 71.4 | 11 | 1774 | -- | 534 |
| 12 | 2 | 93.2 | 11 | 1268 | -- | 689.3 |
| Detection Check (Y=Detection; N=No Detection) | | | | | | Y |


*This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.*

| Trial Number | | | 3 | | | |
|---|---|---|---|---|---|---|
| Bursts in Trial | | | 15 | | | |
| Center Frequency (MHz) | | | 5290 | | | |
| Burst | Number of Pulses | Pulse Width (µsec) | Chirp Width (MHz) | Pulse 1-to-2 PRI (µsec) | Pulse 2-to-3 PRI (µsec) | Start Location Within Interval (msec) |
| 1 | 3 | 51.8 | 12 | 1987 | 1673 | 785.215 |
| 2 | 1 | 67.1 | 12 | -- | -- | 304.74 |
| 3 | 2 | 80.4 | 12 | 1189 | -- | 234.53 |
| 4 | 2 | 57.2 | 12 | 1369 | -- | 400.36 |
| 5 | 3 | 80.9 | 12 | 1841 | 1377 | 257.92 |
| 6 | 2 | 66.8 | 12 | 1850 | -- | 641.28 |
| 7 | 2 | 78.3 | 12 | 1566 | -- | 763.04 |
| 8 | 1 | 95.7 | 12 | -- | -- | 315.89 |
| 9 | 2 | 72.6 | 12 | 1987 | -- | 694.91 |
| 10 | 2 | 86.1 | 12 | 1099 | -- | 12.39 |
| 11 | 3 | 54.6 | 12 | 1547 | 1020 | 744.49 |
| 12 | 3 | 82.4 | 12 | 1778 | 1816 | 623.75 |
| 13 | 2 | 52.6 | 12 | 1943 | -- | 704.1 |
| 14 | 3 | 88.8 | 12 | 1592 | 1140 | 155.2 |
| 15 | 2 | 91.6 | 12 | 1430 | -- | 771.7 |
| Detection Check (Y=Detection; N=No Detection) | | | | | | Y |


*This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.*

| Trial Number | | | 4 | | | |
|---|---|---|---|---|---|---|
| Bursts in Trial | | | 15 | | | |
| Center Frequency (MHz) | | | 5290 | | | |
| Burst | Number of Pulses | Pulse Width (µsec) | Chirp Width (MHz) | Pulse 1-to-2 PRI (µsec) | Pulse 2-to-3 PRI (µsec) | Start Location Within Interval (msec) |
| 1 | 2 | 91.5 | 6 | 1778 | -- | 131.166 |
| 2 | 1 | 58.6 | 6 | -- | -- | 306.44 |
| 3 | 1 | 54.2 | 6 | -- | -- | 157.68 |
| 4 | 1 | 68.4 | 6 | -- | -- | 464.16 |
| 5 | 2 | 62.8 | 6 | 1467 | -- | 725.57 |
| 6 | 1 | 90.9 | 6 | -- | -- | 277.06 |
| 7 | 1 | 93.9 | 6 | -- | -- | 278.94 |
| 8 | 2 | 67.7 | 6 | 1128 | -- | 83.93 |
| 9 | 2 | 57.2 | 6 | 1328 | -- | 324.65 |
| 10 | 2 | 77.5 | 6 | 1726 | -- | 269.88 |
| 11 | 1 | 53.8 | 6 | -- | -- | 538.06 |
| 12 | 2 | 56.7 | 6 | 1884 | -- | 731.59 |
| 13 | 3 | 50.7 | 6 | 1243 | 1550 | 206.21 |
| 14 | 2 | 86.2 | 6 | 1189 | -- | 307.7 |
| 15 | 1 | 82.7 | 6 | -- | -- | 208.1 |
| Detection Check (Y=Detection; N=No Detection) | | | | | | Y |


*This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.*

| Trial Number | | | 5 | | | |
|---|---|---|---|---|---|---|
| Bursts in Trial | | | 10 | | | |
| Center Frequency (MHz) | | | 5290 | | | |
| Burst | Number of Pulses | Pulse Width (µsec) | Chirp Width (MHz) | Pulse 1-to-2 PRI (µsec) | Pulse 2-to-3 PRI (µsec) | Start Location Within Interval (msec) |
| 1 | 1 | 90.1 | 15 | -- | -- | 1033.2 |
| 2 | 2 | 80.7 | 15 | 1532 | -- | 510.9 |
| 3 | 1 | 99.6 | 15 | -- | -- | 454.39 |
| 4 | 1 | 50.8 | 15 | -- | -- | 577.37 |
| 5 | 1 | 60.7 | 15 | -- | -- | 101.54 |
| 6 | 3 | 90 | 15 | 1254 | 1217 | 724.3 |
| 7 | 2 | 89.1 | 15 | 1337 | -- | 977.24 |
| 8 | 2 | 96.6 | 15 | 1506 | -- | 497.64 |
| 9 | 1 | 76.3 | 15 | -- | -- | 19.63 |
| 10 | 1 | 55.9 | 15 | -- | -- | 793.8 |
| Detection Check (Y=Detection; N=No Detection) | | | | | | Y |


*This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.*

| Trial Number | | | 6 | | | |
|---|---|---|---|---|---|---|
| Bursts in Trial | | | 16 | | | |
| Center Frequency (MHz) | | | 5290 | | | |
| Burst | Number of Pulses | Pulse Width (µsec) | Chirp Width (MHz) | Pulse 1-to-2 PRI (µsec) | Pulse 2-to-3 PRI (µsec) | Start Location Within Interval (msec) |
| 1 | 3 | 57.1 | 16 | 1529 | 1704 | 329.074 |
| 2 | 2 | 89.7 | 16 | 1153 | -- | 181.929 |
| 3 | 1 | 57 | 16 | -- | -- | 661.73 |
| 4 | 3 | 76.3 | 16 | 1421 | 1729 | 676.54 |
| 5 | 2 | 85 | 16 | 1471 | -- | 195.28 |
| 6 | 2 | 51.1 | 16 | 1777 | -- | 133.14 |
| 7 | 2 | 87.4 | 16 | 1935 | -- | 235.39 |
| 8 | 1 | 76.9 | 16 | -- | -- | 689.87 |
| 9 | 2 | 53.7 | 16 | 1406 | -- | 108.86 |
| 10 | 1 | 63.5 | 16 | -- | -- | 298.5 |
| 11 | 2 | 71.6 | 16 | 1480 | -- | 455.93 |
| 12 | 1 | 54.9 | 16 | -- | -- | 458.73 |
| 13 | 1 | 54.9 | 16 | -- | -- | 655.32 |
| 14 | 1 | 74.4 | 16 | -- | -- | 342.5 |
| 15 | 3 | 57.1 | 16 | 1803 | 1961 | 253.6 |
| 16 | 2 | 60.1 | 16 | 1173 | -- | 626.3 |
| Detection Check (Y=Detection; N=No Detection) | | | | | | Y |


*This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.*

| Trial Number | | | 7 | | | |
|---|---|---|---|---|---|---|
| Bursts in Trial | | | 10 | | | |
| Center Frequency (MHz) | | | 5290 | | | |
| Burst | Number of Pulses | Pulse Width (µsec) | Chirp Width (MHz) | Pulse 1-to-2 PRI (µsec) | Pulse 2-to-3 PRI (µsec) | Start Location Within Interval (msec) |
| 1 | 1 | 73.5 | 17 | -- | -- | 1027.02 |
| 2 | 1 | 89.6 | 17 | -- | -- | 288.87 |
| 3 | 2 | 96.4 | 17 | 1502 | -- | 940.16 |
| 4 | 1 | 55.4 | 17 | -- | -- | 538.88 |
| 5 | 3 | 77.4 | 17 | 1678 | 1866 | 313.88 |
| 6 | 3 | 94.7 | 17 | 1377 | 1225 | 810.56 |
| 7 | 3 | 87.8 | 17 | 1040 | 1623 | 571.58 |
| 8 | 3 | 69.1 | 17 | 1265 | 1703 | 573.24 |
| 9 | 2 | 93.1 | 17 | 1526 | -- | 732 |
| 10 | 2 | 84.2 | 17 | 1218 | -- | 1135.7 |
| Detection Check (Y=Detection; N=No Detection) | | | | | | Y |


*This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.*

| Trial Number | | | 8 | | | |
|---|---|---|---|---|---|---|
| Bursts in Trial | | | 17 | | | |
| Center Frequency (MHz) | | | 5290 | | | |
| Burst | Number of Pulses | Pulse Width (µsec) | Chirp Width (MHz) | Pulse 1-to-2 PRI (µsec) | Pulse 2-to-3 PRI (µsec) | Start Location Within Interval (msec) |
| 1 | 1 | 99.9 | 19 | -- | -- | 379.224 |
| 2 | 3 | 66.9 | 19 | 1884 | 1117 | 141.215 |
| 3 | 3 | 93.9 | 19 | 1541 | 1081 | 385.095 |
| 4 | 1 | 68.1 | 19 | -- | -- | 381.083 |
| 5 | 3 | 64.4 | 19 | 1524 | 1742 | 555.971 |
| 6 | 1 | 55.5 | 19 | -- | -- | 305.368 |
| 7 | 2 | 75.7 | 19 | 1657 | -- | 524.546 |
| 8 | 2 | 79.3 | 19 | 1445 | -- | 300.074 |
| 9 | 2 | 92.5 | 19 | 1739 | -- | 217.191 |
| 10 | 1 | 53.5 | 19 | -- | -- | 379.719 |
| 11 | 1 | 76 | 19 | -- | -- | 408.816 |
| 12 | 2 | 90.7 | 19 | 1974 | -- | 321.334 |
| 13 | 3 | 50 | 19 | 1043 | 1917 | 429.582 |
| 14 | 3 | 55.9 | 19 | 1721 | 1782 | 269.669 |
| 15 | 3 | 62.5 | 19 | 1735 | 1532 | 392.247 |
| 16 | 2 | 97.3 | 19 | 1930 | -- | 543.265 |
| 17 | 3 | 64 | 19 | 1406 | 1172 | 103.082 |
| Detection Check (Y=Detection; N=No Detection) | | | | | | Y |


*This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.*

| Trial Number | | | 9 | | | |
|---|---|---|---|---|---|---|
| Bursts in Trial | | | 8 | | | |
| Center Frequency (MHz) | | | 5290 | | | |
| Burst | Number of Pulses | Pulse Width (µsec) | Chirp Width (MHz) | Pulse 1-to-2 PRI (µsec) | Pulse 2-to-3 PRI (µsec) | Start Location Within Interval (msec) |
| 1 | 1 | 72.5 | 12 | -- | -- | 509.857 |
| 2 | 1 | 82.2 | 12 | -- | -- | 164.27 |
| 3 | 2 | 95.6 | 12 | 1652 | -- | 1336.41 |
| 4 | 3 | 97.5 | 12 | 1913 | 1669 | 1403.44 |
| 5 | 3 | 56.8 | 12 | 1289 | 1286 | 1431.47 |
| 6 | 1 | 59.1 | 12 | -- | -- | 847.09 |
| 7 | 2 | 79.4 | 12 | 1668 | -- | 1007.5 |
| 8 | 1 | 57 | 12 | -- | -- | 1064.5 |
| Detection Check (Y=Detection; N=No Detection) | | | | | | Y |


*This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.*

| Trial Number | | | 10 | | | |
|---|---|---|---|---|---|---|
| Bursts in Trial | | | 17 | | | |
| Center Frequency (MHz) | | | 5290 | | | |
| Burst | Number of Pulses | Pulse Width (µsec) | Chirp Width (MHz) | Pulse 1-to-2 PRI (µsec) | Pulse 2-to-3 PRI (µsec) | Start Location Within Interval (msec) |
| 1 | 1 | 78.3 | 7 | -- | -- | 66.832 |
| 2 | 2 | 84.7 | 7 | 1277 | -- | 533.498 |
| 3 | 3 | 66.8 | 7 | 1498 | 1487 | 363.275 |
| 4 | 3 | 85.1 | 7 | 1385 | 1978 | 101.033 |
| 5 | 3 | 50.6 | 7 | 1597 | 1042 | 240.291 |
| 6 | 2 | 70.9 | 7 | 1963 | -- | 359.558 |
| 7 | 2 | 52.6 | 7 | 1254 | -- | 587.176 |
| 8 | 1 | 99.2 | 7 | -- | -- | 324.064 |
| 9 | 1 | 99.4 | 7 | -- | -- | 661.481 |
| 10 | 1 | 60.8 | 7 | -- | -- | 618.299 |
| 11 | 1 | 98.1 | 7 | -- | -- | 161.846 |
| 12 | 3 | 71.3 | 7 | 1514 | 1297 | 681.744 |
| 13 | 1 | 71.1 | 7 | -- | -- | 57.432 |
| 14 | 1 | 64.2 | 7 | -- | -- | 614.609 |
| 15 | 3 | 94.2 | 7 | 1515 | 1757 | 3.997 |
| 16 | 2 | 90.2 | 7 | 1007 | -- | 409.465 |
| 17 | 2 | 94.5 | 7 | 1152 | -- | 96.682 |
| Detection Check (Y=Detection; N=No Detection) | | | | | | Y |


*This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.*

| Trial Number | | | 11 | | | |
|---|---|---|---|---|---|---|
| Bursts in Trial | | | 14 | | | |
| Center Frequency (MHz) | | | 5290 | | | |
| Burst | Number of Pulses | Pulse Width (µsec) | Chirp Width (MHz) | Pulse 1-to-2 PRI (µsec) | Pulse 2-to-3 PRI (µsec) | Start Location Within Interval (msec) |
| 1 | 1 | 56.2 | 11 | -- | -- | 837.948 |
| 2 | 3 | 97.4 | 11 | 1384 | 1150 | 805.177 |
| 3 | 1 | 82.6 | 11 | -- | -- | 108.874 |
| 4 | 2 | 81.2 | 11 | 1739 | -- | 561.491 |
| 5 | 3 | 57.1 | 11 | 1500 | 1788 | 637.839 |
| 6 | 1 | 96.9 | 11 | -- | -- | 470.256 |
| 7 | 2 | 78.8 | 11 | 1644 | -- | 186.843 |
| 8 | 2 | 55.2 | 11 | 1314 | -- | 537.84 |
| 9 | 2 | 90.3 | 11 | 1517 | -- | 210.307 |
| 10 | 2 | 86.8 | 11 | 1352 | -- | 340.554 |
| 11 | 1 | 72 | 11 | -- | -- | 461.061 |
| 12 | 2 | 56.3 | 11 | 1749 | -- | 109.089 |
| 13 | 2 | 77.1 | 11 | 1952 | -- | 370.286 |
| 14 | 1 | 93.2 | 11 | -- | -- | 5.543 |
| Detection Check (Y=Detection; N=No Detection) | | | | | | Y |


*This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.*

| Trial Number | | | 12 | | | |
|---|---|---|---|---|---|---|
| Bursts in Trial | | | 13 | | | |
| Center Frequency (MHz) | | | 5290 | | | |
| Burst | Number of Pulses | Pulse Width (µsec) | Chirp Width (MHz) | Pulse 1-to-2 PRI (µsec) | Pulse 2-to-3 PRI (µsec) | Start Location Within Interval (msec) |
| 1 | 3 | 95.8 | 14 | 1940 | 1066 | 135.166 |
| 2 | 2 | 96.9 | 14 | 1620 | -- | 508.763 |
| 3 | 2 | 64.3 | 14 | 1609 | -- | 877.786 |
| 4 | 3 | 97.1 | 14 | 1568 | 1125 | 354.559 |
| 5 | 2 | 69.8 | 14 | 1068 | -- | 329.312 |
| 6 | 2 | 82 | 14 | 1940 | -- | 103.175 |
| 7 | 2 | 97 | 14 | 1961 | -- | 131.808 |
| 8 | 2 | 93.5 | 14 | 1084 | -- | 199.242 |
| 9 | 3 | 59.3 | 14 | 1735 | 1223 | 244.985 |
| 10 | 2 | 54.1 | 14 | 1500 | -- | 916.988 |
| 11 | 1 | 86.7 | 14 | -- | -- | 784.231 |
| 12 | 3 | 84.8 | 14 | 1763 | 1920 | 134.054 |
| 13 | 2 | 99.9 | 14 | 1595 | -- | 885.077 |
| Detection Check (Y=Detection; N=No Detection) | | | | | | Y |


*This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.*

| Trial Number | | | 13 | | | |
|---|---|---|---|---|---|---|
| Bursts in Trial | | | 12 | | | |
| Center Frequency (MHz) | | | 5290 | | | |
| Burst | Number of Pulses | Pulse Width (µsec) | Chirp Width (MHz) | Pulse 1-to-2 PRI (µsec) | Pulse 2-to-3 PRI (µsec) | Start Location Within Interval (msec) |
| 1 | 2 | 53 | 16 | 1035 | -- | 758.419 |
| 2 | 2 | 94.5 | 16 | 1456 | -- | 599.82 |
| 3 | 1 | 92.9 | 16 | -- | -- | 897.55 |
| 4 | 3 | 50.5 | 16 | 1461 | 1898 | 387.44 |
| 5 | 1 | 55.8 | 16 | -- | -- | 663.7 |
| 6 | 2 | 55.8 | 16 | 1153 | -- | 876.84 |
| 7 | 1 | 96.8 | 16 | -- | -- | 258.85 |
| 8 | 2 | 57.6 | 16 | 1472 | -- | 697.38 |
| 9 | 1 | 52.8 | 16 | -- | -- | 238.05 |
| 10 | 2 | 84.7 | 16 | 1477 | -- | 269.11 |
| 11 | 2 | 92.9 | 16 | 1337 | -- | 540.7 |
| 12 | 2 | 61.8 | 16 | 1878 | -- | 662.5 |
| Detection Check (Y=Detection; N=No Detection) | | | | | | Y |


*This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.*

| Trial Number | | | 14 | | | |
|---|---|---|---|---|---|---|
| Bursts in Trial | | | 12 | | | |
| Center Frequency (MHz) | | | 5290 | | | |
| Burst | Number of Pulses | Pulse Width (µsec) | Chirp Width (MHz) | Pulse 1-to-2 PRI (µsec) | Pulse 2-to-3 PRI (µsec) | Start Location Within Interval (msec) |
| 1 | 3 | 87.7 | 9 | 1289 | 1972 | 865.268 |
| 2 | 2 | 75.3 | 9 | 1086 | -- | 643.12 |
| 3 | 3 | 61.7 | 9 | 1399 | 1818 | 607.79 |
| 4 | 1 | 84.4 | 9 | -- | -- | 423.86 |
| 5 | 2 | 80 | 9 | 1874 | -- | 777.53 |
| 6 | 2 | 91.9 | 9 | 1107 | -- | 742.23 |
| 7 | 3 | 80.6 | 9 | 1890 | 1876 | 467.68 |
| 8 | 1 | 52.4 | 9 | -- | -- | 420.12 |
| 9 | 1 | 65.8 | 9 | -- | -- | 764.91 |
| 10 | 1 | 88.1 | 9 | -- | -- | 921.18 |
| 11 | 2 | 97.7 | 9 | 1534 | -- | 726 |
| 12 | 2 | 53.1 | 9 | 1425 | -- | 270.3 |
| Detection Check (Y=Detection; N=No Detection) | | | | | | Y |


*This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.*

| Trial Number | | | 15 | | | |
|---|---|---|---|---|---|---|
| Bursts in Trial | | | 16 | | | |
| Center Frequency (MHz) | | | 5290 | | | |
| Burst | Number of Pulses | Pulse Width (µsec) | Chirp Width (MHz) | Pulse 1-to-2 PRI (µsec) | Pulse 2-to-3 PRI (µsec) | Start Location Within Interval (msec) |
| 1 | 3 | 97.9 | 16 | 1023 | 1938 | 381.483 |
| 2 | 3 | 70.6 | 16 | 1507 | 1652 | 143.51 |
| 3 | 3 | 79.6 | 16 | 1185 | 1158 | 742.51 |
| 4 | 2 | 57.2 | 16 | 1657 | -- | 694.15 |
| 5 | 2 | 61.8 | 16 | 1683 | -- | 337.15 |
| 6 | 1 | 66.3 | 16 | -- | -- | 683.08 |
| 7 | 1 | 82.8 | 16 | -- | -- | 472.18 |
| 8 | 3 | 93.4 | 16 | 1072 | 1130 | 445.02 |
| 9 | 2 | 89.6 | 16 | 1646 | -- | 593.37 |
| 10 | 3 | 94.1 | 16 | 1786 | 1020 | 448.75 |
| 11 | 1 | 66.7 | 16 | -- | -- | 26.17 |
| 12 | 2 | 58.1 | 16 | 1687 | -- | 734.86 |
| 13 | 2 | 72.2 | 16 | 1767 | -- | 337.55 |
| 14 | 3 | 69.4 | 16 | 1373 | 1948 | 365.9 |
| 15 | 2 | 90.3 | 16 | 1006 | -- | 82.7 |
| 16 | 2 | 78.6 | 16 | 1093 | -- | 219.7 |
| Detection Check (Y=Detection; N=No Detection) | | | | | | Y |


*This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.*

| Trial Number | | | 16 | | | |
|---|---|---|---|---|---|---|
| Bursts in Trial | | | 20 | | | |
| Center Frequency (MHz) | | | 5290 | | | |
| Burst | Number of Pulses | Pulse Width (µsec) | Chirp Width (MHz) | Pulse 1-to-2 PRI (µsec) | Pulse 2-to-3 PRI (µsec) | Start Location Within Interval (msec) |
| 1 | 3 | 86.8 | 13 | 1633 | 1688 | 157.83 |
| 2 | 2 | 85.7 | 13 | 1004 | -- | 161.457 |
| 3 | 2 | 68.1 | 13 | 1361 | -- | 539.54 |
| 4 | 2 | 70.2 | 13 | 1542 | -- | 410.24 |
| 5 | 3 | 60.2 | 13 | 1702 | 1157 | 148.84 |
| 6 | 1 | 53.2 | 13 | -- | -- | 367.52 |
| 7 | 3 | 60.5 | 13 | 1463 | 1735 | 451.72 |
| 8 | 2 | 93.9 | 13 | 1676 | -- | 576.92 |
| 9 | 3 | 65.7 | 13 | 1695 | 1344 | 391.29 |
| 10 | 2 | 62.9 | 13 | 1065 | -- | 220.07 |
| 11 | 3 | 93.5 | 13 | 1923 | 1287 | 303.52 |
| 12 | 2 | 75.6 | 13 | 1938 | -- | 287.4 |
| 13 | 2 | 64.2 | 13 | 1300 | -- | 193.44 |
| 14 | 3 | 83.3 | 13 | 1347 | 1628 | 380.54 |
| 15 | 1 | 65.3 | 13 | -- | -- | 504.53 |
| 16 | 1 | 54.3 | 13 | -- | -- | 38.58 |
| 17 | 3 | 67.7 | 13 | 1394 | 1690 | 206.63 |
| 18 | 3 | 80.2 | 13 | 1533 | 1199 | 278.5 |
| 19 | 1 | 52.8 | 13 | -- | -- | 418.4 |
| 20 | 1 | 51.8 | 13 | -- | -- | 522 |
| Detection Check (Y=Detection; N=No Detection) | | | | | | Y |


*This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.*

| Trial Number | | | 17 | | | |
|---|---|---|---|---|---|---|
| Bursts in Trial | | | 12 | | | |
| Center Frequency (MHz) | | | 5290 | | | |
| Burst | Number of Pulses | Pulse Width (µsec) | Chirp Width (MHz) | Pulse 1-to-2 PRI (µsec) | Pulse 2-to-3 PRI (µsec) | Start Location Within Interval (msec) |
| 1 | 2 | 75.1 | 7 | 1527 | -- | 378.064 |
| 2 | 1 | 52 | 7 | -- | -- | 894.91 |
| 3 | 3 | 86.1 | 7 | 1038 | 1823 | 566.72 |
| 4 | 2 | 87.3 | 7 | 1203 | -- | 633.91 |
| 5 | 1 | 76.6 | 7 | -- | -- | 748.36 |
| 6 | 2 | 52.1 | 7 | 1428 | -- | 938.9 |
| 7 | 1 | 80.2 | 7 | -- | -- | 916.04 |
| 8 | 2 | 84.9 | 7 | 1434 | -- | 220.9 |
| 9 | 3 | 66 | 7 | 1680 | 1545 | 735.64 |
| 10 | 3 | 98.9 | 7 | 1069 | 1516 | 489.68 |
| 11 | 2 | 88.8 | 7 | 1462 | -- | 6.6 |
| 12 | 2 | 83.7 | 7 | 1680 | -- | 832.6 |
| Detection Check (Y=Detection; N=No Detection) | | | | | | Y |


*This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.*

| Trial Number | | | 18 | | | |
|---|---|---|---|---|---|---|
| Bursts in Trial | | | 14 | | | |
| Center Frequency (MHz) | | | 5290 | | | |
| Burst | Number of Pulses | Pulse Width (µsec) | Chirp Width (MHz) | Pulse 1-to-2 PRI (µsec) | Pulse 2-to-3 PRI (µsec) | Start Location Within Interval (msec) |
| 1 | 3 | 79.3 | 10 | 1020 | 1017 | 192.931 |
| 2 | 1 | 62.2 | 10 | -- | -- | 96.667 |
| 3 | 3 | 83.7 | 10 | 1630 | 1335 | 273.514 |
| 4 | 2 | 53.7 | 10 | 1764 | -- | 110.471 |
| 5 | 2 | 77.8 | 10 | 1592 | -- | 263.819 |
| 6 | 2 | 60.9 | 10 | 1984 | -- | 632.906 |
| 7 | 1 | 67.9 | 10 | -- | -- | 627.323 |
| 8 | 2 | 69.3 | 10 | 1449 | -- | 368.52 |
| 9 | 2 | 64.3 | 10 | 1398 | -- | 298.147 |
| 10 | 1 | 58.3 | 10 | -- | -- | 130.664 |
| 11 | 3 | 54 | 10 | 1917 | 1051 | 9.831 |
| 12 | 2 | 58.9 | 10 | 1493 | -- | 454.209 |
| 13 | 2 | 75.9 | 10 | 1065 | -- | 520.086 |
| 14 | 2 | 52.5 | 10 | 1808 | -- | 280.443 |
| Detection Check (Y=Detection; N=No Detection) | | | | | | Y |


*This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.*

| Trial Number | | | 19 | | | |
|---|---|---|---|---|---|---|
| Bursts in Trial | | | 18 | | | |
| Center Frequency (MHz) | | | 5290 | | | |
| Burst | Number of Pulses | Pulse Width (µsec) | Chirp Width (MHz) | Pulse 1-to-2 PRI (µsec) | Pulse 2-to-3 PRI (µsec) | Start Location Within Interval (msec) |
| 1 | 2 | 81.4 | 19 | 1665 | -- | 379.976 |
| 2 | 2 | 98.8 | 19 | 1428 | -- | 272.868 |
| 3 | 2 | 60.4 | 19 | 1371 | -- | 570.017 |
| 4 | 2 | 97 | 19 | 1547 | -- | 562.33 |
| 5 | 2 | 86.2 | 19 | 1951 | -- | 145.103 |
| 6 | 3 | 79.4 | 19 | 1380 | 1824 | 78.747 |
| 7 | 3 | 88.9 | 19 | 1956 | 1288 | 310.78 |
| 8 | 2 | 65 | 19 | 1220 | -- | 502.523 |
| 9 | 2 | 67.4 | 19 | 1831 | -- | 239.657 |
| 10 | 3 | 57.6 | 19 | 1469 | 1682 | 12.3 |
| 11 | 1 | 51.4 | 19 | -- | -- | 612.783 |
| 12 | 1 | 65.1 | 19 | -- | -- | 70.597 |
| 13 | 2 | 58.8 | 19 | 1161 | -- | 630.95 |
| 14 | 1 | 56.5 | 19 | -- | -- | 239.533 |
| 15 | 3 | 72.5 | 19 | 1697 | 1127 | 465.857 |
| 16 | 2 | 86 | 19 | 1139 | -- | 25.3 |
| 17 | 3 | 82.8 | 19 | 1615 | 1859 | 279.433 |
| 18 | 3 | 63.2 | 19 | 1338 | 1480 | 607.867 |
| Detection Check (Y=Detection; N=No Detection) | | | | | | Y |


*This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.*

| Trial Number | | | 20 | | | |
|---|---|---|---|---|---|---|
| Bursts in Trial | | | 16 | | | |
| Center Frequency (MHz) | | | 5290 | | | |
| Burst | Number of Pulses | Pulse Width (µsec) | Chirp Width (MHz) | Pulse 1-to-2 PRI (µsec) | Pulse 2-to-3 PRI (µsec) | Start Location Within Interval (msec) |
| 1 | 1 | 87.9 | 12 | -- | -- | 203.419 |
| 2 | 3 | 91.8 | 12 | 1177 | 1664 | 420.39 |
| 3 | 2 | 81.2 | 12 | 1861 | -- | 263.57 |
| 4 | 3 | 69 | 12 | 1086 | 1723 | 420.04 |
| 5 | 3 | 71.3 | 12 | 1867 | 1451 | 255.33 |
| 6 | 2 | 66 | 12 | 1807 | -- | 76.06 |
| 7 | 3 | 59.7 | 12 | 1364 | 1272 | 600.22 |
| 8 | 2 | 99.1 | 12 | 1254 | -- | 491.16 |
| 9 | 3 | 76.3 | 12 | 1765 | 1703 | 475 |
| 10 | 2 | 74.7 | 12 | 1510 | -- | 275.44 |
| 11 | 1 | 91.8 | 12 | -- | -- | 108 |
| 12 | 3 | 78 | 12 | 1049 | 1889 | 264.44 |
| 13 | 2 | 56.7 | 12 | 1249 | -- | 224.56 |
| 14 | 2 | 78.3 | 12 | 1730 | -- | 164.37 |
| 15 | 2 | 80.3 | 12 | 1064 | -- | 105.5 |
| 16 | 2 | 95.9 | 12 | 1232 | -- | 642.7 |
| Detection Check (Y=Detection; N=No Detection) | | | | | | Y |


*This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.*

| Trial Number | | | 21 | | | |
|---|---|---|---|---|---|---|
| Bursts in Trial | | | 11 | | | |
| Center Frequency (MHz) | | | 5290 | | | |
| Burst | Number of Pulses | Pulse Width (µsec) | Chirp Width (MHz) | Pulse 1-to-2 PRI (µsec) | Pulse 2-to-3 PRI (µsec) | Start Location Within Interval (msec) |
| 1 | 2 | 78.3 | 14 | 1107 | -- | 328.895 |
| 2 | 2 | 90.5 | 14 | 1373 | -- | 193.381 |
| 3 | 2 | 52.1 | 14 | 1732 | -- | 90.162 |
| 4 | 2 | 83.4 | 14 | 1217 | -- | 576.633 |
| 5 | 2 | 99.9 | 14 | 1450 | -- | 434.734 |
| 6 | 3 | 80.9 | 14 | 1048 | 1373 | 344.525 |
| 7 | 2 | 96.3 | 14 | 1883 | -- | 6.815 |
| 8 | 1 | 58.1 | 14 | -- | -- | 927.796 |
| 9 | 1 | 71.2 | 14 | -- | -- | 210.757 |
| 10 | 1 | 66.5 | 14 | -- | -- | 480.218 |
| 11 | 3 | 94.5 | 14 | 1844 | 1097 | 523.709 |
| Detection Check (Y=Detection; N=No Detection) | | | | | | Y |


*This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.*

| Trial Number | | | 22 | | | |
|---|---|---|---|---|---|---|
| Bursts in Trial | | | 11 | | | |
| Center Frequency (MHz) | | | 5290 | | | |
| Burst | Number of Pulses | Pulse Width (µsec) | Chirp Width (MHz) | Pulse 1-to-2 PRI (µsec) | Pulse 2-to-3 PRI (µsec) | Start Location Within Interval (msec) |
| 1 | 1 | 82 | 9 | -- | -- | 172.917 |
| 2 | 1 | 59.3 | 9 | -- | -- | 608.461 |
| 3 | 2 | 89.6 | 9 | 1905 | -- | 424.392 |
| 4 | 1 | 53.5 | 9 | -- | -- | 180.013 |
| 5 | 2 | 68.9 | 9 | 1503 | -- | 348.334 |
| 6 | 2 | 97.5 | 9 | 1399 | -- | 582.715 |
| 7 | 1 | 65.1 | 9 | -- | -- | 909.895 |
| 8 | 2 | 63.7 | 9 | 1299 | -- | 873.616 |
| 9 | 2 | 57.5 | 9 | 1730 | -- | 417.387 |
| 10 | 3 | 76.2 | 9 | 1237 | 1939 | 647.018 |
| 11 | 2 | 83.3 | 9 | 1928 | -- | 781.609 |
| Detection Check (Y=Detection; N=No Detection) | | | | | | Y |


*This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.*

| Trial Number | | | 23 | | | |
|---|---|---|---|---|---|---|
| Bursts in Trial | | | 15 | | | |
| Center Frequency (MHz) | | | 5290 | | | |
| Burst | Number of Pulses | Pulse Width (µsec) | Chirp Width (MHz) | Pulse 1-to-2 PRI (µsec) | Pulse 2-to-3 PRI (µsec) | Start Location Within Interval (msec) |
| 1 | 1 | 57.1 | 14 | -- | -- | 65.901 |
| 2 | 1 | 86.7 | 14 | -- | -- | 334.79 |
| 3 | 3 | 91.2 | 14 | 1464 | 1074 | 722.8 |
| 4 | 2 | 62.7 | 14 | 1790 | -- | 317.33 |
| 5 | 3 | 80.8 | 14 | 1118 | 1285 | 129.98 |
| 6 | 2 | 84.3 | 14 | 1360 | -- | 249.47 |
| 7 | 2 | 64.6 | 14 | 1038 | -- | 25.27 |
| 8 | 2 | 79.1 | 14 | 1527 | -- | 756.97 |
| 9 | 1 | 86.8 | 14 | -- | -- | 409.03 |
| 10 | 2 | 78.2 | 14 | 1256 | -- | 668.58 |
| 11 | 3 | 50.4 | 14 | 1968 | 1182 | 306.55 |
| 12 | 2 | 55.9 | 14 | 1089 | -- | 309.2 |
| 13 | 2 | 67.9 | 14 | 1084 | -- | 236.1 |
| 14 | 3 | 85 | 14 | 1065 | 1119 | 168.6 |
| 15 | 2 | 78.1 | 14 | 1259 | -- | 728.3 |
| Detection Check (Y=Detection; N=No Detection) | | | | | | Y |


*This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.*

| Trial Number | | | 24 | | | |
|---|---|---|---|---|---|---|
| Bursts in Trial | | | 16 | | | |
| Center Frequency (MHz) | | | 5290 | | | |
| Burst | Number of Pulses | Pulse Width (µsec) | Chirp Width (MHz) | Pulse 1-to-2 PRI (µsec) | Pulse 2-to-3 PRI (µsec) | Start Location Within Interval (msec) |
| 1 | 2 | 64.7 | 6 | 1189 | -- | 620.783 |
| 2 | 3 | 54.8 | 6 | 1622 | 1448 | 256.86 |
| 3 | 2 | 75.1 | 6 | 1284 | -- | 23.87 |
| 4 | 1 | 71 | 6 | -- | -- | 303.19 |
| 5 | 3 | 88.2 | 6 | 1851 | 1581 | 385.32 |
| 6 | 1 | 75.6 | 6 | -- | -- | 597.77 |
| 7 | 2 | 75.6 | 6 | 1269 | -- | 435.6 |
| 8 | 1 | 82.6 | 6 | -- | -- | 360.56 |
| 9 | 2 | 96.8 | 6 | 1761 | -- | 77.78 |
| 10 | 2 | 58.1 | 6 | 1040 | -- | 173.34 |
| 11 | 2 | 59.3 | 6 | 1366 | -- | 737.85 |
| 12 | 3 | 98.3 | 6 | 1913 | 1459 | 603.56 |
| 13 | 3 | 80.2 | 6 | 1438 | 1558 | 374.67 |
| 14 | 3 | 78.3 | 6 | 1477 | 1776 | 335.3 |
| 15 | 3 | 82.7 | 6 | 1555 | 1484 | 146.8 |
| 16 | 3 | 56.2 | 6 | 1229 | 1598 | 79.4 |
| Detection Check (Y=Detection; N=No Detection) | | | | | | Y |


*This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.*

| Trial Number | | | 25 | | | |
|---|---|---|---|---|---|---|
| Bursts in Trial | | | 16 | | | |
| Center Frequency (MHz) | | | 5290 | | | |
| Burst | Number of Pulses | Pulse Width (μsec) | Chirp Width (MHz) | Pulse 1-to-2 PRI (μsec) | Pulse 2-to-3 PRI (μsec) | Start Location Within Interval (msec) |
| 1 | 3 | 54.5 | 7 | 1015 | 1238 | 429.994 |
| 2 | 1 | 80.7 | 7 | -- | -- | 679.08 |
| 3 | 3 | 70 | 7 | 1156 | 1260 | 249.98 |
| 4 | 1 | 56.2 | 7 | -- | -- | 719.15 |
| 5 | 1 | 61.1 | 7 | -- | -- | 527.59 |
| 6 | 2 | 78.2 | 7 | 1561 | -- | 92.59 |
| 7 | 3 | 88.1 | 7 | 1583 | 1525 | 437.61 |
| 8 | 2 | 57 | 7 | 1883 | -- | 39.85 |
| 9 | 1 | 84 | 7 | -- | -- | 411.41 |
| 10 | 3 | 86 | 7 | 1306 | 1025 | 189.06 |
| 11 | 1 | 77.4 | 7 | -- | -- | 606.17 |
| 12 | 1 | 93.7 | 7 | -- | -- | 431.02 |
| 13 | 2 | 54.8 | 7 | 1904 | -- | 159.91 |
| 14 | 2 | 74.2 | 7 | 1678 | -- | 147.02 |
| 15 | 2 | 93.7 | 7 | 1653 | -- | 56.4 |
| 16 | 2 | 86.6 | 7 | 1395 | -- | 355.2 |
| Detection Check (Y=Detection; N=No Detection) | | | | | | Y |


*This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.*

| Trial Number | | | 26 | | | |
|---|---|---|---|---|---|---|
| Bursts in Trial | | | 19 | | | |
| Center Frequency (MHz) | | | 5290 | | | |
| Burst | Number of Pulses | Pulse Width (µsec) | Chirp Width (MHz) | Pulse 1-to-2 PRI (µsec) | Pulse 2-to-3 PRI (µsec) | Start Location Within Interval (msec) |
| 1 | 1 | 64.4 | 18 | -- | -- | 308.658 |
| 2 | 2 | 90.1 | 18 | 1488 | -- | 373.081 |
| 3 | 2 | 86.6 | 18 | 1562 | -- | 547.442 |
| 4 | 2 | 98.4 | 18 | 1568 | -- | 139.593 |
| 5 | 2 | 50.6 | 18 | 1465 | -- | 463.894 |
| 6 | 3 | 66.6 | 18 | 1313 | 1964 | 83.195 |
| 7 | 2 | 69.7 | 18 | 1977 | -- | 136.706 |
| 8 | 3 | 51 | 18 | 1127 | 1391 | 393.717 |
| 9 | 2 | 57.6 | 18 | 1806 | -- | 0.548 |
| 10 | 2 | 94.8 | 18 | 1198 | -- | 469.749 |
| 11 | 2 | 87 | 18 | 1561 | -- | 301.451 |
| 12 | 2 | 92.4 | 18 | 1357 | -- | 62.642 |
| 13 | 2 | 78.6 | 18 | 1422 | -- | 573.103 |
| 14 | 2 | 85.5 | 18 | 1778 | -- | 33.424 |
| 15 | 3 | 94.5 | 18 | 1220 | 1042 | 392.475 |
| 16 | 2 | 57 | 18 | 1894 | -- | 168.156 |
| 17 | 3 | 70 | 18 | 1275 | 1186 | 160.537 |
| 18 | 2 | 92.5 | 18 | 1694 | -- | 458.758 |
| 19 | 3 | 89.3 | 18 | 1325 | 1258 | 311.379 |
| Detection Check (Y=Detection; N=No Detection) | | | | | | Y |


*This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.*

| Trial Number | | | 27 | | | |
|---|---|---|---|---|---|---|
| Bursts in Trial | | | 11 | | | |
| Center Frequency (MHz) | | | 5290 | | | |
| Burst | Number of Pulses | Pulse Width (µsec) | Chirp Width (MHz) | Pulse 1-to-2 PRI (µsec) | Pulse 2-to-3 PRI (µsec) | Start Location Within Interval (msec) |
| 1 | 3 | 64 | 16 | 1368 | 1167 | 476.207 |
| 2 | 2 | 62.1 | 16 | 1444 | -- | 524.961 |
| 3 | 1 | 86.2 | 16 | -- | -- | 337.732 |
| 4 | 2 | 58.5 | 16 | 1064 | -- | 8.483 |
| 5 | 3 | 89.1 | 16 | 1071 | 1544 | 985.664 |
| 6 | 2 | 71.8 | 16 | 1683 | -- | 770.295 |
| 7 | 2 | 64.2 | 16 | 1878 | -- | 33.785 |
| 8 | 1 | 85.4 | 16 | -- | -- | 440.826 |
| 9 | 2 | 91.8 | 16 | 1552 | -- | 1052.437 |
| 10 | 2 | 77.3 | 16 | 1498 | -- | 467.118 |
| 11 | 2 | 77.9 | 16 | 1991 | -- | 436.609 |
| Detection Check (Y=Detection; N=No Detection) | | | | | | Y |


*This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.*

| Trial Number | | | 28 | | | |
|---|---|---|---|---|---|---|
| Bursts in Trial | | | 19 | | | |
| Center Frequency (MHz) | | | 5290 | | | |
| Burst | Number of Pulses | Pulse Width (µsec) | Chirp Width (MHz) | Pulse 1-to-2 PRI (µsec) | Pulse 2-to-3 PRI (µsec) | Start Location Within Interval (msec) |
| 1 | 3 | 76.4 | 17 | 1347 | 1144 | 51.36 |
| 2 | 3 | 52.4 | 17 | 1992 | 1827 | 562.281 |
| 3 | 3 | 85.4 | 17 | 1786 | 1251 | 43.492 |
| 4 | 2 | 54.2 | 17 | 1282 | -- | 130.973 |
| 5 | 3 | 83.6 | 17 | 1299 | 1137 | 613.204 |
| 6 | 2 | 96.3 | 17 | 1921 | -- | 136.395 |
| 7 | 2 | 92 | 17 | 1825 | -- | 343.526 |
| 8 | 2 | 80.6 | 17 | 1159 | -- | 428.897 |
| 9 | 1 | 67.8 | 17 | -- | -- | 398.418 |
| 10 | 2 | 58.3 | 17 | 1413 | -- | 208.519 |
| 11 | 1 | 81.9 | 17 | -- | -- | 618.001 |
| 12 | 2 | 55.6 | 17 | 1845 | -- | 299.562 |
| 13 | 2 | 52.5 | 17 | 1827 | -- | 284.473 |
| 14 | 2 | 99.8 | 17 | 1290 | -- | 560.544 |
| 15 | 2 | 56.5 | 17 | 1607 | -- | 396.155 |
| 16 | 1 | 70.8 | 17 | -- | -- | 506.436 |
| 17 | 2 | 80 | 17 | 1582 | -- | 560.837 |
| 18 | 2 | 50 | 17 | 1957 | -- | 334.158 |
| 19 | 1 | 86.5 | 17 | -- | -- | 129.179 |
| Detection Check (Y=Detection; N=No Detection) | | | | | | Y |


*This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.*

| Trial Number | | | 29 | | | |
|---|---|---|---|---|---|---|
| Bursts in Trial | | | 11 | | | |
| Center Frequency (MHz) | | | 5290 | | | |
| Burst | Number of Pulses | Pulse Width (µsec) | Chirp Width (MHz) | Pulse 1-to-2 PRI (µsec) | Pulse 2-to-3 PRI (µsec) | Start Location Within Interval (msec) |
| 1 | 3 | 72.5 | 16 | 1326 | 1085 | 418.338 |
| 2 | 3 | 53.2 | 16 | 1255 | 1936 | 774.251 |
| 3 | 2 | 80.8 | 16 | 1517 | -- | 84.442 |
| 4 | 3 | 52.8 | 16 | 1186 | 1080 | 587.603 |
| 5 | 3 | 88.6 | 16 | 1232 | 1276 | 343.594 |
| 6 | 2 | 57.3 | 16 | 1273 | -- | 151.485 |
| 7 | 2 | 76.7 | 16 | 1543 | -- | 524.595 |
| 8 | 2 | 78.2 | 16 | 1355 | -- | 1037.786 |
| 9 | 3 | 63.2 | 16 | 1638 | 1805 | 377.997 |
| 10 | 3 | 65.6 | 16 | 1036 | 1727 | 298.618 |
| 11 | 1 | 97.1 | 16 | -- | -- | 86.409 |
| Detection Check (Y=Detection; N=No Detection) | | | | | | Y |


*This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.*

**5290MHz, Radar 6**

| Trial Id | Radar Type | Pulse Width(μs) | PRI (μs) | Pulses Per Hop | Hopping Rate (kHz) | Hopping Sequence Length (ms) | Visible Frequency Number | conclusion |
|---|---|---|---|---|---|---|---|---|
| 0 | 6 | 1.0 | 333.3 | 9 | 0.3333 | 300.00 | 33 | Y |
| 1 | 6 | 1.0 | 333.3 | 9 | 0.3333 | 300.00 | 29 | Y |
| 2 | 6 | 1.0 | 333.3 | 9 | 0.3333 | 300.00 | 28 | Y |
| 3 | 6 | 1.0 | 333.3 | 9 | 0.3333 | 300.00 | 35 | Y |
| 4 | 6 | 1.0 | 333.3 | 9 | 0.3333 | 300.00 | 35 | Y |
| 5 | 6 | 1.0 | 333.3 | 9 | 0.3333 | 300.00 | 31 | Y |
| 6 | 6 | 1.0 | 333.3 | 9 | 0.3333 | 300.00 | 33 | Y |
| 7 | 6 | 1.0 | 333.3 | 9 | 0.3333 | 300.00 | 29 | Y |
| 8 | 6 | 1.0 | 333.3 | 9 | 0.3333 | 300.00 | 33 | Y |
| 9 | 6 | 1.0 | 333.3 | 9 | 0.3333 | 300.00 | 32 | Y |
| 10 | 6 | 1.0 | 333.3 | 9 | 0.3333 | 300.00 | 36 | Y |
| 11 | 6 | 1.0 | 333.3 | 9 | 0.3333 | 300.00 | 40 | Y |
| 12 | 6 | 1.0 | 333.3 | 9 | 0.3333 | 300.00 | 37 | Y |
| 13 | 6 | 1.0 | 333.3 | 9 | 0.3333 | 300.00 | 34 | Y |
| 14 | 6 | 1.0 | 333.3 | 9 | 0.3333 | 300.00 | 31 | Y |
| 15 | 6 | 1.0 | 333.3 | 9 | 0.3333 | 300.00 | 39 | Y |
| 16 | 6 | 1.0 | 333.3 | 9 | 0.3333 | 300.00 | 35 | Y |
| 17 | 6 | 1.0 | 333.3 | 9 | 0.3333 | 300.00 | 36 | Y |
| 18 | 6 | 1.0 | 333.3 | 9 | 0.3333 | 300.00 | 29 | Y |
| 19 | 6 | 1.0 | 333.3 | 9 | 0.3333 | 300.00 | 32 | Y |
| 20 | 6 | 1.0 | 333.3 | 9 | 0.3333 | 300.00 | 35 | Y |
| 21 | 6 | 1.0 | 333.3 | 9 | 0.3333 | 300.00 | 38 | Y |
| 22 | 6 | 1.0 | 333.3 | 9 | 0.3333 | 300.00 | 40 | Y |
| 23 | 6 | 1.0 | 333.3 | 9 | 0.3333 | 300.00 | 37 | Y |
| 24 | 6 | 1.0 | 333.3 | 9 | 0.3333 | 300.00 | 31 | Y |
| 25 | 6 | 1.0 | 333.3 | 9 | 0.3333 | 300.00 | 33 | Y |
| 26 | 6 | 1.0 | 333.3 | 9 | 0.3333 | 300.00 | 29 | Y |
| 27 | 6 | 1.0 | 333.3 | 9 | 0.3333 | 300.00 | 35 | Y |
| 28 | 6 | 1.0 | 333.3 | 9 | 0.3333 | 300.00 | 32 | Y |
| 29 | 6 | 1.0 | 333.3 | 9 | 0.3333 | 300.00 | 37 | Y |
| Detection rate: 100% | | | | | | | | |


*This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.*

**5610MHz, Radar 1**

| Trial Id | Radar Type | Pulse Width(μs) | PRI (μs) | Number of Pulses | Waveform Length (μs) | conclusion |
|---|---|---|---|---|---|---|
| 0 | 1 | 1.0 | 938.0 | 57 | 53466.0 | Y |
| 1 | 1 | 1.0 | 698.0 | 76 | 53048.0 | Y |
| 2 | 1 | 1.0 | 618.0 | 86 | 53148.0 | Y |
| 3 | 1 | 1.0 | 538.0 | 99 | 53262.0 | Y |
| 4 | 1 | 1.0 | 878.0 | 61 | 53558.0 | Y |
| 5 | 1 | 1.0 | 3066.0 | 18 | 55188.0 | Y |
| 6 | 1 | 1.0 | 638.0 | 83 | 52954.0 | Y |
| 7 | 1 | 1.0 | 918.0 | 58 | 53244.0 | Y |
| 8 | 1 | 1.0 | 838.0 | 63 | 52794.0 | Y |
| 9 | 1 | 1.0 | 858.0 | 62 | 53196.0 | Y |
| 10 | 1 | 1.0 | 798.0 | 67 | 53466.0 | Y |
| 11 | 1 | 1.0 | 718.0 | 74 | 53132.0 | Y |
| 12 | 1 | 1.0 | 578.0 | 92 | 53176.0 | Y |
| 13 | 1 | 1.0 | 598.0 | 89 | 53222.0 | Y |
| 14 | 1 | 1.0 | 558.0 | 95 | 53010.0 | Y |
| 15 | 1 | 1.0 | 2536.0 | 21 | 53256.0 | Y |
| 16 | 1 | 1.0 | 966.0 | 55 | 53130.0 | Y |
| 17 | 1 | 1.0 | 827.0 | 64 | 52928.0 | Y |
| 18 | 1 | 1.0 | 2501.0 | 22 | 55022.0 | Y |
| 19 | 1 | 1.0 | 2595.0 | 21 | 54495.0 | Y |
| 20 | 1 | 1.0 | 1114.0 | 48 | 53472.0 | Y |
| 21 | 1 | 1.0 | 1302.0 | 41 | 53382.0 | Y |
| 22 | 1 | 1.0 | 3045.0 | 18 | 54810.0 | Y |
| 23 | 1 | 1.0 | 1624.0 | 33 | 53592.0 | Y |
| 24 | 1 | 1.0 | 2878.0 | 19 | 54682.0 | Y |
| 25 | 1 | 1.0 | 1027.0 | 52 | 53404.0 | Y |
| 26 | 1 | 1.0 | 2485.0 | 22 | 54670.0 | Y |
| 27 | 1 | 1.0 | 1600.0 | 33 | 52800.0 | Y |
| 28 | 1 | 1.0 | 1172.0 | 46 | 53912.0 | Y |
| 29 | 1 | 1.0 | 1177.0 | 45 | 52965.0 | Y |
| Detection rate: 100% | | | | | | |


*This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.*

**5610MHz, Radar 2**

| Trial Id | Radar Type | Pulse Width(μs) | PRI (μs) | Number of Pulses | Waveform Length (μs) | conclusion |
|---|---|---|---|---|---|---|
| 0 | 2 | 3.2 | 179.0 | 26 | 4654.0 | Y |
| 1 | 2 | 1.1 | 207.0 | 23 | 4761.0 | Y |
| 2 | 2 | 2.1 | 230.0 | 24 | 5520.0 | Y |
| 3 | 2 | 4.8 | 200.0 | 29 | 5800.0 | Y |
| 4 | 2 | 3.9 | 214.0 | 28 | 5992.0 | Y |
| 5 | 2 | 2.9 | 222.0 | 26 | 5772.0 | Y |
| 6 | 2 | 3.2 | 204.0 | 26 | 5304.0 | Y |
| 7 | 2 | 2.5 | 192.0 | 25 | 4800.0 | Y |
| 8 | 2 | 3.1 | 164.0 | 26 | 4264.0 | Y |
| 9 | 2 | 1.2 | 156.0 | 23 | 3588.0 | Y |
| 10 | 2 | 3.9 | 210.0 | 27 | 5670.0 | Y |
| 11 | 2 | 4.6 | 201.0 | 29 | 5829.0 | Y |
| 12 | 2 | 3.2 | 162.0 | 26 | 4212.0 | Y |
| 13 | 2 | 2.2 | 197.0 | 25 | 4925.0 | Y |
| 14 | 2 | 4.5 | 163.0 | 29 | 4727.0 | Y |
| 15 | 2 | 3.0 | 203.0 | 26 | 5278.0 | Y |
| 16 | 2 | 5.0 | 168.0 | 29 | 4872.0 | Y |
| 17 | 2 | 2.4 | 217.0 | 25 | 5425.0 | Y |
| 18 | 2 | 2.9 | 191.0 | 26 | 4966.0 | Y |
| 19 | 2 | 2.3 | 166.0 | 25 | 4150.0 | Y |
| 20 | 2 | 3.7 | 150.0 | 27 | 4050.0 | Y |
| 21 | 2 | 2.2 | 176.0 | 25 | 4400.0 | Y |
| 22 | 2 | 4.9 | 195.0 | 29 | 5655 | Y |
| 23 | 2 | 2.9 | 202.0 | 26 | 5252.0 | Y |
| 24 | 2 | 2.5 | 178.0 | 25 | 4450.0 | Y |
| 25 | 2 | 1.1 | 206.0 | 23 | 4738.0 | Y |
| 26 | 2 | 3.8 | 155.0 | 27 | 4185.0 | Y |
| 27 | 2 | 4.7 | 157.0 | 29 | 4553.0 | Y |
| 28 | 2 | 2.4 | 224.0 | 25 | 5600.0 | Y |
| 29 | 2 | 4.2 | 159.0 | 28 | 4452.0 | Y |
| Detection rate: 100% | | | | | | |


*This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.*

**5610MHz, Radar 3**

| Trial Id | Radar Type | Pulse Width(μs) | PRI (μs) | Number of Pulses | Waveform Length (μs) | conclusion |
|---|---|---|---|---|---|---|
| 0 | 3 | 8.2 | 355.0 | 17 | 6035.0 | Y |
| 1 | 3 | 6.1 | 487.0 | 16 | 7792.0 | Y |
| 2 | 3 | 7.1 | 344.0 | 16 | 5504.0 | Y |
| 3 | 3 | 9.8 | 288.0 | 18 | 5184.0 | Y |
| 4 | 3 | 8.9 | 230.0 | 18 | 4140.0 | Y |
| 5 | 3 | 7.9 | 432.0 | 17 | 7344.0 | Y |
| 6 | 3 | 8.2 | 207.0 | 17 | 3519.0 | Y |
| 7 | 3 | 7.5 | 443.0 | 17 | 7531.0 | Y |
| 8 | 3 | 8.1 | 439.0 | 17 | 7463.0 | Y |
| 9 | 3 | 6.2 | 223.0 | 16 | 3568.0 | Y |
| 10 | 3 | 8.9 | 208.0 | 18 | 3744.0 | Y |
| 11 | 3 | 9.6 | 463.0 | 18 | 8334.0 | Y |
| 12 | 3 | 8.2 | 441.0 | 17 | 7497.0 | Y |
| 13 | 3 | 7.2 | 323.0 | 16 | 5168.0 | Y |
| 14 | 3 | 9.5 | 297.0 | 18 | 5346.0 | Y |
| 15 | 3 | 8.0 | 412.0 | 17 | 7004.0 | Y |
| 16 | 3 | 10.0 | 324.0 | 18 | 5832.0 | Y |
| 17 | 3 | 7.4 | 271.0 | 17 | 4607.0 | Y |
| 18 | 3 | 7.9 | 349.0 | 17 | 5933.0 | Y |
| 19 | 3 | 7.3 | 409.0 | 16 | 6544.0 | Y |
| 20 | 3 | 8.7 | 373.0 | 18 | 6714.0 | Y |
| 21 | 3 | 7.2 | 254.0 | 16 | 4064.0 | Y |
| 22 | 3 | 9.9 | 274.0 | 18 | 4932.0 | Y |
| 23 | 3 | 7.9 | 278.0 | 17 | 4726.0 | Y |
| 24 | 3 | 7.5 | 317.0 | 17 | 5389.0 | Y |
| 25 | 3 | 6.1 | 260.0 | 16 | 4160.0 | Y |
| 26 | 3 | 8.8 | 211.0 | 18 | 3798.0 | Y |
| 27 | 3 | 9.7 | 272.0 | 18 | 4896.0 | Y |
| 28 | 3 | 7.4 | 264.0 | 17 | 4488.0 | Y |
| 29 | 3 | 9.2 | 284.0 | 18 | 5112.0 | Y |
| Detection rate: 100% | | | | | | |


*This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.*

**5610MHz, Radar 4**

| Trial Id | Radar Type | Pulse Width(μs) | PRI (μs) | Number of Pulses | Waveform Length (μs) | conclusion |
|---|---|---|---|---|---|---|
| 0 | 4 | 16.0 | 355.0 | 14 | 4970.0 | Y |
| 1 | 4 | 11.3 | 487.0 | 12 | 5844.0 | Y |
| 2 | 4 | 13.5 | 344.0 | 13 | 4472.0 | Y |
| 3 | 4 | 19.4 | 288.0 | 16 | 4608.0 | Y |
| 4 | 4 | 17.5 | 230.0 | 15 | 3450.0 | Y |
| 5 | 4 | 15.3 | 432.0 | 14 | 6048.0 | Y |
| 6 | 4 | 15.9 | 207.0 | 14 | 2898.0 | Y |
| 7 | 4 | 14.3 | 443.0 | 13 | 5759.0 | Y |
| 8 | 4 | 15.8 | 439.0 | 14 | 6146.0 | Y |
| 9 | 4 | 11.5 | 223.0 | 12 | 2676.0 | Y |
| 10 | 4 | 17.4 | 208.0 | 15 | 3120.0 | Y |
| 11 | 4 | 19.0 | 463.0 | 16 | 7408.0 | Y |
| 12 | 4 | 16.0 | 441.0 | 14 | 6174.0 | Y |
| 13 | 4 | 13.8 | 323.0 | 13 | 4199.0 | Y |
| 14 | 4 | 18.9 | 297.0 | 16 | 4752.0 | Y |
| 15 | 4 | 15.5 | 412.0 | 14 | 5768.0 | Y |
| 16 | 4 | 19.9 | 324.0 | 16 | 5184.0 | Y |
| 17 | 4 | 14.1 | 271.0 | 13 | 3523.0 | Y |
| 18 | 4 | 15.2 | 349.0 | 14 | 4886.0 | Y |
| 19 | 4 | 13.8 | 409.0 | 13 | 5317.0 | Y |
| 20 | 4 | 17.1 | 373.0 | 15 | 5595.0 | Y |
| 21 | 4 | 13.8 | 254.0 | 13 | 3302.0 | Y |
| 22 | 4 | 19.8 | 274.0 | 16 | 4384.0 | Y |
| 23 | 4 | 15.3 | 278.0 | 14 | 3892.0 | Y |
| 24 | 4 | 14.5 | 317.0 | 13 | 4121.0 | Y |
| 25 | 4 | 11.3 | 260.0 | 12 | 3120.0 | Y |
| 26 | 4 | 17.3 | 211.0 | 15 | 3165.0 | Y |
| 27 | 4 | 19.2 | 272.0 | 16 | 4352.0 | Y |
| 28 | 4 | 14.2 | 264.0 | 13 | 3432.0 | Y |
| 29 | 4 | 18.2 | 284.0 | 15 | 4260.0 | Y |
| Detection rate: 100% | | | | | | |


*This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.*

**5610MHz, Radar 5**

| Trial Id | Radar Type | Number of Pulses | Chip Width (MHz) | Burst Period (s) | Waveform Length (μs) | Center Frequency (MHz) | conclusion |
|---|---|---|---|---|---|---|---|
| 0 | 5 | 15 | 13 | 0.8000000 | 12.0 | 5.2700 | Y |
| 1 | 5 | 8 | 19 | 1.5000000 | 12.0 | 5.2700 | Y |
| 2 | 5 | 11 | 11 | 1.0909091 | 12.0 | 5.2700 | Y |
| 3 | 5 | 20 | 12 | 0.6000000 | 12.0 | 5.2700 | Y |
| 4 | 5 | 17 | 6 | 0.7058824 | 12.0 | 5.2700 | Y |
| 5 | 5 | 14 | 15 | 0.8571429 | 12.0 | 5.2700 | Y |
| 6 | 5 | 15 | 16 | 0.8000000 | 12.0 | 5.2700 | Y |
| 7 | 5 | 12 | 17 | 1.0000000 | 12.0 | 5.2700 | Y |
| 8 | 5 | 14 | 19 | 0.8571429 | 12.0 | 5.2700 | Y |
| 9 | 5 | 8 | 12 | 1.5000000 | 12.0 | 5.2700 | Y |
| 10 | 5 | 17 | 7 | 0.7058824 | 12.0 | 5.2564 | Y |
| 11 | 5 | 19 | 11 | 0.6315789 | 12.0 | 5.2576 | Y |
| 12 | 5 | 15 | 14 | 0.8000000 | 12.0 | 5.2552 | Y |
| 13 | 5 | 12 | 16 | 1.0000000 | 12.0 | 5.2540 | Y |
| 14 | 5 | 19 | 9 | 0.6315789 | 12.0 | 5.2572 | Y |
| 15 | 5 | 14 | 16 | 0.8571429 | 12.0 | 5.2548 | Y |
| 16 | 5 | 20 | 13 | 0.6000000 | 12.0 | 5.2580 | Y |
| 17 | 5 | 12 | 7 | 1.0000000 | 12.0 | 5.2540 | Y |
| 18 | 5 | 14 | 10 | 0.8571429 | 12.0 | 5.2548 | Y |
| 19 | 5 | 12 | 19 | 1.0000000 | 12.0 | 5.2540 | Y |
| 20 | 5 | 16 | 12 | 0.7500000 | 12.0 | 5.2840 | Y |
| 21 | 5 | 12 | 14 | 1.0000000 | 12.0 | 5.2864 | Y |
| 22 | 5 | 20 | 9 | 0.6000000 | 12.0 | 5.2820 | Y |
| 23 | 5 | 14 | 14 | 0.8571429 | 12.0 | 5.2852 | Y |
| 24 | 5 | 13 | 6 | 0.9230769 | 12.0 | 5.2856 | Y |
| 25 | 5 | 8 | 7 | 1.5000000 | 12.0 | 5.2880 | Y |
| 26 | 5 | 17 | 18 | 0.7058824 | 12.0 | 5.2836 | Y |
| 27 | 5 | 19 | 16 | 0.6315789 | 12.0 | 5.2824 | Y |
| 28 | 5 | 12 | 17 | 1.0000000 | 12.0 | 5.2860 | Y |
| 29 | 5 | 18 | 16 | 0.6666667 | 12.0 | 5.2832 | Y |
| Detection rate: 100% | | | | | | | |


*This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.*

| Trial Number | | | 0 | | | |
|---|---|---|---|---|---|---|
| Bursts in Trial | | | 16 | | | |
| Center Frequency (MHz) | | | 5610 | | | |
| Burst | Number of Pulses | Pulse Width (µsec) | Chirp Width (MHz) | Pulse 1-to-2 PRI (µsec) | Pulse 2-to-3 PRI (µsec) | Start Location Within Interval (msec) |
| 1 | 1 | 71.5 | 13 | -- | -- | 382.157 |
| 2 | 1 | 73.2 | 13 | -- | -- | 537.38 |
| 3 | 1 | 95.5 | 13 | -- | -- | 301.44 |
| 4 | 2 | 88.4 | 13 | 1280 | -- | 586.04 |
| 5 | 2 | 64.8 | 13 | 1624 | -- | 322.44 |
| 6 | 1 | 77.3 | 13 | -- | -- | 33.47 |
| 7 | 2 | 64.3 | 13 | 1035 | -- | 238.39 |
| 8 | 1 | 97.4 | 13 | -- | -- | 422.7 |
| 9 | 1 | 60.5 | 13 | -- | -- | 589.16 |
| 10 | 2 | 77.3 | 13 | 1797 | -- | 269.82 |
| 11 | 1 | 60.3 | 13 | -- | -- | 14.29 |
| 12 | 1 | 99.3 | 13 | -- | -- | 734.54 |
| 13 | 2 | 65.1 | 13 | 1528 | -- | 118.33 |
| 14 | 2 | 56.9 | 13 | 1137 | -- | 496.3 |
| 15 | 1 | 86 | 13 | -- | -- | 208.7 |
| 16 | 1 | 83.5 | 13 | -- | -- | 545 |
| Detection Check (Y=Detection; N=No Detection) | | | | | | Y |


*This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.*

| Trial Number | | | 1 | | | |
|---|---|---|---|---|---|---|
| Bursts in Trial | | | 12 | | | |
| Center Frequency (MHz) | | | 5610 | | | |
| Burst | Number of Pulses | Pulse Width (µsec) | Chirp Width (MHz) | Pulse 1-to-2 PRI (µsec) | Pulse 2-to-3 PRI (µsec) | Start Location Within Interval (msec) |
| 1 | 3 | 96.6 | 19 | 1441 | 1588 | 157.072 |
| 2 | 2 | 57 | 19 | 1003 | -- | 31.84 |
| 3 | 1 | 99.4 | 19 | -- | -- | 593.46 |
| 4 | 3 | 51.4 | 19 | 1076 | 1207 | 174.33 |
| 5 | 3 | 71.5 | 19 | 1105 | 1860 | 53.87 |
| 6 | 2 | 99.5 | 19 | 1009 | -- | 204.9 |
| 7 | 2 | 96.8 | 19 | 1888 | -- | 972.89 |
| 8 | 2 | 62.8 | 19 | 1708 | -- | 421.81 |
| 9 | 2 | 68.6 | 19 | 1979 | -- | 675.92 |
| 10 | 1 | 52.2 | 19 | -- | -- | 905.33 |
| 11 | 2 | 71.2 | 19 | 1891 | -- | 626.2 |
| 12 | 1 | 80.7 | 19 | -- | -- | 297.1 |
| Detection Check (Y=Detection; N=No Detection) | | | | | | Y |


*This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.*

| Trial Number | | | 2 | | | |
|---|---|---|---|---|---|---|
| Bursts in Trial | | | 12 | | | |
| Center Frequency (MHz) | | | 5610 | | | |
| Burst | Number of Pulses | Pulse Width (µsec) | Chirp Width (MHz) | Pulse 1-to-2 PRI (µsec) | Pulse 2-to-3 PRI (µsec) | Start Location Within Interval (msec) |
| 1 | 2 | 73 | 11 | 1720 | -- | 60.341 |
| 2 | 2 | 86.6 | 11 | 1086 | -- | 471.34 |
| 3 | 2 | 52 | 11 | 1769 | -- | 149.46 |
| 4 | 3 | 89.5 | 11 | 1050 | 1774 | 665.26 |
| 5 | 2 | 91.3 | 11 | 1275 | -- | 763.12 |
| 6 | 1 | 87.6 | 11 | -- | -- | 242.46 |
| 7 | 2 | 95.7 | 11 | 1592 | -- | 386.09 |
| 8 | 1 | 79.1 | 11 | -- | -- | 690.82 |
| 9 | 2 | 63 | 11 | 1026 | -- | 448.47 |
| 10 | 3 | 78.5 | 11 | 1233 | 1434 | 781.34 |
| 11 | 2 | 71.4 | 11 | 1774 | -- | 534 |
| 12 | 2 | 93.2 | 11 | 1268 | -- | 689.3 |
| Detection Check (Y=Detection; N=No Detection) | | | | | | Y |


*This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.*

| Trial Number | | | 3 | | | |
|---|---|---|---|---|---|---|
| Bursts in Trial | | | 15 | | | |
| Center Frequency (MHz) | | | 5610 | | | |
| Burst | Number of Pulses | Pulse Width (µsec) | Chirp Width (MHz) | Pulse 1-to-2 PRI (µsec) | Pulse 2-to-3 PRI (µsec) | Start Location Within Interval (msec) |
| 1 | 3 | 51.8 | 12 | 1987 | 1673 | 785.215 |
| 2 | 1 | 67.1 | 12 | -- | -- | 304.74 |
| 3 | 2 | 80.4 | 12 | 1189 | -- | 234.53 |
| 4 | 2 | 57.2 | 12 | 1369 | -- | 400.36 |
| 5 | 3 | 80.9 | 12 | 1841 | 1377 | 257.92 |
| 6 | 2 | 66.8 | 12 | 1850 | -- | 641.28 |
| 7 | 2 | 78.3 | 12 | 1566 | -- | 763.04 |
| 8 | 1 | 95.7 | 12 | -- | -- | 315.89 |
| 9 | 2 | 72.6 | 12 | 1987 | -- | 694.91 |
| 10 | 2 | 86.1 | 12 | 1099 | -- | 12.39 |
| 11 | 3 | 54.6 | 12 | 1547 | 1020 | 744.49 |
| 12 | 3 | 82.4 | 12 | 1778 | 1816 | 623.75 |
| 13 | 2 | 52.6 | 12 | 1943 | -- | 704.1 |
| 14 | 3 | 88.8 | 12 | 1592 | 1140 | 155.2 |
| 15 | 2 | 91.6 | 12 | 1430 | -- | 771.7 |
| Detection Check (Y=Detection; N=No Detection) | | | | | | Y |


*This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.*

| Trial Number | | | 4 | | | |
|---|---|---|---|---|---|---|
| Bursts in Trial | | | 15 | | | |
| Center Frequency (MHz) | | | 5610 | | | |
| Burst | Number of Pulses | Pulse Width (µsec) | Chirp Width (MHz) | Pulse 1-to-2 PRI (µsec) | Pulse 2-to-3 PRI (µsec) | Start Location Within Interval (msec) |
| 1 | 2 | 91.5 | 6 | 1778 | -- | 131.166 |
| 2 | 1 | 58.6 | 6 | -- | -- | 306.44 |
| 3 | 1 | 54.2 | 6 | -- | -- | 157.68 |
| 4 | 1 | 68.4 | 6 | -- | -- | 464.16 |
| 5 | 2 | 62.8 | 6 | 1467 | -- | 725.57 |
| 6 | 1 | 90.9 | 6 | -- | -- | 277.06 |
| 7 | 1 | 93.9 | 6 | -- | -- | 278.94 |
| 8 | 2 | 67.7 | 6 | 1128 | -- | 83.93 |
| 9 | 2 | 57.2 | 6 | 1328 | -- | 324.65 |
| 10 | 2 | 77.5 | 6 | 1726 | -- | 269.88 |
| 11 | 1 | 53.8 | 6 | -- | -- | 538.06 |
| 12 | 2 | 56.7 | 6 | 1884 | -- | 731.59 |
| 13 | 3 | 50.7 | 6 | 1243 | 1550 | 206.21 |
| 14 | 2 | 86.2 | 6 | 1189 | -- | 307.7 |
| 15 | 1 | 82.7 | 6 | -- | -- | 208.1 |
| Detection Check (Y=Detection; N=No Detection) | | | | | | Y |


*This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.*

| Trial Number | | | 5 | | | |
|---|---|---|---|---|---|---|
| Bursts in Trial | | | 10 | | | |
| Center Frequency (MHz) | | | 5610 | | | |
| Burst | Number of Pulses | Pulse Width (µsec) | Chirp Width (MHz) | Pulse 1-to-2 PRI (µsec) | Pulse 2-to-3 PRI (µsec) | Start Location Within Interval (msec) |
| 1 | 1 | 90.1 | 15 | -- | -- | 1033.2 |
| 2 | 2 | 80.7 | 15 | 1532 | -- | 510.9 |
| 3 | 1 | 99.6 | 15 | -- | -- | 454.39 |
| 4 | 1 | 50.8 | 15 | -- | -- | 577.37 |
| 5 | 1 | 60.7 | 15 | -- | -- | 101.54 |
| 6 | 3 | 90 | 15 | 1254 | 1217 | 724.3 |
| 7 | 2 | 89.1 | 15 | 1337 | -- | 977.24 |
| 8 | 2 | 96.6 | 15 | 1506 | -- | 497.64 |
| 9 | 1 | 76.3 | 15 | -- | -- | 19.63 |
| 10 | 1 | 55.9 | 15 | -- | -- | 793.8 |
| Detection Check (Y=Detection; N=No Detection) | | | | | | Y |


*This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.*

| Trial Number | | | 6 | | | |
|---|---|---|---|---|---|---|
| Bursts in Trial | | | 16 | | | |
| Center Frequency (MHz) | | | 5610 | | | |
| Burst | Number of Pulses | Pulse Width (µsec) | Chirp Width (MHz) | Pulse 1-to-2 PRI (µsec) | Pulse 2-to-3 PRI (µsec) | Start Location Within Interval (msec) |
| 1 | 3 | 57.1 | 16 | 1529 | 1704 | 329.074 |
| 2 | 2 | 89.7 | 16 | 1153 | -- | 181.929 |
| 3 | 1 | 57 | 16 | -- | -- | 661.73 |
| 4 | 3 | 76.3 | 16 | 1421 | 1729 | 676.54 |
| 5 | 2 | 85 | 16 | 1471 | -- | 195.28 |
| 6 | 2 | 51.1 | 16 | 1777 | -- | 133.14 |
| 7 | 2 | 87.4 | 16 | 1935 | -- | 235.39 |
| 8 | 1 | 76.9 | 16 | -- | -- | 689.87 |
| 9 | 2 | 53.7 | 16 | 1406 | -- | 108.86 |
| 10 | 1 | 63.5 | 16 | -- | -- | 298.5 |
| 11 | 2 | 71.6 | 16 | 1480 | -- | 455.93 |
| 12 | 1 | 54.9 | 16 | -- | -- | 458.73 |
| 13 | 1 | 54.9 | 16 | -- | -- | 655.32 |
| 14 | 1 | 74.4 | 16 | -- | -- | 342.5 |
| 15 | 3 | 57.1 | 16 | 1803 | 1961 | 253.6 |
| 16 | 2 | 60.1 | 16 | 1173 | -- | 626.3 |
| Detection Check (Y=Detection; N=No Detection) | | | | | | Y |


*This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.*

| Trial Number | | | 7 | | | |
|---|---|---|---|---|---|---|
| Bursts in Trial | | | 10 | | | |
| Center Frequency (MHz) | | | 5610 | | | |
| Burst | Number of Pulses | Pulse Width (µsec) | Chirp Width (MHz) | Pulse 1-to-2 PRI (µsec) | Pulse 2-to-3 PRI (µsec) | Start Location Within Interval (msec) |
| 1 | 1 | 73.5 | 17 | -- | -- | 1027.02 |
| 2 | 1 | 89.6 | 17 | -- | -- | 288.87 |
| 3 | 2 | 96.4 | 17 | 1502 | -- | 940.16 |
| 4 | 1 | 55.4 | 17 | -- | -- | 538.88 |
| 5 | 3 | 77.4 | 17 | 1678 | 1866 | 313.88 |
| 6 | 3 | 94.7 | 17 | 1377 | 1225 | 810.56 |
| 7 | 3 | 87.8 | 17 | 1040 | 1623 | 571.58 |
| 8 | 3 | 69.1 | 17 | 1265 | 1703 | 573.24 |
| 9 | 2 | 93.1 | 17 | 1526 | -- | 732 |
| 10 | 2 | 84.2 | 17 | 1218 | -- | 1135.7 |
| Detection Check (Y=Detection; N=No Detection) | | | | | | Y |


*This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.*

| Trial Number | | | 8 | | | |
|---|---|---|---|---|---|---|
| Bursts in Trial | | | 17 | | | |
| Center Frequency (MHz) | | | 5610 | | | |
| Burst | Number of Pulses | Pulse Width (µsec) | Chirp Width (MHz) | Pulse 1-to-2 PRI (µsec) | Pulse 2-to-3 PRI (µsec) | Start Location Within Interval (msec) |
| 1 | 1 | 99.9 | 19 | -- | -- | 379.224 |
| 2 | 3 | 66.9 | 19 | 1884 | 1117 | 141.215 |
| 3 | 3 | 93.9 | 19 | 1541 | 1081 | 385.095 |
| 4 | 1 | 68.1 | 19 | -- | -- | 381.083 |
| 5 | 3 | 64.4 | 19 | 1524 | 1742 | 555.971 |
| 6 | 1 | 55.5 | 19 | -- | -- | 305.368 |
| 7 | 2 | 75.7 | 19 | 1657 | -- | 524.546 |
| 8 | 2 | 79.3 | 19 | 1445 | -- | 300.074 |
| 9 | 2 | 92.5 | 19 | 1739 | -- | 217.191 |
| 10 | 1 | 53.5 | 19 | -- | -- | 379.719 |
| 11 | 1 | 76 | 19 | -- | -- | 408.816 |
| 12 | 2 | 90.7 | 19 | 1974 | -- | 321.334 |
| 13 | 3 | 50 | 19 | 1043 | 1917 | 429.582 |
| 14 | 3 | 55.9 | 19 | 1721 | 1782 | 269.669 |
| 15 | 3 | 62.5 | 19 | 1735 | 1532 | 392.247 |
| 16 | 2 | 97.3 | 19 | 1930 | -- | 543.265 |
| 17 | 3 | 64 | 19 | 1406 | 1172 | 103.082 |
| Detection Check (Y=Detection; N=No Detection) | | | | | | Y |


*This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.*

| Trial Number | | | 9 | | | |
|---|---|---|---|---|---|---|
| Bursts in Trial | | | 8 | | | |
| Center Frequency (MHz) | | | 5610 | | | |
| Burst | Number of Pulses | Pulse Width (µsec) | Chirp Width (MHz) | Pulse 1-to-2 PRI (µsec) | Pulse 2-to-3 PRI (µsec) | Start Location Within Interval (msec) |
| 1 | 1 | 72.5 | 12 | -- | -- | 509.857 |
| 2 | 1 | 82.2 | 12 | -- | -- | 164.27 |
| 3 | 2 | 95.6 | 12 | 1652 | -- | 1336.41 |
| 4 | 3 | 97.5 | 12 | 1913 | 1669 | 1403.44 |
| 5 | 3 | 56.8 | 12 | 1289 | 1286 | 1431.47 |
| 6 | 1 | 59.1 | 12 | -- | -- | 847.09 |
| 7 | 2 | 79.4 | 12 | 1668 | -- | 1007.5 |
| 8 | 1 | 57 | 12 | -- | -- | 1064.5 |
| Detection Check (Y=Detection; N=No Detection) | | | | | | Y |


*This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.*

| Trial Number | | | 10 | | | |
|---|---|---|---|---|---|---|
| Bursts in Trial | | | 17 | | | |
| Center Frequency (MHz) | | | 5610 | | | |
| Burst | Number of Pulses | Pulse Width (µsec) | Chirp Width (MHz) | Pulse 1-to-2 PRI (µsec) | Pulse 2-to-3 PRI (µsec) | Start Location Within Interval (msec) |
| 1 | 1 | 78.3 | 7 | -- | -- | 66.832 |
| 2 | 2 | 84.7 | 7 | 1277 | -- | 533.498 |
| 3 | 3 | 66.8 | 7 | 1498 | 1487 | 363.275 |
| 4 | 3 | 85.1 | 7 | 1385 | 1978 | 101.033 |
| 5 | 3 | 50.6 | 7 | 1597 | 1042 | 240.291 |
| 6 | 2 | 70.9 | 7 | 1963 | -- | 359.558 |
| 7 | 2 | 52.6 | 7 | 1254 | -- | 587.176 |
| 8 | 1 | 99.2 | 7 | -- | -- | 324.064 |
| 9 | 1 | 99.4 | 7 | -- | -- | 661.481 |
| 10 | 1 | 60.8 | 7 | -- | -- | 618.299 |
| 11 | 1 | 98.1 | 7 | -- | -- | 161.846 |
| 12 | 3 | 71.3 | 7 | 1514 | 1297 | 681.744 |
| 13 | 1 | 71.1 | 7 | -- | -- | 57.432 |
| 14 | 1 | 64.2 | 7 | -- | -- | 614.609 |
| 15 | 3 | 94.2 | 7 | 1515 | 1757 | 3.997 |
| 16 | 2 | 90.2 | 7 | 1007 | -- | 409.465 |
| 17 | 2 | 94.5 | 7 | 1152 | -- | 96.682 |
| Detection Check (Y=Detection; N=No Detection) | | | | | | Y |


*This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.*

| Trial Number | | | 11 | | | |
|---|---|---|---|---|---|---|
| Bursts in Trial | | | 14 | | | |
| Center Frequency (MHz) | | | 5610 | | | |
| Burst | Number of Pulses | Pulse Width (µsec) | Chirp Width (MHz) | Pulse 1-to-2 PRI (µsec) | Pulse 2-to-3 PRI (µsec) | Start Location Within Interval (msec) |
| 1 | 1 | 56.2 | 11 | -- | -- | 837.948 |
| 2 | 3 | 97.4 | 11 | 1384 | 1150 | 805.177 |
| 3 | 1 | 82.6 | 11 | -- | -- | 108.874 |
| 4 | 2 | 81.2 | 11 | 1739 | -- | 561.491 |
| 5 | 3 | 57.1 | 11 | 1500 | 1788 | 637.839 |
| 6 | 1 | 96.9 | 11 | -- | -- | 470.256 |
| 7 | 2 | 78.8 | 11 | 1644 | -- | 186.843 |
| 8 | 2 | 55.2 | 11 | 1314 | -- | 537.84 |
| 9 | 2 | 90.3 | 11 | 1517 | -- | 210.307 |
| 10 | 2 | 86.8 | 11 | 1352 | -- | 340.554 |
| 11 | 1 | 72 | 11 | -- | -- | 461.061 |
| 12 | 2 | 56.3 | 11 | 1749 | -- | 109.089 |
| 13 | 2 | 77.1 | 11 | 1952 | -- | 370.286 |
| 14 | 1 | 93.2 | 11 | -- | -- | 5.543 |
| Detection Check (Y=Detection; N=No Detection) | | | | | | Y |


*This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.*

| Trial Number | | | 12 | | | |
|---|---|---|---|---|---|---|
| Bursts in Trial | | | 13 | | | |
| Center Frequency (MHz) | | | 5610 | | | |
| Burst | Number of Pulses | Pulse Width (µsec) | Chirp Width (MHz) | Pulse 1-to-2 PRI (µsec) | Pulse 2-to-3 PRI (µsec) | Start Location Within Interval (msec) |
| 1 | 3 | 95.8 | 14 | 1940 | 1066 | 135.166 |
| 2 | 2 | 96.9 | 14 | 1620 | -- | 508.763 |
| 3 | 2 | 64.3 | 14 | 1609 | -- | 877.786 |
| 4 | 3 | 97.1 | 14 | 1568 | 1125 | 354.559 |
| 5 | 2 | 69.8 | 14 | 1068 | -- | 329.312 |
| 6 | 2 | 82 | 14 | 1940 | -- | 103.175 |
| 7 | 2 | 97 | 14 | 1961 | -- | 131.808 |
| 8 | 2 | 93.5 | 14 | 1084 | -- | 199.242 |
| 9 | 3 | 59.3 | 14 | 1735 | 1223 | 244.985 |
| 10 | 2 | 54.1 | 14 | 1500 | -- | 916.988 |
| 11 | 1 | 86.7 | 14 | -- | -- | 784.231 |
| 12 | 3 | 84.8 | 14 | 1763 | 1920 | 134.054 |
| 13 | 2 | 99.9 | 14 | 1595 | -- | 885.077 |
| Detection Check (Y=Detection; N=No Detection) | | | | | | Y |


*This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.*

| Trial Number | | | 13 | | | |
|---|---|---|---|---|---|---|
| Bursts in Trial | | | 12 | | | |
| Center Frequency (MHz) | | | 5610 | | | |
| Burst | Number of Pulses | Pulse Width (µsec) | Chirp Width (MHz) | Pulse 1-to-2 PRI (µsec) | Pulse 2-to-3 PRI (µsec) | Start Location Within Interval (msec) |
| 1 | 2 | 53 | 16 | 1035 | -- | 758.419 |
| 2 | 2 | 94.5 | 16 | 1456 | -- | 599.82 |
| 3 | 1 | 92.9 | 16 | -- | -- | 897.55 |
| 4 | 3 | 50.5 | 16 | 1461 | 1898 | 387.44 |
| 5 | 1 | 55.8 | 16 | -- | -- | 663.7 |
| 6 | 2 | 55.8 | 16 | 1153 | -- | 876.84 |
| 7 | 1 | 96.8 | 16 | -- | -- | 258.85 |
| 8 | 2 | 57.6 | 16 | 1472 | -- | 697.38 |
| 9 | 1 | 52.8 | 16 | -- | -- | 238.05 |
| 10 | 2 | 84.7 | 16 | 1477 | -- | 269.11 |
| 11 | 2 | 92.9 | 16 | 1337 | -- | 540.7 |
| 12 | 2 | 61.8 | 16 | 1878 | -- | 662.5 |
| Detection Check (Y=Detection; N=No Detection) | | | | | | Y |


*This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.*

| Trial Number | | | 14 | | | |
|---|---|---|---|---|---|---|
| Bursts in Trial | | | 12 | | | |
| Center Frequency (MHz) | | | 5610 | | | |
| Burst | Number of Pulses | Pulse Width (µsec) | Chirp Width (MHz) | Pulse 1-to-2 PRI (µsec) | Pulse 2-to-3 PRI (µsec) | Start Location Within Interval (msec) |
| 1 | 3 | 87.7 | 9 | 1289 | 1972 | 865.268 |
| 2 | 2 | 75.3 | 9 | 1086 | -- | 643.12 |
| 3 | 3 | 61.7 | 9 | 1399 | 1818 | 607.79 |
| 4 | 1 | 84.4 | 9 | -- | -- | 423.86 |
| 5 | 2 | 80 | 9 | 1874 | -- | 777.53 |
| 6 | 2 | 91.9 | 9 | 1107 | -- | 742.23 |
| 7 | 3 | 80.6 | 9 | 1890 | 1876 | 467.68 |
| 8 | 1 | 52.4 | 9 | -- | -- | 420.12 |
| 9 | 1 | 65.8 | 9 | -- | -- | 764.91 |
| 10 | 1 | 88.1 | 9 | -- | -- | 921.18 |
| 11 | 2 | 97.7 | 9 | 1534 | -- | 726 |
| 12 | 2 | 53.1 | 9 | 1425 | -- | 270.3 |
| Detection Check (Y=Detection; N=No Detection) | | | | | | Y |


*This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.*

| Trial Number | | | 15 | | | |
|---|---|---|---|---|---|---|
| Bursts in Trial | | | 16 | | | |
| Center Frequency (MHz) | | | 5610 | | | |
| Burst | Number of Pulses | Pulse Width (µsec) | Chirp Width (MHz) | Pulse 1-to-2 PRI (µsec) | Pulse 2-to-3 PRI (µsec) | Start Location Within Interval (msec) |
| 1 | 3 | 97.9 | 16 | 1023 | 1938 | 381.483 |
| 2 | 3 | 70.6 | 16 | 1507 | 1652 | 143.51 |
| 3 | 3 | 79.6 | 16 | 1185 | 1158 | 742.51 |
| 4 | 2 | 57.2 | 16 | 1657 | -- | 694.15 |
| 5 | 2 | 61.8 | 16 | 1683 | -- | 337.15 |
| 6 | 1 | 66.3 | 16 | -- | -- | 683.08 |
| 7 | 1 | 82.8 | 16 | -- | -- | 472.18 |
| 8 | 3 | 93.4 | 16 | 1072 | 1130 | 445.02 |
| 9 | 2 | 89.6 | 16 | 1646 | -- | 593.37 |
| 10 | 3 | 94.1 | 16 | 1786 | 1020 | 448.75 |
| 11 | 1 | 66.7 | 16 | -- | -- | 26.17 |
| 12 | 2 | 58.1 | 16 | 1687 | -- | 734.86 |
| 13 | 2 | 72.2 | 16 | 1767 | -- | 337.55 |
| 14 | 3 | 69.4 | 16 | 1373 | 1948 | 365.9 |
| 15 | 2 | 90.3 | 16 | 1006 | -- | 82.7 |
| 16 | 2 | 78.6 | 16 | 1093 | -- | 219.7 |
| Detection Check (Y=Detection; N=No Detection) | | | | | | Y |


*This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.*

| Trial Number | | | 16 | | | |
|---|---|---|---|---|---|---|
| Bursts in Trial | | | 20 | | | |
| Center Frequency (MHz) | | | 5610 | | | |
| Burst | Number of Pulses | Pulse Width (µsec) | Chirp Width (MHz) | Pulse 1-to-2 PRI (µsec) | Pulse 2-to-3 PRI (µsec) | Start Location Within Interval (msec) |
| 1 | 3 | 86.8 | 13 | 1633 | 1688 | 157.83 |
| 2 | 2 | 85.7 | 13 | 1004 | -- | 161.457 |
| 3 | 2 | 68.1 | 13 | 1361 | -- | 539.54 |
| 4 | 2 | 70.2 | 13 | 1542 | -- | 410.24 |
| 5 | 3 | 60.2 | 13 | 1702 | 1157 | 148.84 |
| 6 | 1 | 53.2 | 13 | -- | -- | 367.52 |
| 7 | 3 | 60.5 | 13 | 1463 | 1735 | 451.72 |
| 8 | 2 | 93.9 | 13 | 1676 | -- | 576.92 |
| 9 | 3 | 65.7 | 13 | 1695 | 1344 | 391.29 |
| 10 | 2 | 62.9 | 13 | 1065 | -- | 220.07 |
| 11 | 3 | 93.5 | 13 | 1923 | 1287 | 303.52 |
| 12 | 2 | 75.6 | 13 | 1938 | -- | 287.4 |
| 13 | 2 | 64.2 | 13 | 1300 | -- | 193.44 |
| 14 | 3 | 83.3 | 13 | 1347 | 1628 | 380.54 |
| 15 | 1 | 65.3 | 13 | -- | -- | 504.53 |
| 16 | 1 | 54.3 | 13 | -- | -- | 38.58 |
| 17 | 3 | 67.7 | 13 | 1394 | 1690 | 206.63 |
| 18 | 3 | 80.2 | 13 | 1533 | 1199 | 278.5 |
| 19 | 1 | 52.8 | 13 | -- | -- | 418.4 |
| 20 | 1 | 51.8 | 13 | -- | -- | 522 |
| Detection Check (Y=Detection; N=No Detection) | | | | | | Y |


*This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.*

| Trial Number | | | 17 | | | |
|---|---|---|---|---|---|---|
| Bursts in Trial | | | 12 | | | |
| Center Frequency (MHz) | | | 5610 | | | |
| Burst | Number of Pulses | Pulse Width (µsec) | Chirp Width (MHz) | Pulse 1-to-2 PRI (µsec) | Pulse 2-to-3 PRI (µsec) | Start Location Within Interval (msec) |
| 1 | 2 | 75.1 | 7 | 1527 | -- | 378.064 |
| 2 | 1 | 52 | 7 | -- | -- | 894.91 |
| 3 | 3 | 86.1 | 7 | 1038 | 1823 | 566.72 |
| 4 | 2 | 87.3 | 7 | 1203 | -- | 633.91 |
| 5 | 1 | 76.6 | 7 | -- | -- | 748.36 |
| 6 | 2 | 52.1 | 7 | 1428 | -- | 938.9 |
| 7 | 1 | 80.2 | 7 | -- | -- | 916.04 |
| 8 | 2 | 84.9 | 7 | 1434 | -- | 220.9 |
| 9 | 3 | 66 | 7 | 1680 | 1545 | 735.64 |
| 10 | 3 | 98.9 | 7 | 1069 | 1516 | 489.68 |
| 11 | 2 | 88.8 | 7 | 1462 | -- | 6.6 |
| 12 | 2 | 83.7 | 7 | 1680 | -- | 832.6 |
| Detection Check (Y=Detection; N=No Detection) | | | | | | Y |


*This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.*

| Trial Number | | | 18 | | | |
|---|---|---|---|---|---|---|
| Bursts in Trial | | | 14 | | | |
| Center Frequency (MHz) | | | 5610 | | | |
| Burst | Number of Pulses | Pulse Width (µsec) | Chirp Width (MHz) | Pulse 1-to-2 PRI (µsec) | Pulse 2-to-3 PRI (µsec) | Start Location Within Interval (msec) |
| 1 | 3 | 79.3 | 10 | 1020 | 1017 | 192.931 |
| 2 | 1 | 62.2 | 10 | -- | -- | 96.667 |
| 3 | 3 | 83.7 | 10 | 1630 | 1335 | 273.514 |
| 4 | 2 | 53.7 | 10 | 1764 | -- | 110.471 |
| 5 | 2 | 77.8 | 10 | 1592 | -- | 263.819 |
| 6 | 2 | 60.9 | 10 | 1984 | -- | 632.906 |
| 7 | 1 | 67.9 | 10 | -- | -- | 627.323 |
| 8 | 2 | 69.3 | 10 | 1449 | -- | 368.52 |
| 9 | 2 | 64.3 | 10 | 1398 | -- | 298.147 |
| 10 | 1 | 58.3 | 10 | -- | -- | 130.664 |
| 11 | 3 | 54 | 10 | 1917 | 1051 | 9.831 |
| 12 | 2 | 58.9 | 10 | 1493 | -- | 454.209 |
| 13 | 2 | 75.9 | 10 | 1065 | -- | 520.086 |
| 14 | 2 | 52.5 | 10 | 1808 | -- | 280.443 |
| Detection Check (Y=Detection; N=No Detection) | | | | | | Y |


*This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.*

| Trial Number | | | 19 | | | |
|---|---|---|---|---|---|---|
| Bursts in Trial | | | 18 | | | |
| Center Frequency (MHz) | | | 5610 | | | |
| Burst | Number of Pulses | Pulse Width (µsec) | Chirp Width (MHz) | Pulse 1-to-2 PRI (µsec) | Pulse 2-to-3 PRI (µsec) | Start Location Within Interval (msec) |
| 1 | 2 | 81.4 | 19 | 1665 | -- | 379.976 |
| 2 | 2 | 98.8 | 19 | 1428 | -- | 272.868 |
| 3 | 2 | 60.4 | 19 | 1371 | -- | 570.017 |
| 4 | 2 | 97 | 19 | 1547 | -- | 562.33 |
| 5 | 2 | 86.2 | 19 | 1951 | -- | 145.103 |
| 6 | 3 | 79.4 | 19 | 1380 | 1824 | 78.747 |
| 7 | 3 | 88.9 | 19 | 1956 | 1288 | 310.78 |
| 8 | 2 | 65 | 19 | 1220 | -- | 502.523 |
| 9 | 2 | 67.4 | 19 | 1831 | -- | 239.657 |
| 10 | 3 | 57.6 | 19 | 1469 | 1682 | 12.3 |
| 11 | 1 | 51.4 | 19 | -- | -- | 612.783 |
| 12 | 1 | 65.1 | 19 | -- | -- | 70.597 |
| 13 | 2 | 58.8 | 19 | 1161 | -- | 630.95 |
| 14 | 1 | 56.5 | 19 | -- | -- | 239.533 |
| 15 | 3 | 72.5 | 19 | 1697 | 1127 | 465.857 |
| 16 | 2 | 86 | 19 | 1139 | -- | 25.3 |
| 17 | 3 | 82.8 | 19 | 1615 | 1859 | 279.433 |
| 18 | 3 | 63.2 | 19 | 1338 | 1480 | 607.867 |
| Detection Check (Y=Detection; N=No Detection) | | | | | | Y |


*This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.*

| Trial Number | | | 20 | | | |
|---|---|---|---|---|---|---|
| Bursts in Trial | | | 16 | | | |
| Center Frequency (MHz) | | | 5610 | | | |
| Burst | Number of Pulses | Pulse Width (µsec) | Chirp Width (MHz) | Pulse 1-to-2 PRI (µsec) | Pulse 2-to-3 PRI (µsec) | Start Location Within Interval (msec) |
| 1 | 1 | 87.9 | 12 | -- | -- | 203.419 |
| 2 | 3 | 91.8 | 12 | 1177 | 1664 | 420.39 |
| 3 | 2 | 81.2 | 12 | 1861 | -- | 263.57 |
| 4 | 3 | 69 | 12 | 1086 | 1723 | 420.04 |
| 5 | 3 | 71.3 | 12 | 1867 | 1451 | 255.33 |
| 6 | 2 | 66 | 12 | 1807 | -- | 76.06 |
| 7 | 3 | 59.7 | 12 | 1364 | 1272 | 600.22 |
| 8 | 2 | 99.1 | 12 | 1254 | -- | 491.16 |
| 9 | 3 | 76.3 | 12 | 1765 | 1703 | 475 |
| 10 | 2 | 74.7 | 12 | 1510 | -- | 275.44 |
| 11 | 1 | 91.8 | 12 | -- | -- | 108 |
| 12 | 3 | 78 | 12 | 1049 | 1889 | 264.44 |
| 13 | 2 | 56.7 | 12 | 1249 | -- | 224.56 |
| 14 | 2 | 78.3 | 12 | 1730 | -- | 164.37 |
| 15 | 2 | 80.3 | 12 | 1064 | -- | 105.5 |
| 16 | 2 | 95.9 | 12 | 1232 | -- | 642.7 |
| Detection Check (Y=Detection; N=No Detection) | | | | | | Y |


*This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.*

| Trial Number | | | 21 | | | |
|---|---|---|---|---|---|---|
| Bursts in Trial | | | 11 | | | |
| Center Frequency (MHz) | | | 5610 | | | |
| Burst | Number of Pulses | Pulse Width (µsec) | Chirp Width (MHz) | Pulse 1-to-2 PRI (µsec) | Pulse 2-to-3 PRI (µsec) | Start Location Within Interval (msec) |
| 1 | 2 | 78.3 | 14 | 1107 | -- | 328.895 |
| 2 | 2 | 90.5 | 14 | 1373 | -- | 193.381 |
| 3 | 2 | 52.1 | 14 | 1732 | -- | 90.162 |
| 4 | 2 | 83.4 | 14 | 1217 | -- | 576.633 |
| 5 | 2 | 99.9 | 14 | 1450 | -- | 434.734 |
| 6 | 3 | 80.9 | 14 | 1048 | 1373 | 344.525 |
| 7 | 2 | 96.3 | 14 | 1883 | -- | 6.815 |
| 8 | 1 | 58.1 | 14 | -- | -- | 927.796 |
| 9 | 1 | 71.2 | 14 | -- | -- | 210.757 |
| 10 | 1 | 66.5 | 14 | -- | -- | 480.218 |
| 11 | 3 | 94.5 | 14 | 1844 | 1097 | 523.709 |
| Detection Check (Y=Detection; N=No Detection) | | | | | | Y |


*This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.*

| Trial Number | | | 22 | | | |
|---|---|---|---|---|---|---|
| Bursts in Trial | | | 11 | | | |
| Center Frequency (MHz) | | | 5610 | | | |
| Burst | Number of Pulses | Pulse Width (µsec) | Chirp Width (MHz) | Pulse 1-to-2 PRI (µsec) | Pulse 2-to-3 PRI (µsec) | Start Location Within Interval (msec) |
| 1 | 1 | 82 | 9 | -- | -- | 172.917 |
| 2 | 1 | 59.3 | 9 | -- | -- | 608.461 |
| 3 | 2 | 89.6 | 9 | 1905 | -- | 424.392 |
| 4 | 1 | 53.5 | 9 | -- | -- | 180.013 |
| 5 | 2 | 68.9 | 9 | 1503 | -- | 348.334 |
| 6 | 2 | 97.5 | 9 | 1399 | -- | 582.715 |
| 7 | 1 | 65.1 | 9 | -- | -- | 909.895 |
| 8 | 2 | 63.7 | 9 | 1299 | -- | 873.616 |
| 9 | 2 | 57.5 | 9 | 1730 | -- | 417.387 |
| 10 | 3 | 76.2 | 9 | 1237 | 1939 | 647.018 |
| 11 | 2 | 83.3 | 9 | 1928 | -- | 781.609 |
| Detection Check (Y=Detection; N=No Detection) | | | | | | Y |


*This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.*

| Trial Number | | | 23 | | | |
|---|---|---|---|---|---|---|
| Bursts in Trial | | | 15 | | | |
| Center Frequency (MHz) | | | 5610 | | | |
| Burst | Number of Pulses | Pulse Width (µsec) | Chirp Width (MHz) | Pulse 1-to-2 PRI (µsec) | Pulse 2-to-3 PRI (µsec) | Start Location Within Interval (msec) |
| 1 | 1 | 57.1 | 14 | -- | -- | 65.901 |
| 2 | 1 | 86.7 | 14 | -- | -- | 334.79 |
| 3 | 3 | 91.2 | 14 | 1464 | 1074 | 722.8 |
| 4 | 2 | 62.7 | 14 | 1790 | -- | 317.33 |
| 5 | 3 | 80.8 | 14 | 1118 | 1285 | 129.98 |
| 6 | 2 | 84.3 | 14 | 1360 | -- | 249.47 |
| 7 | 2 | 64.6 | 14 | 1038 | -- | 25.27 |
| 8 | 2 | 79.1 | 14 | 1527 | -- | 756.97 |
| 9 | 1 | 86.8 | 14 | -- | -- | 409.03 |
| 10 | 2 | 78.2 | 14 | 1256 | -- | 668.58 |
| 11 | 3 | 50.4 | 14 | 1968 | 1182 | 306.55 |
| 12 | 2 | 55.9 | 14 | 1089 | -- | 309.2 |
| 13 | 2 | 67.9 | 14 | 1084 | -- | 236.1 |
| 14 | 3 | 85 | 14 | 1065 | 1119 | 168.6 |
| 15 | 2 | 78.1 | 14 | 1259 | -- | 728.3 |
| Detection Check (Y=Detection; N=No Detection) | | | | | | Y |


*This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.*

| Trial Number | | | 24 | | | |
|---|---|---|---|---|---|---|
| Bursts in Trial | | | 16 | | | |
| Center Frequency (MHz) | | | 5610 | | | |
| Burst | Number of Pulses | Pulse Width (µsec) | Chirp Width (MHz) | Pulse 1-to-2 PRI (µsec) | Pulse 2-to-3 PRI (µsec) | Start Location Within Interval (msec) |
| 1 | 2 | 64.7 | 6 | 1189 | -- | 620.783 |
| 2 | 3 | 54.8 | 6 | 1622 | 1448 | 256.86 |
| 3 | 2 | 75.1 | 6 | 1284 | -- | 23.87 |
| 4 | 1 | 71 | 6 | -- | -- | 303.19 |
| 5 | 3 | 88.2 | 6 | 1851 | 1581 | 385.32 |
| 6 | 1 | 75.6 | 6 | -- | -- | 597.77 |
| 7 | 2 | 75.6 | 6 | 1269 | -- | 435.6 |
| 8 | 1 | 82.6 | 6 | -- | -- | 360.56 |
| 9 | 2 | 96.8 | 6 | 1761 | -- | 77.78 |
| 10 | 2 | 58.1 | 6 | 1040 | -- | 173.34 |
| 11 | 2 | 59.3 | 6 | 1366 | -- | 737.85 |
| 12 | 3 | 98.3 | 6 | 1913 | 1459 | 603.56 |
| 13 | 3 | 80.2 | 6 | 1438 | 1558 | 374.67 |
| 14 | 3 | 78.3 | 6 | 1477 | 1776 | 335.3 |
| 15 | 3 | 82.7 | 6 | 1555 | 1484 | 146.8 |
| 16 | 3 | 56.2 | 6 | 1229 | 1598 | 79.4 |
| Detection Check (Y=Detection; N=No Detection) | | | | | | Y |


*This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.*

| Trial Number | | | 25 | | | |
|---|---|---|---|---|---|---|
| Bursts in Trial | | | 16 | | | |
| Center Frequency (MHz) | | | 5610 | | | |
| Burst | Number of Pulses | Pulse Width (μsec) | Chirp Width (MHz) | Pulse 1-to-2 PRI (μsec) | Pulse 2-to-3 PRI (μsec) | Start Location Within Interval (msec) |
| 1 | 3 | 54.5 | 7 | 1015 | 1238 | 429.994 |
| 2 | 1 | 80.7 | 7 | -- | -- | 679.08 |
| 3 | 3 | 70 | 7 | 1156 | 1260 | 249.98 |
| 4 | 1 | 56.2 | 7 | -- | -- | 719.15 |
| 5 | 1 | 61.1 | 7 | -- | -- | 527.59 |
| 6 | 2 | 78.2 | 7 | 1561 | -- | 92.59 |
| 7 | 3 | 88.1 | 7 | 1583 | 1525 | 437.61 |
| 8 | 2 | 57 | 7 | 1883 | -- | 39.85 |
| 9 | 1 | 84 | 7 | -- | -- | 411.41 |
| 10 | 3 | 86 | 7 | 1306 | 1025 | 189.06 |
| 11 | 1 | 77.4 | 7 | -- | -- | 606.17 |
| 12 | 1 | 93.7 | 7 | -- | -- | 431.02 |
| 13 | 2 | 54.8 | 7 | 1904 | -- | 159.91 |
| 14 | 2 | 74.2 | 7 | 1678 | -- | 147.02 |
| 15 | 2 | 93.7 | 7 | 1653 | -- | 56.4 |
| 16 | 2 | 86.6 | 7 | 1395 | -- | 355.2 |
| Detection Check (Y=Detection; N=No Detection) | | | | | | Y |


*This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.*

| Trial Number | | | 26 | | | |
|---|---|---|---|---|---|---|
| Bursts in Trial | | | 19 | | | |
| Center Frequency (MHz) | | | 5610 | | | |
| Burst | Number of Pulses | Pulse Width (µsec) | Chirp Width (MHz) | Pulse 1-to-2 PRI (µsec) | Pulse 2-to-3 PRI (µsec) | Start Location Within Interval (msec) |
| 1 | 1 | 64.4 | 18 | -- | -- | 308.658 |
| 2 | 2 | 90.1 | 18 | 1488 | -- | 373.081 |
| 3 | 2 | 86.6 | 18 | 1562 | -- | 547.442 |
| 4 | 2 | 98.4 | 18 | 1568 | -- | 139.593 |
| 5 | 2 | 50.6 | 18 | 1465 | -- | 463.894 |
| 6 | 3 | 66.6 | 18 | 1313 | 1964 | 83.195 |
| 7 | 2 | 69.7 | 18 | 1977 | -- | 136.706 |
| 8 | 3 | 51 | 18 | 1127 | 1391 | 393.717 |
| 9 | 2 | 57.6 | 18 | 1806 | -- | 0.548 |
| 10 | 2 | 94.8 | 18 | 1198 | -- | 469.749 |
| 11 | 2 | 87 | 18 | 1561 | -- | 301.451 |
| 12 | 2 | 92.4 | 18 | 1357 | -- | 62.642 |
| 13 | 2 | 78.6 | 18 | 1422 | -- | 573.103 |
| 14 | 2 | 85.5 | 18 | 1778 | -- | 33.424 |
| 15 | 3 | 94.5 | 18 | 1220 | 1042 | 392.475 |
| 16 | 2 | 57 | 18 | 1894 | -- | 168.156 |
| 17 | 3 | 70 | 18 | 1275 | 1186 | 160.537 |
| 18 | 2 | 92.5 | 18 | 1694 | -- | 458.758 |
| 19 | 3 | 89.3 | 18 | 1325 | 1258 | 311.379 |
| Detection Check (Y=Detection; N=No Detection) | | | | | | Y |


*This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.*

| Trial Number | | | 27 | | | |
|---|---|---|---|---|---|---|
| Bursts in Trial | | | 11 | | | |
| Center Frequency (MHz) | | | 5610 | | | |
| Burst | Number of Pulses | Pulse Width (µsec) | Chirp Width (MHz) | Pulse 1-to-2 PRI (µsec) | Pulse 2-to-3 PRI (µsec) | Start Location Within Interval (msec) |
| 1 | 3 | 64 | 16 | 1368 | 1167 | 476.207 |
| 2 | 2 | 62.1 | 16 | 1444 | -- | 524.961 |
| 3 | 1 | 86.2 | 16 | -- | -- | 337.732 |
| 4 | 2 | 58.5 | 16 | 1064 | -- | 8.483 |
| 5 | 3 | 89.1 | 16 | 1071 | 1544 | 985.664 |
| 6 | 2 | 71.8 | 16 | 1683 | -- | 770.295 |
| 7 | 2 | 64.2 | 16 | 1878 | -- | 33.785 |
| 8 | 1 | 85.4 | 16 | -- | -- | 440.826 |
| 9 | 2 | 91.8 | 16 | 1552 | -- | 1052.437 |
| 10 | 2 | 77.3 | 16 | 1498 | -- | 467.118 |
| 11 | 2 | 77.9 | 16 | 1991 | -- | 436.609 |
| Detection Check (Y=Detection; N=No Detection) | | | | | | Y |


*This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.*

| Trial Number | | | 28 | | | |
|---|---|---|---|---|---|---|
| Bursts in Trial | | | 19 | | | |
| Center Frequency (MHz) | | | 5610 | | | |
| Burst | Number of Pulses | Pulse Width (µsec) | Chirp Width (MHz) | Pulse 1-to-2 PRI (µsec) | Pulse 2-to-3 PRI (µsec) | Start Location Within Interval (msec) |
| 1 | 3 | 76.4 | 17 | 1347 | 1144 | 51.36 |
| 2 | 3 | 52.4 | 17 | 1992 | 1827 | 562.281 |
| 3 | 3 | 85.4 | 17 | 1786 | 1251 | 43.492 |
| 4 | 2 | 54.2 | 17 | 1282 | -- | 130.973 |
| 5 | 3 | 83.6 | 17 | 1299 | 1137 | 613.204 |
| 6 | 2 | 96.3 | 17 | 1921 | -- | 136.395 |
| 7 | 2 | 92 | 17 | 1825 | -- | 343.526 |
| 8 | 2 | 80.6 | 17 | 1159 | -- | 428.897 |
| 9 | 1 | 67.8 | 17 | -- | -- | 398.418 |
| 10 | 2 | 58.3 | 17 | 1413 | -- | 208.519 |
| 11 | 1 | 81.9 | 17 | -- | -- | 618.001 |
| 12 | 2 | 55.6 | 17 | 1845 | -- | 299.562 |
| 13 | 2 | 52.5 | 17 | 1827 | -- | 284.473 |
| 14 | 2 | 99.8 | 17 | 1290 | -- | 560.544 |
| 15 | 2 | 56.5 | 17 | 1607 | -- | 396.155 |
| 16 | 1 | 70.8 | 17 | -- | -- | 506.436 |
| 17 | 2 | 80 | 17 | 1582 | -- | 560.837 |
| 18 | 2 | 50 | 17 | 1957 | -- | 334.158 |
| 19 | 1 | 86.5 | 17 | -- | -- | 129.179 |
| Detection Check (Y=Detection; N=No Detection) | | | | | | Y |


*This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.*

| Trial Number | | | 29 | | | |
|---|---|---|---|---|---|---|
| Bursts in Trial | | | 11 | | | |
| Center Frequency (MHz) | | | 5610 | | | |
| Burst | Number of Pulses | Pulse Width (µsec) | Chirp Width (MHz) | Pulse 1-to-2 PRI (µsec) | Pulse 2-to-3 PRI (µsec) | Start Location Within Interval (msec) |
| 1 | 3 | 72.5 | 16 | 1326 | 1085 | 418.338 |
| 2 | 3 | 53.2 | 16 | 1255 | 1936 | 774.251 |
| 3 | 2 | 80.8 | 16 | 1517 | -- | 84.442 |
| 4 | 3 | 52.8 | 16 | 1186 | 1080 | 587.603 |
| 5 | 3 | 88.6 | 16 | 1232 | 1276 | 343.594 |
| 6 | 2 | 57.3 | 16 | 1273 | -- | 151.485 |
| 7 | 2 | 76.7 | 16 | 1543 | -- | 524.595 |
| 8 | 2 | 78.2 | 16 | 1355 | -- | 1037.786 |
| 9 | 3 | 63.2 | 16 | 1638 | 1805 | 377.997 |
| 10 | 3 | 65.6 | 16 | 1036 | 1727 | 298.618 |
| 11 | 1 | 97.1 | 16 | -- | -- | 86.409 |
| Detection Check (Y=Detection; N=No Detection) | | | | | | Y |


*This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.*

**5610MHz, Radar 6**

| Trial Id | Radar Type | Pulse Width(μs) | PRI (μs) | Pulses Per Hop | Hopping Rate (kHz) | Hopping Sequence Length (ms) | Visible Frequency Number | conclusion |
|---|---|---|---|---|---|---|---|---|
| 0 | 6 | 1.0 | 333.3 | 9 | 0.3333 | 300.00 | 33 | Y |
| 1 | 6 | 1.0 | 333.3 | 9 | 0.3333 | 300.00 | 29 | Y |
| 2 | 6 | 1.0 | 333.3 | 9 | 0.3333 | 300.00 | 28 | Y |
| 3 | 6 | 1.0 | 333.3 | 9 | 0.3333 | 300.00 | 35 | Y |
| 4 | 6 | 1.0 | 333.3 | 9 | 0.3333 | 300.00 | 35 | Y |
| 5 | 6 | 1.0 | 333.3 | 9 | 0.3333 | 300.00 | 31 | Y |
| 6 | 6 | 1.0 | 333.3 | 9 | 0.3333 | 300.00 | 33 | Y |
| 7 | 6 | 1.0 | 333.3 | 9 | 0.3333 | 300.00 | 29 | Y |
| 8 | 6 | 1.0 | 333.3 | 9 | 0.3333 | 300.00 | 33 | Y |
| 9 | 6 | 1.0 | 333.3 | 9 | 0.3333 | 300.00 | 32 | Y |
| 10 | 6 | 1.0 | 333.3 | 9 | 0.3333 | 300.00 | 36 | Y |
| 11 | 6 | 1.0 | 333.3 | 9 | 0.3333 | 300.00 | 40 | Y |
| 12 | 6 | 1.0 | 333.3 | 9 | 0.3333 | 300.00 | 37 | Y |
| 13 | 6 | 1.0 | 333.3 | 9 | 0.3333 | 300.00 | 34 | Y |
| 14 | 6 | 1.0 | 333.3 | 9 | 0.3333 | 300.00 | 31 | Y |
| 15 | 6 | 1.0 | 333.3 | 9 | 0.3333 | 300.00 | 39 | Y |
| 16 | 6 | 1.0 | 333.3 | 9 | 0.3333 | 300.00 | 35 | Y |
| 17 | 6 | 1.0 | 333.3 | 9 | 0.3333 | 300.00 | 36 | Y |
| 18 | 6 | 1.0 | 333.3 | 9 | 0.3333 | 300.00 | 29 | Y |
| 19 | 6 | 1.0 | 333.3 | 9 | 0.3333 | 300.00 | 32 | Y |
| 20 | 6 | 1.0 | 333.3 | 9 | 0.3333 | 300.00 | 35 | Y |
| 21 | 6 | 1.0 | 333.3 | 9 | 0.3333 | 300.00 | 38 | Y |
| 22 | 6 | 1.0 | 333.3 | 9 | 0.3333 | 300.00 | 40 | Y |
| 23 | 6 | 1.0 | 333.3 | 9 | 0.3333 | 300.00 | 37 | Y |
| 24 | 6 | 1.0 | 333.3 | 9 | 0.3333 | 300.00 | 31 | Y |
| 25 | 6 | 1.0 | 333.3 | 9 | 0.3333 | 300.00 | 33 | Y |
| 26 | 6 | 1.0 | 333.3 | 9 | 0.3333 | 300.00 | 29 | Y |
| 27 | 6 | 1.0 | 333.3 | 9 | 0.3333 | 300.00 | 35 | Y |
| 28 | 6 | 1.0 | 333.3 | 9 | 0.3333 | 300.00 | 32 | Y |
| 29 | 6 | 1.0 | 333.3 | 9 | 0.3333 | 300.00 | 37 | Y |
| Detection rate: 100% | | | | | | | | |


*This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.*

# 6. Main Test Instruments

| Name | Manufacturer | Type | Serial Number | Calibration Date | Expiration Date |
|---|---|---|---|---|---|
| Vector Signal Generator | KEYSIGHT | N5172B | MY53050900 | 2025-11-24 | 2026-11-23 |
| Spectrum Analyzer | Agilent | N9010A | MY50210259 | 2025-11-24 | 2026-11-23 |
| Wireless Router | ASUS | AXE11000 | GT-AXE11000 (FCC ID: MSQ-RTAXJF00) | / | / |
| Splitter | UCL Microwave | UCL-PD0512-2S | 190411001 | / | / |
| Splitter | UCL Microwave | UCL-PD0512-2S | 190411002 | / | / |
| RF Cable | Agilent | SMA 15cm | 0001 | / | / |
| RF Cable | Agilent | SMA 15cm | 0002 | / | / |
| RF Cable | Agilent | SMA 15cm | 0003 | / | / |
| RF Cable | Agilent | SMA 15cm | 0004 | / | / |


*This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.*

# 7. The EUT Appearance

**Refer to *EUT Appearance*.**


*This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.*

# 8. Test Setup Photos

**Refer to *DFS Test Setup.***

******** END OF REPORT ********


*This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.*