


802.11ax (HE20) CH116




Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1000.00	---	41.81	54.00	12.19	500.00	200.0	V	182.00	3
1259.88	45.50	---	68.20	22.70	500.00	100.0	H	145.00	4
1700.88	---	34.82	54.00	19.18	500.00	100.0	V	343.00	5
1792.75	47.32	---	68.20	20.88	500.00	200.0	V	4.00	5
2400.00	50.49	---	68.20	17.71	500.00	100.0	V	155.00	7
2782.38	---	37.61	54.00	16.39	500.00	200.0	V	0.00	8
3519.13	50.95	---	68.20	17.25	500.00	200.0	V	46.00	9
3973.25	---	40.69	54.00	13.31	500.00	100.0	V	33.00	11
5324.25	58.52	---	68.20	9.68	500.00	200.0	V	46.00	13
5423.13	---	47.71	54.00	6.29	500.00	200.0	V	46.00	14
6997.25	61.15	---	68.20	7.05	500.00	100.0	V	356.00	19
7741.88	---	49.09	54.00	4.91	500.00	200.0	H	234.00	22

Note: The signal beyond the limit is carrier.

Radiates Emission from 1GHz to 8GHz




Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8400.00	---	39.86	54.00	14.14	500.00	100.0	V	34.00	3
8706.25	49.93	---	68.20	18.27	500.00	200.0	V	356.00	5
9382.50	---	38.30	54.00	15.70	500.00	200.0	H	54.00	6
10418.75	50.84	---	68.20	17.36	500.00	100.0	H	354.00	5
10553.75	50.89	---	68.20	17.32	500.00	100.0	H	294.00	6
11093.75	---	42.73	54.00	11.27	500.00	100.0	V	218.00	7
13336.25	---	41.37	54.00	12.63	500.00	100.0	H	359.00	8
13667.50	52.70	---	68.20	15.50	500.00	200.0	H	202.00	8
14473.75	---	41.40	54.00	12.60	500.00	200.0	H	7.00	8
15062.50	53.41	---	68.20	14.79	500.00	100.0	V	202.00	8
15720.00	---	40.26	54.00	13.74	500.00	100.0	H	176.00	6
17436.25	58.62	---	68.20	9.58	500.00	200.0	H	0.00	13

Radiates Emission from 8GHz to 18GHz

802.11ax (HE20) CH140




Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1000.00	---	40.09	54.00	13.91	500.00	200.0	V	190.00	3
1247.63	45.77	---	68.20	22.43	500.00	200.0	V	20.00	4
1492.63	---	34.75	54.00	19.25	500.00	200.0	V	59.00	4
1919.63	46.59	---	68.20	21.61	500.00	200.0	V	277.00	6
2557.50	48.99	---	68.20	19.21	500.00	200.0	V	206.00	8
2743.88	---	37.28	54.00	16.72	500.00	200.0	H	2.00	8
3446.50	50.10	---	68.20	18.10	500.00	200.0	V	102.00	9
3972.38	---	40.62	54.00	13.38	500.00	100.0	V	10.00	11
5243.75	55.86	---	68.20	12.34	500.00	100.0	V	19.00	13
5381.13	---	48.35	54.00	5.65	500.00	200.0	V	234.00	14
6861.63	60.24	---	68.20	7.96	500.00	200.0	H	34.00	19
7733.13	---	48.95	54.00	5.05	500.00	100.0	V	5.00	22

Note: The signal beyond the limit is carrier.

Radiates Emission from 1GHz to 8GHz




Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8400.00	---	38.97	54.00	15.03	500.00	100.0	V	27.00	3
8643.75	49.31	---	68.20	18.89	500.00	200.0	V	202.00	4
9280.00	49.37	---	68.20	18.83	500.00	100.0	V	141.00	6
9308.75	---	37.68	54.00	16.32	500.00	200.0	H	8.00	6
10565.00	48.14	---	68.20	20.06	500.00	200.0	H	4.00	6
11098.75	---	39.21	54.00	14.79	500.00	200.0	H	142.00	7
12712.50	47.40	---	68.20	20.80	500.00	200.0	V	359.00	7
13333.75	---	37.26	54.00	16.74	500.00	200.0	V	314.00	8
13870.00	48.68	---	68.20	19.52	500.00	200.0	H	0.00	9
15683.75	---	35.98	54.00	18.02	500.00	100.0	H	282.00	6
17458.75	51.43	---	68.20	16.77	500.00	200.0	H	45.00	13
17797.50	---	42.44	54.00	11.56	500.00	200.0	V	141.00	15

Radiates Emission from 8GHz to 18GHz

802.11ax (HE20) CH144




Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1000.00	---	40.74	54.00	13.26	500.00	200.0	V	178.00	3
1267.75	45.36	---	68.20	22.84	500.00	200.0	V	331.00	4
1511.88	---	35.42	54.00	18.58	500.00	200.0	V	0.00	4
1893.38	47.05	---	68.20	21.15	500.00	200.0	H	348.00	5
2505.00	48.62	---	68.20	19.58	500.00	200.0	V	163.00	7
2771.88	---	37.36	54.00	16.64	500.00	200.0	V	106.00	8
3344.13	50.07	---	68.20	18.13	500.00	100.0	V	194.00	9
3979.38	---	40.50	54.00	13.50	500.00	100.0	H	323.00	11
5316.38	58.33	---	68.20	9.87	500.00	200.0	V	314.00	13
5400.38	---	49.85	54.00	4.15	500.00	200.0	V	45.00	14
5900.88	60.73	---	68.20	7.47	500.00	200.0	V	359.00	15
7731.38	---	48.76	54.00	5.24	500.00	200.0	V	32.00	22

Note: The signal beyond the limit is carrier.

Radiates Emission from 1GHz to 8GHz




Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8400.00	---	39.12	54.00	14.88	500.00	100.0	V	1.00	3
8646.25	49.21	---	68.20	18.99	500.00	200.0	H	155.00	4
9273.75	49.21	---	68.20	18.99	500.00	100.0	H	284.00	6
9306.25	---	37.40	54.00	16.60	500.00	200.0	H	155.00	6
10577.50	48.38	---	68.20	19.82	500.00	100.0	V	4.00	6
10677.50	---	38.55	54.00	15.45	500.00	100.0	V	247.00	6
12735.00	47.72	---	68.20	20.48	500.00	100.0	V	26.00	7
13333.75	---	37.21	54.00	16.79	500.00	100.0	V	156.00	8
13902.50	48.74	---	68.20	19.46	500.00	100.0	V	277.00	9
15720.00	---	36.02	54.00	17.98	500.00	100.0	V	201.00	6
17485.00	51.19	---	68.20	17.01	500.00	100.0	V	156.00	12
17786.25	---	42.23	54.00	11.77	500.00	100.0	H	253.00	14

Radiates Emission from 8GHz to 18GHz

802.11ax (HE20) CH149




Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1000.00	---	42.01	54.00	11.99	500.00	200.0	V	178.00	3
1291.38	45.17	---	68.20	23.03	500.00	200.0	V	170.00	4
1696.50	---	34.87	54.00	19.13	500.00	200.0	V	257.00	5
1965.13	48.14	---	68.20	20.06	500.00	100.0	V	100.00	6
2461.25	48.80	---	68.20	19.40	500.00	200.0	V	231.00	8
2778.00	---	37.52	54.00	16.48	500.00	200.0	H	358.00	8
3513.00	49.85	---	68.20	18.35	500.00	100.0	H	359.00	9
3970.63	---	40.64	54.00	13.36	500.00	100.0	V	207.00	11
5438.88	---	49.69	54.00	4.31	500.00	200.0	V	311.00	14
5471.25	60.92	---	68.20	7.28	500.00	200.0	V	0.00	14
7726.13	---	49.06	54.00	4.94	500.00	200.0	H	351.00	22
7794.38	60.48	---	68.20	7.72	500.00	200.0	V	161.00	21

Note: The signal beyond the limit is carrier.

Radiates Emission from 1GHz to 8GHz




Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8400.00	---	39.77	54.00	14.23	500.00	100.0	V	37.00	3
8620.00	50.41	---	68.20	17.79	500.00	100.0	V	116.00	4
9311.25	---	38.37	54.00	15.63	500.00	100.0	H	340.00	6
10393.75	50.95	---	68.20	17.25	500.00	200.0	V	306.00	5
10585.00	51.52	---	68.20	16.68	500.00	200.0	V	317.00	6
11093.75	---	43.07	54.00	10.93	500.00	100.0	V	101.00	7
13336.25	---	41.01	54.00	12.99	500.00	200.0	V	113.00	8
13642.50	52.67	---	68.20	15.53	500.00	200.0	V	346.00	8
13945.00	53.96	---	68.20	14.24	500.00	100.0	V	3.00	9
14485.00	---	41.37	54.00	12.63	500.00	200.0	H	9.00	8
15717.50	---	40.38	54.00	13.62	500.00	100.0	V	0.00	6
17426.25	57.04	---	68.20	11.16	500.00	100.0	H	358.00	13

Radiates Emission from 8GHz to 18GHz

802.11ax (HE20) CH157




Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1000.00	---	41.37	54.00	12.63	500.00	200.0	V	186.00	3
1289.63	46.66	---	68.20	21.54	500.00	200.0	H	292.00	4
1580.13	---	34.89	54.00	19.11	500.00	200.0	V	283.00	4
1958.13	47.69	---	68.20	20.51	500.00	100.0	V	152.00	6
2624.00	49.01	---	68.20	19.19	500.00	100.0	V	285.00	7
2774.50	---	37.78	54.00	16.22	500.00	100.0	H	62.00	8
3522.63	50.07	---	68.20	18.13	500.00	200.0	H	266.00	9
3967.13	---	40.52	54.00	13.48	500.00	100.0	V	107.00	11
5438.88	---	47.34	54.00	6.66	500.00	200.0	V	47.00	14
5641.00	58.87	---	68.20	9.33	500.00	200.0	V	1.00	15
6964.00	60.75	---	68.20	7.45	500.00	100.0	H	113.00	19
7735.75	---	49.19	54.00	4.81	500.00	200.0	H	353.00	22

Note: The signal beyond the limit is carrier.

Radiates Emission from 1GHz to 8GHz




Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8398.75	---	40.01	54.00	13.99	500.00	100.0	V	0.00	3
8990.00	50.10	---	68.20	18.10	500.00	100.0	V	156.00	5
9300.00	---	38.62	54.00	15.38	500.00	100.0	H	347.00	6
9972.50	51.21	---	68.20	16.99	500.00	200.0	H	0.00	5
10592.50	51.24	---	68.20	16.96	500.00	200.0	H	0.00	6
11093.75	---	42.51	54.00	11.49	500.00	100.0	V	247.00	7
13266.25	---	40.91	54.00	13.09	500.00	200.0	V	48.00	8
13670.00	53.05	---	68.20	15.15	500.00	200.0	V	155.00	8
14398.75	53.93	---	68.20	14.27	500.00	100.0	V	171.00	9
14476.25	---	41.42	54.00	12.58	500.00	100.0	H	129.00	8
15728.75	---	39.68	54.00	14.32	500.00	100.0	H	319.00	6
17390.00	56.55	---	68.20	11.65	500.00	100.0	V	14.00	13

Radiates Emission from 8GHz to 18GHz

802.11ax (HE20) CH165




Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1000.00	---	43.12	54.00	10.88	500.00	200.0	V	180.00	3
1294.00	46.21	---	68.20	21.99	500.00	200.0	H	10.00	4
1623.88	---	34.87	54.00	19.13	500.00	200.0	V	351.00	4
1899.50	47.64	---	68.20	20.56	500.00	100.0	V	188.00	5
2374.63	---	38.31	54.00	15.69	500.00	100.0	V	3.00	7
2607.38	48.65	---	68.20	19.55	500.00	100.0	V	289.00	8
3318.75	50.28	---	68.20	17.92	500.00	200.0	V	347.00	9
3962.75	---	40.86	54.00	13.14	500.00	100.0	H	0.00	11
4893.75	---	48.66	54.00	5.34	500.00	100.0	V	307.00	12
5636.63	59.27	---	68.20	8.93	500.00	200.0	V	268.00	15
6796.88	61.71	---	68.20	6.49	500.00	200.0	V	303.00	19
7734.00	---	49.99	54.00	4.01	500.00	200.0	H	0.00	22

Note: The signal beyond the limit is carrier.

Radiates Emission from 1GHz to 8GHz




Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8400.00	---	39.64	54.00	14.36	500.00	100.0	V	14.00	3
8685.00	49.45	---	68.20	18.75	500.00	200.0	V	0.00	5
9347.50	---	38.52	54.00	15.48	500.00	200.0	H	217.00	5
10458.75	50.91	---	68.20	17.29	500.00	100.0	V	295.00	5
10586.25	51.25	---	68.20	16.95	500.00	200.0	V	358.00	6
11093.75	---	42.34	54.00	11.66	500.00	100.0	V	54.00	7
13397.50	---	41.11	54.00	12.89	500.00	200.0	H	8.00	8
13636.25	52.74	---	68.20	15.46	500.00	200.0	V	0.00	8
14477.50	---	41.40	54.00	12.60	500.00	200.0	H	15.00	8
14591.25	53.58	---	68.20	14.62	500.00	100.0	V	234.00	8
15722.50	---	40.14	54.00	13.86	500.00	100.0	H	358.00	6
17421.25	57.58	---	68.20	10.62	500.00	100.0	V	0.00	13

Radiates Emission from 8GHz to 18GHz

802.11ax (HE40) CH38




Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1000.00	---	42.15	54.00	11.85	500.00	200.0	V	193.00	3
1261.63	45.55	---	68.20	22.65	500.00	100.0	V	285.00	4
1683.38	---	35.02	54.00	18.98	500.00	200.0	V	220.00	5
1958.13	47.18	---	68.20	21.02	500.00	100.0	V	57.00	6
2374.63	---	38.05	54.00	15.95	500.00	100.0	V	31.00	7
2399.13	49.38	---	68.20	18.82	500.00	100.0	V	173.00	7
3523.50	50.44	---	68.20	17.76	500.00	200.0	H	12.00	9
3959.25	---	40.65	54.00	13.35	500.00	100.0	V	132.00	11
4480.75	51.69	---	68.20	16.51	500.00	200.0	V	304.00	11
4910.38	---	49.31	54.00	4.69	500.00	100.0	V	104.00	12
7735.75	---	49.58	54.00	4.42	500.00	100.0	V	144.00	22
7781.25	60.62	---	68.20	7.58	500.00	200.0	V	311.00	22

Note: The signal beyond the limit is carrier.

Radiates Emission from 1GHz to 8GHz




Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8400.00	---	39.91	54.00	14.09	500.00	100.0	V	6.00	3
8861.25	51.17	---	68.20	17.03	500.00	200.0	V	0.00	4
9303.75	---	38.60	54.00	15.40	500.00	100.0	H	0.00	6
10401.25	50.93	---	68.20	17.27	500.00	200.0	V	202.00	5
10556.25	50.97	---	68.20	17.23	500.00	100.0	V	1.00	6
11093.75	---	41.94	54.00	12.06	500.00	100.0	V	188.00	7
13270.00	---	41.07	54.00	12.93	500.00	200.0	H	1.00	8
13442.50	52.95	---	68.20	15.25	500.00	100.0	H	295.00	8
14395.00	53.59	---	68.20	14.61	500.00	100.0	H	340.00	9
14487.50	---	41.43	54.00	12.57	500.00	200.0	V	234.00	8
15702.50	---	40.44	54.00	13.56	500.00	200.0	V	326.00	6
17400.00	57.80	---	68.20	10.40	500.00	200.0	H	9.00	13

Radiates Emission from 8GHz to 18GHz

802.11ax (HE40) CH46




Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1000.00	---	41.56	54.00	12.44	500.00	200.0	V	184.00	3
1265.13	45.59	---	68.20	22.61	500.00	100.0	H	286.00	4
1415.63	---	34.87	54.00	19.13	500.00	200.0	V	346.00	4
1861.88	47.51	---	68.20	20.69	500.00	200.0	V	0.00	5
2374.63	---	38.08	54.00	15.92	500.00	100.0	V	18.00	7
2549.63	49.05	---	68.20	19.15	500.00	100.0	H	342.00	8
3553.25	50.68	---	68.20	17.52	500.00	200.0	V	308.00	9
3989.88	---	40.70	54.00	13.30	500.00	100.0	H	299.00	11
4457.13	51.64	---	68.20	16.56	500.00	100.0	V	18.00	11
5010.13	---	52.11	54.00	1.89	500.00	100.0	V	9.00	12
7731.38	---	49.25	54.00	4.75	500.00	100.0	V	1.00	22
7773.38	60.37	---	68.20	7.83	500.00	100.0	H	235.00	22

Note: The signal beyond the limit is carrier.

Radiates Emission from 1GHz to 8GHz




Final Result

Frequency (MHz)	MaxPeak (dB μ V/m)	Average (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8400.00	---	40.95	54.00	13.05	500.00	100.0	V	30.00	3
8660.00	49.99	---	68.20	18.21	500.00	100.0	H	358.00	4
9375.00	---	38.50	54.00	15.50	500.00	100.0	H	249.00	6
10452.50	52.92	---	68.20	15.28	500.00	100.0	V	12.00	5
10560.00	50.76	---	68.20	17.44	500.00	200.0	H	125.00	6
11093.75	---	42.63	54.00	11.37	500.00	100.0	V	241.00	7
13357.50	---	41.13	54.00	12.87	500.00	100.0	V	224.00	8
13692.50	52.85	---	68.20	15.35	500.00	100.0	H	34.00	8
14447.50	53.92	---	68.20	14.28	500.00	200.0	V	278.00	8
14477.50	---	41.53	54.00	12.47	500.00	200.0	H	43.00	8
15718.75	---	39.88	54.00	14.12	500.00	100.0	H	158.00	6
17336.25	55.01	---	68.20	13.19	500.00	200.0	H	155.00	12

Radiates Emission from 8GHz to 18GHz

802.11ax (HE40) CH54




Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1000.00	---	41.37	54.00	12.63	500.00	200.0	V	173.00	3
1259.88	45.38	---	68.20	22.82	500.00	100.0	V	4.00	4
1572.25	---	35.06	54.00	18.94	500.00	100.0	H	358.00	4
1931.00	47.33	---	68.20	20.87	500.00	100.0	V	187.00	6
2400.00	49.27	---	68.20	18.93	500.00	100.0	V	161.00	7
2777.13	---	37.90	54.00	16.10	500.00	100.0	V	148.00	8
3469.25	50.31	---	68.20	17.89	500.00	200.0	H	40.00	9
3962.75	---	40.34	54.00	13.66	500.00	200.0	V	356.00	11
4456.25	51.95	---	68.20	16.25	500.00	200.0	V	259.00	11
4969.88	---	52.25	54.00	1.75	500.00	100.0	V	301.00	12
7742.75	---	49.35	54.00	4.65	500.00	100.0	H	350.00	22
7774.25	61.04	---	68.20	7.16	500.00	200.0	V	259.00	22

Note: The signal beyond the limit is carrier.

Radiates Emission from 1GHz to 8GHz




Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8400.00	---	39.79	54.00	14.21	500.00	100.0	V	0.00	3
8668.75	49.92	---	68.20	18.28	500.00	100.0	V	0.00	4
9307.50	---	38.65	54.00	15.35	500.00	100.0	H	347.00	6
10466.25	50.63	---	68.20	17.57	500.00	200.0	H	32.00	5
10538.75	51.31	---	68.20	16.89	500.00	100.0	H	336.00	6
11093.75	---	42.98	54.00	11.02	500.00	100.0	V	2.00	7
12703.75	52.98	---	68.20	15.22	500.00	200.0	V	0.00	7
13267.50	---	41.08	54.00	12.92	500.00	200.0	V	65.00	8
14397.50	53.82	---	68.20	14.38	500.00	200.0	V	293.00	9
14470.00	---	41.48	54.00	12.52	500.00	200.0	V	0.00	8
15732.50	---	39.91	54.00	14.09	500.00	200.0	H	8.00	6
17363.75	56.94	---	68.20	11.26	500.00	100.0	V	325.00	12

Radiates Emission from 8GHz to 18GHz

802.11ax (HE40) CH62




Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1000.00	---	40.74	54.00	13.26	500.00	200.0	V	184.00	3
1249.38	45.61	---	68.20	22.59	500.00	100.0	V	163.00	4
1698.25	---	35.46	54.00	18.54	500.00	200.0	H	0.00	5
1979.13	47.60	---	68.20	20.60	500.00	200.0	H	36.00	6
2460.38	48.68	---	68.20	19.52	500.00	100.0	V	238.00	8
2793.75	---	37.69	54.00	16.31	500.00	100.0	V	2.00	8
3331.00	50.33	---	68.20	17.87	500.00	200.0	H	2.00	9
3963.63	---	40.65	54.00	13.35	500.00	200.0	V	340.00	11
4419.50	51.98	---	68.20	16.22	500.00	100.0	H	133.00	11
4930.50	---	53.31	54.00	0.69	500.00	100.0	V	14.00	12
6981.50	60.72	---	68.20	7.48	500.00	100.0	V	10.00	19
7741.00	---	49.40	54.00	4.60	500.00	100.0	H	357.00	22

Note: The signal beyond the limit is carrier.

Radiates Emission from 1GHz to 8GHz




Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8400.00	---	39.63	54.00	14.37	500.00	100.0	V	0.00	3
8735.00	50.04	---	68.20	18.16	500.00	200.0	H	1.00	5
9346.25	---	38.54	54.00	15.46	500.00	100.0	H	0.00	5
10468.75	51.02	---	68.20	17.18	500.00	200.0	H	63.00	6
10585.00	51.54	---	68.20	16.66	500.00	100.0	H	333.00	6
11093.75	---	42.26	54.00	11.74	500.00	100.0	V	15.00	7
13301.25	---	41.16	54.00	12.84	500.00	100.0	V	5.00	8
13732.50	52.62	---	68.20	15.58	500.00	200.0	V	307.00	9
14378.75	54.09	---	68.20	14.11	500.00	200.0	H	63.00	9
14480.00	---	41.56	54.00	12.44	500.00	100.0	V	15.00	8
15676.25	---	40.06	54.00	13.94	500.00	100.0	V	71.00	6
17351.25	56.94	---	68.20	11.26	500.00	200.0	V	356.00	12

Radiates Emission from 8GHz to 18GHz

802.11ax (HE40) CH102




Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1000.00	---	42.64	54.00	11.36	500.00	200.0	V	191.00	3
1293.13	46.03	---	68.20	22.17	500.00	200.0	V	164.00	4
1462.88	---	35.00	54.00	19.00	500.00	100.0	V	31.00	4
1846.13	47.15	---	68.20	21.05	500.00	100.0	V	160.00	5
2374.63	---	37.85	54.00	16.15	500.00	100.0	V	13.00	7
2584.63	49.36	---	68.20	18.84	500.00	100.0	H	0.00	8
3229.50	50.59	---	68.20	17.61	500.00	100.0	H	312.00	9
3963.63	---	40.83	54.00	13.17	500.00	200.0	H	142.00	11
4440.50	51.88	---	68.20	16.32	500.00	100.0	V	84.00	11
5120.38	---	48.96	54.00	5.04	500.00	100.0	V	52.00	13
7727.88	---	49.57	54.00	4.43	500.00	100.0	V	4.00	22
7797.00	60.81	---	68.20	7.39	500.00	100.0	H	168.00	21

Note: The signal beyond the limit is carrier.

Radiates Emission from 1GHz to 8GHz




Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8400.00	---	40.16	54.00	13.84	500.00	100.0	V	2.00	3
8643.75	49.55	---	68.20	18.65	500.00	200.0	V	218.00	4
9308.75	---	38.44	54.00	15.56	500.00	100.0	V	41.00	6
10452.50	50.64	---	68.20	17.56	500.00	100.0	H	325.00	5
10592.50	51.44	---	68.20	16.76	500.00	100.0	V	0.00	6
11093.75	---	43.20	54.00	10.80	500.00	100.0	V	246.00	7
13337.50	---	41.12	54.00	12.88	500.00	100.0	H	340.00	8
13701.25	53.35	---	68.20	14.85	500.00	100.0	V	3.00	8
14472.50	---	41.37	54.00	12.63	500.00	100.0	H	358.00	8
14532.50	54.29	---	68.20	13.91	500.00	100.0	V	230.00	8
15703.75	---	39.80	54.00	14.20	500.00	200.0	H	24.00	6
17120.00	54.44	---	68.20	13.76	500.00	200.0	V	357.00	10

Radiates Emission from 8GHz to 18GHz

802.11ax (HE40) CH118




Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1000.00	---	42.56	54.00	11.44	500.00	200.0	V	170.00	3
1248.50	45.56	---	68.20	22.64	500.00	100.0	V	6.00	4
1483.88	---	34.94	54.00	19.06	500.00	100.0	V	74.00	5
1971.25	47.35	---	68.20	20.85	500.00	100.0	V	340.00	6
2302.00	49.05	---	68.20	19.15	500.00	200.0	V	359.00	7
2785.88	---	37.83	54.00	16.17	500.00	200.0	H	111.00	8
3322.25	50.35	---	68.20	17.85	500.00	100.0	H	158.00	9
3963.63	---	40.58	54.00	13.42	500.00	200.0	H	50.00	11
4893.75	---	47.85	54.00	6.15	500.00	100.0	V	101.00	12
5341.75	58.06	---	68.20	10.14	500.00	200.0	V	40.00	14
6759.25	60.90	---	68.20	7.30	500.00	200.0	V	292.00	19
7728.75	---	49.27	54.00	4.73	500.00	200.0	H	64.00	22

Note: The signal beyond the limit is carrier.

Radiates Emission from 1GHz to 8GHz




Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8400.00	---	39.96	54.00	14.04	500.00	100.0	V	24.00	3
8983.75	50.06	---	68.20	18.14	500.00	200.0	H	67.00	5
9310.00	---	39.02	54.00	14.98	500.00	200.0	H	44.00	6
9927.50	49.30	---	68.20	18.90	500.00	100.0	H	42.00	5
10468.75	50.39	---	68.20	17.81	500.00	100.0	H	162.00	6
11093.75	---	43.15	54.00	10.85	500.00	100.0	V	173.00	7
13335.00	---	40.82	54.00	13.18	500.00	100.0	V	0.00	8
13416.25	53.11	---	68.20	15.09	500.00	200.0	H	0.00	8
14477.50	---	41.36	54.00	12.64	500.00	200.0	H	10.00	8
14575.00	54.10	---	68.20	14.10	500.00	100.0	V	156.00	8
15687.50	---	39.99	54.00	14.01	500.00	100.0	V	50.00	6
17352.50	56.40	---	68.20	11.80	500.00	200.0	V	246.00	12

Radiates Emission from 8GHz to 18GHz

802.11ax (HE40) CH134




Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1000.00	---	41.03	54.00	12.97	500.00	200.0	V	170.00	3
1249.38	45.45	---	68.20	22.75	500.00	200.0	V	184.00	4
1702.63	---	34.77	54.00	19.23	500.00	100.0	V	14.00	5
1928.38	46.43	---	68.20	21.77	500.00	200.0	V	355.00	6
2459.50	48.49	---	68.20	19.71	500.00	100.0	H	0.00	8
2780.63	---	37.49	54.00	16.51	500.00	100.0	H	250.00	8
3528.75	50.27	---	68.20	17.93	500.00	200.0	V	350.00	9
3968.88	---	40.34	54.00	13.66	500.00	200.0	H	6.00	11
5292.75	57.69	---	68.20	10.51	500.00	200.0	V	0.00	13
5444.13	---	49.62	54.00	4.38	500.00	200.0	V	54.00	14
5906.13	60.20	---	68.20	8.00	500.00	200.0	V	54.00	15
7740.13	---	49.45	54.00	4.55	500.00	100.0	V	1.00	22

Note: The signal beyond the limit is carrier.

Radiates Emission from 1GHz to 8GHz




Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8400.00	---	39.86	54.00	14.14	500.00	100.0	V	32.00	3
8671.25	49.40	---	68.20	18.80	500.00	200.0	H	293.00	4
9300.00	---	37.81	54.00	16.19	500.00	200.0	V	0.00	6
10450.00	50.07	---	68.20	18.13	500.00	100.0	V	19.00	5
10533.75	49.18	---	68.20	19.02	500.00	200.0	H	52.00	6
11093.75	---	40.06	54.00	13.94	500.00	100.0	V	151.00	7
12713.75	48.73	---	68.20	19.47	500.00	100.0	H	252.00	7
13333.75	---	37.90	54.00	16.10	500.00	100.0	V	2.00	8
13883.75	49.48	---	68.20	18.72	500.00	100.0	V	244.00	9
15675.00	---	36.27	54.00	17.73	500.00	100.0	V	2.00	6
17516.25	51.25	---	68.20	16.95	500.00	100.0	V	0.00	13
17855.00	---	42.98	54.00	11.02	500.00	100.0	V	151.00	15

Radiates Emission from 8GHz to 18GHz

802.11ax (HE40) CH142




Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1000.00	---	40.60	54.00	13.40	500.00	200.0	V	182.00	3
1241.50	45.57	---	68.20	22.63	500.00	200.0	V	182.00	4
1505.75	---	34.84	54.00	19.16	500.00	200.0	V	167.00	4
1951.13	46.68	---	68.20	21.52	500.00	100.0	H	0.00	6
2527.75	48.60	---	68.20	19.60	500.00	100.0	H	359.00	7
2779.75	---	37.48	54.00	16.52	500.00	200.0	H	0.00	8
3329.25	49.99	---	68.20	18.21	500.00	100.0	V	0.00	9
3983.75	---	40.37	54.00	13.63	500.00	200.0	V	0.00	11
5345.25	59.48	---	68.20	8.72	500.00	200.0	V	0.00	14
5443.25	---	50.06	54.00	3.94	500.00	200.0	V	355.00	14
6768.00	60.03	---	68.20	8.17	500.00	200.0	H	42.00	19
7749.75	---	48.83	54.00	5.17	500.00	100.0	V	0.00	22

Note: The signal beyond the limit is carrier.

Radiates Emission from 1GHz to 8GHz




Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8400.00	---	39.26	54.00	14.74	500.00	100.0	V	1.00	3
8662.50	49.86	---	68.20	18.34	500.00	100.0	H	0.00	4
9308.75	---	37.81	54.00	16.19	500.00	100.0	H	234.00	6
9970.00	49.38	---	68.20	18.82	500.00	200.0	V	350.00	5
10516.25	48.76	---	68.20	19.44	500.00	100.0	V	185.00	6
10781.25	---	39.21	54.00	14.79	500.00	100.0	V	78.00	7
12723.75	48.57	---	68.20	19.63	500.00	100.0	V	93.00	7
13333.75	---	37.88	54.00	16.12	500.00	200.0	V	325.00	8
13883.75	48.91	---	68.20	19.29	500.00	100.0	V	1.00	9
15682.50	---	36.35	54.00	17.65	500.00	100.0	V	93.00	6
17658.75	51.44	---	68.20	16.76	500.00	200.0	H	14.00	13
17828.75	---	42.47	54.00	11.53	500.00	200.0	H	0.00	15

Radiates Emission from 8GHz to 18GHz

802.11ax (HE40) CH151




Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1000.00	---	42.81	54.00	11.19	500.00	200.0	V	179.00	3
1287.00	46.06	---	68.20	22.14	500.00	200.0	V	0.00	4
1418.25	---	35.10	54.00	18.90	500.00	100.0	H	198.00	4
1965.13	47.47	---	68.20	20.73	500.00	100.0	H	0.00	6
2374.63	---	37.86	54.00	16.14	500.00	100.0	V	8.00	7
2501.50	48.44	---	68.20	19.76	500.00	200.0	H	0.00	7
3431.63	51.19	---	68.20	17.01	500.00	200.0	H	0.00	9
3962.75	---	40.66	54.00	13.34	500.00	200.0	H	273.00	11
5445.88	---	49.90	54.00	4.10	500.00	200.0	V	0.00	14
5481.75	60.51	---	68.20	7.69	500.00	200.0	V	320.00	14
6750.50	60.94	---	68.20	7.26	500.00	200.0	V	135.00	19
7727.88	---	49.51	54.00	4.49	500.00	100.0	V	211.00	22

Note: The signal beyond the limit is carrier.

Radiates Emission from 1GHz to 8GHz




Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8400.00	---	39.68	54.00	14.32	500.00	100.0	V	3.00	3
8648.75	49.73	---	68.20	18.47	500.00	200.0	V	357.00	4
9303.75	---	38.45	54.00	15.55	500.00	100.0	H	324.00	6
10388.75	51.11	---	68.20	17.09	500.00	200.0	V	346.00	5
10561.25	50.72	---	68.20	17.48	500.00	100.0	V	248.00	6
11093.75	---	42.62	54.00	11.38	500.00	100.0	V	9.00	7
13280.00	---	41.01	54.00	12.99	500.00	200.0	H	348.00	8
13417.50	52.72	---	68.20	15.48	500.00	100.0	V	2.00	8
14478.75	---	41.29	54.00	12.71	500.00	200.0	V	1.00	8
15068.75	53.98	---	68.20	14.22	500.00	100.0	H	304.00	8
15716.25	---	40.06	54.00	13.94	500.00	100.0	H	277.00	6
17441.25	56.74	---	68.20	11.46	500.00	100.0	V	338.00	13

Radiates Emission from 8GHz to 18GHz

802.11ax (HE40) CH159




Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1000.00	---	43.12	54.00	10.88	500.00	200.0	V	198.00	3
1270.38	45.64	---	68.20	22.56	500.00	200.0	V	110.00	4
1592.38	---	35.15	54.00	18.85	500.00	200.0	V	234.00	4
1944.13	47.78	---	68.20	20.42	500.00	200.0	V	75.00	6
2462.13	49.29	---	68.20	18.91	500.00	100.0	H	320.00	8
2775.38	---	37.86	54.00	16.14	500.00	200.0	V	153.00	8
3523.50	50.41	---	68.20	17.79	500.00	200.0	V	0.00	9
3968.88	---	41.08	54.00	12.92	500.00	100.0	H	354.00	11
5447.63	---	47.69	54.00	6.31	500.00	200.0	V	317.00	14
5645.38	59.94	---	68.20	8.26	500.00	200.0	V	1.00	15
7729.63	---	49.49	54.00	4.51	500.00	100.0	V	3.00	22
7754.13	61.29	---	68.20	6.91	500.00	100.0	V	15.00	22

Note: The signal beyond the limit is carrier.

Radiates Emission from 1GHz to 8GHz




Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8400.00	---	39.96	54.00	14.04	500.00	100.0	V	34.00	3
8721.25	49.44	---	68.20	18.76	500.00	200.0	H	6.00	5
9317.50	---	38.63	54.00	15.37	500.00	100.0	V	170.00	6
9927.50	51.26	---	68.20	16.94	500.00	200.0	V	157.00	5
10583.75	50.79	---	68.20	17.41	500.00	200.0	V	82.00	6
11093.75	---	42.80	54.00	11.20	500.00	100.0	V	65.00	7
13240.00	52.69	---	68.20	15.51	500.00	200.0	V	357.00	8
13300.00	---	40.88	54.00	13.12	500.00	100.0	V	264.00	8
13980.00	53.73	---	68.20	14.47	500.00	200.0	H	51.00	9
14478.75	---	41.23	54.00	12.77	500.00	200.0	V	353.00	8
15706.25	---	39.60	54.00	14.40	500.00	100.0	H	218.00	6
17400.00	56.08	---	68.20	12.12	500.00	100.0	V	1.00	13

Radiates Emission from 8GHz to 18GHz

802.11ax (HE80) CH42




Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1000.00	---	42.56	54.00	11.44	500.00	200.0	V	195.00	3
1297.50	45.94	---	68.20	22.26	500.00	200.0	V	354.00	4
1686.00	---	35.07	54.00	18.93	500.00	200.0	V	23.00	5
1994.00	46.91	---	68.20	21.29	500.00	100.0	V	89.00	6
2374.63	---	37.70	54.00	16.30	500.00	100.0	V	27.00	7
2605.63	49.27	---	68.20	18.93	500.00	200.0	H	0.00	8
3514.75	50.43	---	68.20	17.77	500.00	100.0	V	163.00	9
3959.25	---	40.74	54.00	13.26	500.00	200.0	H	0.00	11
4457.13	51.62	---	68.20	16.58	500.00	200.0	V	333.00	11
5030.25	---	52.64	54.00	1.36	500.00	100.0	V	35.00	13
6793.38	61.03	---	68.20	7.17	500.00	200.0	V	307.00	19
7732.25	---	49.21	54.00	4.79	500.00	100.0	V	215.00	22

Note: The signal beyond the limit is carrier.

Radiates Emission from 1GHz to 8GHz




Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8400.00	---	39.78	54.00	14.22	500.00	100.0	V	19.00	3
8698.75	50.15	---	68.20	18.05	500.00	200.0	V	143.00	5
9303.75	---	38.86	54.00	15.14	500.00	200.0	H	0.00	6
9922.50	50.67	---	68.20	17.53	500.00	200.0	H	2.00	5
10582.50	51.00	---	68.20	17.20	500.00	200.0	V	280.00	6
11093.75	---	42.12	54.00	11.88	500.00	100.0	V	141.00	7
13355.00	---	40.88	54.00	13.12	500.00	200.0	H	10.00	8
13658.75	53.80	---	68.20	14.40	500.00	100.0	H	349.00	8
14470.00	---	41.40	54.00	12.60	500.00	200.0	V	294.00	8
14588.75	53.63	---	68.20	14.57	500.00	100.0	H	303.00	8
15723.75	---	39.96	54.00	14.04	500.00	100.0	V	217.00	6
17417.50	57.00	---	68.20	11.20	500.00	200.0	V	346.00	13

Radiates Emission from 8GHz to 18GHz

802.11ax (HE80) CH58




Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1000.00	---	42.57	54.00	11.43	500.00	200.0	V	182.00	3
1287.00	45.83	---	68.20	22.37	500.00	100.0	H	0.00	4
1696.50	---	35.03	54.00	18.97	500.00	100.0	V	7.00	5
1999.25	47.05	---	68.20	21.15	500.00	200.0	V	348.00	6
2374.63	---	37.87	54.00	16.13	500.00	100.0	V	33.00	7
2463.00	50.26	---	68.20	17.94	500.00	100.0	H	250.00	8
3340.63	50.36	---	68.20	17.84	500.00	200.0	H	67.00	9
3967.13	---	40.59	54.00	13.41	500.00	100.0	V	0.00	11
4483.38	51.51	---	68.20	16.69	500.00	100.0	V	7.00	11
4949.75	---	52.88	54.00	1.12	500.00	100.0	V	150.00	12
6919.38	60.71	---	68.20	7.49	500.00	100.0	V	14.00	19
7727.00	---	49.49	54.00	4.51	500.00	100.0	V	0.00	22

Note: The signal beyond the limit is carrier.

Radiates Emission from 1GHz to 8GHz




Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8400.00	---	39.62	54.00	14.38	500.00	100.0	V	0.00	3
8815.00	49.56	---	68.20	18.64	500.00	100.0	H	349.00	4
9315.00	---	38.46	54.00	15.54	500.00	200.0	V	0.00	6
10455.00	51.17	---	68.20	17.03	500.00	100.0	H	323.00	5
10586.25	50.46	---	68.20	17.74	500.00	200.0	H	65.00	6
11093.75	---	43.04	54.00	10.96	500.00	100.0	V	240.00	7
13351.25	---	40.75	54.00	13.25	500.00	100.0	V	209.00	8
13730.00	52.37	---	68.20	15.83	500.00	100.0	V	39.00	9
14488.75	---	41.12	54.00	12.88	500.00	100.0	H	344.00	8
15066.25	53.78	---	68.20	14.42	500.00	100.0	V	148.00	8
15708.75	---	39.37	54.00	14.63	500.00	100.0	H	355.00	6
17441.25	56.85	---	68.20	11.35	500.00	200.0	V	357.00	13

Radiates Emission from 8GHz to 18GHz

802.11ax (HE80) CH106




Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1000.00	---	42.68	54.00	11.32	500.00	200.0	V	171.00	3
1287.88	46.66	---	68.20	21.54	500.00	200.0	H	0.00	4
1453.25	---	35.02	54.00	18.98	500.00	200.0	H	195.00	5
1991.38	47.38	---	68.20	20.82	500.00	200.0	V	20.00	6
2570.63	49.17	---	68.20	19.03	500.00	200.0	V	304.00	8
2778.00	---	37.71	54.00	16.29	500.00	200.0	H	181.00	8
3505.13	50.64	---	68.20	17.56	500.00	100.0	H	279.00	9
3965.38	---	40.60	54.00	13.40	500.00	200.0	V	228.00	11
5120.38	---	49.18	54.00	4.82	500.00	100.0	V	154.00	13
5333.88	57.11	---	68.20	11.09	500.00	200.0	V	304.00	13
7736.63	---	49.83	54.00	4.17	500.00	100.0	V	78.00	22
7842.50	61.09	---	68.20	7.11	500.00	100.0	V	0.00	21

Note: The signal beyond the limit is carrier.

Radiates Emission from 1GHz to 8GHz




Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8398.75	---	39.78	54.00	14.22	500.00	100.0	V	18.00	3
8580.00	49.35	---	68.20	18.85	500.00	100.0	H	175.00	4
9308.75	---	38.65	54.00	15.35	500.00	200.0	V	357.00	6
9902.50	49.90	---	68.20	18.30	500.00	200.0	V	12.00	5
10400.00	50.95	---	68.20	17.25	500.00	100.0	V	9.00	5
11093.75	---	42.12	54.00	11.88	500.00	100.0	V	236.00	7
13388.75	---	40.73	54.00	13.27	500.00	200.0	H	310.00	8
13466.25	53.22	---	68.20	14.98	500.00	100.0	V	25.00	8
14473.75	---	41.85	54.00	12.15	500.00	100.0	V	327.00	8
14592.50	53.91	---	68.20	14.29	500.00	200.0	V	310.00	8
15722.50	---	39.80	54.00	14.20	500.00	200.0	H	233.00	6
17393.75	56.47	---	68.20	11.73	500.00	100.0	V	4.00	13

Radiates Emission from 8GHz to 18GHz

802.11ax (HE80) CH122




Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1000.00	---	42.48	54.00	11.52	500.00	200.0	V	179.00	3
1243.25	46.95	---	68.20	21.25	500.00	200.0	H	122.00	4
1483.00	---	35.23	54.00	18.77	500.00	200.0	H	0.00	5
1900.38	47.13	---	68.20	21.07	500.00	100.0	H	288.00	5
2400.00	50.07	---	68.20	18.13	500.00	100.0	V	151.00	7
2804.25	---	37.81	54.00	16.19	500.00	200.0	H	3.00	8
3164.75	50.79	---	68.20	17.41	500.00	100.0	V	250.00	9
3983.75	---	40.58	54.00	13.42	500.00	200.0	H	128.00	11
5120.38	---	49.72	54.00	4.28	500.00	100.0	V	21.00	13
5349.63	58.07	---	68.20	10.13	500.00	200.0	V	342.00	14
6995.50	61.33	---	68.20	6.87	500.00	200.0	V	290.00	19
7741.00	---	49.31	54.00	4.69	500.00	100.0	H	96.00	22

Note: The signal beyond the limit is carrier.

Radiates Emission from 1GHz to 8GHz




Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8400.00	---	39.49	54.00	14.51	500.00	100.0	V	337.00	3
8642.50	49.77	---	68.20	18.43	500.00	100.0	V	0.00	4
9346.25	---	38.51	54.00	15.49	500.00	200.0	H	279.00	5
9853.75	50.26	---	68.20	17.94	500.00	100.0	H	355.00	5
10588.75	51.39	---	68.20	16.81	500.00	200.0	V	294.00	6
11093.75	---	42.42	54.00	11.58	500.00	100.0	V	128.00	7
13337.50	---	40.78	54.00	13.22	500.00	100.0	V	112.00	8
13735.00	52.61	---	68.20	15.59	500.00	200.0	H	232.00	9
14473.75	---	41.37	54.00	12.63	500.00	100.0	V	160.00	8
14738.75	53.47	---	68.20	14.73	500.00	200.0	V	143.00	8
15717.50	---	39.60	54.00	14.40	500.00	100.0	H	0.00	6
17401.25	56.57	---	68.20	11.63	500.00	100.0	H	6.00	13

Radiates Emission from 8GHz to 18GHz

802.11ax (HE80) CH138




Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1000.00	---	41.38	54.00	12.62	500.00	200.0	V	168.00	3
1260.75	45.54	---	68.20	22.66	500.00	200.0	V	183.00	4
1693.88	---	34.84	54.00	19.16	500.00	200.0	V	352.00	5
1927.50	46.75	---	68.20	21.45	500.00	100.0	V	2.00	6
2624.88	48.66	---	68.20	19.54	500.00	100.0	H	92.00	7
2776.25	---	37.39	54.00	16.61	500.00	100.0	H	352.00	8
3030.00	50.17	---	68.20	18.03	500.00	200.0	H	267.00	8
3996.88	---	40.65	54.00	13.35	500.00	200.0	V	58.00	11
5339.13	58.29	---	68.20	9.91	500.00	200.0	V	345.00	14
5431.00	---	49.02	54.00	4.98	500.00	200.0	V	31.00	14
6769.75	60.24	---	68.20	7.97	500.00	200.0	V	326.00	19
7735.75	---	48.55	54.00	5.45	500.00	200.0	V	339.00	22

Note: The signal beyond the limit is carrier.

Radiates Emission from 1GHz to 8GHz




Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8400.00	---	39.03	54.00	14.97	500.00	100.0	V	0.00	3
8648.75	49.84	---	68.20	18.36	500.00	200.0	V	0.00	4
9271.25	49.69	---	68.20	18.51	500.00	100.0	V	26.00	6
9305.00	---	38.49	54.00	15.51	500.00	100.0	V	173.00	6
10553.75	50.41	---	68.20	17.79	500.00	100.0	V	26.00	6
11093.75	---	41.27	54.00	12.73	500.00	100.0	V	231.00	7
13333.75	---	39.29	54.00	14.71	500.00	100.0	V	34.00	8
13552.50	50.52	---	68.20	17.68	500.00	200.0	V	358.00	8
13900.00	50.70	---	68.20	17.50	500.00	100.0	V	156.00	9
14490.00	---	37.47	54.00	16.53	500.00	100.0	V	2.00	8
17422.50	52.76	---	68.20	15.44	500.00	100.0	V	0.00	13
17911.25	---	44.80	54.00	9.20	500.00	100.0	V	247.00	15

Radiates Emission from 8GHz to 18GHz

802.11ax (HE80) CH155




Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1000.00	---	42.68	54.00	11.32	500.00	200.0	V	188.00	3
1294.88	45.81	---	68.20	22.39	500.00	200.0	H	151.00	4
1417.38	---	34.99	54.00	19.01	500.00	200.0	V	118.00	4
1956.38	47.27	---	68.20	20.93	500.00	200.0	V	109.00	6
2374.63	---	38.34	54.00	15.66	500.00	100.0	V	31.00	7
2558.38	49.50	---	68.20	18.70	500.00	200.0	V	293.00	8
3389.63	50.69	---	68.20	17.51	500.00	100.0	H	168.00	9
3968.00	---	40.66	54.00	13.34	500.00	100.0	V	199.00	11
5425.75	---	47.12	54.00	6.88	500.00	200.0	V	285.00	14
5634.00	58.23	---	68.20	9.97	500.00	200.0	V	101.00	15
6665.63	60.76	---	68.20	7.44	500.00	100.0	V	2.00	19
7734.88	---	49.39	54.00	4.61	500.00	100.0	V	93.00	22

Note: The signal beyond the limit is carrier.

Radiates Emission from 1GHz to 8GHz




Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8400.00	---	39.69	54.00	14.31	500.00	100.0	V	30.00	3
8915.00	50.33	---	68.20	17.87	500.00	100.0	H	270.00	5
9301.25	---	38.42	54.00	15.58	500.00	100.0	V	12.00	6
9917.50	49.82	---	68.20	18.38	500.00	200.0	V	317.00	5
10462.50	51.06	---	68.20	17.14	500.00	100.0	V	274.00	5
11093.75	---	43.51	54.00	10.49	500.00	100.0	V	39.00	7
13392.50	---	40.81	54.00	13.19	500.00	100.0	V	2.00	8
13415.00	52.81	---	68.20	15.39	500.00	100.0	V	119.00	8
14470.00	---	41.28	54.00	12.72	500.00	200.0	H	8.00	8
14946.25	53.43	---	68.20	14.77	500.00	100.0	H	354.00	8
15702.50	---	39.66	54.00	14.34	500.00	100.0	V	60.00	6
17423.75	56.43	---	68.20	11.77	500.00	100.0	H	286.00	13

Radiates Emission from 8GHz to 18GHz

802.11ax (HE160) CH50




Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1000.00	---	42.10	54.00	11.90	500.00	200.0	V	185.00	3
1272.13	45.78	---	68.20	22.42	500.00	100.0	H	359.00	4
1707.00	---	35.11	54.00	18.89	500.00	200.0	V	72.00	5
1959.88	46.85	---	68.20	21.35	500.00	200.0	H	59.00	6
2374.63	---	38.27	54.00	15.73	500.00	100.0	V	32.00	7
2400.00	49.53	---	68.20	18.67	500.00	100.0	V	163.00	7
3523.50	50.20	---	68.20	18.00	500.00	200.0	H	12.00	9
3996.88	---	40.68	54.00	13.32	500.00	100.0	H	355.00	11
4494.75	52.46	---	68.20	15.74	500.00	100.0	V	86.00	11
4990.00	---	52.97	54.00	1.03	500.00	100.0	V	9.00	12
6786.38	60.78	---	68.20	7.42	500.00	200.0	H	2.00	19
7735.75	---	50.12	54.00	3.88	500.00	200.0	H	48.00	22

Note: The signal beyond the limit is carrier.

Radiates Emission from 1GHz to 8GHz




Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8400.00	---	39.85	54.00	14.15	500.00	100.0	V	16.00	3
8622.50	49.39	---	68.20	18.81	500.00	100.0	V	29.00	4
9308.75	---	38.40	54.00	15.60	500.00	200.0	H	87.00	6
9973.75	50.40	---	68.20	17.80	500.00	100.0	H	268.00	5
10600.00	50.59	---	68.20	17.61	500.00	200.0	V	323.00	6
11093.75	---	42.88	54.00	11.12	500.00	100.0	V	244.00	7
13387.50	---	40.49	54.00	13.51	500.00	200.0	V	265.00	8
13627.50	52.31	---	68.20	15.89	500.00	100.0	V	244.00	8
13932.50	53.37	---	68.20	14.83	500.00	100.0	H	340.00	9
14475.00	---	40.44	54.00	13.56	500.00	100.0	V	5.00	8
15721.25	---	39.58	54.00	14.42	500.00	100.0	V	98.00	6
17211.25	53.89	---	68.20	14.31	500.00	200.0	V	252.00	11

Radiates Emission from 8GHz to 18GHz

802.11ax (HE160) CH114




Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1000.00	---	41.94	54.00	12.06	500.00	200.0	V	192.00	3
1266.88	45.63	---	68.20	22.57	500.00	200.0	H	1.00	4
1705.25	---	35.03	54.00	18.97	500.00	100.0	V	36.00	5
1974.75	47.14	---	68.20	21.06	500.00	200.0	V	352.00	6
2463.00	49.85	---	68.20	18.35	500.00	200.0	V	344.00	8
2779.75	---	37.97	54.00	16.03	500.00	200.0	H	1.00	8
3016.88	50.43	---	68.20	17.77	500.00	200.0	V	356.00	9
3978.50	---	40.66	54.00	13.34	500.00	100.0	V	1.00	11
5344.38	57.76	---	68.20	10.44	500.00	200.0	V	304.00	14
5436.25	---	52.13	54.00	1.87	500.00	200.0	V	318.00	14
6754.88	60.87	---	68.20	7.33	500.00	200.0	H	108.00	19
7729.63	---	49.56	54.00	4.44	500.00	100.0	V	300.00	22

Note: The signal beyond the limit is carrier.

Radiates Emission from 1GHz to 8GHz



Final Result


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8400.00	---	40.16	54.00	13.84	500.00	100.0	V	0.00	3
8666.25	49.66	---	68.20	18.54	500.00	100.0	H	332.00	4
9305.00	---	38.43	54.00	15.57	500.00	200.0	H	2.00	6
10446.25	50.65	---	68.20	17.55	500.00	200.0	V	302.00	5
10552.50	50.57	---	68.20	17.63	500.00	100.0	H	64.00	6
11093.75	---	43.25	54.00	10.75	500.00	100.0	V	130.00	7
13225.00	52.97	---	68.20	15.23	500.00	100.0	V	145.00	8
13340.00	---	40.66	54.00	13.34	500.00	100.0	V	195.00	8
13835.00	54.14	---	68.20	14.06	500.00	200.0	V	274.00	9
14486.25	---	40.66	54.00	13.34	500.00	200.0	V	136.00	8
15725.00	---	39.97	54.00	14.03	500.00	100.0	V	3.00	6
17358.75	55.90	---	68.20	12.30	500.00	100.0	H	135.00	12

Radiates Emission from 8GHz to 18GHz

2. Conducted Emission

2.1. Wi-Fi 5GHz


During the test, the Conducted Emission was performed in all modes with all channels. The test data of the worst-case condition was recorded in this report.



Frequency [MHz]	QPK Level [dBμV]	QPK Limit [dBμV]	QPK Margin [dB]	AVG Level [dBμV]	AVG Limit [dBμV]	AVG Margin [dB]	Correction [dB]	Line	Meas. BW [kHz]	Meas. Time [s]
0.157	41.27	65.63	24.37	24.45	55.63	31.19	20.90	L1	9.000	1.000
0.389	39.12	58.10	18.98	37.20	48.10	10.90	20.89	L1	9.000	1.000
0.980	22.97	56.00	33.03	16.79	46.00	29.21	20.18	L1	9.000	1.000
2.454	17.12	56.00	38.88	11.68	46.00	34.32	19.55	L1	9.000	1.000
7.379	17.12	60.00	42.88	11.80	50.00	38.20	19.41	L1	9.000	1.000
24.641	15.43	60.00	44.57	10.21	50.00	39.79	19.80	L1	9.000	1.000

Remark: Correct factor=cable loss + LISN factor

L line Conducted Emission from 150 kHz to 30 MHz



Frequency [MHz]	QPK Level [dBμV]	QPK Limit [dBμV]	QPK Margin [dB]	AVG Level [dBμV]	AVG Limit [dBμV]	AVG Margin [dB]	Correction [dB]	Line	Meas. BW [kHz]	Meas. Time [s]
0.155	40.97	65.75	24.78	25.63	55.75	30.12	20.91	N	9.000	1.000
0.389	33.86	58.10	24.23	32.76	48.10	15.33	20.90	N	9.000	1.000
1.160	18.72	56.00	37.28	13.80	46.00	32.20	20.05	N	9.000	1.000
3.455	15.77	56.00	40.23	10.49	46.00	35.51	19.46	N	9.000	1.000
7.652	15.95	60.00	44.05	10.48	50.00	39.52	19.41	N	9.000	1.000
20.092	16.66	60.00	43.34	11.11	50.00	38.89	19.71	N	9.000	1.000

Remark: Correct factor=cable loss + LISN factor

N line Conducted Emission from 150 kHz to 30 MHz