

This product features a high-performance chip for smooth, high-definition video recording. It is certified to CE (EU) and FCC (USA) standards. Please read this manual carefully before use and store it properly. We hope this product meets your needs and serves you reliably for years.

User Manual


Dash camera

Before using this product, read the operating instructions carefully.
These instructions are for reference only.
Actual operation is subject to the product you receive.



Scan the QR code to download this dash cam's APP (not for non-WiFi products). For connection steps, see Section 4 of this manual.

1.Button Functions and Operation Instructions



【OK】 OK Button
Function 1: In standby/recording mode, press the "OK Button" to start/stop recording. It can also be used to confirm and select options in system settings, file management and playback modes.

【M】 Menu Button
Function 1: Short press to switch between recording mode and playback mode.
Function 2: Long press to enter the system setting menu.
Function 3: When viewing videos and photos, you may delete or lock the current file.

【P】 Power Button

Function 1: In the power-off state, press and hold the "Power Button" for 2 seconds to power on the device, and it will work automatically. In the power-on state, press and hold the Power Button for 2 seconds; the device will automatically save videos and user settings before powering off.


Function 2: Screen on/off control. When the device is powered on, short press the Power Button to turn off the screen; press it again to turn the screen back on.

【R】 Reset Button
Function 1: Press the Reset hole once with a sharp, thin object (e.g., a needle or pin), and the dashcam will restart automatically.
【▼】 Down Button
Function 1: In standby and recording modes, press this button to cycle through the images from each camera.
Function 2: In menu mode, it can be used to select the next menu or play the next file.

【▲】 Up Button:
Function 1: In standby and recording modes, press once to turn on Infrared Night Vision, and press again to turn it off.
Function 2: In menu and playback modes, it can be used to select the previous menu or play the previous file.

2.Installation guide

- 2.1. Please test the normal operation of the rear-view camera first before installation (if there is a rear-view camera; ignore this if there is none);
 - 2.2. Turn off the car engine;
 - 2.3. Insert the TF card into the dash cam's card slot. [Note] Please use a high-speed TF card (Class 10 or above), with a capacity of not less than 4 GB and not more than 256GB. Devices usually use 32G or 64G;
 - 2.4. Fix the dash cam on the car's front windshield through the bracket;
 - 2.5. Insert the car charger into the car's cigarette lighter socket;
- [Note] When routing the cable, the extended charging cable can be lay along the edge of the car door frame and under the car carpet; refer to the diagram below.




2.6. Install the rear camera at the rear of the vehicle, and pay attention to the vertical orientation during installation. The cable can be routed along the top edge of the vehicle. [Note] There are two installation methods for the rear camera. Please refer to the diagram below.

A. Attach it to the top of the car's rear windshield. This installation method can be done by yourself, but the reverse viewing function will not work — only real-time rear recording is available.

B. Ask a professional installer to mount it above the license plate frame. The camera must also be connected to the reverse light power supply, which will enable the reverse viewing function.

Rear Camera Installation Diagram

The rear camera provides Position A and Position B



- 2.7. Adjust the position of the lens to set the camera angle to the best shooting perspective.
- 2.8. Start the engine and check if the device is working normally.

3.Frequently Asked Questions

Problem	Solution
The device shows the prompt "File Error"	Go to Settings Menu > Restore Factory Settings and format the memory card. This issue is usually related to the TF card.
Horizontal stripe interference appears on the screen	Please select the correct power supply frequency of 50 Hz (PAL).
How to correctly enable the 24-hour parking monitoring function	Do not enable it during normal driving, as it may easily cause automatic shutdown or crashes. It should only be enabled after parking. Please use a step-down cable or mobile power supply.
The image captured at night is not clear enough	The dash cam relies on strong external light sources (such as street lights and vehicle lights) for recording. This is common behavior in the industry.
The device always reverts to the default date and time	Fully charge the device while it is turned off. You can use a car charger or mobile power bank to recharge it.
What causes missing seconds in video files	(Turn off motion detection recording and enable loop recording instead.) For best results, use genuine C10 high-speed memory cards.
Why does the device shut down automatically suddenly during recording	Please turn off the parking monitoring function first. The device may also shut down automatically if the operating environment temperature exceeds 70°C (158°F).

[Note] Practice has proved that most problems are related to the memory card, and a small number are related to the power cable.

1. App download and installation:

1.1 scan the QR code on the cover. After installation, click to enter "6 frame probe", as shown in the following figure:



2. Add device

iPhone: enter the system WiFi, select the recorder WiFi, enter the WiFi password (the default password is 12345678), connect, enter the "6-Frame probe" app and complete the addition;



Android mobile phone: enter the "6-Frame probe" app, click "add recorder", enter the system WiFi interface according to the addition wizard, select the recorder WiFi, enter the WiFi password (the default password is 12345678), and connect. After the connection is completed, click "return" to complete the addition;




3. App function introduction

- 1.Recorder: this page manages the recorder. You can add, view and delete the recorder, and enter the video preview interface of the recorder;
- 2.Photo Album: manage the pictures and videos downloaded from the recorder to the mobile phone;
- 3.More: app language settings, problem feedback, about and other information;


4.Function introduction of recorder

- 1 photographing: operate the recorder to take a picture, and then save the picture on the recorder;
- 2 zoom: enter the full video screen or exit the full video screen;
- 3 recorder files: enter the file list on the recorder and classify it according to circular video, photo files, emergency events and parking monitoring events;
- 4 recorder setting: enter the recorder setting interface to set the recording resolution and microphone switch;




4.1 recorder file download

Click "recorder file" to enter the file list interface, click "select" button, select the picture or video to be downloaded, click "download" to start downloading the file. After downloading, the file is saved on the mobile phone and can be viewed through "photo album";



4.2 recorder file playback

Click "recorder file" to enter the file list interface. Instead of downloading, you can directly play the video on the recorder and take photos of the current playing picture of the video; Download: download the video to the mobile phone; Take pictures: take pictures of the currently playing pictures and save them to the mobile phone;



5.Photo album

Enter the "photo album" to manage the pictures or videos downloaded to the mobile phone. Click "all" to enter the full list of videos in this category. The file list is arranged by date. Click "select" to select multiple files for operation; Video: all video files; Pictures: all picture files; Emergency: documents of collision induction;




6. Video playback

A variety of operations can be performed on the pictures or videos in the "album", as shown below: When playing the video in the "recorder file" or the video in the "photo album", you can choose to play at multiple speeds to quickly browse the video content or play the key video segments at a slow speed, such as "1 second 1 frame" or "10x (10 times speed)";



7.Document editing

Select the file in the "photo album" and select Edit to enter the editing interface, which supports image clipping and filter beautification; supports video clipping, music addition and other operations;



FCC Warning

This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Any Changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

Note: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.

- Increase the separation between the equipment and receiver.

- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.

- Consult the dealer or an experienced radio/TV technician for help.

This equipment complies with FCC radiation exposure limits set forth for an uncontrolled environment. This equipment should be installed and operated with minimum distance 20cm between the radiator & your body