













-20dB Bandwidth


Condition	Mode	Frequency (MHz)	-20 dB Bandwidth (MHz)	Verdict
NVNT	1-DH5	2402	0.96	Pass
NVNT	1-DH5	2441	0.957	Pass
NVNT	1-DH5	2480	0.958	Pass
NVNT	2-DH5	2402	1.258	Pass
NVNT	2-DH5	2441	1.284	Pass
NVNT	2-DH5	2480	1.217	Pass
NVNT	3-DH5	2402	1.28	Pass
NVNT	3-DH5	2441	1.261	Pass
NVNT	3-DH5	2480	1.289	Pass

















Carrier Frequencies Separation


Condition	Mode	Hopping Freq1 (MHz)	Hopping Freq2 (MHz)	HFS (MHz)	Limit (MHz)	Verdict
NVNT	1-DH5	2402.148	2403.15	1.002	0.64	Pass
NVNT	1-DH5	2441.15	2442.152	1.002	0.638	Pass
NVNT	1-DH5	2479.152	2480.15	0.998	0.639	Pass
NVNT	2-DH5	2401.832	2402.83	0.998	0.839	Pass
NVNT	2-DH5	2440.83	2441.83	1	0.856	Pass
NVNT	2-DH5	2478.832	2479.83	0.998	0.811	Pass
NVNT	3-DH5	2402.152	2403.15	0.998	0.853	Pass
NVNT	3-DH5	2441.152	2442.152	1	0.841	Pass
NVNT	3-DH5	2479.152	2480.148	0.996	0.859	Pass

















Band Edge


Condition	Mode	Frequency (MHz)	Hopping Mode	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	1-DH5	2402	No-Hopping	-56	-20	Pass
NVNT	1-DH5	2480	No-Hopping	-58.21	-20	Pass
NVNT	2-DH5	2402	No-Hopping	-57.65	-20	Pass
NVNT	2-DH5	2480	No-Hopping	-59.03	-20	Pass
NVNT	3-DH5	2402	No-Hopping	-57.24	-20	Pass
NVNT	3-DH5	2480	No-Hopping	-58.95	-20	Pass



















Band Edge(Hopping)

Condition	Mode	Frequency (MHz)	Hopping Mode	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	1-DH5	2402	Hopping	-56.85	-20	Pass
NVNT	1-DH5	2480	Hopping	-57.1	-20	Pass
NVNT	2-DH5	2402	Hopping	-56.94	-20	Pass
NVNT	2-DH5	2480	Hopping	-56.24	-20	Pass
NVNT	3-DH5	2402	Hopping	-56.16	-20	Pass
NVNT	3-DH5	2480	Hopping	-57	-20	Pass




















Conducted RF Spurious Emission


Condition	Mode	Frequency (MHz)	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	1-DH5	2402	-42.02	-20	Pass
NVNT	1-DH5	2441	-42.77	-20	Pass
NVNT	1-DH5	2480	-41.79	-20	Pass
NVNT	2-DH5	2402	-42.46	-20	Pass
NVNT	2-DH5	2441	-42.28	-20	Pass
NVNT	2-DH5	2480	-42.36	-20	Pass
NVNT	3-DH5	2402	-42.39	-20	Pass
NVNT	3-DH5	2441	-42.06	-20	Pass
NVNT	3-DH5	2480	-41.52	-20	Pass



























Number of Hopping Channel

Condition	Mode	Hopping Number	Limit	Verdict
NVNT	1-DH5	79	15	Pass
NVNT	2-DH5	79	15	Pass
NVNT	3-DH5	79	15	Pass







APPENDIX 2-PHOTOS OF TEST SETUP

Note: See test photos in setup photo document for the actual connections between Product and support equipment.

※※※※※END OF THE REPORT※※※※※