



2DH5_Ant1_2402_30~1000




2DH5_Ant1_2402_1000~26500




2DH5_Ant1_2441_0~Reference




2DH5_Ant1_2441_30~1000




2DH5_Ant1_2441_1000~26500




2DH5_Ant1_2480_0~Reference




2DH5_Ant1_2480_30~1000




2DH5_Ant1_2480_1000~26500




3DH5_Ant1_2402_0~Reference



3DH5_Ant1_2402_30~1000




3DH5_Ant1_2402_1000~26500




3DH5_Ant1_2441_0~Reference




3DH5_Ant1_2441_30~1000




3DH5_Ant1_2441_1000~26500




3DH5_Ant1_2480_0~Reference



3DH5_Ant1_2480_30~1000



3DH5_Ant1_2480_1000~26500





Appendix I: Duty Cycle

Test Result


TestMode	Antenna	Freq(MHz)	ON Time [ms]	Period [ms]	DC [%]	xFactor	Limit	Verdict
DH5	Ant1	2402	2.91	3.75	77.60	1.10	---	---
		2441	2.91	3.75	77.60	1.10	---	---
		2480	2.91	3.75	77.60	1.10	---	---
2DH5	Ant1	2402	2.92	3.75	77.87	1.09	---	---
		2441	2.92	3.75	77.87	1.09	---	---
		2480	2.92	3.75	77.87	1.09	---	---
3DH5	Ant1	2402	2.92	3.75	77.87	1.09	---	---
		2441	2.91	3.75	77.60	1.10	---	---
		2480	2.92	3.75	77.87	1.09	---	---

Test Graphs







2DH5_Ant1_2402




2DH5_Ant1_2441




2DH5_Ant1_2480




3DH5_Ant1_2402



3DH5_Ant1_2441



3DH5_Ant1_2480




Appendix J: Emissions in Restricted Bands


Test Result

TestMode	Antenna	ChName	Freq(MHz)	Detector	Freq [MHz]	Result [dBm]	Gain [dB]	DC Factor [dB]	Result [dBUV/m]	Limit [dBUV/m]	Verdict
DH5	Ant1	Low	2402	AV	2310.000	-60.01	2.00	1.10	38.29	≤54	PASS
				AV	2378.540	-58.31	2.00	1.10	39.99	≤54	PASS
				AV	2390.000	-58.86	2.00	1.10	39.44	≤54	PASS
				Peak	2310.000	-51.59	2.00	0.00	45.61	≤74	PASS
				Peak	2367.095	-48.62	2.00	0.00	48.58	≤74	PASS
				Peak	2390.000	-51.01	2.00	0.00	46.19	≤74	PASS
		High	2480	AV	2483.500	-58.15	2.00	1.10	40.15	≤54	PASS
				AV	2484.240	-58.06	2.00	1.10	40.24	≤54	PASS
				AV	2500.000	-59.51	2.00	1.10	38.79	≤54	PASS
				Peak	2483.500	-48.4	2.00	0.00	48.80	≤74	PASS
				Peak	2483.520	-48.4	2.00	0.00	48.80	≤74	PASS
				Peak	2500.000	-49.91	2.00	0.00	47.29	≤74	PASS
2DH5	Ant1	Low	2402	AV	2310.000	-59.64	2.00	1.09	38.65	≤54	PASS
				AV	2366.255	-58.44	2.00	1.09	39.85	≤54	PASS
				AV	2390.000	-59.31	2.00	1.09	38.98	≤54	PASS
				Peak	2310.000	-51.46	2.00	0.00	45.74	≤74	PASS
				Peak	2363.630	-47.6	2.00	0.00	49.60	≤74	PASS
				Peak	2390.000	-52.3	2.00	0.00	44.90	≤74	PASS
		High	2480	AV	2483.500	-58.77	2.00	1.09	39.52	≤54	PASS
				AV	2491.280	-58.36	2.00	1.09	39.93	≤54	PASS
				AV	2500.000	-58.89	2.00	1.09	39.40	≤54	PASS
				Peak	2483.500	-50.93	2.00	0.00	46.27	≤74	PASS
				Peak	2496.160	-48.77	2.00	0.00	48.43	≤74	PASS
				Peak	2500.000	-50.5	2.00	0.00	46.70	≤74	PASS
3DH5	Ant1	Low	2402	AV	2310.000	-59.84	2.00	1.09	38.45	≤54	PASS
				AV	2371.295	-58.42	2.00	1.09	39.87	≤54	PASS
				AV	2390.000	-59.35	2.00	1.09	38.94	≤54	PASS
				Peak	2310.000	-52.57	2.00	0.00	44.63	≤74	PASS
				Peak	2385.995	-47.88	2.00	0.00	49.32	≤74	PASS
				Peak	2390.000	-51.17	2.00	0.00	46.03	≤74	PASS
		High	2480	AV	2483.500	-58.52	2.00	1.09	39.77	≤54	PASS
				AV	2483.760	-58.29	2.00	1.09	40.00	≤54	PASS
				AV	2500.000	-58.77	2.00	1.09	39.52	≤54	PASS
				Peak	2483.500	-50.13	2.00	0.00	47.07	≤74	PASS
				Peak	2494.960	-48.5	2.00	0.00	48.70	≤74	PASS
				Peak	2500.000	-50.51	2.00	0.00	46.69	≤74	PASS


Note: The limit in dBm for average detector is conversion from 54dBuV/m, according to 15.209(a). The limit in dBm for peak detector is 20dB above the limit of average detector in dBm.

Test Graphs







DH5_Ant1_High_2480_Peak




2DH5_Ant1_Low_2402_AV




2DH5_Ant1_Low_2402_Peak




2DH5_Ant1_High_2480_AV




2DH5_Ant1_High_2480_Peak




3DH5_Ant1_Low_2402_AV



3DH5_Ant1_Low_2402_Peak



3DH5_Ant1_High_2480_AV



3DH5_Ant1_High_2480_Peak

