


Mode: AX20

Channel: 2462 MHz

Test Graph


★ PK Detector ★ AV Detector

Suspected Data List


NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	2483.5000	44.01	47.47	3.46	74.00	26.53	150	107	PK	Vertical	PASS
2	2486.3000	44.90	48.39	3.49	74.00	25.61	150	113	PK	Vertical	PASS
3	2486.9000	43.31	46.84	3.53	74.00	27.16	150	107	PK	Vertical	PASS
4	2488.6500	41.32	44.85	3.53	74.00	29.15	150	116	PK	Vertical	PASS
5	2493.4000	40.13	43.71	3.58	74.00	30.29	150	100	PK	Vertical	PASS
6	2500.0000	37.80	41.30	3.50	74.00	32.70	150	281	PK	Vertical	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode: AX20

Channel: 2462 MHz

Test Graph


★ PK Detector ★ AV Detector

Suspected Data List


NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	2483.5000	43.66	47.12	3.46	74.00	26.88	150	238	PK	Horizontal	PASS
2	2485.0500	44.93	48.47	3.54	74.00	25.53	150	162	PK	Horizontal	PASS
3	2485.9000	44.88	48.36	3.48	74.00	25.64	150	162	PK	Horizontal	PASS
4	2487.3500	44.84	48.35	3.51	74.00	25.65	150	162	PK	Horizontal	PASS
5	2489.4500	44.77	48.33	3.56	74.00	25.67	150	235	PK	Horizontal	PASS
6	2500.0000	37.44	40.94	3.50	74.00	33.06	150	251	PK	Horizontal	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode: AX40

Channel: 2422 MHz

Test Graph


★ PK Detector ★ AV Detector

Suspected Data List


NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	2310.0000	37.36	40.03	2.67	74.00	33.97	150	163	PK	Vertical	PASS
2	2370.3200	42.28	45.31	3.03	74.00	28.69	150	185	PK	Vertical	PASS
3	2376.1700	43.90	46.94	3.04	74.00	27.06	150	99	PK	Vertical	PASS
4	2383.9700	47.00	50.03	3.03	74.00	23.97	150	83	PK	Vertical	PASS
5	2385.5300	47.08	50.10	3.02	74.00	23.90	150	83	PK	Vertical	PASS
6	2390.0000	46.00	48.95	2.95	74.00	25.05	150	88	PK	Vertical	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode: AX40

Channel: 2422 MHz

Test Graph


★ PK Detector ★ AV Detector

Suspected Data List


NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	2310.0000	37.92	40.59	2.67	74.00	33.41	150	326	PK	Horizontal	PASS
2	2366.9400	41.81	44.80	2.99	74.00	29.20	150	227	PK	Horizontal	PASS
3	2376.0400	43.05	46.09	3.04	74.00	27.91	150	4	PK	Horizontal	PASS
4	2383.3200	46.89	49.91	3.02	74.00	24.09	150	149	PK	Horizontal	PASS
5	2384.7500	46.95	49.99	3.04	74.00	24.01	150	152	PK	Horizontal	PASS
6	2390.0000	44.38	47.33	2.95	74.00	26.67	150	35	PK	Horizontal	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode: AX40

Channel: 2452 MHz

Test Graph


★ PK Detector ★ AV Detector

Suspected Data List


NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	2483.5000	41.77	45.23	3.46	74.00	28.77	150	99	PK	Vertical	PASS
2	2485.2500	45.45	48.97	3.52	74.00	25.03	150	299	PK	Vertical	PASS
3	2486.3500	44.22	47.71	3.49	74.00	26.29	150	110	PK	Vertical	PASS
4	2493.3000	45.27	48.85	3.58	74.00	25.15	150	82	PK	Vertical	PASS
5	2498.4000	44.20	47.75	3.55	74.00	26.25	150	182	PK	Vertical	PASS
6	2500.0000	38.48	41.98	3.50	74.00	32.02	150	299	PK	Vertical	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode: AX40

Channel: 2452 MHz

Test Graph


★ PK Detector ★ AV Detector

Suspected Data List

NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	2483.5000	43.59	47.05	3.46	74.00	26.95	150	168	PK	Horizontal	PASS
2	2483.7500	45.22	48.67	3.45	74.00	25.33	150	356	PK	Horizontal	PASS
3	2485.9500	44.10	47.57	3.47	74.00	26.43	150	145	PK	Horizontal	PASS
4	2487.8500	48.28	51.75	3.47	74.00	22.25	150	220	PK	Horizontal	PASS
5	2492.2000	42.12	45.68	3.56	74.00	28.32	150	4	PK	Horizontal	PASS
6	2500.0000	38.10	41.60	3.50	74.00	32.40	150	135	PK	Horizontal	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Appendix I: Spurious emissions


Test Result

Note:

The low frequency, which starts from 9 kHz to 30 MHz, is pre-scanned and the result which is 20 dB lower than the limit line is not reported.

During the test, the Radiates Emission from 30MHz to 1GHz was performed in all modes with all channels. The test data of the worst-case (AX-2412MHz) condition was recorded in this report. The measurement results above 18GHz were greater than 20dB below the limit, so only the radiated spurious emissions from 30MHz to 18GHz are reported.

Test Graph




Suspected Data List

NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	54.8563	29.96	13.47	-16.49	40.00	26.53	150	300	PK	Vertical	PASS
2	131.9713	36.06	19.13	-16.93	43.50	24.37	150	250	PK	Vertical	PASS
3	200.2350	37.70	18.69	-19.01	43.50	24.81	150	100	PK	Vertical	PASS
4	375.0775	43.32	29.16	-14.16	46.00	16.84	150	200	PK	Vertical	PASS
5	500.0863	36.15	24.78	-11.37	46.00	21.22	150	100	PK	Vertical	PASS
6	625.0950	37.19	28.61	-8.58	46.00	17.39	150	120	PK	Vertical	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Test Graph



Suspected Data List


NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	59.4638	32.98	16.17	-16.81	40.00	23.83	150	40	PK	Horizontal	PASS
2	129.9100	36.92	20.01	-16.91	43.50	23.49	150	160	PK	Horizontal	PASS
3	307.5413	38.11	22.86	-15.25	46.00	23.14	150	30	PK	Horizontal	PASS
4	375.0775	43.63	29.47	-14.16	46.00	16.53	150	90	PK	Horizontal	PASS
5	500.0863	35.70	24.33	-11.37	46.00	21.67	150	190	PK	Horizontal	PASS
6	625.0950	37.31	28.73	-8.58	46.00	17.27	150	110	PK	Horizontal	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode: B

Channel: 2412 MHz

Test Graph


★ PK Detector ★ AV Detector

Final Data List


NO.	Frequency [MHz]	Factor [dB]	PK Reading [dBμV/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Reading [dBμV/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1374.8000	-0.35	46.21	45.86	74.00	28.14	45.87	45.52	54.00	8.48	150	126	Vertical	PASS
2	1599.8000	0.34	43.77	44.11	74.00	29.89	43.51	43.85	54.00	10.15	150	205	Vertical	PASS
3	4823.5000	-14.93	63.18	48.25	74.00	25.75	61.38	46.45	54.00	7.55	150	243	Vertical	PASS
4	6399.5000	-10.78	55.48	44.70	74.00	29.30	53.20	42.42	54.00	11.58	150	231	Vertical	PASS
5	7999.5000	-7.78	62.53	54.75	74.00	19.25	54.64	46.86	54.00	7.14	150	206	Vertical	PASS
6	11199.500	-2.92	57.96	55.04	74.00	18.96	52.35	49.43	54.00	4.57	150	131	Vertical	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode: B

Channel: 2412 MHz

Test Graph

Final Data List


NO.	Frequency [MHz]	Factor [dB]	PK Reading [dBμV/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Reading [dBμV/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1375.0000	-0.35	44.09	43.74	74.00	30.26	43.88	43.53	54.00	10.47	150	202	Horizontal	PASS
2	1600.0000	0.34	43.94	44.28	74.00	29.72	43.70	44.04	54.00	9.96	150	333	Horizontal	PASS
3	3618.0000	-19.56	64.89	45.33	74.00	28.67	61.89	42.33	54.00	11.67	150	17	Horizontal	PASS
4	4824.0000	-14.91	63.96	49.05	74.00	24.95	61.11	46.20	54.00	7.80	150	182	Horizontal	PASS
5	7999.5000	-7.78	61.17	53.39	74.00	20.61	53.18	45.40	54.00	8.60	150	252	Horizontal	PASS
6	11199.500	-2.92	58.06	55.14	74.00	18.86	51.61	48.69	54.00	5.31	150	320	Horizontal	PASS

Note: (1) Level = Reading + Factor

(2) Margin = Limit - Level

Mode: B

Channel: 2437 MHz

Test Graph


★ PK Detector ★ AV Detector

Final Data List


NO.	Frequency [MHz]	Factor [dB]	PK Reading [dBμV/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Reading [dBμV/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1374.8000	-0.35	45.8	45.45	74.00	28.55	45.53	45.18	54.00	8.82	150	54	Vertical	PASS
2	3655.0000	-19.28	61.13	41.85	74.00	32.15	59.78	40.50	54.00	13.50	150	318	Vertical	PASS
3	4873.5000	-14.21	61.92	47.71	74.00	26.29	59.80	45.59	54.00	8.41	150	217	Vertical	PASS
4	7999.5000	-7.78	62.57	54.79	74.00	19.21	55.83	48.05	54.00	5.95	150	204	Vertical	PASS
5	11199.500	-2.92	59.17	56.25	74.00	17.75	52.19	49.27	54.00	4.73	150	229	Vertical	PASS
6	13987.000	1.11	48.08	49.19	74.00	24.81	46.26	47.37	54.00	6.63	150	318	Vertical	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode: B

Channel: 2437 MHz

Test Graph

Final Data List


NO.	Frequency [MHz]	Factor [dB]	PK Reading [dBμV/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Reading [dBμV/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1374.8000	-0.35	45.31	44.96	74.00	29.04	44.99	44.64	54.00	9.36	150	166	Horizontal	PASS
2	1599.8000	0.34	42.54	42.88	74.00	31.12	42.22	42.56	54.00	11.44	150	327	Horizontal	PASS
3	3655.5000	-19.29	63.2	43.91	74.00	30.09	59.98	40.69	54.00	13.31	150	17	Horizontal	PASS
4	4873.5000	-14.21	64.64	50.43	74.00	23.57	63.04	48.83	54.00	5.17	150	188	Horizontal	PASS
5	7999.5000	-7.78	61.58	53.80	74.00	20.20	55.48	47.70	54.00	6.30	150	256	Horizontal	PASS
6	11200.000	-2.93	56.9	53.97	74.00	20.03	51.74	48.81	54.00	5.19	150	318	Horizontal	PASS

Note: (1) Level = Reading + Factor

(2) Margin = Limit - Level

Mode: B

Channel: 2462 MHz

Test Graph

Final Data List


NO.	Frequency [MHz]	Factor [dB]	PK Reading [dBμV/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Reading [dBμV/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1374.8000	-0.35	45.59	45.24	74.00	28.76	45.25	44.90	54.00	9.10	150	117	Vertical	PASS
2	1599.8000	0.34	44.17	44.51	74.00	29.49	43.99	44.33	54.00	9.67	150	180	Vertical	PASS
3	3693.0000	-19.37	61.48	42.11	74.00	31.89	59.12	39.75	54.00	14.25	150	326	Vertical	PASS
4	4923.5000	-13.66	63.03	49.37	74.00	24.63	61.02	47.36	54.00	6.64	150	219	Vertical	PASS
5	8000.0000	-7.80	62.49	54.69	74.00	19.31	55.67	47.87	54.00	6.13	150	201	Vertical	PASS
6	11199.500	-2.92	59.25	56.33	74.00	17.67	51.14	48.22	54.00	5.78	150	226	Vertical	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode: B

Channel: 2462 MHz

Test Graph

Final Data List


NO.	Frequency [MHz]	Factor [dB]	PK Reading [dBμV/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Reading [dBμV/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1375.0000	-0.35	44.78	44.43	74.00	29.57	44.58	44.23	54.00	9.77	150	200	Horizontal	PASS
2	1599.8000	0.34	43.26	43.60	74.00	30.40	42.97	43.31	54.00	10.69	150	327	Horizontal	PASS
3	3693.0000	-19.37	63.51	44.14	74.00	29.86	61.95	42.58	54.00	11.42	150	16	Horizontal	PASS
4	4923.5000	-13.66	65.19	51.53	74.00	22.47	63.01	49.35	54.00	4.65	150	185	Horizontal	PASS
5	7999.5000	-7.78	61.51	53.73	74.00	20.27	56.12	48.34	54.00	5.66	150	254	Horizontal	PASS
6	11200.000	-2.93	57.57	54.64	74.00	19.36	51.82	48.89	54.00	5.11	150	323	Horizontal	PASS

Note: (1) Level = Reading + Factor

(2) Margin = Limit - Level

Mode: N20

Channel: 2412 MHz

Test Graph


★ PK Detector ★ AV Detector

Final Data List


NO.	Frequency [MHz]	Factor [dB]	PK Reading [dBμV/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Reading [dBμV/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1375.0000	-0.35	45.57	45.22	74.00	28.78	45.38	45.03	54.00	8.97	150	0	Vertical	PASS
2	3617.5000	-19.56	62.41	42.85	74.00	31.15	59.99	40.43	54.00	13.57	150	324	Vertical	PASS
3	4799.5000	-14.75	59.37	44.62	74.00	29.38	57.85	43.10	54.00	10.90	150	42	Vertical	PASS
4	5258.0000	-13.28	58.74	45.46	74.00	28.54	53.23	39.95	54.00	14.05	150	117	Vertical	PASS
5	7999.5000	-7.78	61.95	54.17	74.00	19.83	55.69	47.91	54.00	6.09	150	205	Vertical	PASS
6	11199.500	-2.92	58.01	55.09	74.00	18.91	52.32	49.40	54.00	4.60	150	231	Vertical	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode: N20

Channel: 2412 MHz

Test Graph

Final Data List


NO.	Frequency [MHz]	Factor [dB]	PK Reading [dBμV/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Reading [dBμV/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1375.0000	-0.35	44.06	43.71	74.00	30.29	43.66	43.31	54.00	10.69	150	24	Horizonta	PASS
2	1599.8000	0.34	42.89	43.23	74.00	30.77	42.65	42.99	54.00	11.01	150	338	Horizonta	PASS
3	3617.5000	-19.56	64.01	44.45	74.00	29.55	61.71	42.15	54.00	11.85	150	360	Horizonta	PASS
4	4799.5000	-14.75	57.64	42.89	74.00	31.11	55.91	41.16	54.00	12.84	150	314	Horizonta	PASS
5	8000.0000	-7.80	61.64	53.84	74.00	20.16	54.72	46.92	54.00	7.08	150	256	Horizonta	PASS
6	11199.500	-2.92	57.6	54.68	74.00	19.32	52.70	49.78	54.00	4.22	150	320	Horizonta	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode: N20

Channel: 2437 MHz

Test Graph

Final Data List


NO.	Frequency [MHz]	Factor [dB]	PK Reading [dBμV/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Reading [dBμV/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1374.8000	-0.35	45.47	45.12	74.00	28.88	45.28	44.93	54.00	9.07	150	116	Vertical	PASS
2	1599.8000	0.34	43.99	44.33	74.00	29.67	43.66	44.00	54.00	10.00	150	191	Vertical	PASS
3	3655.5000	-19.29	61.48	42.19	74.00	31.81	58.10	38.81	54.00	15.19	150	60	Vertical	PASS
4	4738.5000	-15.26	60.89	45.63	74.00	28.37	57.01	41.75	54.00	12.25	150	123	Vertical	PASS
5	7999.5000	-7.78	61.84	54.06	74.00	19.94	56.41	48.63	54.00	5.37	150	204	Vertical	PASS
6	11199.500	-2.92	58.22	55.30	74.00	18.70	52.83	49.91	54.00	4.09	150	229	Vertical	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode: N20

Channel: 2437 MHz

Test Graph

Final Data List


NO.	Frequency [MHz]	Factor [dB]	PK Reading [dBμV/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Reading [dBμV/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1374.8000	-0.35	43.97	43.62	74.00	30.38	43.71	43.36	54.00	10.64	150	195	Horizontal	PASS
2	1599.8000	0.34	42.4	42.74	74.00	31.26	42.20	42.54	54.00	11.46	150	326	Horizontal	PASS
3	3655.0000	-19.28	61.96	42.68	74.00	31.32	60.52	41.24	54.00	12.76	150	360	Horizontal	PASS
4	4873.5000	-14.21	59.75	45.54	74.00	28.46	58.75	44.54	54.00	9.46	150	179	Horizontal	PASS
5	7999.5000	-7.78	61.43	53.65	74.00	20.35	55.29	47.51	54.00	6.49	150	254	Horizontal	PASS
6	11200.000	-2.93	56.78	53.85	74.00	20.15	52.73	49.80	54.00	4.20	150	318	Horizontal	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode: N20

Channel: 2462 MHz

Test Graph

Final Data List


NO.	Frequency [MHz]	Factor [dB]	PK Reading [dBμV/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Reading [dBμV/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1375.2000	-0.35	46.39	46.04	74.00	27.96	45.97	45.62	54.00	8.38	150	120	Vertical	PASS
2	1599.8000	0.34	43.08	43.42	74.00	30.58	42.79	43.13	54.00	10.87	150	204	Vertical	PASS
3	3693.0000	-19.37	60.66	41.29	74.00	32.71	58.54	39.17	54.00	14.83	150	329	Vertical	PASS
4	4800.0000	-14.74	59.26	44.52	74.00	29.48	57.25	42.51	54.00	11.49	150	41	Vertical	PASS
5	7999.5000	-7.78	61.33	53.55	74.00	20.45	54.79	47.01	54.00	6.99	150	203	Vertical	PASS
6	11199.500	-2.92	58.12	55.20	74.00	18.80	50.37	47.45	54.00	6.55	150	228	Vertical	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode: N20

Channel: 2462 MHz

Test Graph

Final Data List


NO.	Frequency [MHz]	Factor [dB]	PK Reading [dBμV/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Reading [dBμV/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1374.8000	-0.35	43.41	43.06	74.00	30.94	43.23	42.88	54.00	11.12	150	204	Horizontal	PASS
2	1600.0000	0.34	42.32	42.66	74.00	31.34	42.05	42.39	54.00	11.61	150	323	Horizontal	PASS
3	3693.0000	-19.37	62.63	43.26	74.00	30.74	60.20	40.83	54.00	13.17	150	360	Horizontal	PASS
4	4926.5000	-13.80	59.18	45.38	74.00	28.62	54.29	40.49	54.00	13.51	150	185	Horizontal	PASS
5	8000.0000	-7.80	62.14	54.34	74.00	19.66	56.50	48.70	54.00	5.30	150	254	Horizontal	PASS
6	11200.000	-2.93	56.55	53.62	74.00	20.38	51.87	48.94	54.00	5.06	150	323	Horizontal	PASS

Note: (1) Level = Reading + Factor

(2) Margin = Limit - Level

Mode: N40

Channel: 2422 MHz

Test Graph

Final Data List


NO.	Frequency [MHz]	Factor [dB]	PK Reading [dBμV/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Reading [dBμV/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1374.8000	-0.35	45.4	45.05	74.00	28.95	44.91	44.56	54.00	9.44	150	54	Vertical	PASS
2	1599.8000	0.34	43.23	43.57	74.00	30.43	43.05	43.39	54.00	10.61	150	198	Vertical	PASS
3	3633.0000	-19.30	62.55	43.25	74.00	30.75	60.50	41.20	54.00	12.80	150	325	Vertical	PASS
4	4799.5000	-14.75	60.65	45.90	74.00	28.10	59.10	44.35	54.00	9.65	150	40	Vertical	PASS
5	8000.0000	-7.80	61.51	53.71	74.00	20.29	57.62	49.82	54.00	4.18	150	202	Vertical	PASS
6	11199.500	-2.92	58.85	55.93	74.00	18.07	51.29	48.37	54.00	5.63	150	222	Vertical	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode: N40

Channel: 2422 MHz

Test Graph

Final Data List


NO.	Frequency [MHz]	Factor [dB]	PK Reading [dBμV/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Reading [dBμV/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1374.8000	-0.35	43.83	43.48	74.00	30.52	43.54	43.19	54.00	10.81	150	202	Horizontal	PASS
2	1599.8000	0.34	42.37	42.71	74.00	31.29	42.14	42.48	54.00	11.52	150	310	Horizontal	PASS
3	3633.0000	-19.30	63.66	44.36	74.00	29.64	61.15	41.85	54.00	12.15	150	34	Horizontal	PASS
4	4799.5000	-14.75	57.54	42.79	74.00	31.21	55.21	40.46	54.00	13.54	150	306	Horizontal	PASS
5	7999.5000	-7.78	61.45	53.67	74.00	20.33	54.97	47.19	54.00	6.81	150	250	Horizontal	PASS
6	11199.500	-2.92	56.84	53.92	74.00	20.08	52.31	49.39	54.00	4.61	150	317	Horizontal	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode: N40

Channel: 2437 MHz

Test Graph

Final Data List

NO.	Frequency [MHz]	Factor [dB]	PK Reading [dBμV/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Reading [dBμV/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1374.8000	-0.35	45.24	44.89	74.00	29.11	45.03	44.68	54.00	9.32	150	113	Vertical	PASS
2	1599.8000	0.34	43.6	43.94	74.00	30.06	43.44	43.78	54.00	10.22	150	66	Vertical	PASS
3	4745.5000	-15.07	60.5	45.43	74.00	28.57	59.19	44.12	54.00	9.88	150	67	Vertical	PASS
4	7999.5000	-7.78	61.29	53.51	74.00	20.49	57.29	49.51	54.00	4.49	150	206	Vertical	PASS
5	11199.500	-2.92	58.01	55.09	74.00	18.91	51.56	48.64	54.00	5.36	150	111	Vertical	PASS
6	14400.000	1.32	50.89	52.21	74.00	21.79	47.61	48.93	54.00	5.07	150	155	Vertical	PASS


Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode: N40

Channel: 2437 MHz

Test Graph



Final Data List


NO.	Frequency [MHz]	Factor [dB]	PK Reading [dBμV/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Reading [dBμV/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1374.8000	-0.35	44.07	43.72	74.00	30.28	43.89	43.54	54.00	10.46	150	204	Horizontal	PASS
2	1600.0000	0.34	42.16	42.50	74.00	31.50	41.94	42.28	54.00	11.72	150	330	Horizontal	PASS
3	3655.0000	-19.28	62.01	42.73	74.00	31.27	60.13	40.85	54.00	13.15	150	17	Horizontal	PASS
4	4868.0000	-14.28	58.13	43.85	74.00	30.15	56.42	42.14	54.00	11.86	150	191	Horizontal	PASS
5	7999.5000	-7.78	61.28	53.50	74.00	20.50	56.38	48.60	54.00	5.40	150	249	Horizontal	PASS
6	11199.500	-2.92	57.2	54.28	74.00	19.72	51.78	48.86	54.00	5.14	150	320	Horizontal	PASS

Note: (1) Level = Reading + Factor

(2) Margin = Limit - Level

Mode: N40

Channel: 2452 MHz

Test Graph

Final Data List


NO.	Frequency [MHz]	Factor [dB]	PK Reading [dBμV/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Reading [dBμV/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1374.8000	-0.35	45.64	45.29	74.00	28.71	45.43	45.08	54.00	8.92	150	53	Vertical	PASS
2	1599.8000	0.34	44.02	44.36	74.00	29.64	43.76	44.10	54.00	9.90	150	189	Vertical	PASS
3	4800.0000	-14.74	59.9	45.16	74.00	28.84	58.07	43.33	54.00	10.67	150	42	Vertical	PASS
4	6586.0000	-10.04	55.12	45.08	74.00	28.92	52.97	42.93	54.00	11.07	150	129	Vertical	PASS
5	7999.5000	-7.78	61.77	53.99	74.00	20.01	55.56	47.78	54.00	6.22	150	205	Vertical	PASS
6	11199.500	-2.92	57.72	54.80	74.00	19.20	51.36	48.44	54.00	5.56	150	224	Vertical	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode: N40

Channel: 2452 MHz

Test Graph

Final Data List


NO.	Frequency [MHz]	Factor [dB]	PK Reading [dBμV/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Reading [dBμV/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1374.8000	-0.35	43.69	43.34	74.00	30.66	43.51	43.16	54.00	10.84	150	200	Horizontal	PASS
2	1599.8000	0.34	42.69	43.03	74.00	30.97	42.38	42.72	54.00	11.28	150	337	Horizontal	PASS
3	3678.0000	-18.81	61.99	43.18	74.00	30.82	59.28	40.47	54.00	13.53	150	155	Horizontal	PASS
4	4909.0000	-13.15	56.86	43.71	74.00	30.29	55.22	42.07	54.00	11.93	150	167	Horizontal	PASS
5	8000.0000	-7.80	60.69	52.89	74.00	21.11	56.87	49.07	54.00	4.93	150	255	Horizontal	PASS
6	11199.500	-2.92	57.27	54.35	74.00	19.65	50.85	47.93	54.00	6.07	150	314	Horizontal	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode: AX20

Channel: 2412 MHz

Test Graph

Final Data List


NO.	Frequency [MHz]	Factor [dB]	PK Reading [dBμV/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Reading [dBμV/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1375.0000	-0.35	45.47	45.12	74.00	28.88	45.28	44.93	54.00	9.07	150	122	Vertical	PASS
2	1600.0000	0.34	43.13	43.47	74.00	30.53	42.92	43.26	54.00	10.74	150	178	Vertical	PASS
3	4800.0000	-14.74	59.52	44.78	74.00	29.22	57.48	42.74	54.00	11.26	150	35	Vertical	PASS
4	7999.5000	-7.78	61.73	53.95	74.00	20.05	55.61	47.83	54.00	6.17	150	202	Vertical	PASS
5	11199.500	-2.92	58.33	55.41	74.00	18.59	51.80	48.88	54.00	5.12	150	221	Vertical	PASS
6	14400.000	1.32	50.51	51.83	74.00	22.17	46.07	47.39	54.00	6.61	150	152	Vertical	PASS

Note: (1) Level = Reading + Factor

(2) Margin = Limit - Level

Mode: AX20

Channel: 2412 MHz

Test Graph

Final Data List


NO.	Frequency [MHz]	Factor [dB]	PK Reading [dBμV/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Reading [dBμV/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1374.8000	-0.35	43.92	43.57	74.00	30.43	43.75	43.40	54.00	10.60	150	204	Horizonta	PASS
2	1599.6000	0.34	43.24	43.58	74.00	30.42	42.96	43.30	54.00	10.70	150	325	Horizonta	PASS
3	3617.5000	-19.56	63.87	44.31	74.00	29.69	61.47	41.91	54.00	12.09	150	360	Horizonta	PASS
4	4831.5000	-14.64	58.41	43.77	74.00	30.23	55.60	40.96	54.00	13.04	150	163	Horizonta	PASS
5	8000.0000	-7.80	60.5	52.70	74.00	21.30	58.77	50.97	54.00	3.03	150	250	Horizonta	PASS
6	11199.500	-2.92	57.72	54.80	74.00	19.20	51.44	48.52	54.00	5.48	150	313	Horizonta	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode: AX20

Channel: 2437 MHz

Test Graph

Final Data List


NO.	Frequency [MHz]	Factor [dB]	PK Reading [dBμV/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Reading [dBμV/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1374.8000	-0.35	46.14	45.79	74.00	28.21	45.86	45.51	54.00	8.49	150	115	Vertical	PASS
2	1599.8000	0.34	43.58	43.92	74.00	30.08	43.29	43.63	54.00	10.37	150	199	Vertical	PASS
3	4744.5000	-15.11	63.38	48.27	74.00	25.73	61.97	46.86	54.00	7.14	150	55	Vertical	PASS
4	7070.5000	-9.60	53.02	43.42	74.00	30.58	47.26	37.66	54.00	16.34	150	136	Vertical	PASS
5	7999.5000	-7.78	62.13	54.35	74.00	19.65	54.74	46.96	54.00	7.04	150	205	Vertical	PASS
6	11199.500	-2.92	58.79	55.87	74.00	18.13	51.71	48.79	54.00	5.21	150	224	Vertical	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode: AX20

Channel: 2437 MHz

Test Graph

Final Data List


NO.	Frequency [MHz]	Factor [dB]	PK Reading [dBμV/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Reading [dBμV/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1375.0000	-0.35	44.28	43.93	74.00	30.07	44.01	43.66	54.00	10.34	150	203	Horizontal	PASS
2	1599.8000	0.34	42.71	43.05	74.00	30.95	42.51	42.85	54.00	11.15	150	311	Horizontal	PASS
3	3655.5000	-19.29	62.12	42.83	74.00	31.17	59.90	40.61	54.00	13.39	150	23	Horizontal	PASS
4	4872.5000	-14.24	58.96	44.72	74.00	29.28	55.68	41.44	54.00	12.56	150	360	Horizontal	PASS
5	8000.0000	-7.80	61.01	53.21	74.00	20.79	58.41	50.61	54.00	3.39	150	255	Horizontal	PASS
6	11199.500	-2.92	57.59	54.67	74.00	19.33	50.23	47.31	54.00	6.69	150	316	Horizontal	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode: AX20

Channel: 2462 MHz

Test Graph

Final Data List


NO.	Frequency [MHz]	Factor [dB]	PK Reading [dBμV/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Reading [dBμV/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1374.8000	-0.35	45.63	45.28	74.00	28.72	45.45	45.10	54.00	8.90	150	58	Vertical	PASS
2	1599.8000	0.34	43.5	43.84	74.00	30.16	43.33	43.67	54.00	10.33	150	62	Vertical	PASS
3	4799.5000	-14.75	59.96	45.21	74.00	28.79	58.73	43.98	54.00	10.02	150	41	Vertical	PASS
4	5266.0000	-13.47	59.07	45.60	74.00	28.40	55.16	41.69	54.00	12.31	150	111	Vertical	PASS
5	7999.5000	-7.78	61.97	54.19	74.00	19.81	57.48	49.70	54.00	4.30	150	226	Vertical	PASS
6	11199.500	-2.92	58.16	55.24	74.00	18.76	51.39	48.47	54.00	5.53	150	117	Vertical	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode: AX20

Channel: 2462 MHz

Test Graph

Final Data List


NO.	Frequency [MHz]	Factor [dB]	PK Reading [dBμV/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Reading [dBμV/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1374.8000	-0.35	44.08	43.73	74.00	30.27	43.90	43.55	54.00	10.45	150	0	Horizontal	PASS
2	1599.8000	0.34	43.33	43.67	74.00	30.33	42.98	43.32	54.00	10.68	150	312	Horizontal	PASS
3	3692.5000	-19.38	63.51	44.13	74.00	29.87	61.69	42.31	54.00	11.69	150	22	Horizontal	PASS
4	4919.5000	-13.49	60.27	46.78	74.00	27.22	58.20	44.71	54.00	9.29	150	172	Horizontal	PASS
5	7999.5000	-7.78	60.69	52.91	74.00	21.09	55.19	47.41	54.00	6.59	150	254	Horizontal	PASS
6	11200.000	-2.93	57.14	54.21	74.00	19.79	50.35	47.42	54.00	6.58	150	317	Horizontal	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode: AX40

Channel: 2422 MHz

Test Graph

Final Data List


NO.	Frequency [MHz]	Factor [dB]	PK Reading [dBμV/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Reading [dBμV/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1374.8000	-0.35	45.84	45.49	74.00	28.51	45.59	45.24	54.00	8.76	150	56	Vertical	PASS
2	1599.8000	0.34	44.12	44.46	74.00	29.54	43.80	44.14	54.00	9.86	150	187	Vertical	PASS
3	4799.5000	-14.75	60.46	45.71	74.00	28.29	58.26	43.51	54.00	10.49	150	41	Vertical	PASS
4	7104.5000	-9.83	59.9	50.07	74.00	23.93	56.46	46.63	54.00	7.37	150	146	Vertical	PASS
5	7999.5000	-7.78	62.41	54.63	74.00	19.37	55.50	47.72	54.00	6.28	150	202	Vertical	PASS
6	11199.500	-2.92	59.44	56.52	74.00	17.48	51.56	48.64	54.00	5.36	150	234	Vertical	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode: AX40

Channel: 2422 MHz

Test Graph

Final Data List


NO.	Frequency [MHz]	Factor [dB]	PK Reading [dBμV/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Reading [dBμV/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1374.6000	-0.35	45.07	44.72	74.00	29.28	44.72	44.37	54.00	9.63	150	206	Horizontal	PASS
2	1599.8000	0.34	43.5	43.84	74.00	30.16	43.29	43.63	54.00	10.37	150	326	Horizontal	PASS
3	3632.5000	-19.29	63.81	44.52	74.00	29.48	61.77	42.48	54.00	11.52	150	360	Horizontal	PASS
4	4799.5000	-14.75	58	43.25	74.00	30.75	56.12	41.37	54.00	12.63	150	303	Horizontal	PASS
5	7999.5000	-7.78	61.13	53.35	74.00	20.65	56.81	49.03	54.00	4.97	150	266	Horizontal	PASS
6	11199.500	-2.92	57.27	54.35	74.00	19.65	52.41	49.49	54.00	4.51	150	322	Horizontal	PASS

Note: (1) Level = Reading + Factor

(2) Margin = Limit - Level

Mode: AX40

Channel: 2437 MHz

Test Graph

Final Data List


NO.	Frequency [MHz]	Factor [dB]	PK Reading [dBμV/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Reading [dBμV/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1374.8000	-0.35	46.07	45.72	74.00	28.28	45.80	45.45	54.00	8.55	150	81	Vertical	PASS
2	1600.0000	0.34	44.01	44.35	74.00	29.65	43.70	44.04	54.00	9.96	150	201	Vertical	PASS
3	4799.5000	-14.75	60.19	45.44	74.00	28.56	58.38	43.63	54.00	10.37	150	41	Vertical	PASS
4	5261.5000	-13.28	57.96	44.68	74.00	29.32	56.42	43.14	54.00	10.86	150	123	Vertical	PASS
5	7999.5000	-7.78	63.01	55.23	74.00	18.77	54.78	47.00	54.00	7.00	150	205	Vertical	PASS
6	11200.000	-2.93	58.49	55.56	74.00	18.44	50.73	47.80	54.00	6.20	150	224	Vertical	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode: AX40

Channel: 2437 MHz

Test Graph

Final Data List


NO.	Frequency [MHz]	Factor [dB]	PK Reading [dBμV/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Reading [dBμV/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1374.8000	-0.35	44.91	44.56	74.00	29.44	44.56	44.21	54.00	9.79	150	22	Horizontal	PASS
2	1599.8000	0.34	42.24	42.58	74.00	31.42	42.04	42.38	54.00	11.62	150	333	Horizontal	PASS
3	3655.0000	-19.28	64.45	45.17	74.00	28.83	62.18	42.90	54.00	11.10	150	17	Horizontal	PASS
4	4882.5000	-13.99	58.67	44.68	74.00	29.32	57.02	43.03	54.00	10.97	150	186	Horizontal	PASS
5	7999.5000	-7.78	61.44	53.66	74.00	20.34	55.73	47.95	54.00	6.05	150	255	Horizontal	PASS
6	11199.500	-2.92	57.35	54.43	74.00	19.57	51.26	48.34	54.00	5.66	150	267	Horizontal	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode: AX40

Channel: 2452 MHz

Test Graph

Final Data List


NO.	Frequency [MHz]	Factor [dB]	PK Reading [dBμV/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Reading [dBμV/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1374.8000	-0.35	46.12	45.77	74.00	28.23	45.93	45.58	54.00	8.42	150	59	Vertical	PASS
2	1600.0000	0.34	44.5	44.84	74.00	29.16	44.33	44.67	54.00	9.33	150	207	Vertical	PASS
3	4725.0000	-15.22	60.91	45.69	74.00	28.31	56.35	41.13	54.00	12.87	150	137	Vertical	PASS
4	5259.0000	-13.25	57.14	43.89	74.00	30.11	54.94	41.69	54.00	12.31	150	156	Vertical	PASS
5	7999.5000	-7.78	61.8	54.02	74.00	19.98	54.26	46.48	54.00	7.52	150	200	Vertical	PASS
6	11199.500	-2.92	58.42	55.50	74.00	18.50	51.17	48.25	54.00	5.75	150	224	Vertical	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode: AX40

Channel: 2452 MHz

Test Graph

Final Data List


NO.	Frequency [MHz]	Factor [dB]	PK Reading [dBμV/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Reading [dBμV/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1375.0000	-0.35	44.99	44.64	74.00	29.36	44.76	44.41	54.00	9.59	150	1	Horizontal	PASS
2	1599.8000	0.34	43.21	43.55	74.00	30.45	42.99	43.33	54.00	10.67	150	331	Horizontal	PASS
3	3678.0000	-18.81	61.87	43.06	74.00	30.94	60.03	41.22	54.00	12.78	150	134	Horizontal	PASS
4	4799.5000	-14.75	58.21	43.46	74.00	30.54	56.95	42.20	54.00	11.80	150	303	Horizontal	PASS
5	7999.5000	-7.78	60.67	52.89	74.00	21.11	55.86	48.08	54.00	5.92	150	246	Horizontal	PASS
6	11199.500	-2.92	57.25	54.33	74.00	19.67	51.84	48.92	54.00	5.08	150	310	Horizontal	PASS

Note: (1) Level = Reading + Factor

(2) Margin = Limit - Level


Appendix J: Conducted emission AC power port

Test Result



Final Data List

NO.	Frequency [MHz]	Factor [dB]	QP Reading [dBμV]	QP Value [dBμV]	QP Limit [dBμV]	QP Margin [dB]	AV Reading [dBμV]	AV Value [dBμV]	AV Limit [dBμV]	AV Margin [dB]	Type	Verdict
1	0.1673	10.28	36.84	47.12	65.09	17.97	22.63	32.91	55.09	22.18	L1	PASS
2	0.2163	10.34	28.35	38.69	62.96	24.27	15.81	26.15	52.96	26.81	L1	PASS
3	0.3824	10.29	25.43	35.72	58.23	22.51	20.55	30.84	48.23	17.39	L1	PASS
4	0.9893	10.26	20.41	30.67	56.00	25.33	16.85	27.11	46.00	18.89	L1	PASS
5	2.2244	10.28	8.28	18.56	56.00	37.44	5.66	15.94	46.00	30.06	L1	PASS
6	3.8865	10.30	12.59	22.89	56.00	33.11	9.46	19.76	46.00	26.24	L1	PASS


Final Data List

NO.	Frequency [MHz]	Factor [dB]	QP Reading [dBμV]	QP Value [dBμV]	QP Limit [dBμV]	QP Margin [dB]	AV Reading [dBμV]	AV Value [dBμV]	AV Limit [dBμV]	AV Margin [dB]	Type	Verdict
1	0.1648	10.35	37.03	47.38	65.22	17.84	22.52	32.87	55.22	22.35	N	PASS
2	0.3609	10.35	35.20	45.55	58.71	13.16	30.06	40.41	48.71	8.30	N	PASS
3	0.6179	10.36	19.11	29.47	56.00	26.53	15.64	26.00	46.00	20.00	N	PASS
4	1.1312	10.37	19.57	29.94	56.00	26.06	15.88	26.25	46.00	19.75	N	PASS
5	2.5209	10.49	15.34	25.83	56.00	30.17	12.05	22.54	46.00	23.46	N	PASS
6	3.4753	10.49	12.26	22.75	56.00	33.25	9.15	19.64	46.00	26.36	N	PASS