



Test Graphs








Appendix H: Emissions in Restricted Bands

Test Result




Suspected Data List											
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	2310.0000	37.32	39.99	2.67	74.00	34.01	150	237	PK	Vertical	PASS
2	2337.3000	39.11	41.92	2.81	74.00	32.08	150	314	PK	Vertical	PASS
3	2352.2500	39.31	42.26	2.95	74.00	31.74	150	251	PK	Vertical	PASS
4	2361.8700	40.95	43.86	2.91	74.00	30.14	150	35	PK	Vertical	PASS
5	2364.9900	40.46	43.45	2.99	74.00	30.55	150	197	PK	Vertical	PASS
6	2390.0000	38.15	41.10	2.95	74.00	32.90	150	205	PK	Vertical	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode: 1M

Channel: 2402 MHz

Test Graph


★ PK Detector ✱ AV Detector

Suspected Data List


NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	2310.0000	37.50	40.17	2.67	74.00	33.83	150	324	PK	Horizontal	PASS
2	2343.4100	39.22	42.15	2.93	74.00	31.85	150	130	PK	Horizontal	PASS
3	2357.9700	38.77	41.72	2.95	74.00	32.28	150	252	PK	Horizontal	PASS
4	2372.6600	39.62	42.63	3.01	74.00	31.37	150	157	PK	Horizontal	PASS
5	2387.2200	39.65	42.60	2.95	74.00	31.40	150	65	PK	Horizontal	PASS
6	2390.0000	38.28	41.23	2.95	74.00	32.77	150	335	PK	Horizontal	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode: 1M

Channel: 2480 MHz

Test Graph


★ PK Detector ★ AV Detector

Suspected Data List


NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	2483.5000	39.01	42.47	3.46	74.00	31.53	150	18	PK	Vertical	PASS
2	2484.3500	41.73	45.22	3.49	74.00	28.78	150	203	PK	Vertical	PASS
3	2487.5000	40.70	44.20	3.50	74.00	29.80	150	2	PK	Vertical	PASS
4	2491.9500	39.28	42.84	3.56	74.00	31.16	150	137	PK	Vertical	PASS
5	2494.4500	39.96	43.54	3.58	74.00	30.46	150	15	PK	Vertical	PASS
6	2500.0000	37.73	41.23	3.50	74.00	32.77	150	206	PK	Vertical	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode: 1M

Channel: 2480 MHz

Test Graph


★ PK Detector ✱ AV Detector

Suspected Data List


NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	2483.5000	42.20	45.66	3.46	74.00	28.34	150	83	PK	Horizontal	PASS
2	2486.3500	43.61	47.10	3.49	74.00	26.90	150	93	PK	Horizontal	PASS
3	2487.7000	44.27	47.75	3.48	74.00	26.25	150	83	PK	Horizontal	PASS
4	2489.6500	42.83	46.40	3.57	74.00	27.60	150	80	PK	Horizontal	PASS
5	2491.5000	40.73	44.28	3.55	74.00	29.72	150	118	PK	Horizontal	PASS
6	2500.0000	39.16	42.66	3.50	74.00	31.34	150	87	PK	Horizontal	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode: 2M

Channel: 2402 MHz

Test Graph


★ PK Detector ★ AV Detector

Suspected Data List


NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	2310.0000	37.05	39.72	2.67	74.00	34.28	150	293	PK	Vertical	PASS
2	2341.4600	39.61	42.48	2.87	74.00	31.52	150	102	PK	Vertical	PASS
3	2367.2000	42.40	45.39	2.99	74.00	28.61	150	195	PK	Vertical	PASS
4	2370.1900	40.86	43.90	3.04	74.00	30.10	150	200	PK	Vertical	PASS
5	2385.1400	39.37	42.40	3.03	74.00	31.60	150	210	PK	Vertical	PASS
6	2390.0000	37.86	40.81	2.95	74.00	33.19	150	169	PK	Vertical	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode: 2M

Channel: 2402 MHz

Test Graph


★ PK Detector ★ AV Detector

Suspected Data List


NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	2310.0000	37.67	40.34	2.67	74.00	33.66	150	323	PK	Horizontal	PASS
2	2339.6400	40.36	43.21	2.85	74.00	30.79	150	215	PK	Horizontal	PASS
3	2366.0300	40.23	43.23	3.00	74.00	30.77	150	360	PK	Horizontal	PASS
4	2379.5500	39.37	42.42	3.05	74.00	31.58	150	4	PK	Horizontal	PASS
5	2386.1800	39.13	42.12	2.99	74.00	31.88	150	109	PK	Horizontal	PASS
6	2390.0000	38.38	41.33	2.95	74.00	32.67	150	302	PK	Horizontal	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode: 2M

Channel: 2480 MHz

Test Graph


★ PK Detector ★ AV Detector

Suspected Data List


NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	2483.5000	39.41	42.87	3.46	74.00	31.13	150	10	PK	Vertical	PASS
2	2485.5000	42.22	45.72	3.50	74.00	28.28	150	123	PK	Vertical	PASS
3	2488.5500	41.41	44.92	3.51	74.00	29.08	150	126	PK	Vertical	PASS
4	2490.6000	39.75	43.31	3.56	74.00	30.69	150	260	PK	Vertical	PASS
5	2493.3000	38.97	42.55	3.58	74.00	31.45	150	250	PK	Vertical	PASS
6	2500.0000	38.27	41.77	3.50	74.00	32.23	150	139	PK	Vertical	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode: 2M

Channel: 2480 MHz

Test Graph


★ PK Detector ★ AV Detector

Suspected Data List

NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	2483.5000	40.75	44.21	3.46	74.00	29.79	150	85	PK	Horizontal	PASS
2	2484.1000	43.38	46.85	3.47	74.00	27.15	150	130	PK	Horizontal	PASS
3	2486.3500	43.51	47.00	3.49	74.00	27.00	150	88	PK	Horizontal	PASS
4	2488.5500	41.23	44.74	3.51	74.00	29.26	150	88	PK	Horizontal	PASS
5	2490.5000	40.43	43.99	3.56	74.00	30.01	150	309	PK	Horizontal	PASS
6	2500.0000	37.71	41.21	3.50	74.00	32.79	150	4	PK	Horizontal	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Appendix I: Spurious emissions


Test Result

Note:

The low frequency, which starts from 9 kHz to 30 MHz, is pre-scanned and the result which is 20 dB lower than the limit line is not reported.

During the test, the Radiates Emission from 30MHz to 1GHz was performed in all modes with all channels. The test data of the worst-case (BLE 1M-2402MHz) condition was recorded in this report. The measurement results above 18GHz were greater than 20dB below the limit, so only the radiated spurious emissions from 30MHz to 18GHz are reported.

Test Graph




Suspected Data List

NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	58.2513	32.97	16.13	-16.84	40.00	23.87	150	230	PK	Vertical	PASS
2	249.7050	35.86	18.15	-17.71	46.00	27.85	150	320	PK	Vertical	PASS
3	375.0775	42.48	28.32	-14.16	46.00	17.68	150	280	PK	Vertical	PASS
4	500.0863	35.15	23.78	-11.37	46.00	22.22	150	70	PK	Vertical	PASS
5	625.0950	36.93	28.35	-8.58	46.00	17.65	150	70	PK	Vertical	PASS
6	898.5138	36.06	32.11	-3.95	46.00	13.89	150	80	PK	Vertical	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Test Graph



Suspected Data List


NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	61.8888	31.57	14.36	-17.21	40.00	25.64	150	120	PK	Horizontal	PASS
2	131.6075	36.08	19.19	-16.89	43.50	24.31	150	30	PK	Horizontal	PASS
3	307.5413	39.71	24.46	-15.25	46.00	21.54	150	20	PK	Horizontal	PASS
4	375.0775	43.30	29.14	-14.16	46.00	16.86	150	270	PK	Horizontal	PASS
5	500.0863	35.32	23.95	-11.37	46.00	22.05	150	90	PK	Horizontal	PASS
6	625.0950	37.54	28.96	-8.58	46.00	17.04	150	10	PK	Horizontal	PASS

Note: (1) Level = Reading + Factor

(2) Margin = Limit - Level

Mode: 1M

Channel: 2402 MHz

Test Graph

Final Data List


NO.	Frequency [MHz]	Factor [dB]	PK Reading [dBμV/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Reading [dBμV/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1374.8000	-0.35	45.2	44.85	74.00	29.15	44.75	44.40	54.00	9.60	150	112	Vertical	PASS
2	3954.5000	-17.54	58.12	40.58	74.00	33.42	57.11	39.57	54.00	14.43	150	67	Vertical	PASS
3	4799.5000	-14.75	61.45	46.70	74.00	27.30	59.72	44.97	54.00	9.03	150	236	Vertical	PASS
4	7999.5000	-7.78	62.41	54.63	74.00	19.37	55.89	48.11	54.00	5.89	150	104	Vertical	PASS
5	11199.500	-2.92	58.36	55.44	74.00	18.56	52.09	49.17	54.00	4.83	150	17	Vertical	PASS
6	14399.500	1.32	51.6	52.92	74.00	21.08	46.06	47.38	54.00	6.62	150	255	Vertical	PASS

Note: (1) Level = Reading + Factor

(2) Margin = Limit - Level

Mode: 1M

Channel: 2402 MHz

Test Graph

Final Data List


NO.	Frequency [MHz]	Factor [dB]	PK Reading [dBμV/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Reading [dBμV/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1374.8000	-0.35	43.49	43.14	74.00	30.86	43.32	42.97	54.00	11.03	150	356	Horizonta	PASS
2	1599.8000	0.34	42.56	42.90	74.00	31.10	42.35	42.69	54.00	11.31	150	230	Horizonta	PASS
3	4804.5000	-14.51	59.12	44.61	74.00	29.39	54.35	39.84	54.00	14.16	150	101	Horizonta	PASS
4	7999.5000	-7.78	62.05	54.27	74.00	19.73	55.34	47.56	54.00	6.44	150	152	Horizonta	PASS
5	11199.500	-2.92	57.6	54.68	74.00	19.32	52.47	49.55	54.00	4.45	150	165	Horizonta	PASS
6	13833.500	1.01	49.21	50.22	74.00	23.78	46.25	47.26	54.00	6.74	150	319	Horizonta	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode: 1M

Channel: 2440 MHz

Test Graph

Final Data List

NO.	Frequency [MHz]	Factor [dB]	PK Reading [dBμV/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Reading [dBμV/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1374.8000	-0.35	45.29	44.94	74.00	29.06	45.05	44.70	54.00	9.30	150	237	Vertical	PASS
2	1599.8000	0.34	42.76	43.10	74.00	30.90	42.49	42.83	54.00	11.17	150	121	Vertical	PASS
3	4799.5000	-14.75	61.11	46.36	74.00	27.64	59.43	44.68	54.00	9.32	150	234	Vertical	PASS
4	7999.5000	-7.78	62.65	54.87	74.00	19.13	55.86	48.08	54.00	5.92	150	126	Vertical	PASS
5	11199.500	-2.92	58.07	55.15	74.00	18.85	52.91	49.99	54.00	4.01	150	10	Vertical	PASS
6	14399.500	1.32	50.69	52.01	74.00	21.99	49.17	50.49	54.00	3.51	150	260	Vertical	PASS


Note: (1) Level = Reading + Factor

(2) Margin = Limit - Level

Mode: 1M

Channel: 2440 MHz

Test Graph



Final Data List


NO.	Frequency [MHz]	Factor [dB]	PK Reading [dBμV/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Reading [dBμV/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1376.4000	-0.35	43.94	43.59	74.00	30.41	43.83	43.48	54.00	10.52	150	340	Horizontal	PASS
2	1599.8000	0.34	41.68	42.02	74.00	31.98	41.36	41.70	54.00	12.30	150	232	Horizontal	PASS
3	4879.5000	-14.09	58.29	44.20	74.00	29.80	56.99	42.90	54.00	11.10	150	118	Horizontal	PASS
4	8000.0000	-7.80	61.96	54.16	74.00	19.84	56.79	48.99	54.00	5.01	150	156	Horizontal	PASS
5	11199.500	-2.92	57.96	55.04	74.00	18.96	52.03	49.11	54.00	4.89	150	168	Horizontal	PASS
6	14057.500	0.91	48.89	49.80	74.00	24.20	47.47	48.38	54.00	5.62	150	174	Horizontal	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode: 1M

Channel: 2480 MHz

Test Graph


★ PK Detector * AV Detector

Final Data List

NO.	Frequency [MHz]	Factor [dB]	PK Reading [dBμV/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Reading [dBμV/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1374.6000	-0.35	45.64	45.29	74.00	28.71	45.19	44.84	54.00	9.16	150	82	Vertical	PASS
2	1599.8000	0.34	43.81	44.15	74.00	29.85	43.53	43.87	54.00	10.13	150	108	Vertical	PASS
3	4799.5000	-14.75	61.92	47.17	74.00	26.83	60.47	45.72	54.00	8.28	150	217	Vertical	PASS
4	7999.5000	-7.78	62.49	54.71	74.00	19.29	56.14	48.36	54.00	5.64	150	105	Vertical	PASS
5	11200.000	-2.93	57.17	54.24	74.00	19.76	51.43	48.50	54.00	5.50	150	23	Vertical	PASS
6	14399.500	1.32	51.13	52.45	74.00	21.55	49.42	50.74	54.00	3.26	150	43	Vertical	PASS


Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode: 1M

Channel: 2480 MHz

Test Graph



Final Data List


NO.	Frequency [MHz]	Factor [dB]	PK Reading [dBμV/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Reading [dBμV/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1375.0000	-0.35	43.76	43.41	74.00	30.59	43.58	43.23	54.00	10.77	150	104	Horizontal	PASS
2	1599.8000	0.34	41.96	42.30	74.00	31.70	41.75	42.09	54.00	11.91	150	187	Horizontal	PASS
3	4960.0000	-14.84	57.96	43.12	74.00	30.88	56.40	41.56	54.00	12.44	150	100	Horizontal	PASS
4	7999.5000	-7.78	63.09	55.31	74.00	18.69	55.84	48.06	54.00	5.94	150	158	Horizontal	PASS
5	9919.5000	-4.29	53.98	49.69	74.00	24.31	52.81	48.52	54.00	5.48	150	94	Horizontal	PASS
6	11199.500	-2.92	57.39	54.47	74.00	19.53	51.24	48.32	54.00	5.68	150	164	Horizontal	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode: 2M

Channel: 2402 MHz

Test Graph

Final Data List

NO.	Frequency [MHz]	Factor [dB]	PK Reading [dBμV/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Reading [dBμV/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1374.8000	-0.35	45.26	44.91	74.00	29.09	44.99	44.64	54.00	9.36	150	70	Vertical	PASS
2	1439.2000	-0.15	39.63	39.48	74.00	34.52	39.34	39.19	54.00	14.81	150	326	Vertical	PASS
3	4799.5000	-14.75	61.97	47.22	74.00	26.78	59.96	45.21	54.00	8.79	150	218	Vertical	PASS
4	8000.0000	-7.80	62.55	54.75	74.00	19.25	56.33	48.53	54.00	5.47	150	111	Vertical	PASS
5	11200.000	-2.93	57.73	54.80	74.00	19.20	51.62	48.69	54.00	5.31	150	129	Vertical	PASS
6	14399.500	1.32	50.76	52.08	74.00	21.92	48.36	49.68	54.00	4.32	150	60	Vertical	PASS


Note: (1) Level = Reading + Factor

(2) Margin = Limit - Level

Mode: 2M

Channel: 2402 MHz

Test Graph



Final Data List


NO.	Frequency [MHz]	Factor [dB]	PK Reading [dBμV/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Reading [dBμV/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1374.8000	-0.35	43.7	43.35	74.00	30.65	43.40	43.05	54.00	10.95	150	341	Horizontal	PASS
2	1599.8000	0.34	42.49	42.83	74.00	31.17	42.32	42.66	54.00	11.34	150	183	Horizontal	PASS
3	4802.5000	-14.61	57.91	43.30	74.00	30.70	55.67	41.06	54.00	12.94	150	107	Horizontal	PASS
4	8000.0000	-7.80	62.73	54.93	74.00	19.07	56.97	49.17	54.00	4.83	150	159	Horizontal	PASS
5	11199.500	-2.92	58.54	55.62	74.00	18.38	52.05	49.13	54.00	4.87	150	171	Horizontal	PASS
6	14399.500	1.32	50.94	52.26	74.00	21.74	49.03	50.35	54.00	3.65	150	107	Horizontal	PASS

Note: (1) Level = Reading + Factor

(2) Margin = Limit - Level

Mode: 2M

Channel: 2440 MHz

Test Graph

Final Data List


NO.	Frequency [MHz]	Factor [dB]	PK Reading [dBμV/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Reading [dBμV/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1374.8000	-0.35	44.99	44.64	74.00	29.36	44.70	44.35	54.00	9.65	150	120	Vertical	PASS
2	1600.0000	0.34	42.78	43.12	74.00	30.88	42.49	42.83	54.00	11.17	150	123	Vertical	PASS
3	4799.5000	-14.75	61.43	46.68	74.00	27.32	59.86	45.11	54.00	8.89	150	223	Vertical	PASS
4	7999.5000	-7.78	62.36	54.58	74.00	19.42	54.87	47.09	54.00	6.91	150	129	Vertical	PASS
5	11199.500	-2.92	57.98	55.06	74.00	18.94	52.50	49.58	54.00	4.42	150	16	Vertical	PASS
6	14400.000	1.32	51.93	53.25	74.00	20.75	46.94	48.26	54.00	5.74	150	230	Vertical	PASS

Note: (1) Level = Reading + Factor

(2) Margin = Limit - Level

Mode: 2M

Channel: 2440 MHz

Test Graph


★ PK Detector ★ AV Detector

Final Data List


NO.	Frequency [MHz]	Factor [dB]	PK Reading [dBμV/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Reading [dBμV/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1374.8000	-0.35	43.97	43.62	74.00	30.38	43.75	43.40	54.00	10.60	150	105	Horizontal	PASS
2	1599.8000	0.34	43.11	43.45	74.00	30.55	42.91	43.25	54.00	10.75	150	184	Horizontal	PASS
3	4878.5000	-14.11	58.09	43.98	74.00	30.02	56.53	42.42	54.00	11.58	150	73	Horizontal	PASS
4	7999.5000	-7.78	62.43	54.65	74.00	19.35	55.95	48.17	54.00	5.83	150	150	Horizontal	PASS
5	11199.500	-2.92	57.33	54.41	74.00	19.59	52.19	49.27	54.00	4.73	150	164	Horizontal	PASS
6	14399.500	1.32	50.63	51.95	74.00	22.05	49.39	50.71	54.00	3.29	150	106	Horizontal	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode: 2M

Channel: 2480 MHz

Test Graph


★ PK Detector ★ AV Detector

Final Data List

NO.	Frequency [MHz]	Factor [dB]	PK Reading [dBμV/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Reading [dBμV/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1374.8000	-0.35	45.49	45.14	74.00	28.86	45.19	44.84	54.00	9.16	150	62	Vertical	PASS
2	1599.8000	0.34	42.9	43.24	74.00	30.76	42.70	43.04	54.00	10.96	150	55	Vertical	PASS
3	4799.5000	-14.75	61.74	46.99	74.00	27.01	59.41	44.66	54.00	9.34	150	233	Vertical	PASS
4	7999.5000	-7.78	62.08	54.30	74.00	19.70	55.47	47.69	54.00	6.31	150	110	Vertical	PASS
5	11199.500	-2.92	58.43	55.51	74.00	18.49	52.40	49.48	54.00	4.52	150	16	Vertical	PASS
6	14399.500	1.32	50.32	51.64	74.00	22.36	49.50	50.82	54.00	3.18	150	61	Vertical	PASS


Note: (1) Level = Reading + Factor

(2) Margin = Limit - Level

Mode: 2M

Channel: 2480 MHz

Test Graph



Final Data List


NO.	Frequency [MHz]	Factor [dB]	PK Reading [dBµV/m]	PK Value [dBµV/m]	PK Limit [dBµV/m]	PK Margin [dB]	AV Reading [dBµV/m]	AV Value [dBµV/m]	AV Limit [dBµV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1373.2000	-0.35	45.24	44.89	74.00	29.11	45.04	44.69	54.00	9.31	150	337	Horizontal	PASS
2	1599.8000	0.34	42.42	42.76	74.00	31.24	42.17	42.51	54.00	11.49	150	63	Horizontal	PASS
3	4959.0000	-14.74	58.34	43.60	74.00	30.40	56.23	41.49	54.00	12.51	150	85	Horizontal	PASS
4	7999.5000	-7.78	62.09	54.31	74.00	19.69	55.11	47.33	54.00	6.67	150	153	Horizontal	PASS
5	9919.5000	-4.29	53.61	49.32	74.00	24.68	52.18	47.89	54.00	6.11	150	97	Horizontal	PASS
6	11199.500	-2.92	57.08	54.16	74.00	19.84	52.82	49.90	54.00	4.10	150	219	Horizontal	PASS

Note: (1) Level = Reading + Factor

(2) Margin = Limit - Level


Appendix J: Conducted emission AC power port

Test Result



Final Data List

NO.	Frequency [MHz]	Factor [dB]	QP Reading [dBμV]	QP Value [dBμV]	QP Limit [dBμV]	QP Margin [dB]	AV Reading [dBμV]	AV Value [dBμV]	AV Limit [dBμV]	AV Margin [dB]	Type	Verdict
1	0.1883	10.33	33.11	43.44	64.11	20.67	19.23	29.56	54.11	24.55	L1	PASS
2	0.3746	10.29	25.98	36.27	58.40	22.13	18.76	29.05	48.40	19.35	L1	PASS
3	0.9816	10.26	19.92	30.18	56.00	25.82	16.20	26.46	46.00	19.54	L1	PASS
4	2.0290	10.28	9.89	20.17	56.00	35.83	7.00	17.28	46.00	28.72	L1	PASS
5	3.7110	10.30	12.58	22.88	56.00	33.12	9.28	19.58	46.00	26.42	L1	PASS
6	7.7798	10.53	12.61	23.14	60.00	36.86	9.46	19.99	50.00	30.01	L1	PASS



Final Data List

NO.	Frequency [MHz]	Factor [dB]	QP Reading [dBμV]	QP Value [dBμV]	QP Limit [dBμV]	QP Margin [dB]	AV Reading [dBμV]	AV Value [dBμV]	AV Limit [dBμV]	AV Margin [dB]	Type	Verdict
1	0.1643	10.35	37.29	47.64	65.25	17.61	22.36	32.71	55.25	22.54	N	PASS
2	0.1923	10.35	32.75	43.10	63.94	20.84	20.37	30.72	53.94	23.22	N	PASS
3	0.3615	10.35	35.11	45.46	58.69	13.23	29.22	39.57	48.69	9.12	N	PASS
4	0.9689	10.36	22.39	32.75	56.00	23.25	18.32	28.68	46.00	17.32	N	PASS
5	1.4417	10.41	19.15	29.56	56.00	26.44	16.19	26.60	46.00	19.40	N	PASS
6	3.3861	10.49	12.43	22.92	56.00	33.08	9.38	19.87	46.00	26.13	N	PASS