






Test Graphs





BLE_1M_Ant1_2480

BLE_2M_Ant1_2402




Appendix H: Emissions in Restricted Bands

Test Result



Suspected Data List											
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	2310.0000	37.41	40.08	2.67	74.00	33.92	150	164	PK	Vertical	PASS
2	2318.7100	39.48	42.39	2.91	74.00	31.61	150	164	PK	Vertical	PASS
3	2329.8900	40.96	43.77	2.81	74.00	30.23	150	359	PK	Vertical	PASS
4	2362.0000	43.39	46.30	2.91	74.00	27.70	150	42	PK	Vertical	PASS
5	2369.8000	41.10	44.14	3.04	74.00	29.86	150	210	PK	Vertical	PASS
6	2390.0000	39.66	42.61	2.95	74.00	31.39	150	188	PK	Vertical	PASS


Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode: 1M

Channel: 2402MHz

Test Graph



Suspected Data List


NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	2310.0000	37.46	40.13	2.67	74.00	33.87	150	102	PK	Horizontal	PASS
2	2315.7200	39.97	42.83	2.86	74.00	31.17	150	211	PK	Horizontal	PASS
3	2328.2000	39.43	42.28	2.85	74.00	31.72	150	245	PK	Horizontal	PASS
4	2353.1600	39.48	42.44	2.96	74.00	31.56	150	121	PK	Horizontal	PASS
5	2361.6100	39.71	42.63	2.92	74.00	31.37	150	259	PK	Horizontal	PASS
6	2390.0000	38.82	41.77	2.95	74.00	32.23	150	217	PK	Horizontal	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode: 1M

Channel: 2480MHz

Test Graph


★ PK Detector ★ AV Detector

Suspected Data List


NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	2483.5000	43.41	46.87	3.46	74.00	27.13	150	271	PK	Vertical	PASS
2	2486.0500	41.58	45.05	3.47	74.00	28.95	150	274	PK	Vertical	PASS
3	2488.6000	41.26	44.77	3.51	74.00	29.23	150	330	PK	Vertical	PASS
4	2490.7000	41.36	44.92	3.56	74.00	29.08	150	304	PK	Vertical	PASS
5	2495.4000	39.70	43.26	3.56	74.00	30.74	150	327	PK	Vertical	PASS
6	2500.0000	38.78	42.28	3.50	74.00	31.72	150	304	PK	Vertical	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode: 1M

Channel: 2480MHz

Test Graph


★ PK Detector ✱ AV Detector

Suspected Data List


NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	2483.5000	42.25	45.71	3.46	74.00	28.29	150	11	PK	Horizontal	PASS
2	2485.3500	40.74	44.26	3.52	74.00	29.74	150	21	PK	Horizontal	PASS
3	2490.0000	39.64	43.21	3.57	74.00	30.79	150	349	PK	Horizontal	PASS
4	2491.7000	39.40	42.96	3.56	74.00	31.04	150	210	PK	Horizontal	PASS
5	2494.3500	39.05	42.63	3.58	74.00	31.37	150	0	PK	Horizontal	PASS
6	2500.0000	38.00	41.50	3.50	74.00	32.50	150	59	PK	Horizontal	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode: 2M

Channel: 2402MHz

Test Graph


★ PK Detector ★ AV Detector

Suspected Data List

NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	2310.0000	37.51	40.18	2.67	74.00	33.82	150	212	PK	Vertical	PASS
2	2319.6200	40.04	42.96	2.92	74.00	31.04	150	160	PK	Vertical	PASS
3	2338.8600	39.40	42.24	2.84	74.00	31.76	150	343	PK	Vertical	PASS
4	2365.9000	41.42	44.41	2.99	74.00	29.59	150	27	PK	Vertical	PASS
5	2372.7900	41.64	44.65	3.01	74.00	29.35	150	36	PK	Vertical	PASS
6	2390.0000	38.38	41.33	2.95	74.00	32.67	150	4	PK	Vertical	PASS


Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode: 2M

Channel: 2402MHz

Test Graph


Suspected Data List


NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	2310.0000	37.63	40.30	2.67	74.00	33.70	150	115	PK	Horizontal	PASS
2	2321.4400	40.24	43.14	2.90	74.00	30.86	150	1	PK	Horizontal	PASS
3	2341.3300	39.99	42.86	2.87	74.00	31.14	150	120	PK	Horizontal	PASS
4	2357.5800	39.83	42.78	2.95	74.00	31.22	150	74	PK	Horizontal	PASS
5	2374.4800	39.76	42.75	2.99	74.00	31.25	150	320	PK	Horizontal	PASS
6	2390.0000	38.71	41.66	2.95	74.00	32.34	150	25	PK	Horizontal	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode: 2M

Channel: 2480MHz

Test Graph


★ PK Detector ★ AV Detector


Suspected Data List											
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	2483.5000	42.84	46.30	3.46	74.00	27.70	150	356	PK	Vertical	PASS
2	2486.7500	42.76	46.28	3.52	74.00	27.72	150	288	PK	Vertical	PASS
3	2490.6000	40.35	43.91	3.56	74.00	30.09	150	281	PK	Vertical	PASS
4	2492.4500	40.41	43.97	3.56	74.00	30.03	150	327	PK	Vertical	PASS
5	2497.1000	39.59	43.18	3.59	74.00	30.82	150	311	PK	Vertical	PASS
6	2500.0000	38.28	41.78	3.50	74.00	32.22	150	324	PK	Vertical	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode: 2M

Channel: 2480MHz

Test Graph


★ PK Detector ★ AV Detector

Suspected Data List

NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	2483.5000	41.03	44.49	3.46	74.00	29.51	150	10	PK	Horizontal	PASS
2	2487.8000	41.36	44.84	3.48	74.00	29.16	150	0	PK	Horizontal	PASS
3	2490.1000	40.28	43.85	3.57	74.00	30.15	150	216	PK	Horizontal	PASS
4	2493.5500	39.86	43.45	3.59	74.00	30.55	150	169	PK	Horizontal	PASS
5	2497.3000	39.43	43.01	3.58	74.00	30.99	150	188	PK	Horizontal	PASS
6	2500.0000	37.60	41.10	3.50	74.00	32.90	150	173	PK	Horizontal	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level


Appendix I: Spurious emissions

Test Result


Note:

The low frequency, which starts from 9 kHz to 30 MHz, is pre-scanned and the result which is 20 dB lower than the limit line is not reported.

During the test, the Radiates Emission from 30MHz to 1GHz was performed in all modes with all channels. The test data of the worst-case (1M-2402MHz) condition was recorded in this report. The measurement results above 18GHz were greater than 20dB below the limit, so only the radiated spurious emissions from 30MHz to 18GHz are reported.




QP Final Data List									
NO.	Freq. [MHz]	Factor [dB/m]	QP Value [dBμV/m]	QP Limit [dBμV/m]	QP Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	46.6112	-15.98	27.62	40.00	12.38	100	282	Vertical	PASS
2	92.8075	-20.12	24.57	43.50	18.93	100	237	Vertical	PASS
3	188.4738	-18.36	35.97	43.50	7.53	100	33	Vertical	PASS
4	211.6325	-19.14	35.62	43.50	7.88	100	315	Vertical	PASS
5	337.8538	-15.14	32.14	46.00	13.86	200	317	Vertical	PASS
6	560.0081	-9.75	42.26	46.00	3.74	100.1	282	Vertical	PASS



QP Final Data List									
NO.	Freq. [MHz]	Factor [dB/m]	QP Value [dBμV/m]	QP Limit [dBμV/m]	QP Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	96.6875	-19.97	20.13	43.50	23.37	200	167	Horizontal	PASS
2	189.3225	-18.52	34.58	43.50	8.92	100	81	Horizontal	PASS
3	216.1188	-19.13	34.71	46.00	11.29	100	263	Horizontal	PASS
4	317.9688	-15.27	34.54	46.00	11.46	100	263	Horizontal	PASS
5	559.9838	-9.75	36.14	46.00	9.86	200	334	Horizontal	PASS
6	819.0950	-4.48	31.57	46.00	14.43	100	119	Horizontal	PASS

Mode: 1M

Channel: 2402MHz

Test Graph


★ PK Detector ★ AV Detector

Suspected Data List


NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	1078.0000	39.68	39.09	-0.59	74.00	34.91	150	120	PK	Vertical	PASS
2	1807.2000	39.91	40.92	1.01	74.00	33.08	150	10	PK	Vertical	PASS
3	3950.5000	54.95	37.68	-17.27	74.00	36.32	150	340	PK	Vertical	PASS
4	5585.5000	54.76	41.56	-13.20	74.00	32.44	150	330	PK	Vertical	PASS
5	7031.0000	53.15	43.49	-9.66	74.00	30.51	150	290	PK	Vertical	PASS
6	8347.5000	52.48	45.26	-7.22	74.00	28.74	150	180	PK	Vertical	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode: 1M

Channel: 2402MHz

Test Graph


★ PK Detector ★ AV Detector

Suspected Data List


NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	1165.2000	39.20	39.01	-0.19	74.00	34.99	150	280	PK	Horizontal	PASS
2	1734.2000	39.68	40.40	0.72	74.00	33.60	150	140	PK	Horizontal	PASS
3	3805.5000	57.05	38.63	-18.42	74.00	35.37	150	270	PK	Horizontal	PASS
4	4890.5000	55.76	42.07	-13.69	74.00	31.93	150	30	PK	Horizontal	PASS
5	6720.5000	52.42	43.27	-9.15	74.00	30.73	150	190	PK	Horizontal	PASS
6	8356.0000	51.89	44.73	-7.16	74.00	29.27	150	140	PK	Horizontal	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode: 1M

Channel: 2440MHz

Test Graph

Suspected Data List


NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	1062.0000	39.54	39.15	-0.39	74.00	34.85	150	170	PK	Vertical	PASS
2	1830.0000	39.62	40.83	1.21	74.00	33.17	150	110	PK	Vertical	PASS
3	4014.0000	55.69	38.04	-17.65	74.00	35.96	150	300	PK	Vertical	PASS
4	4751.0000	54.42	39.49	-14.93	74.00	34.51	150	340	PK	Vertical	PASS
5	7120.5000	53.21	43.56	-9.65	74.00	30.44	150	90	PK	Vertical	PASS
6	8917.5000	52.30	45.82	-6.48	74.00	28.18	150	310	PK	Vertical	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode: 1M

Channel: 2440MHz

Test Graph


★ PK Detector ★ AV Detector

Suspected Data List


NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	1225.6000	39.79	39.29	-0.50	74.00	34.71	150	70	PK	Horizontal	PASS
2	2061.0000	39.95	41.76	1.81	74.00	32.24	150	70	PK	Horizontal	PASS
3	3828.0000	56.67	38.56	-18.11	74.00	35.44	150	300	PK	Horizontal	PASS
4	4781.5000	55.18	40.81	-14.37	74.00	33.19	150	250	PK	Horizontal	PASS
5	6742.5000	52.39	42.91	-9.48	74.00	31.09	150	150	PK	Horizontal	PASS
6	8141.0000	52.59	44.97	-7.62	74.00	29.03	150	60	PK	Horizontal	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode: 1M

Channel: 2480MHz

Test Graph


★ PK Detector ★ AV Detector

Suspected Data List


NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	1153.4000	39.03	38.65	-0.38	74.00	35.35	150	210	PK	Vertical	PASS
2	1877.6000	39.05	40.49	1.44	74.00	33.51	150	270	PK	Vertical	PASS
3	3719.5000	57.86	38.69	-19.17	74.00	35.31	150	310	PK	Vertical	PASS
4	5159.0000	54.80	41.16	-13.64	74.00	32.84	150	340	PK	Vertical	PASS
5	6441.5000	53.81	43.25	-10.56	74.00	30.75	150	30	PK	Vertical	PASS
6	8576.5000	52.46	45.27	-7.19	74.00	28.73	150	160	PK	Vertical	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode: 1M

Channel: 2480MHz

Test Graph

Suspected Data List


NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	1282.6000	39.89	39.49	-0.40	74.00	34.51	150	150	PK	Horizontal	PASS
2	1937.4000	39.00	40.49	1.49	74.00	33.51	150	150	PK	Horizontal	PASS
3	3591.0000	56.74	37.65	-19.09	74.00	36.35	150	120	PK	Horizontal	PASS
4	5038.0000	54.70	41.23	-13.47	74.00	32.77	150	260	PK	Horizontal	PASS
5	6149.0000	53.47	42.91	-10.56	74.00	31.09	150	300	PK	Horizontal	PASS
6	9254.5000	51.39	46.80	-4.59	74.00	27.20	150	340	PK	Horizontal	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode: 2M

Channel: 2402MHz

Test Graph


★ PK Detector ★ AV Detector

Suspected Data List

NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	1190.6000	39.83	39.33	-0.50	74.00	34.67	150	130	PK	Vertical	PASS
2	1816.0000	39.06	40.16	1.10	74.00	33.84	150	190	PK	Vertical	PASS
3	3265.5000	57.61	37.75	-19.86	74.00	36.25	150	340	PK	Vertical	PASS
4	4735.0000	54.35	39.12	-15.23	74.00	34.88	150	80	PK	Vertical	PASS
5	6642.5000	54.02	43.68	-10.34	74.00	30.32	150	170	PK	Vertical	PASS
6	8953.0000	51.95	45.37	-6.58	74.00	28.63	150	200	PK	Vertical	PASS


Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode: 2M

Channel: 2402MHz

Test Graph



★ PK Detector ★ AV Detector


Suspected Data List											
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	1177.0000	40.85	40.68	-0.17	74.00	33.32	150	170	PK	Horizontal	PASS
2	1903.6000	39.81	41.34	1.53	74.00	32.66	150	310	PK	Horizontal	PASS
3	3750.5000	57.72	38.55	-19.17	74.00	35.45	150	230	PK	Horizontal	PASS
4	4910.5000	54.70	41.57	-13.13	74.00	32.43	150	230	PK	Horizontal	PASS
5	7003.5000	52.77	43.43	-9.34	74.00	30.57	150	280	PK	Horizontal	PASS
6	8954.0000	51.65	45.09	-6.56	74.00	28.91	150	160	PK	Horizontal	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode: 2M

Channel: 2440MHz

Test Graph


★ PK Detector ★ AV Detector

Suspected Data List

NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	1367.8000	39.35	38.97	-0.38	74.00	35.03	150	70	PK	Vertical	PASS
2	2127.4000	39.47	41.68	2.21	74.00	32.32	150	350	PK	Vertical	PASS
3	3525.0000	57.67	37.87	-19.80	74.00	36.13	150	200	PK	Vertical	PASS
4	4909.5000	55.06	41.93	-13.13	74.00	32.07	150	240	PK	Vertical	PASS
5	5754.0000	54.33	41.86	-12.47	74.00	32.14	150	310	PK	Vertical	PASS
6	7784.0000	53.21	45.04	-8.17	74.00	28.96	150	130	PK	Vertical	PASS


Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode: 2M

Channel: 2440MHz

Test Graph



Suspected Data List


NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	1224.0000	40.30	39.79	-0.51	74.00	34.21	150	60	PK	Horizontal	PASS
2	1843.8000	39.70	41.01	1.31	74.00	32.99	150	90	PK	Horizontal	PASS
3	4158.0000	56.31	39.13	-17.18	74.00	34.87	150	270	PK	Horizontal	PASS
4	5620.0000	54.25	41.56	-12.69	74.00	32.44	150	330	PK	Horizontal	PASS
5	6826.5000	53.25	43.36	-9.89	74.00	30.64	150	80	PK	Horizontal	PASS
6	9229.5000	51.92	46.98	-4.94	74.00	27.02	150	240	PK	Horizontal	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode: 2M

Channel: 2480MHz

Test Graph


★ PK Detector ★ AV Detector

Suspected Data List


NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	1223.2000	39.41	38.90	-0.51	74.00	35.10	150	180	PK	Vertical	PASS
2	2110.8000	40.31	42.41	2.10	74.00	31.59	150	70	PK	Vertical	PASS
3	3987.0000	55.85	38.34	-17.51	74.00	35.66	150	300	PK	Vertical	PASS
4	5696.0000	54.76	41.99	-12.77	74.00	32.01	150	0	PK	Vertical	PASS
5	7414.0000	53.43	44.40	-9.03	74.00	29.60	150	300	PK	Vertical	PASS
6	9266.0000	51.10	46.27	-4.83	74.00	27.73	150	330	PK	Vertical	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode: 2M

Channel: 2480MHz

Test Graph


★ PK Detector ★ AV Detector

Suspected Data List


NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	1318.4000	39.88	39.63	-0.25	74.00	34.37	150	200	PK	Horizontal	PASS
2	2051.0000	40.69	42.50	1.81	74.00	31.50	150	90	PK	Horizontal	PASS
3	3813.5000	56.45	38.11	-18.34	74.00	35.89	150	10	PK	Horizontal	PASS
4	5062.5000	54.69	41.78	-12.91	74.00	32.22	150	280	PK	Horizontal	PASS
5	7306.0000	53.37	43.86	-9.51	74.00	30.14	150	20	PK	Horizontal	PASS
6	9254.5000	50.90	46.31	-4.59	74.00	27.69	150	80	PK	Horizontal	PASS

Note:(1)Level=Reading+Factor


(2)Margin=Limit-Level

Appendix J: Conducted emission AC power port

Test Result



Final Data List										
NO.	Freq. [MHz]	Factor [dB]	QP Value [dBμV]	QP Limit [dBμV]	QP Margin [dB]	AV Value [dBμV]	AV Limit [dBμV]	AV Margin [dB]	Type	Verdict
1	0.195	10.34	45.03	63.82	18.79	32.89	53.82	20.93	L1	PASS
2	0.225	10.34	43.28	62.63	19.35	29.74	52.63	22.89	L1	PASS
3	0.276	10.32	40.87	60.94	20.07	28.35	50.94	22.59	L1	PASS
4	0.306	10.31	39.04	60.08	21.04	28.86	50.08	21.22	L1	PASS
5	0.345	10.30	38.85	59.08	20.23	26.96	49.08	22.12	L1	PASS
6	0.861	10.31	37.58	56.00	18.42	25.12	46.00	20.88	L1	PASS



Final Data List										
NO.	Freq. [MHz]	Factor [dB]	QP Value [dBμV]	QP Limit [dBμV]	QP Margin [dB]	AV Value [dBμV]	AV Limit [dBμV]	AV Margin [dB]	Type	Verdict
1	0.159	10.35	46.04	65.52	19.48	33.69	55.52	21.83	N	PASS
2	0.192	10.35	43.24	63.95	20.71	34.18	53.95	19.77	N	PASS
3	0.231	10.34	41.77	62.41	20.64	31.65	52.41	20.76	N	PASS
4	0.264	10.33	40.86	61.30	20.44	30.46	51.30	20.84	N	PASS
5	0.381	10.29	37.49	58.26	20.77	25.86	48.26	22.40	N	PASS
6	0.834	10.26	38.12	56.00	17.88	24.86	46.00	21.14	N	PASS