


Mode: AX40

Channel: 2452 MHz

Test Graph


★ PK Detector ★ AV Detector

Final Data List


NO.	Frequency [MHz]	Factor [dB]	PK Reading [dBμV/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Reading [dBμV/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2483.5000	3.46	48.94	52.40	74.00	21.60	44.76	48.22	54.00	5.78	150	20	Vertical	PASS
2	2483.9500	3.45	51.19	54.64	74.00	19.36	43.82	47.27	54.00	6.73	150	354	Vertical	PASS
3	2485.1500	3.53	51.49	55.02	74.00	18.98	42.44	45.97	54.00	8.03	150	308	Vertical	PASS
4	2487.8500	3.47	52.32	55.79	74.00	18.21	41.88	45.35	54.00	8.65	150	10	Vertical	PASS
5	2489.1500	3.56	51.35	54.91	74.00	19.09	41.87	45.43	54.00	8.57	150	23	Vertical	PASS
6	2500.0000	3.50	50.81	54.31	74.00	19.69	31.26	34.76	54.00	19.24	150	4	Vertical	PASS

Note: (1) Level = Reading + Factor

(2) Margin = Limit - Level

Mode: AX40

Channel: 2452 MHz

Test Graph


★ PK Detector ★ AV Detector

Final Data List

NO.	Frequency [MHz]	Factor [dB]	PK Reading [dBμV/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Reading [dBμV/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2483.5000	3.46	43.33	46.79	74.00	27.21	41.67	45.13	54.00	8.87	150	59	Horizonta	PASS
2	2483.6500	3.46	50.29	53.75	74.00	20.25	41.36	44.82	54.00	9.18	150	72	Horizonta	PASS
3	2484.8000	3.52	49.76	53.28	74.00	20.72	40.44	43.96	54.00	10.04	150	90	Horizonta	PASS
4	2485.9500	3.47	47.27	50.74	74.00	23.26	40.20	43.67	54.00	10.33	150	83	Horizonta	PASS
5	2487.4500	3.50	48.13	51.63	74.00	22.37	39.18	42.68	54.00	11.32	150	72	Horizonta	PASS
6	2500.0000	3.50	42.25	45.75	74.00	28.25	37.59	41.09	54.00	12.91	150	105	Horizonta	PASS

Note: (1) Level = Reading + Factor

(2) Margin = Limit - Level


Appendix I: Spurious emissions

Test Result


Note:

The low frequency, which starts from 9 kHz to 30 MHz, is pre-scanned and the result which is 20 dB lower than the limit line is not reported.

During the test, the Radiates Emission from 30MHz to 1GHz was performed in all modes with all channels. The test data of the worst-case (AX20-2412MHz) condition was recorded in this report. The measurement results above 18GHz were greater than 20dB below the limit, so only the radiated spurious emissions from 30MHz to 18GHz are reported.




QP Final Data List									
NO.	Freq. [MHz]	Factor [dB/m]	QP Value [dBμV/m]	QP Limit [dBμV/m]	QP Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	47.8237	-16.05	19.22	40.00	20.78	100	70	Vertical	PASS
2	59.1000	-16.80	17.89	40.00	22.11	100	107	Vertical	PASS
3	148.9462	-15.95	25.60	43.50	17.90	200	188	Vertical	PASS
4	196.7188	-18.96	32.68	43.50	10.82	100	254	Vertical	PASS
5	559.9838	-9.75	41.41	46.00	4.59	200	188	Vertical	PASS
6	640.0088	-7.53	45.31	46.00	0.69	100.4	212	Vertical	PASS


QP Final Data List

NO.	Freq. [MHz]	Factor [dB/m]	QP Value [dBμV/m]	QP Limit [dBμV/m]	QP Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	148.4612	-15.99	17.82	43.50	25.68	100	247	Horizontal	PASS
2	196.4762	-18.93	29.74	43.50	13.76	100	287	Horizontal	PASS
3	315.9075	-15.30	25.33	46.00	20.67	100	244	Horizontal	PASS
4	426.9725	-12.72	27.04	46.00	18.96	100	287	Horizontal	PASS
5	559.9838	-9.75	32.17	46.00	13.83	100	330	Horizontal	PASS
6	819.3375	-4.47	30.11	46.00	15.89	100	239	Horizontal	PASS

Mode: B

Channel: 2412 MHz

Test Graph


★ PK Detector ★ AV Detector

Suspected Data List


NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	1387.0000	38.36	37.95	-0.41	74.00	36.05	150	139	PK	Vertical	PASS
2	1757.2000	38.71	39.52	0.81	74.00	34.48	150	56	PK	Vertical	PASS
3	4823.5000	62.09	47.16	-14.93	74.00	26.84	150	338	PK	Vertical	PASS
4	6577.0000	52.54	42.50	-10.04	74.00	31.50	150	126	PK	Vertical	PASS
5	8379.5000	51.44	44.17	-7.27	74.00	29.83	150	126	PK	Vertical	PASS
6	8923.5000	50.69	44.20	-6.49	74.00	29.80	150	16	PK	Vertical	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode: B

Channel: 2412 MHz

Test Graph


★ PK Detector ★ AV Detector

Suspected Data List


NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	1373.0000	38.26	37.91	-0.35	74.00	36.09	150	50	PK	Horizontal	PASS
2	1607.4000	38.72	38.98	0.26	74.00	35.02	150	182	PK	Horizontal	PASS
3	4824.0000	58.06	43.15	-14.91	74.00	30.85	150	115	PK	Horizontal	PASS
4	5683.5000	51.65	38.98	-12.67	74.00	35.02	150	356	PK	Horizontal	PASS
5	8119.0000	51.21	43.36	-7.85	74.00	30.64	150	282	PK	Horizontal	PASS
6	9437.5000	50.79	45.60	-5.19	74.00	28.40	150	171	PK	Horizontal	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode: B

Channel: 2437 MHz

Test Graph


★ PK Detector ✱ AV Detector

Suspected Data List


NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	1246.4000	38.90	38.39	-0.51	74.00	35.61	150	256	PK	Vertical	PASS
2	1650.6000	38.59	39.04	0.45	74.00	34.96	150	183	PK	Vertical	PASS
3	4736.0000	60.43	45.20	-15.23	74.00	28.80	150	39	PK	Vertical	PASS
4	6579.0000	54.27	44.25	-10.02	74.00	29.75	150	179	PK	Vertical	PASS
5	8912.0000	50.41	43.81	-6.60	74.00	30.19	150	325	PK	Vertical	PASS
6	10224.500	49.56	45.54	-4.02	74.00	28.46	150	1	PK	Vertical	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode: B

Channel: 2437 MHz

Test Graph


★ PK Detector ★ AV Detector

Suspected Data List


NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	1464.2000	38.17	38.08	-0.09	74.00	35.92	150	339	PK	Horizontal	PASS
2	1865.2000	38.60	39.92	1.32	74.00	34.08	150	72	PK	Horizontal	PASS
3	4874.0000	55.31	41.11	-14.20	74.00	32.89	150	116	PK	Horizontal	PASS
4	5597.0000	53.52	40.45	-13.07	74.00	33.55	150	318	PK	Horizontal	PASS
5	6731.5000	51.66	42.08	-9.58	74.00	31.92	150	58	PK	Horizontal	PASS
6	8741.0000	50.89	44.55	-6.34	74.00	29.45	150	34	PK	Horizontal	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode: B

Channel: 2462 MHz

Test Graph


★ PK Detector ★ AV Detector

Suspected Data List


NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	1318.4000	38.43	38.18	-0.25	74.00	35.82	150	18	PK	Vertical	PASS
2	1608.4000	38.49	38.74	0.25	74.00	35.26	150	238	PK	Vertical	PASS
3	3949.5000	54.47	37.20	-17.27	74.00	36.80	150	40	PK	Vertical	PASS
4	4923.5000	55.53	41.87	-13.66	74.00	32.13	150	53	PK	Vertical	PASS
5	6986.5000	51.95	42.41	-9.54	74.00	31.59	150	292	PK	Vertical	PASS
6	9488.0000	50.81	45.53	-5.28	74.00	28.47	150	116	PK	Vertical	PASS

Note: (1) Level = Reading + Factor

(2) Margin = Limit - Level

Mode: B

Channel: 2462 MHz

Test Graph


★ PK Detector ✱ AV Detector

Suspected Data List

NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	1412.8000	38.95	38.64	-0.31	74.00	35.36	150	115	PK	Horizontal	PASS
2	1849.4000	39.23	40.52	1.29	74.00	33.48	150	218	PK	Horizontal	PASS
3	4923.5000	56.53	42.87	-13.66	74.00	31.13	150	120	PK	Horizontal	PASS
4	5767.0000	51.57	39.07	-12.50	74.00	34.93	150	83	PK	Horizontal	PASS
5	7166.0000	53.84	43.91	-9.93	74.00	30.09	150	63	PK	Horizontal	PASS
6	9060.5000	50.09	44.06	-6.03	74.00	29.94	150	57	PK	Horizontal	PASS


Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode: AX20

Channel: 2412 MHz

Test Graph



Suspected Data List


NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	1120.0000	39.57	39.17	-0.40	74.00	34.83	150	18	PK	Vertical	PASS
2	1627.2000	39.84	40.28	0.44	74.00	33.72	150	298	PK	Vertical	PASS
3	4188.5000	55.96	39.22	-16.74	74.00	34.78	150	282	PK	Vertical	PASS
4	4730.0000	60.69	45.51	-15.18	74.00	28.49	150	41	PK	Vertical	PASS
5	5249.5000	58.96	45.38	-13.58	74.00	28.62	150	108	PK	Vertical	PASS
6	9127.0000	51.10	45.15	-5.95	74.00	28.85	150	83	PK	Vertical	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode: AX20

Channel: 2412 MHz

Test Graph


★ PK Detector ★ AV Detector

Suspected Data List


NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	1165.6000	39.19	39.01	-0.18	74.00	34.99	150	202	PK	Horizontal	PASS
2	1708.6000	39.45	40.14	0.69	74.00	33.86	150	337	PK	Horizontal	PASS
3	4221.5000	56.60	39.41	-17.19	74.00	34.59	150	219	PK	Horizontal	PASS
4	5170.0000	55.18	42.37	-12.81	74.00	31.63	150	41	PK	Horizontal	PASS
5	6898.5000	53.50	43.63	-9.87	74.00	30.37	150	207	PK	Horizontal	PASS
6	9286.5000	51.84	46.23	-5.61	74.00	27.77	150	350	PK	Horizontal	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode: AX20

Channel: 2437 MHz

Test Graph


★ PK Detector ★ AV Detector

Suspected Data List


NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	1199.8000	39.76	39.48	-0.28	74.00	34.52	150	231	PK	Vertical	PASS
2	1692.2000	39.24	39.79	0.55	74.00	34.21	150	226	PK	Vertical	PASS
3	3945.5000	58.66	41.12	-17.54	74.00	32.88	150	31	PK	Vertical	PASS
4	4727.0000	59.47	44.27	-15.20	74.00	29.73	150	140	PK	Vertical	PASS
5	5250.5000	58.12	44.56	-13.56	74.00	29.44	150	98	PK	Vertical	PASS
6	7109.0000	56.77	46.82	-9.95	74.00	27.18	150	56	PK	Vertical	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode: AX20

Channel: 2437 MHz

Test Graph


★ PK Detector ★ AV Detector

Suspected Data List


NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	1329.8000	40.66	40.06	-0.60	74.00	33.94	150	253	PK	Horizontal	PASS
2	1619.2000	40.02	40.31	0.29	74.00	33.69	150	90	PK	Horizontal	PASS
3	3701.5000	57.06	37.97	-19.09	74.00	36.03	150	274	PK	Horizontal	PASS
4	5054.5000	54.52	41.68	-12.84	74.00	32.32	150	237	PK	Horizontal	PASS
5	6856.0000	52.96	43.32	-9.64	74.00	30.68	150	337	PK	Horizontal	PASS
6	9069.0000	51.23	45.17	-6.06	74.00	28.83	150	187	PK	Horizontal	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode: AX20

Channel: 2462 MHz

Test Graph


★ PK Detector ★ AV Detector

Suspected Data List


NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	1316.8000	38.64	38.38	-0.26	74.00	35.62	150	205	PK	Vertical	PASS
2	1645.6000	39.11	39.48	0.37	74.00	34.52	150	123	PK	Vertical	PASS
3	4745.5000	54.51	39.44	-15.07	74.00	34.56	150	49	PK	Vertical	PASS
4	5271.0000	54.34	40.72	-13.62	74.00	33.28	150	125	PK	Vertical	PASS
5	6563.0000	56.33	45.98	-10.35	74.00	28.02	150	150	PK	Vertical	PASS
6	9098.5000	51.11	45.12	-5.99	74.00	28.88	150	150	PK	Vertical	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode: AX20

Channel: 2462 MHz

Test Graph


★ PK Detector ★ AV Detector

Suspected Data List


NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	1317.0000	39.06	38.80	-0.26	74.00	35.20	150	88	PK	Horizontal	PASS
2	1899.8000	37.88	39.46	1.58	74.00	34.54	150	232	PK	Horizontal	PASS
3	4975.5000	53.09	39.57	-13.52	74.00	34.43	150	129	PK	Horizontal	PASS
4	7003.5000	51.82	42.48	-9.34	74.00	31.52	150	54	PK	Horizontal	PASS
5	8773.5000	50.72	44.15	-6.57	74.00	29.85	150	210	PK	Horizontal	PASS
6	10960.000	49.81	46.22	-3.59	74.00	27.78	150	135	PK	Horizontal	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode: AX40

Channel: 2422 MHz

Test Graph


★ PK Detector ★ AV Detector

Suspected Data List


NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	1269.8000	38.67	38.21	-0.46	74.00	35.79	150	256	PK	Vertical	PASS
2	1715.6000	39.17	39.84	0.67	74.00	34.16	150	144	PK	Vertical	PASS
3	4740.5000	60.83	45.58	-15.25	74.00	28.42	150	41	PK	Vertical	PASS
4	6567.5000	53.68	43.47	-10.21	74.00	30.53	150	173	PK	Vertical	PASS
5	7348.0000	52.30	43.33	-8.97	74.00	30.67	150	10	PK	Vertical	PASS
6	8705.5000	50.62	43.82	-6.80	74.00	30.18	150	186	PK	Vertical	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode: AX40

Channel: 2422 MHz

Test Graph


★ PK Detector ★ AV Detector

Suspected Data List


NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	1343.8000	38.25	37.89	-0.36	74.00	36.11	150	258	PK	Horizontal	PASS
2	1704.8000	38.38	39.01	0.63	74.00	34.99	150	104	PK	Horizontal	PASS
3	4216.0000	54.61	37.45	-17.16	74.00	36.55	150	103	PK	Horizontal	PASS
4	6385.0000	51.69	41.36	-10.33	74.00	32.64	150	84	PK	Horizontal	PASS
5	7615.5000	52.21	43.38	-8.83	74.00	30.62	150	109	PK	Horizontal	PASS
6	10150.500	49.85	45.62	-4.23	74.00	28.38	150	109	PK	Horizontal	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode: AX40

Channel: 2437 MHz

Test Graph


★ PK Detector ★ AV Detector

Suspected Data List


NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	1260.0000	38.47	38.03	-0.44	74.00	35.97	150	356	PK	Vertical	PASS
2	1459.4000	38.66	38.59	-0.07	74.00	35.41	150	140	PK	Vertical	PASS
3	3940.0000	53.67	35.76	-17.91	74.00	38.24	150	57	PK	Vertical	PASS
4	4735.0000	60.87	45.64	-15.23	74.00	28.36	150	121	PK	Vertical	PASS
5	7107.0000	55.53	45.63	-9.90	74.00	28.37	150	140	PK	Vertical	PASS
6	9585.0000	50.69	45.83	-4.86	74.00	28.17	150	140	PK	Vertical	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode: AX40

Channel: 2437 MHz

Test Graph


★ PK Detector ★ AV Detector

Suspected Data List


NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	1399.8000	38.27	37.97	-0.30	74.00	36.03	150	62	PK	Horizontal	PASS
2	1610.8000	38.80	39.04	0.24	74.00	34.96	150	289	PK	Horizontal	PASS
3	4162.0000	52.68	35.41	-17.27	74.00	38.59	150	325	PK	Horizontal	PASS
4	5571.0000	52.70	39.68	-13.02	74.00	34.32	150	84	PK	Horizontal	PASS
5	6519.0000	51.88	41.98	-9.90	74.00	32.02	150	217	PK	Horizontal	PASS
6	8341.5000	50.84	43.59	-7.25	74.00	30.41	150	306	PK	Horizontal	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode: AX40

Channel: 2452 MHz

Test Graph


★ PK Detector ★ AV Detector

Suspected Data List


NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	1315.6000	39.01	38.75	-0.26	74.00	35.25	150	209	PK	Vertical	PASS
2	1539.8000	38.32	38.43	0.11	74.00	35.57	150	290	PK	Vertical	PASS
3	4741.0000	55.49	40.25	-15.24	74.00	33.75	150	66	PK	Vertical	PASS
4	5254.5000	53.37	39.96	-13.41	74.00	34.04	150	90	PK	Vertical	PASS
5	7093.5000	59.26	49.78	-9.48	74.00	24.22	150	135	PK	Vertical	PASS
6	8099.0000	51.50	44.06	-7.44	74.00	29.94	150	199	PK	Vertical	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode: AX40

Channel: 2452 MHz

Test Graph


★ PK Detector ★ AV Detector

Suspected Data List


NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	1211.6000	38.65	38.39	-0.26	74.00	35.61	150	135	PK	Horizontal	PASS
2	1624.2000	38.40	38.78	0.38	74.00	35.22	150	348	PK	Horizontal	PASS
3	4273.0000	53.61	36.86	-16.75	74.00	37.14	150	26	PK	Horizontal	PASS
4	5459.0000	53.66	40.70	-12.96	74.00	33.30	150	254	PK	Horizontal	PASS
5	6767.0000	50.96	40.99	-9.97	74.00	33.01	150	115	PK	Horizontal	PASS
6	7923.0000	51.19	43.32	-7.87	74.00	30.68	150	242	PK	Horizontal	PASS

Note:(1)Level=Reading+Factor


(2)Margin=Limit-Level

Appendix J: Conducted emission AC power port

Test Result



Final Data List										
NO.	Freq. [MHz]	Factor [dB]	QP Value [dBμV]	QP Limit [dBμV]	QP Margin [dB]	AV Value [dBμV]	AV Limit [dBμV]	AV Margin [dB]	Type	Verdict
1	0.192	10.33	43.32	63.95	20.63	33.02	53.95	20.93	L1	PASS
2	0.432	10.27	37.97	57.21	19.24	31.19	47.21	16.02	L1	PASS
3	0.861	10.31	37.06	56.00	18.94	25.43	46.00	20.57	L1	PASS
4	1.29	10.34	37.74	56.00	18.26	32.14	46.00	13.86	L1	PASS
5	2.151	10.28	36.76	56.00	19.24	31.59	46.00	14.41	L1	PASS
6	3.009	10.29	37.03	56.00	18.97	31.92	46.00	14.08	L1	PASS



Final Data List										
NO.	Freq. [MHz]	Factor [dB]	QP Value [dBμV]	QP Limit [dBμV]	QP Margin [dB]	AV Value [dBμV]	AV Limit [dBμV]	AV Margin [dB]	Type	Verdict
1	0.192	10.35	43.23	63.95	20.72	32.89	53.95	21.06	N	PASS
2	0.429	10.27	40.25	57.27	17.02	32.00	47.27	15.27	N	PASS
3	0.837	10.26	38.91	56.00	17.09	24.18	46.00	21.82	N	PASS
4	1.287	10.29	37.81	56.00	18.19	31.90	46.00	14.10	N	PASS
5	2.148	10.38	37.44	56.00	18.56	32.33	46.00	13.67	N	PASS
6	3.006	10.39	37.56	56.00	18.44	31.85	46.00	14.15	N	PASS