



Test Graphs








Appendix H: Emissions in Restricted Bands


Test Result



Suspected Data List											
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	2310.0000	37.81	40.48	2.67	74.00	33.52	150	239	PK	Vertical	PASS
2	2330.2800	39.17	41.97	2.80	74.00	32.03	150	342	PK	Vertical	PASS
3	2350.8200	38.41	41.42	3.01	74.00	32.58	150	99	PK	Vertical	PASS
4	2360.7000	39.52	42.46	2.94	74.00	31.54	150	91	PK	Vertical	PASS
5	2374.4800	38.10	41.09	2.99	74.00	32.91	150	316	PK	Vertical	PASS
6	2390.0000	38.61	41.56	2.95	74.00	32.44	150	276	PK	Vertical	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level




Suspected Data List											
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	2310.0000	37.63	40.30	2.67	74.00	33.70	150	80	PK	Horizontal	PASS
2	2330.2800	39.24	42.04	2.80	74.00	31.96	150	19	PK	Horizontal	PASS
3	2350.6900	37.84	40.86	3.02	74.00	33.14	150	82	PK	Horizontal	PASS
4	2360.4400	38.46	41.41	2.95	74.00	32.59	150	19	PK	Horizontal	PASS
5	2385.5300	38.07	41.09	3.02	74.00	32.91	150	342	PK	Horizontal	PASS
6	2390.0000	37.73	40.68	2.95	74.00	33.32	150	291	PK	Horizontal	PASS

Note:(1)Level=Reading+Factor
 (2)Margin=Limit-Level

Mode: 1M

Channel: 2480 MHz

Test Graph




★ PK Detector ✱ AV Detector

Suspected Data List

NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	2483.5000	43.51	46.97	3.46	74.00	27.03	150	317	PK	Vertical	PASS
2	2484.6500	42.17	45.68	3.51	74.00	28.32	150	307	PK	Vertical	PASS
3	2488.0000	39.41	42.87	3.46	74.00	31.13	150	300	PK	Vertical	PASS
4	2493.0500	37.91	41.48	3.57	74.00	32.52	150	163	PK	Vertical	PASS
5	2496.7500	38.64	42.22	3.58	74.00	31.78	150	178	PK	Vertical	PASS
6	2500.0000	36.34	39.84	3.50	74.00	34.16	150	160	PK	Vertical	PASS


Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level




Suspected Data List											
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	2483.5000	40.73	44.19	3.46	74.00	29.81	150	295	PK	Horizontal	PASS
2	2486.1500	39.61	43.09	3.48	74.00	30.91	150	282	PK	Horizontal	PASS
3	2487.6500	40.09	43.58	3.49	74.00	30.42	150	295	PK	Horizontal	PASS
4	2489.9000	38.46	42.03	3.57	74.00	31.97	150	295	PK	Horizontal	PASS
5	2493.3000	39.09	42.67	3.58	74.00	31.33	150	160	PK	Horizontal	PASS
6	2500.0000	37.59	41.09	3.50	74.00	32.91	150	126	PK	Horizontal	PASS

Note:(1)Level=Reading+Factor
 (2)Margin=Limit-Level



Suspected Data List											
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	2310.0000	36.59	39.26	2.67	74.00	34.74	150	143	PK	Vertical	PASS
2	2330.2800	38.45	41.25	2.80	74.00	32.75	150	346	PK	Vertical	PASS
3	2344.5800	38.57	41.54	2.97	74.00	32.46	150	273	PK	Vertical	PASS
4	2377.6000	40.35	43.44	3.09	74.00	30.56	150	360	PK	Vertical	PASS
5	2382.8000	38.29	41.31	3.02	74.00	32.69	150	290	PK	Vertical	PASS
6	2390.0000	36.84	39.79	2.95	74.00	34.21	150	179	PK	Vertical	PASS

Note:(1)Level=Reading+Factor
 (2)Margin=Limit-Level




Suspected Data List											
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	2310.0000	36.87	39.54	2.67	74.00	34.46	150	86	PK	Horizontal	PASS
2	2331.4500	38.04	40.82	2.78	74.00	33.18	150	1	PK	Horizontal	PASS
3	2346.0100	38.30	41.27	2.97	74.00	32.73	150	220	PK	Horizontal	PASS
4	2378.1200	38.69	41.77	3.08	74.00	32.23	150	42	PK	Horizontal	PASS
5	2383.5800	38.55	41.57	3.02	74.00	32.43	150	183	PK	Horizontal	PASS
6	2390.0000	37.17	40.12	2.95	74.00	33.88	150	23	PK	Horizontal	PASS

Note: (1) Level = Reading + Factor
 (2) Margin = Limit - Level

Mode: 2M

Channel: 2480 MHz

Test Graph


★ PK Detector ★ AV Detector

Suspected Data List

NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	2483.5000	42.06	45.52	3.46	74.00	28.48	150	292	PK	Vertical	PASS
2	2484.0000	44.40	47.85	3.45	74.00	26.15	150	316	PK	Vertical	PASS
3	2487.0000	42.73	46.27	3.54	74.00	27.73	150	316	PK	Vertical	PASS
4	2490.8500	38.63	42.18	3.55	74.00	31.82	150	262	PK	Vertical	PASS
5	2494.4000	38.45	42.03	3.58	74.00	31.97	150	83	PK	Vertical	PASS
6	2500.0000	37.90	41.40	3.50	74.00	32.60	150	262	PK	Vertical	PASS


Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode: 2M

Channel: 2480 MHz

Test Graph



★ PK Detector ★ AV Detector

Suspected Data List

NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	2483.5000	39.66	43.12	3.46	74.00	30.88	150	90	PK	Horizontal	PASS
2	2484.1500	41.95	45.42	3.47	74.00	28.58	150	276	PK	Horizontal	PASS
3	2486.6500	40.45	43.97	3.52	74.00	30.03	150	273	PK	Horizontal	PASS
4	2489.9000	38.47	42.04	3.57	74.00	31.96	150	245	PK	Horizontal	PASS
5	2492.8500	38.41	41.98	3.57	74.00	32.02	150	324	PK	Horizontal	PASS
6	2500.0000	36.53	40.03	3.50	74.00	33.97	150	128	PK	Horizontal	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level


Appendix I: Spurious emissions

Test Result


Note:

The low frequency, which starts from 9 kHz to 30 MHz, is pre-scanned and the result which is 20 dB lower than the limit line is not reported.

During the test, the Radiates Emission from 30MHz to 1GHz was performed in all modes with all channels. The test data of the worst-case (BLE 1M-2402MHz) condition was recorded in this report. The measurement results above 18GHz were greater than 20dB below the limit, so only the radiated spurious emissions from 30MHz to 18GHz are reported.



QP Final Data List									
NO.	Freq. [MHz]	Factor [dB/m]	QP Value [dBμV/m]	QP Limit [dBμV/m]	QP Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	30.8488	-16.38	33.27	40.00	6.73	100	237	Vertical	PASS
2	288.0200	-16.49	39.52	46.00	6.48	200	360	Vertical	PASS
3	336.0350	-15.11	34.64	46.00	11.36	100	329	Vertical	PASS
4	528.0950	-10.75	42.35	46.00	3.65	100	329	Vertical	PASS
5	559.9838	-9.75	38.23	46.00	7.77	100	200	Vertical	PASS
6	640.0088	-7.53	36.41	46.00	9.59	200	280	Vertical	PASS




QP Final Data List									
NO.	Freq. [MHz]	Factor [dB/m]	QP Value [dBμV/m]	QP Limit [dBμV/m]	QP Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	39.9425	-15.89	23.38	40.00	16.62	200	348	Horizontal	PASS
2	75.1050	-19.16	24.38	40.00	15.62	200	186	Horizontal	PASS
3	163.7388	-15.88	24.95	43.50	18.55	100	221	Horizontal	PASS
4	288.0200	-16.49	39.93	46.00	6.07	100	216	Horizontal	PASS
5	528.0950	-10.75	38.13	46.00	7.87	100	197	Horizontal	PASS
6	864.3212	-4.01	36.01	46.00	9.99	200	125	Horizontal	PASS

Mode: 1M

Channel: 2402 MHz

Test Graph



★ PK Detector ★ AV Detector

Suspected Data List

NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	1211.2000	38.28	38.03	-0.25	74.00	35.97	150	78	PK	Vertical	PASS
2	1509.2000	39.44	39.53	0.09	74.00	34.47	150	360	PK	Vertical	PASS
3	3603.0000	58.12	38.76	-19.36	74.00	35.24	150	19	PK	Vertical	PASS
4	4910.0000	52.50	39.39	-13.11	74.00	34.61	150	76	PK	Vertical	PASS
5	7098.0000	55.24	45.61	-9.63	74.00	28.39	150	139	PK	Vertical	PASS
6	10299.000	50.18	46.11	-4.07	74.00	27.89	150	139	PK	Vertical	PASS


Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode: 1M

Channel: 2402 MHz

Test Graph




★ PK Detector ★ AV Detector

Suspected Data List

NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	1279.4000	38.51	38.12	-0.39	74.00	35.88	150	242	PK	Horizontal	PASS
2	1644.0000	38.52	38.86	0.34	74.00	35.14	150	235	PK	Horizontal	PASS
3	4740.0000	54.75	39.48	-15.27	74.00	34.52	150	104	PK	Horizontal	PASS
4	6160.0000	52.82	41.83	-10.99	74.00	32.17	150	344	PK	Horizontal	PASS
5	9210.5000	49.56	44.38	-5.18	74.00	29.62	150	148	PK	Horizontal	PASS
6	10952.000	49.70	46.27	-3.43	74.00	27.73	150	251	PK	Horizontal	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level



Suspected Data List											
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	1388.6000	38.34	37.91	-0.43	74.00	36.09	150	311	PK	Vertical	PASS
2	1827.4000	38.13	39.34	1.21	74.00	34.66	150	67	PK	Vertical	PASS
3	4741.0000	61.47	46.23	-15.24	74.00	27.77	150	33	PK	Vertical	PASS
4	6567.5000	56.67	46.46	-10.21	74.00	27.54	150	134	PK	Vertical	PASS
5	8426.0000	50.85	43.71	-7.14	74.00	30.29	150	267	PK	Vertical	PASS
6	10261.500	50.24	46.19	-4.05	74.00	27.81	150	58	PK	Vertical	PASS


Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode: 1M

Channel: 2440 MHz

Test Graph



★ PK Detector ★ AV Detector

Suspected Data List

NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	1344.0000	38.06	37.71	-0.35	74.00	36.29	150	228	PK	Horizontal	PASS
2	1652.2000	39.15	39.61	0.46	74.00	34.39	150	202	PK	Horizontal	PASS
3	4879.5000	53.97	39.88	-14.09	74.00	34.12	150	12	PK	Horizontal	PASS
4	6228.5000	51.56	41.10	-10.46	74.00	32.90	150	267	PK	Horizontal	PASS
5	8181.5000	51.56	43.71	-7.85	74.00	30.29	150	139	PK	Horizontal	PASS
6	9703.5000	50.04	45.45	-4.59	74.00	28.55	150	267	PK	Horizontal	PASS


Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode: 1M

Channel: 2480 MHz

Test Graph



★ PK Detector ★ AV Detector

Suspected Data List

NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	1317.4000	38.71	38.45	-0.26	74.00	35.55	150	217	PK	Vertical	PASS
2	1734.0000	39.21	39.93	0.72	74.00	34.07	150	168	PK	Vertical	PASS
3	4730.5000	60.45	45.26	-15.19	74.00	28.74	150	33	PK	Vertical	PASS
4	6577.5000	51.36	41.32	-10.04	74.00	32.68	150	141	PK	Vertical	PASS
5	8320.5000	51.26	43.66	-7.60	74.00	30.34	150	173	PK	Vertical	PASS
6	10417.500	48.87	44.91	-3.96	74.00	29.09	150	312	PK	Vertical	PASS


Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode: 1M

Channel: 2480 MHz

Test Graph



Suspected Data List

NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	1269.0000	39.01	38.55	-0.46	74.00	35.45	150	300	PK	Horizontal	PASS
2	2013.6000	38.42	40.25	1.83	74.00	33.75	150	204	PK	Horizontal	PASS
3	4721.0000	51.59	36.34	-15.25	74.00	37.66	150	306	PK	Horizontal	PASS
4	6118.5000	51.30	40.55	-10.75	74.00	33.45	150	230	PK	Horizontal	PASS
5	8184.0000	51.64	43.85	-7.79	74.00	30.15	150	71	PK	Horizontal	PASS
6	10012.000	50.28	45.81	-4.47	74.00	28.19	150	192	PK	Horizontal	PASS


Note: (1) Level = Reading + Factor

(2) Margin = Limit - Level

Mode: 2M

Channel: 2402 MHz

Test Graph



★ PK Detector ★ AV Detector

Suspected Data List

NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	1317.2000	39.74	39.48	-0.26	74.00	34.52	150	208	PK	Vertical	PASS
2	1658.0000	38.29	38.76	0.47	74.00	35.24	150	317	PK	Vertical	PASS
3	4746.0000	56.54	41.49	-15.05	74.00	32.51	150	122	PK	Vertical	PASS
4	5258.5000	55.46	42.19	-13.27	74.00	31.81	150	97	PK	Vertical	PASS
5	6909.5000	52.62	42.12	-10.50	74.00	31.88	150	298	PK	Vertical	PASS
6	9671.0000	50.58	45.88	-4.70	74.00	28.12	150	324	PK	Vertical	PASS


Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode: 2M

Channel: 2402 MHz

Test Graph



★ PK Detector ★ AV Detector

Suspected Data List

NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	1318.4000	38.06	37.81	-0.25	74.00	36.19	150	208	PK	Horizontal	PASS
2	1718.6000	38.12	38.77	0.65	74.00	35.23	150	100	PK	Horizontal	PASS
3	4858.0000	52.23	37.87	-14.36	74.00	36.13	150	356	PK	Horizontal	PASS
4	6193.5000	53.23	41.94	-11.29	74.00	32.06	150	14	PK	Horizontal	PASS
5	7576.5000	52.21	43.21	-9.00	74.00	30.79	150	20	PK	Horizontal	PASS
6	10174.500	50.02	45.65	-4.37	74.00	28.35	150	20	PK	Horizontal	PASS


Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode: 2M

Channel: 2440 MHz

Test Graph



★ PK Detector ★ AV Detector

Suspected Data List

NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	1413.6000	38.35	38.04	-0.31	74.00	35.96	150	111	PK	Vertical	PASS
2	1882.6000	38.05	39.48	1.43	74.00	34.52	150	278	PK	Vertical	PASS
3	4904.5000	52.97	39.63	-13.34	74.00	34.37	150	55	PK	Vertical	PASS
4	6289.0000	52.27	41.26	-11.01	74.00	32.74	150	130	PK	Vertical	PASS
5	8420.0000	51.19	43.96	-7.23	74.00	30.04	150	36	PK	Vertical	PASS
6	10243.500	49.70	45.74	-3.96	74.00	28.26	150	86	PK	Vertical	PASS


Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode: 2M

Channel: 2440 MHz

Test Graph




Suspected Data List

NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	1307.4000	38.43	38.10	-0.33	74.00	35.90	150	287	PK	Horizontal	PASS
2	1757.8000	38.93	39.75	0.82	74.00	34.25	150	309	PK	Horizontal	PASS
3	4914.5000	52.59	39.31	-13.28	74.00	34.69	150	139	PK	Horizontal	PASS
4	6704.0000	51.96	41.80	-10.16	74.00	32.20	150	25	PK	Horizontal	PASS
5	8221.0000	51.48	44.39	-7.09	74.00	29.61	150	261	PK	Horizontal	PASS
6	10002.000	50.23	45.79	-4.44	74.00	28.21	150	57	PK	Horizontal	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level



Suspected Data List											
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	1319.0000	38.74	38.49	-0.25	74.00	35.51	150	60	PK	Vertical	PASS
2	1651.6000	38.94	39.39	0.45	74.00	34.61	150	356	PK	Vertical	PASS
3	5270.5000	53.84	40.20	-13.64	74.00	33.80	150	96	PK	Vertical	PASS
4	6987.5000	51.26	41.76	-9.50	74.00	32.24	150	102	PK	Vertical	PASS
5	8818.5000	51.69	44.78	-6.91	74.00	29.22	150	120	PK	Vertical	PASS
6	10185.500	50.20	45.79	-4.41	74.00	28.21	150	77	PK	Vertical	PASS


Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode: 2M

Channel: 2480 MHz

Test Graph



★ PK Detector ★ AV Detector

Suspected Data List


NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	1303.8000	38.83	38.42	-0.41	74.00	35.58	150	190	PK	Horizontal	PASS
2	1879.6000	39.02	40.46	1.44	74.00	33.54	150	360	PK	Horizontal	PASS
3	4958.5000	53.95	39.26	-14.69	74.00	34.74	150	261	PK	Horizontal	PASS
4	6207.0000	52.03	41.11	-10.92	74.00	32.89	150	185	PK	Horizontal	PASS
5	8402.5000	52.86	45.33	-7.53	74.00	28.67	150	121	PK	Horizontal	PASS
6	10287.500	49.68	45.90	-3.78	74.00	28.10	150	140	PK	Horizontal	PASS

Note:(1)Level=Reading+Factor


(2)Margin=Limit-Level

Appendix J: Conducted emission AC power port

Test Result



Final Data List										
NO.	Freq. [MHz]	Factor [dB]	QP Value [dBμV]	QP Limit [dBμV]	QP Margin [dB]	AV Value [dBμV]	AV Limit [dBμV]	AV Margin [dB]	Type	Verdict
1	0.168	10.29	53.89	65.06	11.17	32.58	55.06	22.48	L1	PASS
2	0.273	10.33	47.05	61.03	13.98	27.40	51.03	23.63	L1	PASS
3	0.543	10.25	44.87	56.00	11.13	30.15	46.00	15.85	L1	PASS
4	1.116	10.26	40.77	56.00	15.23	25.67	46.00	20.33	L1	PASS
5	1.902	10.28	42.44	56.00	13.56	25.84	46.00	20.16	L1	PASS
6	19.507	10.77	46.34	60.00	13.66	30.21	50.00	19.79	L1	PASS



Final Data List										
NO.	Freq. [MHz]	Factor [dB]	QP Value [dBμV]	QP Limit [dBμV]	QP Margin [dB]	AV Value [dBμV]	AV Limit [dBμV]	AV Margin [dB]	Type	Verdict
1	0.165	10.35	50.69	65.21	14.52	31.42	55.21	23.79	N	PASS
2	0.249	10.35	44.71	61.79	17.08	25.33	51.79	26.46	N	PASS
3	0.45	10.35	40.93	56.88	15.95	23.66	46.88	23.22	N	PASS
4	0.537	10.35	42.47	56.00	13.53	30.09	46.00	15.91	N	PASS
5	1.623	10.43	39.18	56.00	16.82	24.87	46.00	21.13	N	PASS
6	6.48	10.52	36.69	60.00	23.31	23.99	50.00	26.01	N	PASS