





Test Graphs





BLE_2M_Ant1_2402

BLE_2M_Ant1_2440

Appendix H: Emissions in Restricted Bands

Test Result




Suspected Data List											
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	2310.0000	37.24	39.91	2.67	74.00	34.09	150	92	PK	Vertical	PASS
2	2321.8300	40.42	43.31	2.89	74.00	30.69	150	204	PK	Vertical	PASS
3	2329.2400	39.80	42.62	2.82	74.00	31.38	150	194	PK	Vertical	PASS
4	2347.3100	38.74	41.67	2.93	74.00	32.33	150	125	PK	Vertical	PASS
5	2367.3300	39.56	42.55	2.99	74.00	31.45	150	138	PK	Vertical	PASS
6	2390.0000	38.47	41.42	2.95	74.00	32.58	150	199	PK	Vertical	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode: 1M

Channel: 2402 MHz

Test Graph


★ PK Detector ★ AV Detector

Suspected Data List


NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	2310.0000	37.32	39.99	2.67	74.00	34.01	150	274	PK	Horizontal	PASS
2	2329.6300	40.40	43.22	2.82	74.00	30.78	150	236	PK	Horizontal	PASS
3	2342.6300	38.89	41.78	2.89	74.00	32.22	150	69	PK	Horizontal	PASS
4	2354.2000	39.08	42.05	2.97	74.00	31.95	150	226	PK	Horizontal	PASS
5	2377.7300	39.84	42.92	3.08	74.00	31.08	150	30	PK	Horizontal	PASS
6	2390.0000	38.04	40.99	2.95	74.00	33.01	150	356	PK	Horizontal	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode: 1M

Channel: 2480 MHz

Test Graph


★ PK Detector ★ AV Detector

Suspected Data List


NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	2483.5000	42.10	45.56	3.46	74.00	28.44	150	201	PK	Vertical	PASS
2	2486.0000	40.20	43.67	3.47	74.00	30.33	150	211	PK	Vertical	PASS
3	2489.7000	39.86	43.43	3.57	74.00	30.57	150	4	PK	Vertical	PASS
4	2494.2500	39.64	43.22	3.58	74.00	30.78	150	339	PK	Vertical	PASS
5	2496.0500	39.03	42.59	3.56	74.00	31.41	150	177	PK	Vertical	PASS
6	2500.0000	37.38	40.88	3.50	74.00	33.12	150	59	PK	Vertical	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode: 1M

Channel: 2480 MHz

Test Graph


★ PK Detector ★ AV Detector

Suspected Data List


NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	2483.5000	46.51	49.97	3.46	74.00	24.03	150	71	PK	Horizontal	PASS
2	2489.0500	42.21	45.77	3.56	74.00	28.23	150	50	PK	Horizontal	PASS
3	2492.4500	39.30	42.86	3.56	74.00	31.14	150	50	PK	Horizontal	PASS
4	2497.3500	38.96	42.54	3.58	74.00	31.46	150	329	PK	Horizontal	PASS
5	2500.0000	37.85	41.35	3.50	74.00	32.65	150	44	PK	Horizontal	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode: 2M

Channel: 2402 MHz

Test Graph


★ PK Detector ★ AV Detector

Suspected Data List

NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	2310.0000	37.92	40.59	2.67	74.00	33.41	150	156	PK	Vertical	PASS
2	2320.6600	39.21	42.12	2.91	74.00	31.88	150	188	PK	Vertical	PASS
3	2343.2800	39.76	42.69	2.93	74.00	31.31	150	74	PK	Vertical	PASS
4	2354.2000	38.91	41.88	2.97	74.00	32.12	150	161	PK	Vertical	PASS
5	2377.3400	38.98	42.06	3.08	74.00	31.94	150	217	PK	Vertical	PASS
6	2390.0000	37.72	40.67	2.95	74.00	33.33	150	217	PK	Vertical	PASS


Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode: 2M

Channel: 2402 MHz

Test Graph



★ PK Detector ★ AV Detector

Suspected Data List


NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	2310.0000	37.83	40.50	2.67	74.00	33.50	150	204	PK	Horizontal	PASS
2	2329.6300	40.37	43.19	2.82	74.00	30.81	150	236	PK	Horizontal	PASS
3	2343.8000	39.55	42.50	2.95	74.00	31.50	150	181	PK	Horizontal	PASS
4	2353.9400	39.79	42.76	2.97	74.00	31.24	150	276	PK	Horizontal	PASS
5	2377.3400	38.77	41.85	3.08	74.00	32.15	150	65	PK	Horizontal	PASS
6	2390.0000	38.02	40.97	2.95	74.00	33.03	150	221	PK	Horizontal	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode: 2M

Channel: 2480 MHz

Test Graph


★ PK Detector ★ AV Detector

Suspected Data List


NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	2483.5000	41.02	44.48	3.46	74.00	29.52	150	204	PK	Vertical	PASS
2	2486.2000	41.30	44.78	3.48	74.00	29.22	150	186	PK	Vertical	PASS
3	2490.7000	39.47	43.03	3.56	74.00	30.97	150	222	PK	Vertical	PASS
4	2492.9500	39.13	42.70	3.57	74.00	31.30	150	162	PK	Vertical	PASS
5	2496.7000	38.54	42.12	3.58	74.00	31.88	150	67	PK	Vertical	PASS
6	2500.0000	37.46	40.96	3.50	74.00	33.04	150	247	PK	Vertical	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode: 2M

Channel: 2480 MHz

Test Graph


★ PK Detector ★ AV Detector

Suspected Data List

NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	2483.5000	47.92	51.38	3.46	74.00	22.62	150	285	PK	Horizontal	PASS
2	2486.5500	42.95	46.46	3.51	74.00	27.54	150	63	PK	Horizontal	PASS
3	2489.6500	40.44	44.01	3.57	74.00	29.99	150	69	PK	Horizontal	PASS
4	2492.7000	40.22	43.79	3.57	74.00	30.21	150	54	PK	Horizontal	PASS
5	2496.9500	39.17	42.76	3.59	74.00	31.24	150	253	PK	Horizontal	PASS
6	2500.0000	37.18	40.68	3.50	74.00	33.32	150	253	PK	Horizontal	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Appendix I: Spurious emissions


Test Result

Note:

The low frequency, which starts from 9 kHz to 30 MHz, is pre-scanned and the result which is 20 dB lower than the limit line is not reported.

During the test, the Radiates Emission from 30MHz to 1GHz was performed in all modes with all channels. The test data of the worst-case (BLE 1M-2402MHz) condition was recorded in this report. The measurement results above 18GHz were greater than 20dB below the limit, so only the radiated spurious emissions from 30MHz to 18GHz are reported.

Test Graph




Suspected Data List

NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	46.4916	35.71	19.73	-15.98	40.00	20.27	150	318	PK	Vertical	PASS
2	80.4450	49.68	29.79	-19.89	40.00	10.21	150	34	PK	Vertical	PASS
3	128.5619	38.77	21.83	-16.94	43.50	21.67	150	14	PK	Vertical	PASS
4	174.6415	37.32	20.44	-16.88	43.50	23.06	150	80	PK	Vertical	PASS
5	255.9356	34.92	17.28	-17.64	46.00	28.72	150	115	PK	Vertical	PASS
6	635.9226	31.70	23.47	-8.23	46.00	22.53	150	22	PK	Vertical	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Test Graph



Suspected Data List


NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	46.3946	36.01	20.06	-15.95	40.00	19.94	150	360	PK	Horizontal	PASS
2	80.6391	48.57	28.62	-19.95	40.00	11.38	150	35	PK	Horizontal	PASS
3	127.8828	37.06	20.04	-17.02	43.50	23.46	150	198	PK	Horizontal	PASS
4	189.7750	40.55	22.04	-18.51	43.50	21.46	150	38	PK	Horizontal	PASS
5	262.9203	37.47	20.36	-17.11	46.00	25.64	150	276	PK	Horizontal	PASS
6	771.1541	31.85	25.58	-6.27	46.00	20.42	150	360	PK	Horizontal	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode: 1M

Channel: 2402 MHz

Test Graph


★ PK Detector ★ AV Detector

Suspected Data List


NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	1163.4000	41.33	41.08	-0.25	74.00	32.92	150	102	PK	Vertical	PASS
2	2085.6000	40.04	42.06	2.02	74.00	31.94	150	204	PK	Vertical	PASS
3	4278.0000	55.31	38.85	-16.46	74.00	35.15	150	60	PK	Vertical	PASS
4	6490.0000	52.37	42.60	-9.77	74.00	31.40	150	92	PK	Vertical	PASS
5	9981.5000	51.32	46.80	-4.52	74.00	27.20	150	79	PK	Vertical	PASS
6	13699.000	49.06	49.87	0.81	74.00	24.13	150	110	PK	Vertical	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode: 1M

Channel: 2402 MHz

Test Graph


★ PK Detector ★ AV Detector

Suspected Data List


NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	1304.2000	39.72	39.32	-0.40	74.00	34.68	150	343	PK	Horizontal	PASS
2	1878.0000	38.92	40.36	1.44	74.00	33.64	150	324	PK	Horizontal	PASS
3	5048.5000	53.97	40.99	-12.98	74.00	33.01	150	280	PK	Horizontal	PASS
4	7225.5000	52.90	43.45	-9.45	74.00	30.55	150	190	PK	Horizontal	PASS
5	9801.5000	50.73	46.24	-4.49	74.00	27.76	150	190	PK	Horizontal	PASS
6	13895.500	49.44	50.13	0.69	74.00	23.87	150	223	PK	Horizontal	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode: 1M

Channel: 2440 MHz

Test Graph


★ PK Detector ★ AV Detector

Suspected Data List


NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	1165.2000	41.01	40.82	-0.19	74.00	33.18	150	72	PK	Vertical	PASS
2	1991.4000	40.64	42.45	1.81	74.00	31.55	150	48	PK	Vertical	PASS
3	3727.5000	56.55	37.56	-18.99	74.00	36.44	150	168	PK	Vertical	PASS
4	5628.5000	54.37	41.69	-12.68	74.00	32.31	150	293	PK	Vertical	PASS
5	6998.0000	54.20	44.76	-9.44	74.00	29.24	150	16	PK	Vertical	PASS
6	10958.000	51.15	47.59	-3.56	74.00	26.41	150	187	PK	Vertical	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode: 1M

Channel: 2440 MHz

Test Graph

Suspected Data List


NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	1165.0000	38.94	38.74	-0.20	74.00	35.26	150	271	PK	Horizontal	PASS
2	1705.8000	40.29	40.94	0.65	74.00	33.06	150	114	PK	Horizontal	PASS
3	4276.5000	55.92	39.38	-16.54	74.00	34.62	150	33	PK	Horizontal	PASS
4	5688.0000	54.11	41.46	-12.65	74.00	32.54	150	127	PK	Horizontal	PASS
5	9840.0000	52.26	47.97	-4.29	74.00	26.03	150	84	PK	Horizontal	PASS
6	17604.500	49.89	53.71	3.82	74.00	20.29	150	96	PK	Horizontal	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode: 1M

Channel: 2480 MHz

Test Graph


★ PK Detector ★ AV Detector

Suspected Data List


NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	1162.6000	41.37	41.10	-0.27	74.00	32.90	150	72	PK	Vertical	PASS
2	1999.8000	40.86	42.47	1.61	74.00	31.53	150	106	PK	Vertical	PASS
3	3627.0000	56.75	37.40	-19.35	74.00	36.60	150	236	PK	Vertical	PASS
4	5059.5000	54.35	41.57	-12.78	74.00	32.43	150	236	PK	Vertical	PASS
5	7806.0000	54.32	45.75	-8.57	74.00	28.25	150	0	PK	Vertical	PASS
6	11920.500	49.08	47.54	-1.54	74.00	26.46	150	39	PK	Vertical	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode: 1M

Channel: 2480 MHz

Test Graph


★ PK Detector ★ AV Detector

Suspected Data List

NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	1122.4000	38.97	38.57	-0.40	74.00	35.43	150	198	PK	Horizontal	PASS
2	1962.8000	38.67	40.43	1.76	74.00	33.57	150	340	PK	Horizontal	PASS
3	3840.0000	55.55	38.22	-17.33	74.00	35.78	150	311	PK	Horizontal	PASS
4	4910.0000	55.07	41.96	-13.11	74.00	32.04	150	87	PK	Horizontal	PASS
5	8166.5000	52.90	45.08	-7.82	74.00	28.92	150	259	PK	Horizontal	PASS
6	14847.500	48.65	50.27	1.62	74.00	23.73	150	36	PK	Horizontal	PASS


Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode: 2M

Channel: 2402 MHz

Test Graph



★ PK Detector ★ AV Detector

Suspected Data List


NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	1166.4000	40.37	40.21	-0.16	74.00	33.79	150	68	PK	Vertical	PASS
2	1704.8000	39.45	40.08	0.63	74.00	33.92	150	91	PK	Vertical	PASS
3	4911.5000	53.89	40.73	-13.16	74.00	33.27	150	204	PK	Vertical	PASS
4	6185.0000	54.48	43.21	-11.27	74.00	30.79	150	223	PK	Vertical	PASS
5	9394.5000	50.83	45.60	-5.23	74.00	28.40	150	173	PK	Vertical	PASS
6	14041.000	49.69	50.93	1.24	74.00	23.07	150	9	PK	Vertical	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode: 2M

Channel: 2402 MHz

Test Graph

Suspected Data List


NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	1316.8000	38.83	38.57	-0.26	74.00	35.43	150	298	PK	Horizontal	PASS
2	1904.0000	39.76	41.28	1.52	74.00	32.72	150	171	PK	Horizontal	PASS
3	4917.5000	55.08	41.68	-13.40	74.00	32.32	150	108	PK	Horizontal	PASS
4	8423.0000	52.43	45.25	-7.18	74.00	28.75	150	44	PK	Horizontal	PASS
5	12375.000	49.14	48.15	-0.99	74.00	25.85	150	267	PK	Horizontal	PASS
6	16664.000	47.17	52.11	4.94	74.00	21.89	150	330	PK	Horizontal	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode: 2M

Channel: 2440 MHz

Test Graph


★ PK Detector ★ AV Detector

Suspected Data List


NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	1258.2000	39.85	39.39	-0.46	74.00	34.61	150	231	PK	Vertical	PASS
2	1886.6000	38.84	40.25	1.41	74.00	33.75	150	38	PK	Vertical	PASS
3	3319.0000	61.49	41.27	-20.22	74.00	32.73	150	89	PK	Vertical	PASS
4	4906.5000	54.47	41.21	-13.26	74.00	32.79	150	71	PK	Vertical	PASS
5	8449.0000	52.75	45.65	-7.10	74.00	28.35	150	204	PK	Vertical	PASS
6	14030.000	48.60	49.69	1.09	74.00	24.31	150	242	PK	Vertical	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode: 2M

Channel: 2440 MHz

Test Graph


★ PK Detector ★ AV Detector

Suspected Data List

NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	1331.0000	40.02	39.43	-0.59	74.00	34.57	150	174	PK	Horizontal	PASS
2	1790.2000	39.36	40.35	0.99	74.00	33.65	150	94	PK	Horizontal	PASS
3	4505.0000	54.62	38.79	-15.83	74.00	35.21	150	191	PK	Horizontal	PASS
4	6306.0000	54.59	43.44	-11.15	74.00	30.56	150	260	PK	Horizontal	PASS
5	9181.0000	51.81	46.11	-5.70	74.00	27.89	150	337	PK	Horizontal	PASS
6	17487.500	48.95	53.51	4.56	74.00	20.49	150	115	PK	Horizontal	PASS


Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode: 2M

Channel: 2480 MHz

Test Graph



★ PK Detector ★ AV Detector

Suspected Data List

NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	1161.4000	43.21	42.91	-0.30	74.00	31.09	150	96	PK	Vertical	PASS
2	1991.8000	40.01	41.81	1.80	74.00	32.19	150	49	PK	Vertical	PASS
3	3987.5000	56.17	38.66	-17.51	74.00	35.34	150	21	PK	Vertical	PASS
4	6240.5000	53.02	42.95	-10.07	74.00	31.05	150	260	PK	Vertical	PASS
5	9258.0000	50.65	46.13	-4.52	74.00	27.87	150	80	PK	Vertical	PASS
6	14998.000	48.06	50.52	2.46	74.00	23.48	150	260	PK	Vertical	PASS


Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode: 2M

Channel: 2480 MHz

Test Graph



★ PK Detector ★ AV Detector

Suspected Data List


NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	1164.0000	38.73	38.49	-0.24	74.00	35.51	150	109	PK	Horizontal	PASS
2	1893.8000	38.91	40.37	1.46	74.00	33.63	150	231	PK	Horizontal	PASS
3	3840.0000	54.96	37.63	-17.33	74.00	36.37	150	105	PK	Horizontal	PASS
4	4900.5000	54.40	40.89	-13.51	74.00	33.11	150	105	PK	Horizontal	PASS
5	7844.5000	52.82	44.30	-8.52	74.00	29.70	150	117	PK	Horizontal	PASS
6	13730.000	49.41	49.71	0.30	74.00	24.29	150	131	PK	Horizontal	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level


Appendix J: Conducted emission AC power port

Test Result



Final Data List

NO.	Frequency [MHz]	Factor [dB]	QP Reading [dBμV]	QP Value [dBμV]	QP Limit [dBμV]	QP Margin [dB]	AV Reading [dBμV]	AV Value [dBμV]	AV Limit [dBμV]	AV Margin [dB]	Type	Verdict
1	0.1794	10.31	38.68	48.99	64.51	15.52	32.72	43.03	54.51	11.48	L1	PASS
2	0.2573	10.33	35.14	45.47	61.52	16.05	31.55	41.88	51.52	9.64	L1	PASS
3	0.4900	10.25	31.42	41.67	56.17	14.50	30.17	40.42	46.17	5.75	L1	PASS
4	1.3901	10.27	27.72	37.99	56.00	18.01	27.61	37.88	46.00	8.12	L1	PASS
5	3.7091	10.30	16.95	27.25	56.00	28.75	14.66	24.96	46.00	21.04	L1	PASS
6	6.4787	10.49	17.74	28.23	60.00	31.77	13.95	24.44	50.00	25.56	L1	PASS


Final Data List

NO.	Frequency [MHz]	Factor [dB]	QP Reading [dBμV]	QP Value [dBμV]	QP Limit [dBμV]	QP Margin [dB]	AV Reading [dBμV]	AV Value [dBμV]	AV Limit [dBμV]	AV Margin [dB]	Type	Verdict
1	0.2050	10.35	36.99	47.34	63.41	16.07	32.28	42.63	53.41	10.78	N	PASS
2	0.3085	10.35	32.68	43.03	60.01	16.98	30.46	40.81	50.01	9.20	N	PASS
3	0.7716	10.36	32.35	42.71	56.00	13.29	32.17	42.53	46.00	3.47	N	PASS
4	1.8516	10.47	26.07	36.54	56.00	19.46	25.97	36.44	46.00	9.56	N	PASS
5	3.3951	10.49	16.83	27.32	56.00	28.68	15.10	25.59	46.00	20.41	N	PASS
6	7.3253	10.51	18.29	28.80	60.00	31.20	13.83	24.34	50.00	25.66	N	PASS