


Mode: AC20

Channel: 5745

Test Graph

Suspected Data List

NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	5663.3750	37.99	52.51	14.52	78.15	25.64	150	86	PK	Vertical	PASS
2	5698.2500	38.10	52.98	14.88	103.91	50.93	150	175	PK	Vertical	PASS
3	5711.7500	42.65	57.05	14.40	108.49	51.44	150	43	PK	Vertical	PASS
4	5758.6250	57.11	71.80	14.69	122.20	50.40	150	40	PK	Vertical	PASS
5	5776.2500	39.13	53.84	14.71	122.20	68.36	150	341	PK	Vertical	PASS
6	5813.0000	37.01	51.51	14.50	122.20	70.69	150	86	PK	Vertical	PASS


Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode: AC20

Channel: 5745

Test Graph



★ PK Detector ✱ AV Detector

Suspected Data List

NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	5661.1250	37.86	52.42	14.56	76.48	24.06	150	288	PK	Horizontal	PASS
2	5691.8750	39.07	53.74	14.67	99.21	45.47	150	246	PK	Horizontal	PASS
3	5718.8750	46.25	60.78	14.53	110.49	49.71	150	125	PK	Horizontal	PASS
4	5767.2500	46.64	61.24	14.60	122.20	60.96	150	141	PK	Horizontal	PASS
5	5780.7500	38.29	52.92	14.63	122.20	69.28	150	321	PK	Horizontal	PASS
6	5809.6250	37.79	52.16	14.37	122.20	70.04	150	212	PK	Horizontal	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Suspected Data List											
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	5695.6250	39.62	54.41	14.79	101.98	47.57	150	355	PK	Vertical	PASS
2	5745.5000	39.88	54.64	14.76	122.20	67.56	150	30	PK	Vertical	PASS
3	5759.7500	46.57	61.29	14.72	122.20	60.91	150	345	PK	Vertical	PASS
4	5798.7500	55.58	70.08	14.50	122.20	52.12	150	339	PK	Vertical	PASS
5	5808.8750	42.69	57.07	14.38	122.20	65.13	150	21	PK	Vertical	PASS
6	5833.6250	37.74	52.32	14.58	122.20	69.88	150	49	PK	Vertical	PASS


Note:(1)Level=Reading+Factor

(2) $\text{Margin} = \text{Limit} - \text{Level}$

Mode: AC20

Channel: 5785

Test Graph



★ PK Detector ★ AV Detector

Suspected Data List

NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	5702.3750	38.34	53.23	14.89	105.87	52.64	150	252	PK	Horizontal	PASS
2	5728.2500	37.50	52.27	14.77	122.20	69.93	150	90	PK	Horizontal	PASS
3	5770.6250	54.02	68.62	14.60	122.20	53.58	150	148	PK	Horizontal	PASS
4	5799.5000	58.88	73.36	14.48	122.20	48.84	150	138	PK	Horizontal	PASS
5	5811.1250	47.05	61.51	14.46	122.20	60.69	150	148	PK	Horizontal	PASS
6	5852.7500	38.09	52.74	14.65	115.93	63.19	150	2	PK	Horizontal	PASS


Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode: AC20

Channel: 5825

Test Graph



★ PK Detector ★ AV Detector

Suspected Data List

NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	5713.2500	37.36	51.77	14.41	108.91	57.14	150	91	PK	Vertical	PASS
2	5745.5000	37.41	52.17	14.76	122.20	70.03	150	313	PK	Vertical	PASS
3	5798.3750	45.83	60.35	14.52	122.20	61.85	150	72	PK	Vertical	PASS
4	5839.2500	54.47	69.16	14.69	122.20	53.04	150	34	PK	Vertical	PASS
5	5847.1250	41.88	56.55	14.67	122.20	65.65	150	22	PK	Vertical	PASS
6	5874.1250	39.12	54.03	14.91	105.44	51.41	150	293	PK	Vertical	PASS


Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode: AC20

Channel: 5825

Test Graph



★ PK Detector ✱ AV Detector

Suspected Data List

NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	5714.0000	38.34	52.75	14.41	109.12	56.37	150	298	PK	Horizontal	PASS
2	5780.0000	37.63	52.28	14.65	122.20	69.92	150	213	PK	Horizontal	PASS
3	5808.1250	53.01	67.40	14.39	122.20	54.80	150	314	PK	Horizontal	PASS
4	5855.0000	38.44	53.14	14.70	110.80	57.66	150	7	PK	Horizontal	PASS
5	5885.0000	38.04	52.93	14.89	97.78	44.85	150	143	PK	Horizontal	PASS
6	5903.3750	38.33	53.40	15.07	84.18	30.78	150	34	PK	Horizontal	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode: AC40

Channel: 5755MHz

Test Graph



★ PK Detector ★ AV Detector

Suspected Data List

NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	5683.2500	38.87	53.08	14.21	92.85	39.77	150	348	PK	Vertical	PASS
2	5716.6250	46.19	60.66	14.47	109.86	49.20	150	348	PK	Vertical	PASS
3	5730.8750	53.18	68.07	14.89	122.20	54.13	150	0	PK	Vertical	PASS
4	5780.0000	47.78	62.43	14.65	122.20	59.77	150	322	PK	Vertical	PASS
5	5793.5000	45.11	59.62	14.51	122.20	62.58	150	348	PK	Vertical	PASS
6	5809.6250	45.49	59.86	14.37	122.20	62.34	150	348	PK	Vertical	PASS


Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode: AC40

Channel: 5755MHz

Test Graph



★ PK Detector ✱ AV Detector

Suspected Data List

NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	5680.6250	38.00	52.13	14.13	90.91	38.78	150	44	PK	Horizontal	PASS
2	5705.7500	40.08	54.82	14.74	106.81	51.99	150	44	PK	Horizontal	PASS
3	5714.0000	48.13	62.54	14.41	109.12	46.58	150	287	PK	Horizontal	PASS
4	5789.0000	48.13	62.70	14.57	122.20	59.50	150	275	PK	Horizontal	PASS
5	5809.6250	44.39	58.76	14.37	122.20	63.44	150	44	PK	Horizontal	PASS
6	5851.2500	37.83	52.45	14.62	119.35	66.90	150	84	PK	Horizontal	PASS


Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode: AC40

Channel: 5795 MHz

Test Graph



★ PK Detector ★ AV Detector

Suspected Data List


NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	5687.7500	37.68	52.11	14.43	96.17	44.06	150	247	PK	Vertical	PASS
2	5745.5000	43.67	58.43	14.76	122.20	63.77	150	356	PK	Vertical	PASS
3	5756.7500	48.88	63.52	14.64	122.20	58.68	150	341	PK	Vertical	PASS
4	5821.6250	50.02	64.51	14.49	122.20	57.69	150	356	PK	Vertical	PASS
5	5835.8750	41.88	56.52	14.64	122.20	65.68	150	352	PK	Vertical	PASS
6	5882.0000	37.82	52.72	14.90	100.01	47.29	150	332	PK	Vertical	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode: AC40

Channel: 5795 MHz

Test Graph


★ PK Detector ✱ AV Detector

Suspected Data List

NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	5688.5000	37.33	51.81	14.48	96.73	44.92	150	217	PK	Horizontal	PASS
2	5727.8750	37.74	52.49	14.75	122.20	69.71	150	42	PK	Horizontal	PASS
3	5753.3750	46.89	61.47	14.58	122.20	60.73	150	111	PK	Horizontal	PASS
4	5824.2500	45.82	60.29	14.47	122.20	61.91	150	127	PK	Horizontal	PASS
5	5841.5000	43.19	57.91	14.72	122.20	64.29	150	118	PK	Horizontal	PASS
6	5859.5000	37.51	52.31	14.80	109.54	57.23	150	217	PK	Horizontal	PASS


Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode: AX20

Channel: 5745 MHz

Test Graph



★ PK Detector

✱ AV Detector

Suspected Data List

NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	5658.8750	36.42	50.94	14.52	74.82	23.88	150	84	PK	Vertical	PASS
2	5712.1250	40.03	54.42	14.39	108.60	54.18	150	300	PK	Vertical	PASS
3	5729.3750	56.09	70.90	14.81	122.20	51.30	150	339	PK	Vertical	PASS
4	5772.5000	46.81	61.40	14.59	122.20	60.80	150	300	PK	Vertical	PASS
5	5804.7500	37.70	52.10	14.40	122.20	70.10	150	166	PK	Vertical	PASS
6	5843.0000	36.87	51.65	14.78	122.20	70.55	150	176	PK	Vertical	PASS


Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode: AX20

Channel: 5745 MHz

Test Graph



★ PK Detector ✱ AV Detector

Suspected Data List

NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	5681.7500	37.43	51.56	14.13	91.74	40.18	150	46	PK	Horizontal	PASS
2	5699.0000	39.30	54.21	14.91	104.46	50.25	150	105	PK	Horizontal	PASS
3	5727.1250	50.93	65.62	14.69	122.20	56.58	150	102	PK	Horizontal	PASS
4	5774.3750	44.19	58.85	14.66	122.20	63.35	150	273	PK	Horizontal	PASS
5	5828.7500	37.17	51.73	14.56	122.20	70.47	150	43	PK	Horizontal	PASS
6	5853.8750	37.43	52.11	14.68	113.36	61.25	150	316	PK	Horizontal	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode: AX20

Channel: 5785 MHz

Test Graph



★ PK Detector

✱ AV Detector

Suspected Data List

NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	5701.6250	36.68	51.57	14.89	105.66	54.09	150	66	PK	Vertical	PASS
2	5744.3750	37.69	52.45	14.76	122.20	69.75	150	308	PK	Vertical	PASS
3	5766.1250	58.13	72.77	14.64	122.20	49.43	150	360	PK	Vertical	PASS
4	5816.0000	43.09	57.69	14.60	122.20	64.51	150	333	PK	Vertical	PASS
5	5844.1250	37.84	52.62	14.78	122.20	69.58	150	192	PK	Vertical	PASS
6	5877.8750	38.76	53.66	14.90	103.07	49.41	150	320	PK	Vertical	PASS


Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode: AX20

Channel: 5785 MHz

Test Graph



★ PK Detector ★ AV Detector

Suspected Data List

NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	5711.3750	36.83	51.24	14.41	108.39	57.15	150	78	PK	Horizontal	PASS
2	5746.6250	37.09	51.82	14.73	122.20	70.38	150	296	PK	Horizontal	PASS
3	5772.1250	61.15	75.72	14.57	122.20	46.48	150	280	PK	Horizontal	PASS
4	5814.1250	42.95	57.49	14.54	122.20	64.71	150	111	PK	Horizontal	PASS
5	5843.7500	37.72	52.50	14.78	122.20	69.70	150	65	PK	Horizontal	PASS
6	5859.5000	37.78	52.58	14.80	109.54	56.96	150	191	PK	Horizontal	PASS


Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode: AX20

Channel: 5825 MHz

Test Graph



★ PK Detector ★ AV Detector

Suspected Data List

NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	5693.0000	37.06	51.80	14.74	100.04	48.24	150	60	PK	Vertical	PASS
2	5768.0000	37.30	51.87	14.57	122.20	70.33	150	336	PK	Vertical	PASS
3	5806.2500	48.39	62.76	14.37	122.20	59.44	150	332	PK	Vertical	PASS
4	5846.3750	42.46	57.18	14.72	122.20	65.02	150	339	PK	Vertical	PASS
5	5882.0000	37.82	52.72	14.90	100.01	47.29	150	116	PK	Vertical	PASS
6	5898.8750	37.24	52.30	15.06	87.51	35.21	150	329	PK	Vertical	PASS


Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode: AX20

Channel: 5825 MHz

Test Graph



★ PK Detector ✱ AV Detector

Suspected Data List

NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	5710.2500	37.60	52.00	14.40	108.07	56.07	150	346	PK	Horizontal	PASS
2	5750.7500	37.35	51.97	14.62	122.20	70.23	150	193	PK	Horizontal	PASS
3	5799.5000	43.11	57.59	14.48	122.20	64.61	150	17	PK	Horizontal	PASS
4	5847.1250	39.47	54.14	14.67	122.20	68.06	150	77	PK	Horizontal	PASS
5	5884.6250	37.85	52.75	14.90	98.06	45.31	150	124	PK	Horizontal	PASS
6	5899.6250	37.35	52.42	15.07	86.95	34.53	150	334	PK	Horizontal	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode: AX40

Channel: 5755 MHz

Test Graph


★ PK Detector ✱ AV Detector

Suspected Data List

NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	5677.2500	37.43	51.56	14.13	88.42	36.86	150	347	PK	Vertical	PASS
2	5713.6250	49.14	63.54	14.40	109.02	45.48	150	8	PK	Vertical	PASS
3	5730.8750	53.05	67.94	14.89	122.20	54.26	150	302	PK	Vertical	PASS
4	5796.1250	44.87	59.41	14.54	122.20	62.79	150	8	PK	Vertical	PASS
5	5825.3750	39.38	53.89	14.51	122.20	68.31	150	8	PK	Vertical	PASS
6	5866.6250	37.25	52.14	14.89	107.54	55.40	150	267	PK	Vertical	PASS


Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode: AX40

Channel: 5755 MHz

Test Graph



★ PK Detector ★ AV Detector

Suspected Data List

NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	5693.3750	38.33	53.08	14.75	100.32	47.24	150	24	PK	Horizontal	PASS
2	5705.7500	47.28	62.02	14.74	106.81	44.79	150	48	PK	Horizontal	PASS
3	5731.2500	50.18	65.09	14.91	122.20	57.11	150	129	PK	Horizontal	PASS
4	5805.1250	42.34	56.73	14.39	122.20	65.47	150	129	PK	Horizontal	PASS
5	5818.2500	39.13	53.69	14.56	122.20	68.51	150	119	PK	Horizontal	PASS
6	5858.7500	36.96	51.75	14.79	109.75	58.00	150	293	PK	Horizontal	PASS


Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode: AX40

Channel: 5795 MHz

Test Graph



★ PK Detector ★ AV Detector

Suspected Data List

NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	5678.0000	37.65	51.75	14.10	88.97	37.22	150	304	PK	Vertical	PASS
2	5732.0000	41.52	56.45	14.93	122.20	65.75	150	357	PK	Vertical	PASS
3	5757.8750	43.70	58.37	14.67	122.20	63.83	150	357	PK	Vertical	PASS
4	5825.3750	47.42	61.93	14.51	122.20	60.27	150	341	PK	Vertical	PASS
5	5839.2500	45.36	60.05	14.69	122.20	62.15	150	344	PK	Vertical	PASS
6	5875.6250	38.50	53.41	14.91	104.74	51.33	150	236	PK	Vertical	PASS


Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode: AX40

Channel: 5795 MHz

Test Graph



★ PK Detector ★ AV Detector

Suspected Data List


NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	5705.0000	37.34	52.13	14.79	106.60	54.47	150	76	PK	Horizontal	PASS
2	5742.5000	42.21	56.94	14.73	122.20	65.26	150	268	PK	Horizontal	PASS
3	5762.0000	47.47	62.16	14.69	122.20	60.04	150	114	PK	Horizontal	PASS
4	5818.2500	52.92	67.48	14.56	122.20	54.72	150	51	PK	Horizontal	PASS
5	5847.1250	42.61	57.28	14.67	122.20	64.92	150	108	PK	Horizontal	PASS
6	5862.1250	38.35	53.18	14.83	108.80	55.62	150	296	PK	Horizontal	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level


Appendix G: Conducted emission AC power port

Test Result



Final Data List

NO.	Frequency [MHz]	Factor [dB]	QP Reading [dBμV]	QP Value [dBμV]	QP Limit [dBμV]	QP Margin [dB]	AV Reading [dBμV]	AV Value [dBμV]	AV Limit [dBμV]	AV Margin [dB]	Type	Verdict
1	0.2379	10.34	21.04	31.38	62.17	30.79	7.96	18.30	52.17	33.87	L1	PASS
2	0.6540	10.26	14.02	24.28	56.00	31.72	10.66	20.92	46.00	25.08	L1	PASS
3	0.8580	10.26	5.14	15.40	56.00	40.60	3.56	13.82	46.00	32.18	L1	PASS
4	1.6625	10.27	4.40	14.67	56.00	41.33	3.16	13.43	46.00	32.57	L1	PASS
5	4.4884	10.33	6.44	16.77	56.00	39.23	5.10	15.43	46.00	30.57	L1	PASS
6	6.7818	10.51	7.00	17.51	60.00	42.49	5.54	16.05	50.00	33.95	L1	PASS



Final Data List												
NO.	Frequency [MHz]	Factor [dB]	QP Reading [dBμV]	QP Value [dBμV]	QP Limit [dBμV]	QP Margin [dB]	AV Reading [dBμV]	AV Value [dBμV]	AV Limit [dBμV]	AV Margin [dB]	Type	Verdict
1	0.2483	10.35	20.02	30.37	61.81	31.44	7.09	17.44	51.81	34.37	N	PASS
2	0.5347	10.35	11.16	21.51	56.00	34.49	4.69	15.04	46.00	30.96	N	PASS
3	1.1450	10.37	4.25	14.62	56.00	41.38	2.84	13.21	46.00	32.79	N	PASS
4	2.2929	10.48	4.60	15.08	56.00	40.92	3.46	13.94	46.00	32.06	N	PASS
5	6.0460	10.51	6.54	17.05	60.00	42.95	5.20	15.71	50.00	34.29	N	PASS
6	11.0129	10.48	5.77	16.25	60.00	43.75	4.73	15.21	50.00	34.79	N	PASS