




802.11ac40,Low Channel, Bandedge, Horizontal




802.11ac40, Low Channel, Bandedge, Vertical



802.11ac40, High Channel, Bandedge, Horizontal




802.11ac40, High Channel, Bandedge, Vertical



802.11ax20, Low Channel, Bandedge, Horizontal


Project No.: 2602P41234E-RF Serial No.: 3FXP-9
Polarization: Horizontal Tester: Alan Xie
Test Mode: Transmitting
Note: 802.11ax20_U-NII-1 low channel 5180MHz
Peak: RBW:1MHz, VBW:3MHz Ave: RBW:1MHz, VBW:5kHz



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement
1	5148.76	55.67	7.47	63.14	74.00	10.86	Peak
2	5148.76	39.33	7.47	46.80	54.00	7.20	Average
3	5150.00	51.50	7.47	58.97	74.00	15.03	Peak
4	5150.00	39.60	7.47	47.07	54.00	6.93	Average

802.11ax20, Low Channel, Bandedge, Vertical


Project No.: 2602P41234E-RF Serial No.: 3FXP-9
Polarization: Vertical Tester: Alan Xie
Test Mode: Transmitting
Note: 802.11ax20_U-NII-1 low channel 5180MHz
Peak: RBW:1MHz, VBW:3MHz Ave: RBW:1MHz, VBW:5kHz



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement
1	5149.00	53.94	7.47	61.41	74.00	12.59	Peak
2	5149.00	38.61	7.47	46.08	54.00	7.92	Average
3	5150.00	52.72	7.47	60.19	74.00	13.81	Peak
4	5150.00	39.13	7.47	46.60	54.00	7.40	Average

802.11ax20, High Channel, Bandedge, Horizontal


Project No.: 2602P41234E-RF Serial No.: 3FXP-9
Polarization: Horizontal Tester: Alan Xie
Test Mode: Transmitting
Note: 802.11ax20_U-NII-1 high channel 5240MHz
Peak: RBW:1MHz, VBW:3MHz Ave: RBW:1MHz, VBW:5kHz



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement
1	5350.00	49.62	8.01	57.63	74.00	16.37	Peak
2	5350.00	38.14	8.01	46.15	54.00	7.85	Average
3	5377.00	51.11	7.99	59.10	74.00	14.90	Peak
4	5377.00	38.10	7.99	46.09	54.00	7.91	Average

802.11ax20, High Channel, Bandedge, Vertical


Project No.: 2602P41234E-RF Serial No.: 3FXP-9
Polarization: Vertical Tester: Alan Xie
Test Mode: Transmitting
Note: 802.11ax20_U-NII-1 high channel 5240MHz
Peak: RBW:1MHz, VBW:3MHz Ave: RBW:1MHz, VBW:5kHz



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement
1	5350.00	49.67	8.01	57.68	74.00	16.32	Peak
2	5350.00	38.02	8.01	46.03	54.00	7.97	Average
3	5397.52	51.30	7.97	59.27	74.00	14.73	Peak
4	5397.52	38.54	7.97	46.51	54.00	7.49	Average

802.11ax40, Low Channel, Bandedge, Horizontal


Project No.: 2602P41234E-RF Serial No.: 3FXP-9
Polarization: Horizontal Tester: Alan Xie
Test Mode: Transmitting
Note: 802.11ax40_U-NII-1 low channel 5180MHz
Peak: RBW:1MHz, VBW:3MHz Ave: RBW:1MHz, VBW:5kHz



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement
1	5145.98	59.85	7.45	67.30	74.00	6.70	Peak
2	5145.98	41.65	7.45	49.10	54.00	4.90	Average
3	5150.00	54.23	7.47	61.70	74.00	12.30	Peak
4	5150.00	41.15	7.47	48.62	54.00	5.38	Average

802.11ax40, Low Channel, Bandedge, Vertical


Project No.: 2602P41234E-RF Serial No.: 3FXP-9
Polarization: Vertical Tester: Alan Xie
Test Mode: Transmitting
Note: 802.11ax40_U-NII-1 low channel 5180MHz
Peak: RBW:1MHz, VBW:3MHz Ave: RBW:1MHz, VBW:5kHz



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement
1	5149.15	58.30	7.47	65.77	74.00	8.23	Peak
2	5149.15	40.59	7.47	48.06	54.00	5.94	Average
3	5150.00	54.32	7.47	61.79	74.00	12.21	Peak
4	5150.00	40.75	7.47	48.22	54.00	5.78	Average

802.11ax40, High Channel, Bandedge, Horizontal


Project No.: 2602P41234E-RF Serial No.: 3FXP-9
Polarization: Horizontal Tester: Alan Xie
Test Mode: Transmitting
Note: 802.11ax40_U-NII-1 high channel 5230MHz
Peak: RBW:1MHz, VBW:3MHz Ave: RBW:1MHz, VBW:5kHz



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement
1	5350.00	49.10	8.01	57.11	74.00	16.89	Peak
2	5350.00	38.23	8.01	46.24	54.00	7.76	Average
3	5375.88	51.32	7.99	59.31	74.00	14.69	Peak
4	5375.88	38.21	7.99	46.20	54.00	7.80	Average

802.11ax40, High Channel, Bandedge, Vertical

Project No.: 2602P41234E-RF Serial No.: 3FXP-9
Polarization: Vertical Tester: Alan Xie
Test Mode: Transmitting
Note: 802.11ax40_U-NII-1 high channel 5230MHz
Peak: RBW:1MHz, VBW:3MHz Ave: RBW:1MHz, VBW:5kHz




No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement
1	5350.00	49.17	8.01	57.18	74.00	16.82	Peak
2	5350.00	38.15	8.01	46.16	54.00	7.84	Average
3	5384.88	51.42	7.98	59.40	74.00	14.60	Peak
4	5384.88	38.14	7.98	46.12	54.00	7.88	Average

802.11ac80,Middle Channel, Bandedge, Horizontal

Project No.: 2602P41234E-RF
Polarization: Horizontal
Test Mode: Transmitting
Note: 802.11ac80_U-NII-1 middle channel 5210MHz
Peak:RBW:1MHz,VBW:30Hz Ave:RBW:1MHz,VBW:5kHz

Serial No.: 3FXP-9
Tester: Alan Xie




No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement
1	5134.02	60.14	7.35	67.49	74.00	6.51	Peak
2	5134.02	40.04	7.35	47.39	54.00	6.61	Average
3	5150.00	53.98	7.47	61.45	74.00	12.55	Peak
4	5150.00	40.57	7.47	48.04	54.00	5.96	Average
5	5350.00	49.73	8.01	57.74	74.00	16.26	Peak
6	5350.00	38.20	8.01	46.21	54.00	7.79	Average
7	5360.88	52.05	7.99	60.04	74.00	13.96	Peak
8	5360.88	37.89	7.99	45.88	54.00	8.12	Average

802.11ac80, Middle Channel, Bandedge, Vertical

Project No.: 2602P41234E-RF
Polarization: Vertical
Test Mode: Transmitting
Note: 802.11ac80_U-NII-1 middle channel 5210MHz
Peak:RBW:1MHz,VBW:30Hz Ave:RBW:1MHz,VBW:5kHz

Serial No.: 3FXP-9
Tester: Alan Xie




No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement
1	5137.32	58.81	7.37	66.18	74.00	7.82	Peak
2	5137.32	41.13	7.37	48.50	54.00	5.50	Average
3	5150.00	53.74	7.47	61.21	74.00	12.79	Peak
4	5150.00	39.97	7.47	47.44	54.00	6.56	Average
5	5350.00	49.45	8.01	57.46	74.00	16.54	Peak
6	5350.00	37.93	8.01	45.94	54.00	8.06	Average
7	5388.36	51.46	7.97	59.43	74.00	14.57	Peak
8	5388.36	38.03	7.97	46.00	54.00	8.00	Average

802.11ax80,Middle Channel, Bandedge, Horizontal

Project No.: 2602P41234E-RF
Polarization: Horizontal
Test Mode: Transmitting
Note: 802.11ax80_U-NII-1 middle channel 5210MHz
Peak:RBW:1MHz,VBW:30Hz Ave:RBW:1MHz,VBW:5kHz

Serial No.: 3FXP-9
Tester: Alan Xie




No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement
1	5137.92	56.17	7.38	63.55	74.00	10.45	Peak
2	5137.92	40.22	7.38	47.60	54.00	6.40	Average
3	5150.00	52.07	7.47	59.54	74.00	14.46	Peak
4	5150.00	48.79	7.47	48.26	54.00	5.74	Average
5	5350.00	49.80	8.01	57.81	74.00	16.19	Peak
6	5350.00	38.21	8.01	46.22	54.00	7.78	Average
7	5394.72	51.79	7.97	59.76	74.00	14.24	Peak
8	5394.72	38.34	7.97	46.31	54.00	7.69	Average

802.11ax80, Middle Channel, Bandedge, Vertical


Project No.: 2602P41234E-RF
Polarization: Vertical
Test Mode: Transmitting
Note: 802.11ax80_U-NII-1 middle channel 5210MHz
Peak:RBW:1MHz,VBW:30Hz Ave:RBW:1MHz,VBW:5kHz

Serial No.: 3FXP-9
Tester: Alan Xie



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement
1	5149.02	57.12	7.47	64.59	74.00	9.41	Peak
2	5149.02	41.45	7.47	48.92	54.00	5.08	Average
3	5150.00	54.70	7.47	62.17	74.00	11.83	Peak
4	5150.00	42.96	7.47	50.43	54.00	3.57	Average
5	5350.00	48.86	8.01	56.87	74.00	17.13	Peak
6	5350.00	38.67	8.01	46.68	54.00	7.32	Average
7	5352.90	51.77	7.99	59.76	74.00	14.24	Peak
8	5352.90	38.32	7.99	46.31	54.00	7.69	Average

802.11a, Low Channel, Chain 0, Bandedge, Horizontal



Project No.: 2602P41234E-RF Serial No.: 3FXP-9
Polarization: Vertical Tester: Leo Xiao
Test Mode: Transmitting
Note: 802.11a_U-NII-2A low channel 5260MHz Chain0
Peak: RBW:1MHz, VBW:3MHz Ave:RBW:1MHz,VBW:5kHz

Date: 2026-01-30

No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement
1	5150.00	51.25	7.47	58.72	74.00	15.28	Peak
2	5150.00	36.91	7.47	44.38	54.00	9.62	Average

Project No.: 260201234E-RF Serial No.: 3FXD-9
Polarization: Horizontal Tester: Leo Xiao
Test Mode: Transmitting
Note: 800.11a p-NII-2A high channel 5320MHz Chain0
Peak:RBW:1MHz,VBW:3MHz Ave:1MHz,VBW:5MHz

Date: 2026-01-30

No.	Frequency (MHz)	Reading (dBuV/m)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement
1	5350.00	50.63	8.01	58.64	74.00	15.36	Peak
2	5350.00	37.51	8.01	45.52	54.00	8.48	Average

Project No.: 2682P41234E-RF Serial No.: 3FXP-9
Polarization: Vertical Tester: Leo Xiao
Test Mode: Transmitting
Note: 800.11a 11n 11-2A high channel 5320MHz Chain0
Peak: RBW:1MHz, VBW:30Hz Ave: RBW:100Hz, VBW:5kHz

Date: 2026-01-30


No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement
1	5350.00	50.72	8.01	58.73	74.00	15.27	Peak
2	5350.00	36.66	8.01	44.67	54.00	9.33	Average

802.11a, Low Channel, Chain 1, Bandedge, Horizontal Project No.: 2602P41234E-RF Serial No.: 3FXP-9 Polarization: Horizontal Test Mode: Transmitting Note: 802.11a_U-NII-2A low channel 5260MHz Chain1 Peak:RBW:1MHz,VBW:30Hz Ave:RBW:1MHz,VBW:5kHz Level (dBuV/m) 110 100.0 90.0 80.0 70.0 60.0 50.0 40.0 30 5100 5136 5172 5208 5244 5280 Frequency (MHz) 1 5150.00 50.85 7.47 58.32 74.00 15.68 Peak 2 5150.00 37.40 7.47 44.87 54.00 9.13 Average <tr><td> 802.11a, Low Channel, Chain 1,Bandedge, Vertical Project No.: 2602P41234E-RF Serial No.: 3FXP-9 Polarization: Vertical Test Mode: Transmitting Note: 802.11a_U-NII-2A low channel 5260MHz Chain1 Peak:RBW:1MHz,VBW:30Hz Ave:RBW:1MHz,VBW:5kHz Level (dBuV/m) 110 100.0 90.0 80.0 70.0 60.0 50.0 40.0 30 5100 5136 5172 5208 5244 5280 Frequency (MHz) 1 5150.00 51.05 7.47 58.52 74.00 15.48 Peak 2 5150.00 37.23 7.47 44.70 54.00 9.30 Average <tr><td> 802.11a, High Channel, Chain 1, Bandedge, Horizontal Project No.: 2602P41234E-RF Serial No.: 3FXP-9 Polarization: Horizontal Test Mode: Transmitting Note: 802.11a_U-NII-2A high channel 5320MHz Chain1 Peak:RBW:1MHz,VBW:30Hz Ave:RBW:1MHz,VBW:5kHz Level (dBuV/m) 110 100.0 90.0 80.0 70.0 60.0 50.0 40.0 30 5300 5320 5340 5360 5380 5400 Frequency (MHz) 1 5350.00 50.95 8.01 58.96 74.00 15.04 Peak 2 5350.00 37.47 8.01 45.48 54.00 8.52 Average <tr><td> 802.11a,High Channel, Chain 1, Bandedge, Vertical Project No.: 2602P41234E-RF Serial No.: 3FXP-9 Polarization: Vertical Test Mode: Transmitting Note: 802.11a_U-NII-2A high channel 5320MHz Chain1 Peak:RBW:1MHz,VBW:30Hz Ave:RBW:1MHz,VBW:5kHz Level (dBuV/m) 110 100.0 90.0 80.0 70.0 60.0 50.0 40.0 30 5300 5320 5340 5360 5380 5400 Frequency (MHz) 1 5350.00 51.34 8.01 59.35 74.00 14.65 Peak 2 5350.00 37.11 8.01 45.12 54.00 8.88 Average </td></tr></td></tr></td></tr>	802.11a, Low Channel, Chain 1,Bandedge, Vertical Project No.: 2602P41234E-RF Serial No.: 3FXP-9 Polarization: Vertical Test Mode: Transmitting Note: 802.11a_U-NII-2A low channel 5260MHz Chain1 Peak:RBW:1MHz,VBW:30Hz Ave:RBW:1MHz,VBW:5kHz Level (dBuV/m) 110 100.0 90.0 80.0 70.0 60.0 50.0 40.0 30 5100 5136 5172 5208 5244 5280 Frequency (MHz) 1 5150.00 51.05 7.47 58.52 74.00 15.48 Peak 2 5150.00 37.23 7.47 44.70 54.00 9.30 Average <tr><td> 802.11a, High Channel, Chain 1, Bandedge, Horizontal Project No.: 2602P41234E-RF Serial No.: 3FXP-9 Polarization: Horizontal Test Mode: Transmitting Note: 802.11a_U-NII-2A high channel 5320MHz Chain1 Peak:RBW:1MHz,VBW:30Hz Ave:RBW:1MHz,VBW:5kHz Level (dBuV/m) 110 100.0 90.0 80.0 70.0 60.0 50.0 40.0 30 5300 5320 5340 5360 5380 5400 Frequency (MHz) 1 5350.00 50.95 8.01 58.96 74.00 15.04 Peak 2 5350.00 37.47 8.01 45.48 54.00 8.52 Average <tr><td> 802.11a,High Channel, Chain 1, Bandedge, Vertical Project No.: 2602P41234E-RF Serial No.: 3FXP-9 Polarization: Vertical Test Mode: Transmitting Note: 802.11a_U-NII-2A high channel 5320MHz Chain1 Peak:RBW:1MHz,VBW:30Hz Ave:RBW:1MHz,VBW:5kHz Level (dBuV/m) 110 100.0 90.0 80.0 70.0 60.0 50.0 40.0 30 5300 5320 5340 5360 5380 5400 Frequency (MHz) 1 5350.00 51.34 8.01 59.35 74.00 14.65 Peak 2 5350.00 37.11 8.01 45.12 54.00 8.88 Average </td></tr></td></tr>	802.11a, High Channel, Chain 1, Bandedge, Horizontal Project No.: 2602P41234E-RF Serial No.: 3FXP-9 Polarization: Horizontal Test Mode: Transmitting Note: 802.11a_U-NII-2A high channel 5320MHz Chain1 Peak:RBW:1MHz,VBW:30Hz Ave:RBW:1MHz,VBW:5kHz Level (dBuV/m) 110 100.0 90.0 80.0 70.0 60.0 50.0 40.0 30 5300 5320 5340 5360 5380 5400 Frequency (MHz) 1 5350.00 50.95 8.01 58.96 74.00 15.04 Peak 2 5350.00 37.47 8.01 45.48 54.00 8.52 Average <tr><td> 802.11a,High Channel, Chain 1, Bandedge, Vertical Project No.: 2602P41234E-RF Serial No.: 3FXP-9 Polarization: Vertical Test Mode: Transmitting Note: 802.11a_U-NII-2A high channel 5320MHz Chain1 Peak:RBW:1MHz,VBW:30Hz Ave:RBW:1MHz,VBW:5kHz Level (dBuV/m) 110 100.0 90.0 80.0 70.0 60.0 50.0 40.0 30 5300 5320 5340 5360 5380 5400 Frequency (MHz) 1 5350.00 51.34 8.01 59.35 74.00 14.65 Peak 2 5350.00 37.11 8.01 45.12 54.00 8.88 Average </td></tr>	802.11a,High Channel, Chain 1, Bandedge, Vertical Project No.: 2602P41234E-RF Serial No.: 3FXP-9 Polarization: Vertical Test Mode: Transmitting Note: 802.11a_U-NII-2A high channel 5320MHz Chain1 Peak:RBW:1MHz,VBW:30Hz Ave:RBW:1MHz,VBW:5kHz Level (dBuV/m) 110 100.0 90.0 80.0 70.0 60.0 50.0 40.0 30 5300 5320 5340 5360 5380 5400 Frequency (MHz) 1 5350.00 51.34 8.01 59.35 74.00 14.65 Peak 2 5350.00 37.11 8.01 45.12 54.00 8.88 Average
802.11a, Low Channel, Chain 1,Bandedge, Vertical Project No.: 2602P41234E-RF Serial No.: 3FXP-9 Polarization: Vertical Test Mode: Transmitting Note: 802.11a_U-NII-2A low channel 5260MHz Chain1 Peak:RBW:1MHz,VBW:30Hz Ave:RBW:1MHz,VBW:5kHz Level (dBuV/m) 110 100.0 90.0 80.0 70.0 60.0 50.0 40.0 30 5100 5136 5172 5208 5244 5280 Frequency (MHz) 1 5150.00 51.05 7.47 58.52 74.00 15.48 Peak 2 5150.00 37.23 7.47 44.70 54.00 9.30 Average <tr><td> 802.11a, High Channel, Chain 1, Bandedge, Horizontal Project No.: 2602P41234E-RF Serial No.: 3FXP-9 Polarization: Horizontal Test Mode: Transmitting Note: 802.11a_U-NII-2A high channel 5320MHz Chain1 Peak:RBW:1MHz,VBW:30Hz Ave:RBW:1MHz,VBW:5kHz Level (dBuV/m) 110 100.0 90.0 80.0 70.0 60.0 50.0 40.0 30 5300 5320 5340 5360 5380 5400 Frequency (MHz) 1 5350.00 50.95 8.01 58.96 74.00 15.04 Peak 2 5350.00 37.47 8.01 45.48 54.00 8.52 Average <tr><td> 802.11a,High Channel, Chain 1, Bandedge, Vertical Project No.: 2602P41234E-RF Serial No.: 3FXP-9 Polarization: Vertical Test Mode: Transmitting Note: 802.11a_U-NII-2A high channel 5320MHz Chain1 Peak:RBW:1MHz,VBW:30Hz Ave:RBW:1MHz,VBW:5kHz Level (dBuV/m) 110 100.0 90.0 80.0 70.0 60.0 50.0 40.0 30 5300 5320 5340 5360 5380 5400 Frequency (MHz) 1 5350.00 51.34 8.01 59.35 74.00 14.65 Peak 2 5350.00 37.11 8.01 45.12 54.00 8.88 Average </td></tr></td></tr>	802.11a, High Channel, Chain 1, Bandedge, Horizontal Project No.: 2602P41234E-RF Serial No.: 3FXP-9 Polarization: Horizontal Test Mode: Transmitting Note: 802.11a_U-NII-2A high channel 5320MHz Chain1 Peak:RBW:1MHz,VBW:30Hz Ave:RBW:1MHz,VBW:5kHz Level (dBuV/m) 110 100.0 90.0 80.0 70.0 60.0 50.0 40.0 30 5300 5320 5340 5360 5380 5400 Frequency (MHz) 1 5350.00 50.95 8.01 58.96 74.00 15.04 Peak 2 5350.00 37.47 8.01 45.48 54.00 8.52 Average <tr><td> 802.11a,High Channel, Chain 1, Bandedge, Vertical Project No.: 2602P41234E-RF Serial No.: 3FXP-9 Polarization: Vertical Test Mode: Transmitting Note: 802.11a_U-NII-2A high channel 5320MHz Chain1 Peak:RBW:1MHz,VBW:30Hz Ave:RBW:1MHz,VBW:5kHz Level (dBuV/m) 110 100.0 90.0 80.0 70.0 60.0 50.0 40.0 30 5300 5320 5340 5360 5380 5400 Frequency (MHz) 1 5350.00 51.34 8.01 59.35 74.00 14.65 Peak 2 5350.00 37.11 8.01 45.12 54.00 8.88 Average </td></tr>	802.11a,High Channel, Chain 1, Bandedge, Vertical Project No.: 2602P41234E-RF Serial No.: 3FXP-9 Polarization: Vertical Test Mode: Transmitting Note: 802.11a_U-NII-2A high channel 5320MHz Chain1 Peak:RBW:1MHz,VBW:30Hz Ave:RBW:1MHz,VBW:5kHz Level (dBuV/m) 110 100.0 90.0 80.0 70.0 60.0 50.0 40.0 30 5300 5320 5340 5360 5380 5400 Frequency (MHz) 1 5350.00 51.34 8.01 59.35 74.00 14.65 Peak 2 5350.00 37.11 8.01 45.12 54.00 8.88 Average	
802.11a, High Channel, Chain 1, Bandedge, Horizontal Project No.: 2602P41234E-RF Serial No.: 3FXP-9 Polarization: Horizontal Test Mode: Transmitting Note: 802.11a_U-NII-2A high channel 5320MHz Chain1 Peak:RBW:1MHz,VBW:30Hz Ave:RBW:1MHz,VBW:5kHz Level (dBuV/m) 110 100.0 90.0 80.0 70.0 60.0 50.0 40.0 30 5300 5320 5340 5360 5380 5400 Frequency (MHz) 1 5350.00 50.95 8.01 58.96 74.00 15.04 Peak 2 5350.00 37.47 8.01 45.48 54.00 8.52 Average <tr><td> 802.11a,High Channel, Chain 1, Bandedge, Vertical Project No.: 2602P41234E-RF Serial No.: 3FXP-9 Polarization: Vertical Test Mode: Transmitting Note: 802.11a_U-NII-2A high channel 5320MHz Chain1 Peak:RBW:1MHz,VBW:30Hz Ave:RBW:1MHz,VBW:5kHz Level (dBuV/m) 110 100.0 90.0 80.0 70.0 60.0 50.0 40.0 30 5300 5320 5340 5360 5380 5400 Frequency (MHz) 1 5350.00 51.34 8.01 59.35 74.00 14.65 Peak 2 5350.00 37.11 8.01 45.12 54.00 8.88 Average </td></tr>	802.11a,High Channel, Chain 1, Bandedge, Vertical Project No.: 2602P41234E-RF Serial No.: 3FXP-9 Polarization: Vertical Test Mode: Transmitting Note: 802.11a_U-NII-2A high channel 5320MHz Chain1 Peak:RBW:1MHz,VBW:30Hz Ave:RBW:1MHz,VBW:5kHz Level (dBuV/m) 110 100.0 90.0 80.0 70.0 60.0 50.0 40.0 30 5300 5320 5340 5360 5380 5400 Frequency (MHz) 1 5350.00 51.34 8.01 59.35 74.00 14.65 Peak 2 5350.00 37.11 8.01 45.12 54.00 8.88 Average		
802.11a,High Channel, Chain 1, Bandedge, Vertical Project No.: 2602P41234E-RF Serial No.: 3FXP-9 Polarization: Vertical Test Mode: Transmitting Note: 802.11a_U-NII-2A high channel 5320MHz Chain1 Peak:RBW:1MHz,VBW:30Hz Ave:RBW:1MHz,VBW:5kHz Level (dBuV/m) 110 100.0 90.0 80.0 70.0 60.0 50.0 40.0 30 5300 5320 5340 5360 5380 5400 Frequency (MHz) 1 5350.00 51.34 8.01 59.35 74.00 14.65 Peak 2 5350.00 37.11 8.01 45.12 54.00 8.88 Average			

802.11ac20, Low Channel, Bandedge, Horizontal


Project No.: 2602P41234E-RF
Polarization: Horizontal
Test Mode: Transmitting
Note: 802.11ac20_U-NII-2A low channel 5260MHz
Peak: RBW:1MHz, VBW:3MHz Ave:RBW:1MHz, VBW:5kHz

Serial No.: 3FXP-9
Tester: Leo Xiao

**802.11ac20, Low Channel, Bandedge, Vertical**


Project No.: 2602P41234E-RF
Polarization: Vertical
Test Mode: Transmitting
Note: 802.11ac20_U-NII-2A low channel 5260MHz
Peak: RBW:1MHz, VBW:3MHz Ave:RBW:1MHz, VBW:5kHz

Serial No.: 3FXP-9
Tester: Leo Xiao

**802.11ac20, High Channel, Bandedge, Horizontal**


Project No.: 2602P41234E-RF
Polarization: Horizontal
Test Mode: Transmitting
Note: 802.11ac20_U-NII-2A high channel 5320MHz
Peak: RBW:1MHz, VBW:3MHz Ave:RBW:1MHz, VBW:5kHz

Serial No.: 3FXP-9
Tester: Leo Xiao

**802.11ac20, High Channel, Bandedge, Vertical**

Project No.: 2602P41234E-RF
Polarization: Vertical
Test Mode: Transmitting
Note: 802.11ac20_U-NII-2A high channel 5320MHz
Peak: RBW:1MHz, VBW:3MHz Ave:RBW:1MHz, VBW:5kHz


Serial No.: 3FXP-9
Tester: Leo Xiao



802.11ac40, Low Channel, Bandedge, Horizontal

Project No.: 2602P41234E-RF
Polarization: Horizontal
Test Mode: Transmitting
Note: 802.11ac40_U-NII-2A low channel 5270MHz
Peak: RBW:1MHz, VBW:3MHz Ave: RBW:1MHz, VBW:5kHz

Serial No.: 3FXP-9
Tester: Leo Xiao




No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement
1	5150.00	50.88	7.47	58.35	74.00	15.65	Peak
2	5150.00	37.00	7.47	44.47	54.00	9.53	Average

802.11ac40, Low Channel, Bandedge, Vertical

Project No.: 2602P41234E-RF
Polarization: Vertical
Test Mode: Transmitting
Note: 802.11ac40_U-NII-2A low channel 5270MHz
Peak: RBW:1MHz, VBW:3MHz Ave: RBW:1MHz, VBW:5kHz

Serial No.: 3FXP-9
Tester: Leo Xiao




No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement
1	5150.00	50.72	7.47	58.19	74.00	15.81	Peak
2	5150.00	37.58	7.47	45.05	54.00	8.95	Average

802.11ac40, High Channel, Bandedge, Horizontal

Project No.: 2602P41234E-RF
Polarization: Horizontal
Test Mode: Transmitting
Note: 802.11ac40_U-NII-2A high channel 5310MHz
Peak: RBW:1MHz, VBW:3MHz Ave: RBW:1MHz, VBW:5kHz

Serial No.: 3FXP-9
Tester: Leo Xiao




No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement
1	5350.00	54.89	8.01	62.90	74.00	11.10	Peak
2	5350.00	39.42	8.01	47.43	54.00	6.57	Average
3	5353.63	56.45	8.00	64.45	74.00	9.55	Peak
4	5353.63	39.89	8.00	47.89	54.00	6.11	Average

802.11ac40, High Channel, Bandedge, Vertical

Project No.: 2602P41234E-RF
Polarization: Vertical
Test Mode: Transmitting
Note: 802.11ac40_U-NII-2A high channel 5310MHz
Peak: RBW:1MHz, VBW:3MHz Ave: RBW:1MHz, VBW:5kHz

Serial No.: 3FXP-9
Tester: Leo Xiao




No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement
1	5350.00	56.99	8.01	65.00	74.00	9.00	Peak
2	5350.00	39.37	8.01	47.38	54.00	6.62	Average
3	5354.04	58.18	8.00	66.18	74.00	7.82	Peak
4	5354.04	40.48	8.00	48.48	54.00	5.52	Average

802.11ax20, Low Channel, Bandedge, Horizontal

Project No.: 2602P41234E-RF
Polarization: Horizontal
Test Mode: Transmitting
Note: 802.11ax20_U-NII-2A low channel 5260MHz
Peak: RBW:1MHz, VBW:3MHz Ave: RBW:1MHz, VBW:5kHz

Serial No.: 3FXP-9
Tester: Leo Xiao




No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement
1	5150.00	50.99	7.47	58.46	74.00	15.54	Peak
2	5150.00	37.51	7.47	44.98	54.00	9.02	Average

802.11ax20, Low Channel, Bandedge, Vertical

Project No.: 2602P41234E-RF
Polarization: Vertical
Test Mode: Transmitting
Note: 802.11ax20_U-NII-2A low channel 5260MHz
Peak: RBW:1MHz, VBW:3MHz Ave: RBW:1MHz, VBW:5kHz

Serial No.: 3FXP-9
Tester: Leo Xiao




No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement
1	5150.00	51.01	7.47	58.48	74.00	15.52	Peak
2	5150.00	37.52	7.47	44.99	54.00	9.01	Average

802.11ax20, High Channel, Bandedge, Horizontal

Project No.: 2602P41234E-RF
Polarization: Horizontal
Test Mode: Transmitting
Note: 802.11ax20_U-NII-2A high channel 5320MHz
Peak: RBW:1MHz, VBW:3MHz Ave: RBW:1MHz, VBW:5kHz

Serial No.: 3FXP-9
Tester: Leo Xiao




No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement
1	5350.00	50.73	8.01	58.74	74.00	15.26	Peak
2	5350.00	37.76	8.01	45.77	54.00	8.23	Average

802.11ax20, High Channel, Bandedge, Vertical


Project No.: 2602P41234E-RF
Polarization: Vertical
Test Mode: Transmitting
Note: 802.11ax20_U-NII-2A high channel 5320MHz
Peak: RBW:1MHz, VBW:3MHz Ave: RBW:1MHz, VBW:5kHz

Serial No.: 3FXP-9
Tester: Leo Xiao




No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement
1	5350.00	50.49	8.01	58.50	74.00	15.50	Peak
2	5350.00	36.99	8.01	45.00	54.00	9.00	Average


802.11ax40,Low Channel, Bandedge, Horizontal




802.11ax40, Low Channel, Bandedge, Vertical




802.11ax40, High Channel, Bandedge, Horizontal




802.11ax40, High Channel, Bandedge, Vertical




802.11ac80,Middle Channel, Bandedge, Horizontal




802.11ac80, Middle Channel, Bandedge, Vertical



802.11ax80,Middle Channel, Bandedge, Horizontal




802.11ax80, Middle Channel, Bandedge, Vertical




5470-5725MHz:


802.11a, Low Channel, Chain 0, Bandedge, Horizontal




802.11a, Low Channel, Chain 0, Bandedge, Vertical




802.11a, High Channel, Chain 0, Bandedge, Horizontal




802.11a, High Channel, Chain 0, Bandedge, Vertical




802.11a, Low Channel, Chain 1, Bandedge, Horizontal




802.11a, Low Channel, Chain 1,Bandedge, Vertical



802.11a, High Channel, Chain 1, Bandedge, Horizontal




802.11a,High Channel, Chain 1, Bandedge, Vertical



802.11ac20, Low Channel, Bandedge, Horizontal

Project No.: 2602P41234E-RF
Polarization: Horizontal
Test Mode: Transmitting
Note: 802.11ac20_U-NII-2C low channel 5500MHz
Peak: RBW:1MHz, VBW:3MHz Ave: RBW:1MHz, VBW:5kHz

Serial No.: 3FXP-9
Tester: Leo Xiao




No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement
1	5460.00	50.99	8.29	59.28	74.00	14.72	Peak
2	5460.00	36.98	8.29	45.27	54.00	8.73	Average
3	5470.00	50.75	8.35	59.10	68.20	9.10	Peak

802.11ac20, Low Channel, Bandedge, Vertical

Project No.: 2602P41234E-RF
Polarization: Vertical
Test Mode: Transmitting
Note: 802.11ac20_U-NII-2C low channel 5500MHz
Peak: RBW:1MHz, VBW:3MHz Ave: RBW:1MHz, VBW:5kHz

Serial No.: 3FXP-9
Tester: Leo Xiao




No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement
1	5460.00	51.28	8.29	59.57	74.00	14.43	Peak
2	5460.00	37.65	8.29	45.94	54.00	8.06	Average
3	5470.00	50.55	8.35	58.90	68.20	9.30	Peak

802.11ac20, High Channel, Bandedge, Horizontal

Project No.: 2602P41234E-RF
Polarization: Horizontal
Test Mode: Transmitting
Note: 802.11ac20_U-NII-2C high channel 5700MHz
Peak: RBW:1MHz, VBW:3MHz

Serial No.: 3FXP-9
Tester: Leo Xiao




No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement
1	5725.00	50.39	8.93	59.32	68.20	8.88	Peak

802.11ac20, High Channel, Bandedge, Vertical


Project No.: 2602P41234E-RF
Polarization: Vertical
Test Mode: Transmitting
Note: 802.11ac20_U-NII-2C high channel 5700MHz
Peak: RBW:1MHz, VBW:3MHz

Serial No.: 3FXP-9
Tester: Leo Xiao




No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement
1	5725.00	52.50	8.93	61.43	68.20	6.77	Peak


802.11ac40,Low Channel, Bandedge, Horizontal




802.11ac40, Low Channel, Bandedge, Vertical




802.11ac40, High Channel, Bandedge, Horizontal




802.11ac40, High Channel, Bandedge, Vertical




802.11ax20, Low Channel, Bandedge, Horizontal




802.11ax20, Low Channel, Bandedge, Vertical




802.11ax20,High Channel, Bandedge, Horizontal




802.11ax20,High Channel, Bandedge, Vertical




802.11ax40,Low Channel, Bandedge, Horizontal




802.11ax40, Low Channel, Bandedge, Vertical




802.11ax40, High Channel, Bandedge, Horizontal




802.11ax40, High Channel, Bandedge, Vertical




802.11ac80, Low Channel, Bandedge, Horizontal




802.11ac80, Low Channel, Bandedge, Vertical




802.11ac80,High Channel, Bandedge, Horizontal




802.11ac80,High Channel, Bandedge, Vertical




802.11ax80, Low Channel, Bandedge, Horizontal




802.11ax80, Low Channel, Bandedge, Vertical



802.11ax80,High Channel, Bandedge, Horizontal



802.11ax80,High Channel, Bandedge, Vertical



5725-5850MHz:


802.11a, Low Channel, Chain 0, Bandedge, Horizontal								802.11a, Low Channel, Chain 0,Bandedge, Vertical							
Project No.: 2602P41234E-RF Polarization: Horizontal Test Mode: Transmitting Note: 802.11a,U-NII-3 low channel 5745MHz Chain0 Peak:RBW:1MHz,VBW:3MHz				Serial No.: 3FXP-9 Tester: Leo Xiao				Project No.: 2602P41234E-RF Polarization: Vertical Test Mode: Transmitting Note: 802.11a,U-NII-3 low channel 5745MHz Chain0 Peak:RBW:1MHz,VBW:3MHz				Serial No.: 3FXP-9 Tester: Leo Xiao			
No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement	No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement
1	5650.00	50.54	8.82	59.36	68.20	8.84	Peak	1	5650.00	50.19	8.82	59.01	68.20	9.19	Peak
2	5700.00	50.83	8.85	59.68	105.20	45.52	Peak	2	5700.00	50.79	8.85	59.64	105.20	45.56	Peak
3	5720.00	50.15	8.91	59.06	110.80	51.74	Peak	3	5720.00	51.19	8.91	60.10	110.80	50.70	Peak
4	5725.00	51.62	8.93	60.55	122.20	61.65	Peak	4	5725.00	53.68	8.93	62.61	122.20	59.59	Peak

802.11a, High Channel, Chain 0, Bandedge, Horizontal								802.11a,High Channel, Chain 0, Bandedge, Vertical							
Project No.: 2602P41234E-RF Polarization: Horizontal Test Mode: Transmitting Note: 802.11a,U-NII-3 high channel 5825MHz Chain0 Peak:RBW:1MHz,VBW:3MHz				Serial No.: 3FXP-9 Tester: Leo Xiao				Project No.: 2602P41234E-RF Polarization: Vertical Test Mode: Transmitting Note: 802.11a,U-NII-3 high channel 5825MHz Chain0 Peak:RBW:1MHz,VBW:3MHz				Serial No.: 3FXP-9 Tester: Leo Xiao			
No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement	No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement
1	5850.00	51.97	9.10	61.07	122.20	61.13	Peak	1	5850.00	53.99	9.10	63.09	122.20	59.11	Peak
2	5855.00	51.17	9.12	60.29	110.80	50.51	Peak	2	5855.00	52.32	9.12	61.44	110.80	49.36	Peak
3	5875.00	50.66	9.16	59.82	105.20	45.38	Peak	3	5875.00	49.97	9.16	59.13	105.20	46.07	Peak
4	5925.00	50.62	9.24	59.86	68.20	8.34	Peak	4	5925.00	50.38	9.24	59.62	68.20	8.58	Peak

802.11a, Low Channel, Chain 1, Bandedge, Horizontal

Project No.: 2602P41234E-RF
Polarization: Horizontal
Test Mode: Transmitting
Note: 802.11a U-NII-3 low channel 5745MHz Chain1
Peak:RBW:1MHz,VBW:3MHz

Serial No.: 3FXP-9
Tester: Leo Xiao




No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement
1	5650.00	50.13	8.82	58.95	68.20	9.25	Peak
2	5700.00	50.82	8.85	59.67	105.20	45.53	Peak
3	5720.00	50.41	8.91	59.32	110.80	51.48	Peak
4	5725.00	50.86	8.93	59.79	122.20	62.41	Peak

802.11a, Low Channel, Chain 1,Bandedge, Vertical

Project No.: 2602P41234E-RF
Polarization: Vertical
Test Mode: Transmitting
Note: 802.11a U-NII-3 low channel 5745MHz Chain1
Peak:RBW:1MHz,VBW:3MHz

Serial No.: 3FXP-9
Tester: Leo Xiao




No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement
1	5650.00	50.68	8.82	59.50	68.20	8.70	Peak
2	5700.00	50.52	8.85	59.37	105.20	45.83	Peak
3	5720.00	51.04	8.91	59.95	110.80	50.85	Peak
4	5725.00	51.52	8.93	60.45	122.20	61.75	Peak

802.11a, High Channel, Chain 1, Bandedge, Horizontal

Project No.: 2602P41234E-RF
Polarization: Horizontal
Test Mode: Transmitting
Note: 802.11a U-NII-3 high channel 5825MHz Chain1
Peak:RBW:1MHz,VBW:3MHz

Serial No.: 3FXP-9
Tester: Leo Xiao




No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement
1	5850.00	50.43	9.10	59.53	122.20	62.67	Peak
2	5855.00	50.48	9.12	59.60	110.80	51.20	Peak
3	5875.00	50.42	9.16	59.58	105.20	45.62	Peak
4	5925.00	50.21	9.24	59.45	68.20	8.75	Peak

802.11a,High Channel, Chain 1, Bandedge, Vertical

Project No.: 2602P41234E-RF
Polarization: Vertical
Test Mode: Transmitting
Note: 802.11a U-NII-3 high channel 5825MHz Chain1
Peak:RBW:1MHz,VBW:3MHz

Serial No.: 3FXP-9
Tester: Leo Xiao




No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement
1	5850.00	50.21	9.10	59.31	122.20	62.89	Peak
2	5855.00	51.08	9.12	60.20	110.80	50.60	Peak
3	5875.00	50.57	9.16	59.73	105.20	45.47	Peak
4	5925.00	50.68	9.24	59.92	68.20	8.28	Peak

802.11ac20, Low Channel, Bandedge, Horizontal

Project No.: 2602P41234E-RF
Polarization: Horizontal
Test Mode: Transmitting
Note: 802.11ac20_U-NII-3 low channel 5745MHz
Peak:RBW:1MHz,VBW:3MHz

Serial No.: 3FXP-9
Tester: Leo Xiao




No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement
1	5650.00	50.46	8.92	59.28	68.20	8.92	Peak
2	5700.00	51.12	8.85	59.97	105.20	45.23	Peak
3	5720.00	63.70	8.91	72.61	110.80	38.19	Peak
4	5725.00	68.53	8.93	77.46	122.20	44.74	Peak

802.11ac20, Low Channel, Bandedge, Vertical

Project No.: 2602P41234E-RF
Polarization: Vertical
Test Mode: Transmitting
Note: 802.11ac20_U-NII-3 low channel 5745MHz
Peak:RBW:1MHz,VBW:3MHz

Serial No.: 3FXP-9
Tester: Leo Xiao




No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement
1	5650.00	51.28	8.82	60.10	68.20	8.10	Peak
2	5700.00	50.80	8.85	59.65	105.20	45.55	Peak
3	5720.00	65.92	8.91	74.83	110.80	35.97	Peak
4	5725.00	69.60	8.93	78.53	122.20	43.67	Peak

802.11ac20,High Channel, Bandedge, Horizontal

Project No.: 2602P41234E-RF
Polarization: Horizontal
Test Mode: Transmitting
Note: 802.11ac20_U-NII-3 high channel 5825MHz
Peak:RBW:1MHz,VBW:3MHz

Serial No.: 3FXP-9
Tester: Leo Xiao




No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement
1	5850.00	63.49	9.10	72.59	122.20	49.61	Peak
2	5855.00	53.95	9.12	63.07	110.80	47.73	Peak
3	5875.00	50.19	9.16	59.35	105.20	45.85	Peak
4	5925.00	51.21	9.24	60.45	68.20	7.75	Peak

802.11ac20,High Channel, Bandedge, Vertical


Project No.: 2602P41234E-RF
Polarization: Vertical
Test Mode: Transmitting
Note: 802.11ac20_U-NII-3 high channel 5825MHz
Peak:RBW:1MHz,VBW:3MHz

Serial No.: 3FXP-9
Tester: Leo Xiao




No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement
1	5850.00	66.26	9.10	75.36	122.20	46.84	Peak
2	5855.00	57.60	9.12	66.72	110.80	44.08	Peak
3	5875.00	50.76	9.16	59.92	105.20	45.28	Peak
4	5925.00	50.56	9.24	59.80	68.20	8.40	Peak


802.11ac40,Low Channel, Bandedge, Horizontal




802.11ac40, Low Channel, Bandedge, Vertical



802.11ac40, High Channel, Bandedge, Horizontal




802.11ac40, High Channel, Bandedge, Vertical



802.11ax20, Low Channel, Bandedge, Horizontal

Project No.: 2602P41234E-RF
Polarization: Horizontal
Test Mode: Transmitting
Note: 802.11ax20_U-NII-3 low channel 5745MHz
Peak:RBW:1MHz,VBW:3MHz

Serial No.: 3FXP-9
Tester: Leo Xiao




No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement
1	5650.00	50.04	8.92	58.86	68.20	9.34	Peak
2	5700.00	50.69	8.85	59.54	105.20	45.66	Peak
3	5720.00	62.47	8.91	71.38	110.80	39.42	Peak
4	5725.00	65.09	8.93	74.02	122.20	48.18	Peak

802.11ax20, Low Channel, Bandedge, Vertical

Project No.: 2602P41234E-RF
Polarization: Vertical
Test Mode: Transmitting
Note: 802.11ax20_U-NII-3 low channel 5745MHz
Peak:RBW:1MHz,VBW:3MHz

Serial No.: 3FXP-9
Tester: Leo Xiao




No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement
1	5650.00	50.91	8.82	59.73	68.20	8.47	Peak
2	5700.00	50.82	8.85	59.67	105.20	45.53	Peak
3	5720.00	66.19	8.91	75.10	110.80	35.70	Peak
4	5725.00	69.64	8.93	78.57	122.20	43.63	Peak

802.11ax20,High Channel, Bandedge, Horizontal

Project No.: 2602P41234E-RF
Polarization: Horizontal
Test Mode: Transmitting
Note: 802.11ax20_U-NII-3 high channel 5825MHz
Peak:RBW:1MHz,VBW:3MHz

Serial No.: 3FXP-9
Tester: Leo Xiao




No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement
1	5850.00	64.37	9.10	73.47	122.20	48.73	Peak
2	5855.00	56.31	9.12	65.43	110.80	45.37	Peak
3	5875.00	50.61	9.16	59.77	105.20	45.43	Peak
4	5925.00	50.18	9.24	59.42	68.20	8.78	Peak

802.11ax20,High Channel, Bandedge, Vertical


Project No.: 2602P41234E-RF
Polarization: Vertical
Test Mode: Transmitting
Note: 802.11ax20_U-NII-3 high channel 5825MHz
Peak:RBW:1MHz,VBW:3MHz

Serial No.: 3FXP-9
Tester: Leo Xiao




No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement
1	5850.00	67.06	9.10	76.16	122.20	46.04	Peak
2	5855.00	55.69	9.12	64.81	110.80	45.99	Peak
3	5875.00	50.35	9.16	59.51	105.20	45.69	Peak
4	5925.00	50.35	9.24	59.59	68.20	8.61	Peak


802.11ax40,Low Channel, Bandedge, Horizontal




802.11ax40, Low Channel, Bandedge, Vertical




802.11ax40, High Channel, Bandedge, Horizontal




802.11ax40, High Channel, Bandedge, Vertical




802.11ac80,Middle Channel, Bandedge, Horizontal




802.11ac80, Middle Channel, Bandedge, Vertical



802.11ax80,Middle Channel, Bandedge, Horizontal



802.11ax80, Middle Channel, Bandedge, Vertical



5.3 26dB attenuated below the channel power

Test Information:

Serial No.:	3FXP-2	Test Date:	2026/02/12
Test Site:	RF	Test Mode:	Transmitting
Tester:	Jeff Wei	Test Result:	Pass

Environmental Conditions:

Temperature: (°C)	23.9	Relative Humidity: (%)	50	ATM Pressure: (kPa)	101.4
----------------------	------	---------------------------	----	------------------------	-------

Test Equipment List and Details:


Manufacturer	Description	Model	Serial Number	Calibration Date	Calibration Due Date
R&S	Coaxial Attenuator	10dB	F-08-EM512	2025/06/06	2026/06/05
R&S	Spectrum Analyzer	FSV40	101461	2025/08/03	2026/08/02

* Statement of Traceability: Bay Area Compliance Laboratories Corp. (Dongguan) attests that all calibrations have been performed, traceable to National Primary Standards and International System of Units (SI).

Test Data:


5150-5250MHz

802.11a_5180MHz_Chain 0




ProjectNo.:2602P41234E-RF Tester:Jeff Wei
Date: 12.FEB.2026 20:37:39

802.11a_5200MHz_Chain 0




ProjectNo.:2602P41234E-RF Tester:Jeff Wei
Date: 12.FEB.2026 20:39:11

802.11a_5240MHz_Chain 0




ProjectNo.:2602P41234E-RF Tester:Jeff Wei
Date: 12.FEB.2026 20:40:27

802.11a_5180MHz_Chain 1




ProjectNo.:2602P41234E-RF Tester:Jeff Wei
Date: 12.FEB.2026 20:55:32

802.11a_5200MHz_Chain 1




ProjectNo.:2602P41234E-RF Tester:Jeff Wei
Date: 12.FEB.2026 20:57:06

802.11a_5240MHz_Chain 1




ProjectNo.:2602P41234E-RF Tester:Jeff Wei
Date: 12.FEB.2026 20:58:47

802.11ac20_5180MHz_Chain 0




ProjectNo.:2602P41234E-RF Tester:Jeff Wei
Date: 12.FEB.2026 20:48:56

802.11ac20_5200MHz_Chain 0




ProjectNo.:2602P41234E-RF Tester:Jeff Wei
Date: 12.FEB.2026 20:50:33

802.11ac20_5240MHz_Chain 0




ProjectNo.:2602P41234E-RF Tester:Jeff Wei
Date: 12.FEB.2026 20:52:12

802.11ac20_5180MHz_Chain 1




ProjectNo.:2602P41234E-RF Tester:Jeff Wei
Date: 12.FEB.2026 21:05:32

802.11ac20_5200MHz_Chain 1




ProjectNo.:2602P41234E-RF Tester:Jeff Wei
Date: 12.FEB.2026 21:08:13

802.11ac20_5240MHz_Chain 1




ProjectNo.:2602P41234E-RF Tester:Jeff Wei
Date: 12.FEB.2026 21:09:50

802.11ac40_5190MHz_Chain 0




ProjectNo.:2602P41234E-RF Tester:Jeff Wei
Date: 12.FEB.2026 20:34:20

802.11ac40_5230MHz_Chain 0




ProjectNo.:2602P41234E-RF Tester:Jeff Wei
Date: 12.FEB.2026 20:35:26

802.11ac40_5190MHz_Chain 1




ProjectNo.:2602P41234E-RF Tester:Jeff Wei
Date: 12.FEB.2026 23:18:49

802.11ac40_5230MHz_Chain 1




ProjectNo.:2602P41234E-RF Tester:Jeff Wei
Date: 12.FEB.2026 23:20:05

802.11ac80_5210MHz_Chain 0




ProjectNo.:2602P41234E-RF Tester:Jeff Wei
Date: 12.FEB.2026 20:30:35

802.11ac80_5210MHz_Chain 1




ProjectNo.:2602P41234E-RF Tester:Jeff Wei
Date: 12.FEB.2026 23:21:14

802.11ax20_5180MHz_Chain 0




ProjectNo.:2602P41234E-RF Tester:Jeff Wei
Date: 12.FEB.2026 20:42:28

802.11ax20_5200MHz_Chain 0




ProjectNo.:2602P41234E-RF Tester:Jeff Wei
Date: 12.FEB.2026 20:44:01

802.11ax20_5240MHz_Chain 0




ProjectNo.:2602P41234E-RF Tester:Jeff Wei
Date: 12.FEB.2026 20:45:39

802.11ax20_5180MHz_Chain 1




ProjectNo.:2602P41234E-RF Tester:Jeff Wei
Date: 12.FEB.2026 21:00:45

802.11ax20_5200MHz_Chain 1




ProjectNo.:2602P41234E-RF Tester:Jeff Wei
Date: 12.FEB.2026 21:02:02

802.11ax20_5240MHz_Chain 1




ProjectNo.:2602P41234E-RF Tester:Jeff Wei
Date: 12.FEB.2026 21:03:27

802.11ax40_5190MHz_Chain 0




ProjectNo.:2602P41234E-RF Tester:Jeff Wei
Date: 12.FEB.2026 20:32:03

802.11ax40_5230MHz_Chain 0




ProjectNo.:2602P41234E-RF Tester:Jeff Wei
Date: 12.FEB.2026 20:33:11

802.11ax40_5190MHz_Chain 1




ProjectNo.:2602P41234E-RF Tester:Jeff Wei
Date: 12.FEB.2026 23:07:24

802.11ax40_5230MHz_Chain 1




ProjectNo.:2602P41234E-RF Tester:Jeff Wei
Date: 12.FEB.2026 23:15:17

802.11ax80_5210MHz_Chain 0



ProjectNo.:2602P41234E-RF Tester:Jeff Wei
Date: 12.FEB.2026 20:29:07

802.11ax80_5210MHz_Chain 1



ProjectNo.:2602P41234E-RF Tester:Jeff Wei
Date: 12.FEB.2026 23:17:21

5.4 Emission Bandwidth

Test Information:

Serial No.:	3FXP-2	Test Date:	2026/02/12~2026/02/13
Test Site:	RF	Test Mode:	Transmitting
Tester:	Jeff Wei	Test Result:	Pass

Environmental Conditions:

Temperature: (°C)	22.9~23.9	Relative Humidity: (%)	50~51	ATM Pressure: (kPa)	101.2~101.4
----------------------	-----------	---------------------------	-------	------------------------	-------------

Test Equipment List and Details:

Manufacturer	Description	Model	Serial Number	Calibration Date	Calibration Due Date
R&S	Coaxial Attenuator	10dB	F-08-EM512	2025/06/06	2026/06/05
R&S	Spectrum Analyzer	FSV40	101461	2025/08/03	2026/08/02

* Statement of Traceability: Bay Area Compliance Laboratories Corp. (Dongguan) attests that all calibrations have been performed, traceable to National Primary Standards and International System of Units (SI).

Test Data:

**26dB Emission Bandwidth
5150-5250MHz**

Mode	Antenna	Test Frequency (MHz)	Result (MHz)
802.11a	Chain 0	5180	32.474
		5200	35.927
		5240	22.383
	Chain 1	5180	34.373
		5200	35.850
		5240	22.950
802.11ac20	Chain 0	5180	33.015
		5200	37.158
		5240	23.577
	Chain 1	5180	34.761
		5200	38.136
		5240	23.956
802.11ac40	Chain 0	5190	49.349
		5230	40.841
	Chain 1	5190	53.322
		5230	41.041
802.11ac80	Chain 0	5210	103.567
	Chain 1	5210	113.627
802.11ax20	Chain 0	5180	30.908
		5200	35.995
		5240	23.350
	Chain 1	5180	29.300
		5200	32.706
		5240	23.690
802.11ax40	Chain 0	5190	47.447
		5230	39.840
	Chain 1	5190	45.646
		5230	39.840
802.11ax80	Chain 0	5210	94.895
	Chain 1	5210	99.234

5250-5350MHz

Mode	Antenna	Test Frequency (MHz)	Result (MHz)
802.11a	Chain 0	5260	23.088
		5280	23.088
		5320	30.468
	Chain 1	5260	22.981
		5280	22.822
		5320	29.899
802.11ac20	Chain 0	5260	23.507
		5280	23.686
		5320	34.826
	Chain 1	5260	23.421
		5280	24.222
		5320	34.860
802.11ac40	Chain 0	5270	41.041
		5310	56.152
	Chain 1	5270	41.041
		5310	47.848
802.11ac80	Chain 0	5290	116.218
	Chain 1	5290	105.045
802.11ax20	Chain 0	5260	22.988
		5280	23.858
		5320	35.207
	Chain 1	5260	23.186
		5280	23.556
		5320	30.965
802.11ax40	Chain 0	5270	39.940
		5310	45.145
	Chain 1	5270	39.840
		5310	46.899
802.11ax80	Chain 0	5290	81.081
	Chain 1	5290	81.281

5470-5725MHz

Mode	Antenna	Test Frequency (MHz)	Result (MHz)
802.11a	Chain 0	5500	35.350
		5600	23.420
		5700	28.965
		5720	22.432
	Chain 1	5500	29.337
		5600	22.320
		5700	28.208
		5720	22.685
802.11ac20	Chain 0	5500	34.911
		5600	23.544
		5700	34.440
		5720	23.294
	Chain 1	5500	36.079
		5600	23.238
		5700	29.548
		5720	23.277
802.11ac40	Chain 0	5510	56.072
		5590	40.841
		5670	67.223
		5710	41.241
	Chain 1	5510	46.747
		5590	41.341
		5670	63.239
		5710	40.541
802.11ac80	Chain 0	5530	106.196
		5610	80.681
		5690	80.480
	Chain 1	5530	103.712
		5610	80.681
		5690	80.681
802.11ax20	Chain 0	5500	32.126
		5600	23.398
		5700	30.629
		5720	23.593
	Chain 1	5500	30.379
		5600	23.149
		5700	26.791
		5720	23.091
802.11ax40	Chain 0	5510	44.945
		5590	39.640
		5670	54.264
		5710	39.840
	Chain 1	5510	41.842
		5590	39.840
		5670	47.848
		5710	39.840


Mode	Antenna	Test Frequency (MHz)	Result (MHz)
802.11ax80	Chain 0	5530	83.684
		5610	80.881
		5690	80.881
	Chain 1	5530	81.882
		5610	81.281
		5690	81.081

**6dB Emission Bandwidth
5725-5850MHz**

Mode	Antenna	Test Frequency (MHz)	Result (MHz)	Limit (MHz)	Verdict
802.11a	Chain 0	5745	16.667	0.5	Pass
		5785	16.567	0.5	Pass
		5825	16.517	0.5	Pass
	Chain 1	5745	16.617	0.5	Pass
		5785	16.567	0.5	Pass
		5825	16.567	0.5	Pass
802.11ac20	Chain 0	5745	17.868	0.5	Pass
		5785	17.868	0.5	Pass
		5825	17.768	0.5	Pass
	Chain 1	5745	17.818	0.5	Pass
		5785	17.868	0.5	Pass
		5825	17.818	0.5	Pass
802.11ac40	Chain 0	5755	36.537	0.5	Pass
		5795	36.537	0.5	Pass
	Chain 1	5755	36.537	0.5	Pass
		5795	36.336	0.5	Pass
802.11ac80	Chain 0	5775	76.677	0.5	Pass
	Chain 1	5775	76.677	0.5	Pass
802.11ax20	Chain 0	5745	19.169	0.5	Pass
		5785	19.169	0.5	Pass
		5825	19.119	0.5	Pass
	Chain 1	5745	19.169	0.5	Pass
		5785	19.219	0.5	Pass
		5825	19.069	0.5	Pass
802.11ax40	Chain 0	5755	37.938	0.5	Pass
		5795	37.037	0.5	Pass
	Chain 1	5755	35.536	0.5	Pass
		5795	37.638	0.5	Pass
802.11ax80	Chain 0	5775	78.679	0.5	Pass
	Chain 1	5775	78.679	0.5	Pass


5150-5250MHz

802.11a_5180MHz_Chain 0




ProjectNo.:2602P41234E-RF Tester:Jeff Wei
Date: 12.FEB.2026 20:36:56

802.11a_5200MHz_Chain 0




ProjectNo.:2602P41234E-RF Tester:Jeff Wei
Date: 12.FEB.2026 20:38:34

802.11a_5240MHz_Chain 0




ProjectNo.:2602P41234E-RF Tester:Jeff Wei
Date: 12.FEB.2026 20:39:48

802.11a_5180MHz_Chain 1




ProjectNo.:2602P41234E-RF Tester:Jeff Wei
Date: 12.FEB.2026 20:54:44

802.11a_5200MHz_Chain 1




ProjectNo.:2602P41234E-RF Tester:Jeff Wei
Date: 12.FEB.2026 20:56:11

802.11a_5240MHz_Chain 1




ProjectNo.:2602P41234E-RF Tester:Jeff Wei
Date: 12.FEB.2026 20:58:01

802.11ac20_5180MHz_Chain 0




ProjectNo.:2602P41234E-RF Tester:Jeff Wei
Date: 12.FEB.2026 20:48:15

802.11ac20_5200MHz_Chain 0




ProjectNo.:2602P41234E-RF Tester:Jeff Wei
Date: 12.FEB.2026 20:49:46

802.11ac20_5240MHz_Chain 0




ProjectNo.:2602P41234E-RF Tester:Jeff Wei
Date: 12.FEB.2026 20:51:34

802.11ac20_5180MHz_Chain 1




ProjectNo.:2602P41234E-RF Tester:Jeff Wei
Date: 12.FEB.2026 21:04:38

802.11ac20_5200MHz_Chain 1




ProjectNo.:2602P41234E-RF Tester:Jeff Wei
Date: 12.FEB.2026 21:07:34

802.11ac20_5240MHz_Chain 1




ProjectNo.:2602P41234E-RF Tester:Jeff Wei
Date: 12.FEB.2026 21:09:04

802.11ac40_5190MHz_Chain 0




ProjectNo.:2602P41234E-RF Tester:Jeff Wei
Date: 12.FEB.2026 20:33:44

802.11ac40_5230MHz_Chain 0




ProjectNo.:2602P41234E-RF Tester:Jeff Wei
Date: 12.FEB.2026 20:34:50

802.11ac40_5190MHz_Chain 1




ProjectNo.:2602P41234E-RF Tester:Jeff Wei
Date: 12.FEB.2026 23:18:08

802.11ac40_5230MHz_Chain 1




ProjectNo.:2602P41234E-RF Tester:Jeff Wei
Date: 12.FEB.2026 23:19:20

802.11ac80_5210MHz_Chain 0




ProjectNo.:2602P41234E-RF Tester:Jeff Wei
Date: 12.FEB.2026 20:30:03

802.11ac80_5210MHz_Chain 1




ProjectNo.:2602P41234E-RF Tester:Jeff Wei
Date: 12.FEB.2026 23:20:43

802.11ax20_5180MHz_Chain 0




ProjectNo.:2602P41234E-RF Tester:Jeff Wei
Date: 12.FEB.2026 20:41:40

802.11ax20_5200MHz_Chain 0




ProjectNo.:2602P41234E-RF Tester:Jeff Wei
Date: 12.FEB.2026 20:43:12

802.11ax20_5240MHz_Chain 0




ProjectNo.:2602P41234E-RF Tester:Jeff Wei
Date: 12.FEB.2026 20:44:50

802.11ax20_5180MHz_Chain 1




ProjectNo.:2602P41234E-RF Tester:Jeff Wei
Date: 12.FEB.2026 21:00:04

802.11ax20_5200MHz_Chain 1




ProjectNo.:2602P41234E-RF Tester:Jeff Wei
Date: 12.FEB.2026 21:01:22

802.11ax20_5240MHz_Chain 1




ProjectNo.:2602P41234E-RF Tester:Jeff Wei
Date: 12.FEB.2026 21:02:43

802.11ax40_5190MHz_Chain 0




ProjectNo.:2602P41234E-RF Tester:Jeff Wei
Date: 12.FEB.2026 20:31:30

802.11ax40_5230MHz_Chain 0




ProjectNo.:2602P41234E-RF Tester:Jeff Wei
Date: 12.FEB.2026 20:32:38

802.11ax40_5190MHz_Chain 1




ProjectNo.:2602P41234E-RF Tester:Jeff Wei
Date: 12.FEB.2026 23:06:49

802.11ax40_5230MHz_Chain 1




ProjectNo.:2602P41234E-RF Tester:Jeff Wei
Date: 12.FEB.2026 23:14:46

802.11ax80_5210MHz_Chain 0



ProjectNo.:2602P41234E-RF Tester:Jeff Wei
Date: 12.FEB.2026 20:28:38


802.11ax80_5210MHz_Chain 1




ProjectNo.:2602P41234E-RF Tester:Jeff Wei
Date: 12.FEB.2026 23:16:47

5250-5350MHz


802.11a_5260MHz_Chain 0




802.11a_5280MHz_Chain 0




802.11a_5320MHz_Chain 0




802.11a_5260MHz_Chain 1




802.11a_5280MHz_Chain 1



802.11a_5320MHz_Chain 1




802.11ac20_5260MHz_Chain 0




ProjectNo.:2602P41234E-RF Tester:Jeff Wei
Date: 13.FEB.2026 02:47:02

802.11ac20_5280MHz_Chain 0




ProjectNo.:2602P41234E-RF Tester:Jeff Wei
Date: 13.FEB.2026 02:47:47

802.11ac20_5320MHz_Chain 0




ProjectNo.:2602P41234E-RF Tester:Jeff Wei
Date: 13.FEB.2026 02:48:38

802.11ac20_5260MHz_Chain 1




ProjectNo.:2602P41234E-RF Tester:Jeff Wei
Date: 12.FEB.2026 21:20:52

802.11ac20_5280MHz_Chain 1




ProjectNo.:2602P41234E-RF Tester:Jeff Wei
Date: 12.FEB.2026 21:22:19

802.11ac20_5320MHz_Chain 1




ProjectNo.:2602P41234E-RF Tester:Jeff Wei
Date: 12.FEB.2026 21:23:44

802.11ac40_5270MHz_Chain 0




ProjectNo.:2602P41234E-RF Tester:Jeff Wei
Date: 13.FEB.2026 02:49:13

802.11ac40_5310MHz_Chain 0




ProjectNo.:2602P41234E-RF Tester:Jeff Wei
Date: 13.FEB.2026 02:49:49

802.11ac40_5270MHz_Chain 1




ProjectNo.:2602P41234E-RF Tester:Jeff Wei
Date: 12.FEB.2026 22:51:34

802.11ac40_5310MHz_Chain 1




ProjectNo.:2602P41234E-RF Tester:Jeff Wei
Date: 12.FEB.2026 22:52:13

802.11ac80_5290MHz_Chain 0




ProjectNo.:2602P41234E-RF Tester:Jeff Wei
Date: 12.FEB.2026 23:37:32

802.11ac80_5290MHz_Chain 1




ProjectNo.:2602P41234E-RF Tester:Jeff Wei
Date: 12.FEB.2026 23:26:03

802.11ax20_5260MHz_Chain 0




ProjectNo.:2602P41234E-RF Tester:Jeff Wei
Date: 13.FEB.2026 02:43:51

802.11ax20_5280MHz_Chain 0




ProjectNo.:2602P41234E-RF Tester:Jeff Wei
Date: 13.FEB.2026 02:44:34

802.11ax20_5320MHz_Chain 0




ProjectNo.:2602P41234E-RF Tester:Jeff Wei
Date: 13.FEB.2026 02:45:41

802.11ax20_5260MHz_Chain 1




ProjectNo.:2602P41234E-RF Tester:Jeff Wei
Date: 12.FEB.2026 21:16:33

802.11ax20_5280MHz_Chain 1




ProjectNo.:2602P41234E-RF Tester:Jeff Wei
Date: 12.FEB.2026 21:18:42

802.11ax20_5320MHz_Chain 1




ProjectNo.:2602P41234E-RF Tester:Jeff Wei
Date: 12.FEB.2026 21:19:40

802.11ax40_5270MHz_Chain 0




ProjectNo.:2602P41234E-RF Tester:Jeff Wei
Date: 13.FEB.2026 18:31:48

802.11ax40_5310MHz_Chain 0




ProjectNo.:2602P41234E-RF Tester:Jeff Wei
Date: 13.FEB.2026 18:32:30

802.11ax40_5270MHz_Chain 1




ProjectNo.:2602P41234E-RF Tester:Jeff Wei
Date: 12.FEB.2026 23:03:04

802.11ax40_5310MHz_Chain 1




ProjectNo.:2602P41234E-RF Tester:Jeff Wei
Date: 12.FEB.2026 22:50:43

802.11ax80_5290MHz_Chain 0



ProjectNo.:2602P41234E-RF Tester:Jeff Wei
Date: 12.FEB.2026 23:36:41


802.11ax80_5290MHz_Chain 1



ProjectNo.:2602P41234E-RF Tester:Jeff Wei
Date: 12.FEB.2026 23:25:01


5470-5725MHz

802.11a_5500MHz_Chain 0




ProjectNo.:2602P41234E-RF Tester:Jeff Wei
Date: 13.FEB.2026 02:50:48

802.11a_5600MHz_Chain 0




ProjectNo.:2602P41234E-RF Tester:Jeff Wei
Date: 13.FEB.2026 02:52:04

802.11a_5700MHz_Chain 0




ProjectNo.:2602P41234E-RF Tester:Jeff Wei
Date: 13.FEB.2026 02:54:13

802.11a_5720MHz_Chain 0




ProjectNo.:2602P41234E-RF Tester:Jeff Wei
Date: 13.FEB.2026 02:55:09

802.11a_5500MHz_Chain 1




ProjectNo.:2602P41234E-RF Tester:Jeff Wei
Date: 12.FEB.2026 21:26:05

802.11a_5600MHz_Chain 1




ProjectNo.:2602P41234E-RF Tester:Jeff Wei
Date: 12.FEB.2026 21:32:35

802.11a_5700MHz_Chain 1




ProjectNo.:2602P41234E-RF Tester:Jeff Wei
Date: 12.FEB.2026 21:34:19

802.11a_5720MHz_Chain 1




ProjectNo.:2602P41234E-RF Tester:Jeff Wei
Date: 12.FEB.2026 21:40:25

802.11ac20_5500MHz_Chain 0




ProjectNo.:2602P41234E-RF Tester:Jeff Wei
Date: 13.FEB.2026 03:02:10

802.11ac20_5600MHz_Chain 0




ProjectNo.:2602P41234E-RF Tester:Jeff Wei
Date: 13.FEB.2026 03:03:00

802.11ac20_5700MHz_Chain 0




ProjectNo.:2602P41234E-RF Tester:Jeff Wei
Date: 13.FEB.2026 03:03:58

802.11ac20_5720MHz_Chain 0




ProjectNo.:2602P41234E-RF Tester:Jeff Wei
Date: 13.FEB.2026 03:04:43

802.11ac20_5500MHz_Chain 1




ProjectNo.:2602P41234E-RF Tester:Jeff Wei
Date: 12.FEB.2026 21:49:20

802.11ac20_5600MHz_Chain 1




ProjectNo.:2602P41234E-RF Tester:Jeff Wei
Date: 12.FEB.2026 21:52:22

802.11ac20_5700MHz_Chain 1




ProjectNo.:2602P41234E-RF Tester:Jeff Wei
Date: 12.FEB.2026 21:54:38

802.11ac20_5720MHz_Chain 1




ProjectNo.:2602P41234E-RF Tester:Jeff Wei
Date: 12.FEB.2026 21:55:35

802.11ac40_5510MHz_Chain 0




ProjectNo.:2602P41234E-RF Tester:Jeff Wei
Date: 13.FEB.2026 03:05:50

802.11ac40_5590MHz_Chain 0




ProjectNo.:2602P41234E-RF Tester:Jeff Wei
Date: 13.FEB.2026 03:06:30

802.11ac40_5670MHz_Chain 0




ProjectNo.:2602P41234E-RF Tester:Jeff Wei
Date: 13.FEB.2026 03:07:33

802.11ac40_5710MHz_Chain 0




ProjectNo.:2602P41234E-RF Tester:Jeff Wei
Date: 13.FEB.2026 03:08:03

802.11ac40_5510MHz_Chain 1




ProjectNo.:2602P41234E-RF Tester:Jeff Wei
Date: 12.FEB.2026 22:56:15

802.11ac40_5590MHz_Chain 1




ProjectNo.:2602P41234E-RF Tester:Jeff Wei
Date: 12.FEB.2026 22:56:59

802.11ac40_5670MHz_Chain 1




ProjectNo.:2602P41234E-RF Tester:Jeff Wei
Date: 12.FEB.2026 22:57:51

802.11ac40_5710MHz_Chain 1




ProjectNo.:2602P41234E-RF Tester:Jeff Wei
Date: 12.FEB.2026 22:58:37

802.11ac80_5530MHz_Chain 0




ProjectNo.:2602P41234E-RF Tester:Jeff Wei
Date: 12.FEB.2026 23:41:36

802.11ac80_5610MHz_Chain 0




ProjectNo.:2602P41234E-RF Tester:Jeff Wei
Date: 12.FEB.2026 23:42:36

802.11ac80_5690MHz_Chain 0




ProjectNo.:2602P41234E-RF Tester:Jeff Wei
Date: 12.FEB.2026 23:43:21

802.11ac80_5530MHz_Chain 1




ProjectNo.:2602P41234E-RF Tester:Jeff Wei
Date: 12.FEB.2026 23:29:27

802.11ac80_5610MHz_Chain 1




ProjectNo.:2602P41234E-RF Tester:Jeff Wei
Date: 12.FEB.2026 23:30:43

802.11ac80_5690MHz_Chain 1




ProjectNo.:2602P41234E-RF Tester:Jeff Wei
Date: 12.FEB.2026 23:32:15

802.11ax20_5500MHz_Chain 0




ProjectNo.:2602P41234E-RF Tester:Jeff Wei
Date: 13.FEB.2026 02:56:09

802.11ax20_5600MHz_Chain 0




ProjectNo.:2602P41234E-RF Tester:Jeff Wei
Date: 13.FEB.2026 02:56:55

802.11ax20_5700MHz_Chain 0




ProjectNo.:2602P41234E-RF Tester:Jeff Wei
Date: 13.FEB.2026 02:58:00

802.11ax20_5720MHz_Chain 0




ProjectNo.:2602P41234E-RF Tester:Jeff Wei
Date: 13.FEB.2026 02:58:46

802.11ax20_5500MHz_Chain 1




ProjectNo.:2602P41234E-RF Tester:Jeff Wei
Date: 12.FEB.2026 21:41:48

802.11ax20_5600MHz_Chain 1




ProjectNo.:2602P41234E-RF Tester:Jeff Wei
Date: 12.FEB.2026 21:43:42

802.11ax20_5700MHz_Chain 1




ProjectNo.:2602P41234E-RF Tester:Jeff Wei
Date: 12.FEB.2026 21:46:33

802.11ax20_5720MHz_Chain 1




ProjectNo.:2602P41234E-RF Tester:Jeff Wei
Date: 12.FEB.2026 21:48:03

802.11ax40_5510MHz_Chain 0




ProjectNo.:2602P41234E-RF Tester:Jeff Wei
Date: 13.FEB.2026 02:59:38

802.11ax40_5590MHz_Chain 0




ProjectNo.:2602P41234E-RF Tester:Jeff Wei
Date: 13.FEB.2026 03:00:12

802.11ax40_5670MHz_Chain 0




ProjectNo.:2602P41234E-RF Tester:Jeff Wei
Date: 13.FEB.2026 03:00:47

802.11ax40_5710MHz_Chain 0




ProjectNo.:2602P41234E-RF Tester:Jeff Wei
Date: 13.FEB.2026 03:01:17

802.11ax40_5510MHz_Chain 1




ProjectNo.:2602P41234E-RF Tester:Jeff Wei
Date: 12.FEB.2026 22:52:58

802.11ax40_5590MHz_Chain 1




ProjectNo.:2602P41234E-RF Tester:Jeff Wei
Date: 12.FEB.2026 22:53:46

802.11ax40_5670MHz_Chain 1




ProjectNo.:2602P41234E-RF Tester:Jeff Wei
Date: 12.FEB.2026 22:54:40

802.11ax40_5710MHz_Chain 1




ProjectNo.:2602P41234E-RF Tester:Jeff Wei
Date: 12.FEB.2026 22:55:24

802.11ax80_5530MHz_Chain 0




ProjectNo.:2602P41234E-RF Tester:Jeff Wei
Date: 12.FEB.2026 23:38:28

802.11ax80_5610MHz_Chain 0




ProjectNo.:2602P41234E-RF Tester:Jeff Wei
Date: 12.FEB.2026 23:39:38


802.11ax80_5690MHz_Chain 0




802.11ax80_5530MHz_Chain 1



802.11ax80_5610MHz_Chain 1




802.11ax80_5690MHz_Chain 1




5725-5850MHz


802.11a_5745MHz_Chain 0



802.11a_5785MHz_Chain 0




802.11a_5825MHz_Chain 0




ProjectNo.:2602P41234E-RF Tester:Jeff Wei
Date: 13.FEB.2026 03:15:28

802.11a_5745MHz_Chain 1




ProjectNo.:2602P41234E-RF Tester:Jeff Wei
Date: 12.FEB.2026 22:37:12

802.11a_5785MHz_Chain 1




ProjectNo.:2602P41234E-RF Tester:Jeff Wei
Date: 12.FEB.2026 22:38:08

802.11a_5825MHz_Chain 1




ProjectNo.:2602P41234E-RF Tester:Jeff Wei
Date: 12.FEB.2026 22:39:43

802.11ac20_5745MHz_Chain 0



ProjectNo.:2602P41234E-RF Tester:Jeff Wei
Date: 13.FEB.2026 03:21:14

802.11ac20_5785MHz_Chain 0



ProjectNo.:2602P41234E-RF Tester:Jeff Wei
Date: 13.FEB.2026 03:21:56