



802.11ac20_5825MHz_Chain 0




ProjectNo.:2602P41234E-RF Tester:Jeff Wei
Date: 13.FEB.2026 03:22:43

802.11ac20_5745MHz_Chain 1




ProjectNo.:2602P41234E-RF Tester:Jeff Wei
Date: 12.FEB.2026 22:47:34

802.11ac20_5785MHz_Chain 1




ProjectNo.:2602P41234E-RF Tester:Jeff Wei
Date: 12.FEB.2026 22:45:10

802.11ac20_5825MHz_Chain 1




ProjectNo.:2602P41234E-RF Tester:Jeff Wei
Date: 12.FEB.2026 22:46:03

802.11ac40_5755MHz_Chain 0




ProjectNo.:2602P41234E-RF Tester:Jeff Wei
Date: 13.FEB.2026 03:23:08

802.11ac40_5795MHz_Chain 0




ProjectNo.:2602P41234E-RF Tester:Jeff Wei
Date: 13.FEB.2026 03:23:40

802.11ac40_5755MHz_Chain 1




ProjectNo.:2602P41234E-RF Tester:Jeff Wei
Date: 12.FEB.2026 23:00:58

802.11ac40_5795MHz_Chain 1




ProjectNo.:2602P41234E-RF Tester:Jeff Wei
Date: 12.FEB.2026 23:01:38

802.11ac80_5775MHz_Chain 0




ProjectNo.:2602P41234E-RF Tester:Jeff Wei
Date: 12.FEB.2026 23:45:22

802.11ac80_5775MHz_Chain 1




ProjectNo.:2602P41234E-RF Tester:Jeff Wei
Date: 12.FEB.2026 23:34:17

802.11ax20_5745MHz_Chain 0




ProjectNo.:2602P41234E-RF Tester:Jeff Wei
Date: 13.FEB.2026 03:17:00

802.11ax20_5785MHz_Chain 0




ProjectNo.:2602P41234E-RF Tester:Jeff Wei
Date: 13.FEB.2026 03:17:56

802.11ax20_5825MHz_Chain 0




ProjectNo.:2602P41234E-RF Tester:Jeff Wei
Date: 13.FEB.2026 03:18:53

802.11ax20_5745MHz_Chain 1




ProjectNo.:2602P41234E-RF Tester:Jeff Wei
Date: 12.FEB.2026 22:40:50

802.11ax20_5785MHz_Chain 1




ProjectNo.:2602P41234E-RF Tester:Jeff Wei
Date: 12.FEB.2026 22:42:36

802.11ax20_5825MHz_Chain 1




ProjectNo.:2602P41234E-RF Tester:Jeff Wei
Date: 12.FEB.2026 22:43:18

802.11ax40_5755MHz_Chain 0




ProjectNo.:2602P41234E-RF Tester:Jeff Wei
Date: 13.FEB.2026 03:19:44

802.11ax40_5795MHz_Chain 0




ProjectNo.:2602P41234E-RF Tester:Jeff Wei
Date: 13.FEB.2026 03:20:20

802.11ax40_5755MHz_Chain 1




ProjectNo.:2602P41234E-RF Tester:Jeff Wei
Date: 12.FEB.2026 22:59:25

802.11ax40_5795MHz_Chain 1




ProjectNo.:2602P41234E-RF Tester:Jeff Wei
Date: 12.FEB.2026 23:00:07

802.11ax80_5775MHz_Chain 0



ProjectNo.:2602P41234E-RF Tester:Jeff Wei
Date: 12.FEB.2026 23:44:39

802.11ax80_5775MHz_Chain 1



ProjectNo.:2602P41234E-RF Tester:Jeff Wei
Date: 12.FEB.2026 23:33:10

5.5 99% Occupied Bandwidth

Test Information:

Serial No.:	3FXP-2	Test Date:	2026/02/11~2026/02/12
Test Site:	RF	Test Mode:	Transmitting
Tester:	Jeff Wei	Test Result:	N/A

Environmental Conditions:

Temperature: (°C)	23.9~24.2	Relative Humidity: (%)	50~53	ATM Pressure: (kPa)	101.4~101.6
----------------------	-----------	---------------------------	-------	------------------------	-------------

Test Equipment List and Details:

Manufacturer	Description	Model	Serial Number	Calibration Date	Calibration Due Date
R&S	Coaxial Attenuator	10dB	F-08-EM512	2025/06/06	2026/06/05
R&S	Spectrum Analyzer	FSV40	101461	2025/08/03	2026/08/02

* Statement of Traceability: Bay Area Compliance Laboratories Corp. (Dongguan) attests that all calibrations have been performed, traceable to National Primary Standards and International System of Units (SI).

Test Data:

Note: Test only was performed at Chain 0.

5150-5250MHz

Mode	Antenna	Test Frequency (MHz)	99% OBW (MHz)
802.11a	Chain 0	5180	17.250
		5200	17.350
		5240	16.700
802.11ac20	Chain 0	5180	18.350
		5200	18.600
		5240	17.900
802.11ac40	Chain 0	5190	36.400
		5230	36.200
802.11ac80	Chain 0	5210	75.800
802.11ax20	Chain 0	5180	19.250
		5200	19.350
		5240	19.100
802.11ax40	Chain 0	5190	37.700
		5230	37.500
802.11ax80	Chain 0	5210	77.400

Note:

The 99% Occupied Bandwidth have not fall into the band 5250-5350MHz, please refer to the test plots of 99% Occupied Bandwidth.

5250-5350MHz

Mode	Antenna	Test Frequency (MHz)	99% OBW (MHz)
802.11a	Chain 0	5260	16.700
		5280	16.700
		5320	17.250
802.11ac20	Chain 0	5260	17.900
		5280	17.900
		5320	18.400
802.11ac40	Chain 0	5270	36.200
		5310	36.400
802.11ac80	Chain 0	5290	75.800
802.11ax20	Chain 0	5260	19.100
		5280	19.150
		5320	19.350
802.11ax40	Chain 0	5270	37.600
		5310	37.600
802.11ax80	Chain 0	5290	77.200

5470-5725MHz

Mode	Antenna	Test Frequency (MHz)	99% OBW (MHz)
802.11a	Chain 0	5500	17.300
		5600	16.700
		5700	17.350
		5720	16.700
802.11ac20	Chain 0	5500	18.550
		5600	17.900
		5700	18.450
		5720	17.900
802.11ac40	Chain 0	5510	36.500
		5590	36.200
		5670	36.600
		5710	36.200
802.11ac80	Chain 0	5530	76
		5610	75.600
		5690	75.600
802.11ax20	Chain 0	5500	19.300
		5600	19.100
		5700	19.350
		5720	19.150
802.11ax40	Chain 0	5510	37.700
		5590	37.500
		5670	37.800
		5710	37.600
802.11ax80	Chain 0	5530	77.400
		5610	77.400
		5690	77.200

5725-5850MHz


Mode	Antenna	Test Frequency (MHz)	99% OBW (MHz)
802.11a	Chain 0	5745	17.350
		5785	16.700
		5825	16.700
802.11ac20	Chain 0	5745	18.450
		5785	17.900
		5825	17.950
802.11ac40	Chain 0	5755	36.500
		5795	36.100
802.11ac80	Chain 0	5775	75.600
802.11ax20	Chain 0	5745	19.300
		5785	19.100
		5825	19.100
802.11ax40	Chain 0	5755	37.700
		5795	37.600
802.11ax80	Chain 0	5775	77.400

Note:

The 99% Occupied Bandwidth have not fall into the band 5470-5725MHz, please refer to the test plots of 99% Occupied Bandwidth.


5150-5250MHz

802.11a_5180MHz_Chain 0




ProjectNo.:2602P41234E-RF Tester:Jeff Wei
Date: 11.FEB.2026 23:42:17

802.11a_5200MHz_Chain 0




ProjectNo.:2602P41234E-RF Tester:Jeff Wei
Date: 11.FEB.2026 23:43:07

802.11a_5240MHz_Chain 0




ProjectNo.:2602P41234E-RF Tester:Jeff Wei
Date: 11.FEB.2026 23:43:53

802.11ac20_5180MHz_Chain 0




ProjectNo.:2602P41234E-RF Tester:Jeff Wei
Date: 11.FEB.2026 23:11:51

802.11ac20_5200MHz_Chain 0




ProjectNo.:2602P41234E-RF Tester:Jeff Wei
Date: 11.FEB.2026 23:12:43

802.11ac20_5240MHz_Chain 0




ProjectNo.:2602P41234E-RF Tester:Jeff Wei
Date: 11.FEB.2026 23:13:41

802.11ac40_5190MHz_Chain 0




ProjectNo.:2602P41234E-RF Tester:Jeff Wei
Date: 11.FEB.2026 23:02:20

802.11ac40_5230MHz_Chain 0




ProjectNo.:2602P41234E-RF Tester:Jeff Wei
Date: 11.FEB.2026 23:03:08

802.11ac80_5210MHz_Chain 0




ProjectNo.:2602P41234E-RF Tester:Jeff Wei
Date: 11.FEB.2026 22:42:51

802.11ax20_5180MHz_Chain 0




ProjectNo.:2602P41234E-RF Tester:Jeff Wei
Date: 11.FEB.2026 23:26:48

802.11ax20_5200MHz_Chain 0




ProjectNo.:2602P41234E-RF Tester:Jeff Wei
Date: 11.FEB.2026 23:28:54

802.11ax20_5240MHz_Chain 0




ProjectNo.:2602P41234E-RF Tester:Jeff Wei
Date: 11.FEB.2026 23:29:50

802.11ax40_5190MHz_Chain 0



ProjectNo.:2602P41234E-RF Tester:Jeff Wei
Date: 11.FEB.2026 22:53:35


802.11ax40_5230MHz_Chain 0



ProjectNo.:2602P41234E-RF Tester:Jeff Wei
Date: 11.FEB.2026 22:54:22


5250-5350MHz

802.11ax80_5210MHz_Chain 0




ProjectNo.:2602P41234E-RF Tester:Jeff Wei
Date: 11.FEB.2026 22:42:07

802.11a_5260MHz_Chain 0




ProjectNo.:2602P41234E-RF Tester:Jeff Wei
Date: 11.FEB.2026 23:44:56

802.11a_5280MHz_Chain 0




ProjectNo.:2602P41234E-RF Tester:Jeff Wei
Date: 11.FEB.2026 23:45:45

802.11a_5320MHz_Chain 0




ProjectNo.:2602P41234E-RF Tester:Jeff Wei
Date: 11.FEB.2026 23:46:45

802.11ac20_5260MHz_Chain 0




ProjectNo.:2602P41234E-RF Tester:Jeff Wei
Date: 11.FEB.2026 23:14:33

802.11ac20_5280MHz_Chain 0




ProjectNo.:2602P41234E-RF Tester:Jeff Wei
Date: 11.FEB.2026 23:15:34

802.11ac20_5320MHz_Chain 0




ProjectNo.:2602P41234E-RF Tester:Jeff Wei
Date: 11.FEB.2026 23:16:26

802.11ac40_5270MHz_Chain 0




ProjectNo.:2602P41234E-RF Tester:Jeff Wei
Date: 11.FEB.2026 23:03:57

802.11ac40_5310MHz_Chain 0




ProjectNo.:2602P41234E-RF Tester:Jeff Wei
Date: 11.FEB.2026 23:05:06

802.11ac80_5290MHz_Chain 0




ProjectNo.:2602P41234E-RF Tester:Jeff Wei
Date: 11.FEB.2026 22:44:23

802.11ax20_5260MHz_Chain 0




ProjectNo.:2602P41234E-RF Tester:Jeff Wei
Date: 11.FEB.2026 23:30:41

802.11ax20_5280MHz_Chain 0




ProjectNo.:2602P41234E-RF Tester:Jeff Wei
Date: 11.FEB.2026 23:31:57

802.11ax20_5320MHz_Chain 0




ProjectNo.:2602P41234E-RF Tester:Jeff Wei
Date: 11.FEB.2026 23:32:43

802.11ax40_5270MHz_Chain 0




ProjectNo.:2602P41234E-RF Tester:Jeff Wei
Date: 11.FEB.2026 22:55:01

802.11ax40_5310MHz_Chain 0






ProjectNo.:2602P41234E-RF Tester:Jeff Wei
Date: 11.FEB.2026 22:55:44

802.11ax80_5290MHz_Chain 0




ProjectNo.:2602P41234E-RF Tester:Jeff Wei
Date: 11.FEB.2026 22:43:30

5470-5725MHz




802.11ac20_5700MHz_Chain 0




ProjectNo.:2602P41234E-RF Tester:Jeff Wei
Date: 11.FEB.2026 23:19:17

802.11ac20_5720MHz_Chain 0




ProjectNo.:2602P41234E-RF Tester:Jeff Wei
Date: 11.FEB.2026 23:20:09

802.11ac40_5510MHz_Chain 0




ProjectNo.:2602P41234E-RF Tester:Jeff Wei
Date: 11.FEB.2026 23:05:54

802.11ac40_5590MHz_Chain 0




ProjectNo.:2602P41234E-RF Tester:Jeff Wei
Date: 11.FEB.2026 23:06:36

802.11ac40_5670MHz_Chain 0




ProjectNo.:2602P41234E-RF Tester:Jeff Wei
Date: 11.FEB.2026 23:07:29

802.11ac40_5710MHz_Chain 0




ProjectNo.:2602P41234E-RF Tester:Jeff Wei
Date: 11.FEB.2026 23:08:22

802.11ac80_5530MHz_Chain 0




ProjectNo.:2602P41234E-RF Tester:Jeff Wei
Date: 11.FEB.2026 22:48:04

802.11ac80_5610MHz_Chain 0




ProjectNo.:2602P41234E-RF Tester:Jeff Wei
Date: 11.FEB.2026 22:48:56

802.11ac80_5690MHz_Chain 0




ProjectNo.:2602P41234E-RF Tester:Jeff Wei
Date: 11.FEB.2026 22:49:54

802.11ax20_5500MHz_Chain 0




ProjectNo.:2602P41234E-RF Tester:Jeff Wei
Date: 11.FEB.2026 23:33:53

802.11ax20_5600MHz_Chain 0




ProjectNo.:2602P41234E-RF Tester:Jeff Wei
Date: 11.FEB.2026 23:34:39

802.11ax20_5700MHz_Chain 0




ProjectNo.:2602P41234E-RF Tester:Jeff Wei
Date: 11.FEB.2026 23:35:30

802.11ax20_5720MHz_Chain 0




ProjectNo.:2602P41234E-RF Tester:Jeff Wei
Date: 11.FEB.2026 23:36:19

802.11ax40_5510MHz_Chain 0




ProjectNo.:2602P41234E-RF Tester:Jeff Wei
Date: 11.FEB.2026 22:56:32

802.11ax40_5590MHz_Chain 0




ProjectNo.:2602P41234E-RF Tester:Jeff Wei
Date: 11.FEB.2026 22:57:15

802.11ax40_5670MHz_Chain 0




ProjectNo.:2602P41234E-RF Tester:Jeff Wei
Date: 11.FEB.2026 22:58:00

802.11ax40_5710MHz_Chain 0




ProjectNo.:2602P41234E-RF Tester:Jeff Wei
Date: 11.FEB.2026 22:58:46

802.11ax80_5530MHz_Chain 0




ProjectNo.:2602P41234E-RF Tester:Jeff Wei
Date: 11.FEB.2026 22:45:15

802.11ax80_5610MHz_Chain 0



ProjectNo.:2602P41234E-RF Tester:Jeff Wei
Date: 11.FEB.2026 22:46:01


802.11ax80_5690MHz_Chain 0



ProjectNo.:2602P41234E-RF Tester:Jeff Wei
Date: 11.FEB.2026 22:46:58


5725-5850MHz

802.11a_5745MHz_Chain 0




ProjectNo.:2602P41234E-RF Tester:Jeff Wei
Date: 11.FEB.2026 23:51:29

802.11a_5785MHz_Chain 0




ProjectNo.:2602P41234E-RF Tester:Jeff Wei
Date: 11.FEB.2026 23:52:25

802.11a_5825MHz_Chain 0




ProjectNo.:2602P41234E-RF Tester:Jeff Wei
Date: 11.FEB.2026 23:53:15

802.11ac20_5745MHz_Chain 0




ProjectNo.:2602P41234E-RF Tester:Jeff Wei
Date: 11.FEB.2026 23:52:41

802.11ac20_5785MHz_Chain 0




ProjectNo.:2602P41234E-RF Tester:Jeff Wei
Date: 11.FEB.2026 23:23:53

802.11ac20_5825MHz_Chain 0




ProjectNo.:2602P41234E-RF Tester:Jeff Wei
Date: 11.FEB.2026 23:25:09

802.11ac40_5755MHz_Chain 0




ProjectNo.:2602P41234E-RF Tester:Jeff Wei
Date: 11.FEB.2026 23:09:21

802.11ac40_5795MHz_Chain 0




ProjectNo.:2602P41234E-RF Tester:Jeff Wei
Date: 11.FEB.2026 23:10:05

802.11ac80_5775MHz_Chain 0




ProjectNo.:2602P41234E-RF Tester:Jeff Wei
Date: 11.FEB.2026 22:51:43

802.11ax20_5745MHz_Chain 0




ProjectNo.:2602P41234E-RF Tester:Jeff Wei
Date: 11.FEB.2026 23:37:27

802.11ax20_5785MHz_Chain 0




ProjectNo.:2602P41234E-RF Tester:Jeff Wei
Date: 11.FEB.2026 23:38:29

802.11ax20_5825MHz_Chain 0




ProjectNo.:2602P41234E-RF Tester:Jeff Wei
Date: 11.FEB.2026 23:39:20

802.11ax40_5755MHz_Chain 0




ProjectNo.:2602P41234E-RF Tester:Jeff Wei
Date: 11.FEB.2026 22:59:49

802.11ax40_5795MHz_Chain 0



ProjectNo.:2602P41234E-RF Tester:Jeff Wei
Date: 11.FEB.2026 23:00:43

802.11ax80_5775MHz_Chain 0



ProjectNo.:2602P41234E-RF Tester:Jeff Wei
Date: 11.FEB.2026 22:51:00

5.6 Maximum Conducted Output Power

Test Information:

Serial No.:	3FXP-2	Test Date:	2026/02/11~2026/02/12
Test Site:	RF	Test Mode:	Transmitting
Tester:	Jeff Wei	Test Result:	Pass

Environmental Conditions:

Temperature: (°C)	23.9~24.2	Relative Humidity: (%)	50~53	ATM Pressure: (kPa)	101.4~101.6
----------------------	-----------	---------------------------	-------	------------------------	-------------

Test Equipment List and Details:

Manufacturer	Description	Model	Serial Number	Calibration Date	Calibration Due Date
R&S	Coaxial Attenuator	10dB	F-08-EM512	2025/06/06	2026/06/05
Anritsu	Microwave Peak Power Sensor	MA24418A	12618	2025/06/11	2026/06/10

** Statement of Traceability: Bay Area Compliance Laboratories Corp. (Dongguan) attests that all calibrations have been performed, traceable to National Primary Standards and International System of Units (SI).*

Test Data:**5150-5250MHz**

Mode	Antenna	Test Frequency (MHz)	Average Output Power (dBm)	FCC Limit (dBm)	EIRP (dBm)	RSS 247 EIRP Limit (dBm)
802.11a	Chain 0	5180	8.06	24	9.35	22.37
		5200	7.7	24	8.99	22.39
		5240	7.87	24	9.16	22.23
	Chain 1	5180	4.87	24	5.06	22.37
		5200	5.89	24	6.08	22.39
		5240	6.81	24	7	22.23
802.11ac20	Chain 0	5180	8.12	24	9.41	22.64
		5200	7.81	24	9.1	22.70
		5240	8.22	24	9.51	22.53
	Chain 1	5180	5.76	24	5.95	22.64
		5200	5.93	24	6.12	22.70
		5240	6.81	24	7	22.53
	Chain 0 +Chain 1	5180	10.11	24	11.4	22.64
		5200	9.98	24	11.27	22.70
		5240	10.58	24	11.87	22.53
802.11ac40	Chain 0	5190	8.19	24	9.48	23.01
		5230	7.79	24	9.08	23.01
	Chain 1	5190	6.14	24	6.33	23.01
		5230	6.74	24	6.93	23.01
	Chain 0 +Chain 1	5190	10.3	24	11.59	23.01
		5230	10.31	24	11.6	23.01
802.11ac80	Chain 0	5210	7.93	24	9.22	23.01
	Chain 1	5210	6.24	24	6.43	23.01
	Chain 0 +Chain 1	5210	10.18	24	11.47	23.01
802.11ax20	Chain 0	5180	7.87	24	9.16	22.84
		5200	7.86	24	9.15	22.87
		5240	8.29	24	9.58	22.81
	Chain 1	5180	5.63	24	5.82	22.84
		5200	6.12	24	6.31	22.87
		5240	7.04	24	7.23	22.81
	Chain 0 +Chain 1	5180	9.9	24	11.19	22.84
		5200	10.09	24	11.38	22.87
		5240	10.72	24	12.01	22.81
802.11ax40	Chain 0	5190	7.97	24	9.26	23.01
		5230	8.08	24	9.37	23.01
	Chain 1	5190	6.05	24	6.24	23.01
		5230	6.98	24	7.17	23.01
	Chain 0 +Chain 1	5190	10.13	24	11.42	23.01
		5230	10.58	24	11.87	23.01
802.11ax80	Chain 0	5210	8.23	24	9.52	23.01
	Chain 1	5210	7.91	24	8.1	23.01
	Chain 0 +Chain 1	5210	10.51	24	11.8	23.01

Note:

1. The device is a Client device.
2. Calculate using the maximum antenna gain for MIMO modes.

5250-5350MHz

Mode	Antenna	Test Frequency (MHz)	Average Output Power (dBm)	FCC Limit (dBm)	RSS 247 Limit (dBm)	EIRP (dBm)	RSS 247 EIRP Limit (dBm)
802.11a	Chain 0	5260	8.59	24	23.23	9.65	29.23
		5280	8.61	24	23.23	9.67	29.23
		5320	9.12	24	23.37	10.18	29.37
	Chain 1	5260	7.62	24	23.23	7.81	29.23
		5280	7.8	24	23.23	7.99	29.23
		5320	7.7	24	23.37	7.89	29.37
802.11ac20	Chain 0	5260	8.68	24	23.53	9.74	29.53
		5280	8.57	24	23.53	9.63	29.53
		5320	9.4	24	23.65	10.46	29.65
	Chain 1	5260	7.58	24	23.53	7.77	29.53
		5280	7.42	24	23.53	7.61	29.53
		5320	7.71	24	23.65	7.9	29.65
	Chain 0 +Chain 1	5260	11.18	24	23.53	12.24	29.53
		5280	11.04	24	23.53	12.1	29.53
		5320	11.65	24	23.65	12.71	29.65
802.11ac40	Chain 0	5270	8.55	24	24	9.61	30
		5310	9.23	24	24	10.29	30
	Chain 1	5270	7.64	24	24	7.83	30
		5310	7.76	24	24	7.95	30
	Chain 0 +Chain 1	5270	11.13	24	24	12.19	30
		5310	11.57	24	24	12.63	30
802.11ac80	Chain 0	5290	8.19	24	24	9.25	30
	Chain 1	5290	8.08	24	24	8.27	30
	Chain 0 +Chain 1	5290	11.15	24	24	12.21	30
802.11ax20	Chain 0	5260	8.93	24	23.81	9.99	29.81
		5280	8.85	24	23.82	9.91	29.82
		5320	9.12	24	23.87	10.18	29.87
	Chain 1	5260	7.85	24	23.81	8.04	29.81
		5280	7.92	24	23.82	8.11	29.82
		5320	7.97	24	23.87	8.16	29.87
	Chain 0 +Chain 1	5260	11.43	24	23.81	12.49	29.81
		5280	11.42	24	23.82	12.48	29.82
		5320	11.59	24	23.87	12.65	29.87
802.11ax40	Chain 0	5270	9.00	24	24	10.06	30
		5310	9.29	24	24	10.35	30
	Chain 1	5270	7.73	24	24	7.92	30
		5310	8.02	24	24	8.21	30
	Chain 0 +Chain 1	5270	11.42	24	24	12.48	30
		5310	11.71	24	24	12.77	30
802.11ax80	Chain 0	5290	9.35	24	24	10.41	30
	Chain 1	5290	8.55	24	24	8.74	30
	Chain 0 +Chain 1	5290	11.98	24	24	13.04	30

Note:

1. Calculate using the maximum antenna gain for MIMO modes.

5470-5725MHz

Mode	Antenna	Test Frequency (MHz)	Average Output Power (dBm)	FCC Limit (dBm)	RSS 247 Limit (dBm)	EIRP (dBm)	RSS 247 EIRP Limit (dBm)
802.11a	Chain 0	5500	9.53	24	23.38	12.24	29.38
		5600	10.63	24	23.23	13.34	29.23
		5700	8.80	24	23.39	11.51	29.39
		5720	8.51	24	23.23	11.22	29.23
	Chain 1	5500	9.95	24	23.38	11.49	29.38
		5600	11.12	24	23.23	12.66	29.23
		5700	9.64	24	23.39	11.18	29.39
		5720	9.69	24	23.23	11.23	29.23
802.11ac20	Chain 0	5500	9.79	24	23.68	12.5	29.68
		5600	10.41	24	23.53	13.12	29.53
		5700	8.43	24	23.66	11.14	29.66
		5720	8.83	24	23.53	11.54	29.53
	Chain 1	5500	9.99	24	23.68	11.53	29.68
		5600	10.9	24	23.53	12.44	29.53
		5700	9.88	24	23.66	11.42	29.66
		5720	9.56	24	23.53	11.1	29.53
	Chain 0 +Chain 1	5500	12.90	24	23.68	15.61	29.68
		5600	13.67	24	23.53	16.38	29.53
		5700	12.23	24	23.66	14.94	29.66
		5720	12.22	24	23.53	14.93	29.53
802.11ac40	Chain 0	5510	10.26	24	24	12.97	30
		5590	10.32	24	24	13.03	30
		5670	9.73	24	24	12.44	30
		5710	9.03	24	24	11.74	30
	Chain 1	5510	10.46	24	24	12	30
		5590	11.36	24	24	12.9	30
		5670	9.71	24	24	11.25	30
		5710	9.96	24	24	11.5	30
	Chain 0 +Chain 1	5510	13.37	24	24	16.08	30
		5590	13.88	24	24	16.59	30
		5670	12.73	24	24	15.44	30
		5710	12.53	24	24	15.24	30
802.11ac80	Chain 0	5530	8.89	24	24	11.6	30
		5610	8.70	24	24	11.41	30
		5690	7.35	24	24	10.06	30
	Chain 1	5530	10.26	24	24	11.8	30
		5610	11.11	24	24	12.65	30
		5690	10.22	24	24	11.76	30
	Chain 0 +Chain 1	5530	12.64	24	24	15.35	30
		5610	13.08	24	24	15.79	30
		5690	12.03	24	24	14.74	30
802.11ax20	Chain 0	5500	10.18	24	23.86	12.89	29.86
		5600	10.79	24	23.81	13.5	29.81
		5700	8.83	24	23.87	11.54	29.87
		5720	9.03	24	23.82	11.74	29.82
	Chain 1	5500	10.02	24	23.86	11.56	29.86
		5600	11.07	24	23.81	12.61	29.81
		5700	10.04	24	23.87	11.58	29.87

Mode	Antenna	Test Frequency (MHz)	Average Output Power (dBm)	FCC Limit (dBm)	RSS 247 Limit (dBm)	EIRP (dBm)	RSS 247 EIRP Limit (dBm)
	Chain 0 +Chain 1	5720	9.49	24	23.82	11.03	29.82
		5500	13.11	24	23.86	15.82	29.86
		5600	13.94	24	23.81	16.65	29.81
		5700	12.49	24	23.87	15.2	29.87
		5720	12.28	24	23.82	14.99	29.82
802.11ax40	Chain 0	5510	10.57	24	24	13.28	30
		5590	11.19	24	24	13.9	30
		5670	10.12	24	24	12.83	30
		5710	9.64	24	24	12.35	30
	Chain 1	5510	10.45	24	24	11.99	30
		5590	11.24	24	24	12.78	30
		5670	9.88	24	24	11.42	30
		5710	10.50	24	24	12.04	30
	Chain 0 +Chain 1	5510	13.52	24	24	16.23	30
		5590	14.23	24	24	16.94	30
		5670	13.01	24	24	15.72	30
		5710	13.10	24	24	15.81	30
802.11ax80	Chain 0	5530	9.15	24	24	11.86	30
		5610	8.53	24	24	11.24	30
		5690	7.66	24	24	10.37	30
	Chain 1	5530	10.69	24	24	12.23	30
		5610	11.39	24	24	12.93	30
		5690	10.20	24	24	11.74	30
	Chain 0 +Chain 1	5530	13.00	24	24	15.71	30
		5610	13.20	24	24	15.91	30
		5690	12.12	24	24	14.83	30

Note:

1. Calculate using the maximum antenna gain for MIMO modes.

5725-5850MHz

Mode	Antenna	Test Frequency (MHz)	Average Output Power (dBm)	FCC&RSS 247 Limit (dBm)	Verdict
802.11a	Chain 0	5745	9.36	30	Pass
		5785	9.73	30	Pass
		5825	9.75	30	Pass
	Chain 1	5745	13.24	30	Pass
		5785	13.62	30	Pass
		5825	13.57	30	Pass
802.11ac20	Chain 0	5745	8.81	30	Pass
		5785	9.03	30	Pass
		5825	8.89	30	Pass
	Chain 1	5745	13.25	30	Pass
		5785	13.65	30	Pass
		5825	13.51	30	Pass
	Chain 0+Chain 1	5745	14.58	30	Pass
		5785	14.94	30	Pass
		5825	14.8	30	Pass
802.11ac40	Chain 0	5755	7.56	30	Pass
		5795	7.45	30	Pass
	Chain 1	5755	13.29	30	Pass
		5795	12.55	30	Pass
	Chain 0+Chain 1	5755	14.32	30	Pass
		5795	13.72	30	Pass
802.11ac80	Chain 0	5775	7.15	30	Pass
	Chain 1	5775	13.83	30	Pass
	Chain 0+Chain 1	5775	14.67	30	Pass
802.11ax20	Chain 0	5745	7.06	30	Pass
		5785	7.27	30	Pass
		5825	7.90	30	Pass
	Chain 1	5745	13.28	30	Pass
		5785	13.87	30	Pass
		5825	13.70	30	Pass
	Chain 0+Chain 1	5745	14.21	30	Pass
		5785	14.73	30	Pass
		5825	14.71	30	Pass
802.11ax40	Chain 0	5755	9.21	30	Pass
		5795	8.86	30	Pass
	Chain 1	5755	13.59	30	Pass
		5795	13.78	30	Pass
	Chain 0+Chain 1	5755	14.94	30	Pass
		5795	14.99	30	Pass
802.11ax80	Chain 0	5775	7.67	30	Pass
	Chain 1	5775	13.86	30	Pass
	Chain 0+Chain 1	5775	14.80	30	Pass

5.7 Maximum power spectral density

Test Information:

Serial No.:	3FXP-2	Test Date:	2026/02/12~2026/3/24
Test Site:	RF	Test Mode:	Transmitting
Tester:	Jeff Wei	Test Result:	Pass

Environmental Conditions:

Temperature: (°C)	22.8~23.9	Relative Humidity: (%)	50~58	ATM Pressure: (kPa)	100.8~101.4
----------------------	-----------	---------------------------	-------	------------------------	-------------

Test Equipment List and Details:

Manufacturer	Description	Model	Serial Number	Calibration Date	Calibration Due Date
R&S	Coaxial Attenuator	10dB	F-08-EM512	2025/06/06	2026/06/05
R&S	Spectrum Analyzer	FSV40	101461	2025/08/03	2026/08/02

** Statement of Traceability: Bay Area Compliance Laboratories Corp. (Dongguan) attests that all calibrations have been performed, traceable to National Primary Standards and International System of Units (SI).*

Test Data:**5150-5250MHz**

Mode	Antenna	Test Frequency (MHz)	Reading (dBm/MHz)	Result (dBm/MHz)	FCC Limit (dBm/MHz)	EIRP (dBm/MHz)	RSS 247 EIRP Limit (dBm/MHz)
802.11a	Chain 0	5180	-1.70	-1.70	11	-0.41	10
		5200	-1.80	-1.80	11	-0.51	10
		5240	-1.91	-1.91	11	-0.62	10
	Chain 1	5180	-6.49	-6.49	11	-6.3	10
		5200	-4.08	-4.08	11	-3.89	10
		5240	-3.52	-3.52	11	-3.33	10
802.11ac20	Chain 0	5180	-2.24	-2.24	11	-0.95	10
		5200	-2.21	-2.21	11	-0.92	10
		5240	-2.32	-2.32	11	-1.03	10
	Chain 1	5180	-4.29	-4.29	11	-4.1	10
		5200	-4.05	-4.05	11	-3.86	10
		5240	-3.79	-3.79	11	-3.6	10
	Chain 0 +Chain 1	5180	-0.13	-0.13	11	4.17	10
		5200	-0.02	-0.02	11	4.28	10
		5240	0.02	0.02	11	4.32	10
802.11ac40	Chain 0	5190	-4.25	-4.25	11	-2.96	10
		5230	-4.28	-4.28	11	-2.99	10
	Chain 1	5190	-6.49	-6.49	11	-6.3	10
		5230	-6.01	-6.01	11	-5.82	10
	Chain 0 +Chain 1	5190	-2.22	-2.22	11	2.08	10
		5230	-2.05	-2.05	11	2.25	10
802.11ac80	Chain 0	5210	-8.75	-8.75	11	-7.46	10
	Chain 1	5210	-10.44	-10.44	11	-10.25	10
	Chain 0 +Chain 1	5210	-6.50	-6.50	11	-2.2	10
802.11ax20	Chain 0	5180	-2.43	-2.43	11	-1.14	10
		5200	-2.33	-2.33	11	-1.04	10
		5240	-2.20	-2.20	11	-0.91	10
	Chain 1	5180	-4.36	-4.36	11	-4.17	10
		5200	-4.68	-4.68	11	-4.49	10
		5240	-3.59	-3.59	11	-3.4	10
	Chain 0 +Chain 1	5180	-0.28	-0.28	11	4.02	10
		5200	-0.34	-0.34	11	3.96	10
		5240	0.17	0.17	11	4.47	10
802.11ax40	Chain 0	5190	-4.40	-4.40	11	-3.11	10
		5230	-4.21	-4.21	11	-2.92	10
	Chain 1	5190	-6.53	-6.53	11	-6.34	10
		5230	-5.70	-5.70	11	-5.51	10
	Chain 0 +Chain 1	5190	-2.33	-2.33	11	1.97	10
		5230	-1.88	-1.88	11	2.42	10
802.11ax80	Chain 0	5210	-10.17	-10.17	11	-8.88	10
	Chain 1	5210	-10.15	-10.15	11	-9.96	10
	Chain 0 +Chain 1	5210	-7.15	-7.15	11	-2.85	10

Note: The device is a Client device.

5250-5350MHz

Mode	Antenna	Test Frequency (MHz)	Reading (dBm/MHz)	Result (dBm/MHz)	FCC&RSS-247 Limit (dBm/MHz)
802.11a	Chain 0	5260	-2.20	-2.20	11
		5280	-1.92	-1.92	11
		5320	-1.04	-1.04	11
	Chain 1	5260	-2.96	-2.96	11
		5280	-2.22	-2.22	11
		5320	-2.37	-2.37	11
802.11ac20	Chain 0	5260	-2.19	-2.19	11
		5280	-2.13	-2.13	11
		5320	-1.72	-1.72	11
	Chain 1	5260	-3.11	-3.11	11
		5280	-2.87	-2.87	11
		5320	-2.38	-2.38	11
	Chain 0+Chain 1	5260	0.38	0.38	11
		5280	0.53	0.53	11
		5320	0.97	0.97	11
802.11ac40	Chain 0	5270	-4.11	-4.11	11
		5310	-3.07	-3.07	11
	Chain 1	5270	-5.63	-5.63	11
		5310	-4.52	-4.52	11
	Chain 0+Chain 1	5270	-1.79	-1.79	11
		5310	-0.72	-0.72	11
802.11ac80	Chain 0	5290	-7.81	-7.81	11
	Chain 1	5290	-8.79	-8.79	11
	Chain 0+Chain 1	5290	-5.26	-5.26	11
802.11ax20	Chain 0	5260	-1.90	-1.90	11
		5280	-1.61	-1.61	11
		5320	-1.94	-1.94	11
	Chain 1	5260	-2.73	-2.73	11
		5280	-3.06	-3.06	11
		5320	-2.81	-2.81	11
	Chain 0+Chain 1	5260	0.72	0.72	11
		5280	0.74	0.74	11
		5320	0.66	0.66	11
802.11ax40	Chain 0	5270	-6.17	-6.17	11
		5310	-6.33	-6.33	11
	Chain 1	5270	-7.44	-7.44	11
		5310	-6.74	-6.74	11
	Chain 0+Chain 1	5270	-3.75	-3.75	11
802.11ax80	Chain 0	5290	-8.53	-8.53	11
	Chain 1	5290	-8.57	-8.57	11
	Chain 0+Chain 1	5290	-5.54	-5.54	11

5470-5725MHz

Mode	Antenna	Test Frequency (MHz)	Reading (dBm/MHz)	Result (dBm/MHz)	FCC&RSS-247 Limit (dBm/MHz)
802.11a	Chain 0	5500	0.24	0.24	11
		5600	0.97	0.97	11
		5700	-1.40	-1.40	11
		5720	-1.04	-1.04	11
	Chain 1	5500	-0.19	-0.19	11
		5600	1.27	1.27	11
		5700	0.13	0.13	11
		5720	0.43	0.43	11
802.11ac20	Chain 0	5500	0.14	0.14	11
		5600	0.55	0.55	11
		5700	-1.67	-1.67	11
		5720	-1.18	-1.18	11
	Chain 1	5500	-0.22	-0.22	11
		5600	1.18	1.18	11
		5700	-0.01	-0.01	11
		5720	0.18	0.18	11
	Chain 0+Chain 1	5500	2.97	2.97	11
		5600	3.89	3.89	11
		5700	2.25	2.25	11
		5720	2.56	2.56	11
802.11ac40	Chain 0	5510	-2.45	-2.45	11
		5590	-1.91	-1.91	11
		5670	-2.59	-2.59	11
		5710	-3.48	-3.48	11
	Chain 1	5510	-2.68	-2.68	11
		5590	-1.14	-1.14	11
		5670	-2.67	-2.67	11
		5710	-2.27	-2.27	11
	Chain 0+Chain 1	5510	0.45	0.45	11
		5590	1.50	1.50	11
		5670	0.38	0.38	11
		5710	0.18	0.18	11
802.11ac80	Chain 0	5530	-8.05	-8.05	11
		5610	-8.36	-8.36	11
		5690	-8.40	-8.40	11
	Chain 1	5530	-6.60	-6.60	11
		5610	-5.45	-5.45	11
		5690	-6.67	-6.67	11
	Chain 0+Chain 1	5530	-4.25	-4.25	11
		5610	-3.66	-3.66	11
		5690	-4.44	-4.44	11
802.11ax20	Chain 0	5500	-0.56	-0.56	11
		5600	0.12	0.12	11
		5700	-1.78	-1.78	11
		5720	-1.51	-1.51	11
	Chain 1	5500	-0.69	-0.69	11
		5600	1.21	1.21	11
		5700	-0.22	-0.22	11
		5720	0.06	0.06	11

Mode	Antenna	Test Frequency (MHz)	Reading (dBm/MHz)	Result (dBm/MHz)	FCC&RSS-247 Limit (dBm/MHz)
802.11ax20	Chain 0+Chain 1	5500	2.39	2.39	11
		5600	3.71	3.71	11
		5700	2.08	2.08	11
		5720	2.36	2.36	11
802.11ax40	Chain 0	5510	-2.48	-2.48	11
		5590	-1.87	-1.87	11
		5670	-2.95	-2.95	11
		5710	-3.40	-3.40	11
	Chain 1	5510	-2.51	-2.51	11
		5590	-1.03	-1.03	11
		5670	-2.41	-2.41	11
		5710	-2.34	-2.34	11
	Chain 0+Chain 1	5510	0.52	0.52	11
		5590	1.58	1.58	11
		5670	0.34	0.34	11
		5710	0.17	0.17	11
802.11ax80	Chain 0	5530	-7.69	-7.69	11
		5610	-8.00	-8.00	11
		5690	-8.14	-8.14	11
	Chain 1	5530	-6.58	-6.58	11
		5610	-5.24	-5.24	11
		5690	-6.32	-6.32	11
	Chain 0+Chain 1	5530	-4.09	-4.09	11
		5610	-3.39	-3.39	11
		5690	-4.13	-4.13	11


5725-5850MHz

Mode	Antenna	Test Frequency (MHz)	Reading (dBm/500kHz)	Result (dBm/500kHz)	FCC&RSS-247 Limit (dBm/500kHz)
802.11a	Chain 0	5745	-4.06	-4.06	30
		5785	-3.80	-3.80	30
		5825	-4.05	-4.05	30
	Chain 1	5745	0.04	0.04	30
		5785	0.75	0.75	30
		5825	1.16	1.16	30
802.11ac20	Chain 0	5745	-4.66	-4.66	30
		5785	-4.38	-4.38	30
		5825	-4.60	-4.60	30
	Chain 1	5745	-0.14	-0.14	30
		5785	0.80	0.80	30
		5825	0.87	0.87	30
	Chain 0+Chain 1	5745	1.17	1.17	30
		5785	1.95	1.95	30
		5825	1.95	1.95	30
802.11ac40	Chain 0	5755	-6.72	-6.72	30
		5795	-6.87	-6.87	30
	Chain 1	5755	-2.27	-2.27	30
		5795	-1.88	-1.88	30
	Chain 0+Chain 1	5755	-0.94	-0.94	30
		5795	-0.68	-0.68	30
802.11ac80	Chain 0	5775	-11.92	-11.92	30
	Chain 1	5775	-6.49	-6.49	30
	Chain 0+Chain 1	5775	-5.40	-5.40	30
802.11ax20	Chain 0	5745	-5.14	-5.14	30
		5785	-4.57	-4.57	30
		5825	-4.51	-4.51	30
	Chain 1	5745	-0.12	-0.12	30
		5785	0.34	0.34	30
		5825	0.84	0.84	30
	Chain 0+Chain 1	5745	1.07	1.07	30
		5785	1.56	1.56	30
		5825	1.95	1.95	30
802.11ax40	Chain 0	5755	-6.47	-6.47	30
		5795	-6.79	-6.79	30
	Chain 1	5755	-2.27	-2.27	30
		5795	-1.33	-1.33	30
	Chain 0+Chain 1	5755	-0.87	-0.87	30
		5795	-0.24	-0.24	30
802.11ax80	Chain 0	5775	-11.41	-11.41	30
	Chain 1	5775	-5.93	-5.93	30
	Chain 0+Chain 1	5775	-4.85	-4.85	30

Result = Reading + Duty Cycle Factor, since all Duty Cycle Factor=0, so Result = Reading.


5150-5250MHz

802.11a_5180MHz_Chain 0




ProjectNo.:2602P41234E-RF Tester:Jeff Wei
Date: 12.FEB.2026 20:37:06

802.11a_5200MHz_Chain 0




ProjectNo.:2602P41234E-RF Tester:Jeff Wei
Date: 12.FEB.2026 20:38:42

802.11a_5240MHz_Chain 0




ProjectNo.:2602P41234E-RF Tester:Jeff Wei
Date: 12.FEB.2026 20:39:57

802.11a_5180MHz_Chain 1




ProjectNo.:2602P41234E-RF Tester:Jeff Wei
Date: 12.FEB.2026 20:54:53

802.11a_5200MHz_Chain 1




ProjectNo.:2602P41234E-RF Tester:Jeff Wei
Date: 12.FEB.2026 20:56:22

802.11a_5240MHz_Chain 1




ProjectNo.:2602P41234E-RF Tester:Jeff Wei
Date: 12.FEB.2026 20:58:09

802.11ac20_5180MHz_Chain 0




ProjectNo.:2602P41234E-RF Tester:Jeff Wei
Date: 12.FEB.2026 20:48:24

802.11ac20_5200MHz_Chain 0




ProjectNo.:2602P41234E-RF Tester:Jeff Wei
Date: 12.FEB.2026 20:49:56

802.11ac20_5240MHz_Chain 0




ProjectNo.:2602P41234E-RF Tester:Jeff Wei
Date: 12.FEB.2026 20:51:44

802.11ac20_5180MHz_Chain 1




ProjectNo.:2602P41234E-RF Tester:Jeff Wei
Date: 12.FEB.2026 21:04:48

802.11ac20_5200MHz_Chain 1




ProjectNo.:2602P41234E-RF Tester:Jeff Wei
Date: 12.FEB.2026 21:07:42

802.11ac20_5240MHz_Chain 1




ProjectNo.:2602P41234E-RF Tester:Jeff Wei
Date: 12.FEB.2026 21:09:13

802.11ac40_5190MHz_Chain 0




ProjectNo.:2602P41234E-RF Tester:Jeff Wei
Date: 12.FEB.2026 20:33:53

802.11ac40_5230MHz_Chain 0




ProjectNo.:2602P41234E-RF Tester:Jeff Wei
Date: 12.FEB.2026 20:34:59

802.11ac40_5190MHz_Chain 1




ProjectNo.:2602P41234E-RF Tester:Jeff Wei
Date: 12.FEB.2026 23:18:19

802.11ac40_5230MHz_Chain 1




ProjectNo.:2602P41234E-RF Tester:Jeff Wei
Date: 12.FEB.2026 23:19:30

802.11ac80_5210MHz_Chain 0




ProjectNo.:2602P41234E-RF Tester:Jeff Wei
Date: 12.FEB.2026 20:30:12

802.11ac80_5210MHz_Chain 1




ProjectNo.:2602P41234E-RF Tester:Jeff Wei
Date: 12.FEB.2026 23:20:53

802.11ax20_5180MHz_Chain 0




ProjectNo.:2602P41234E-RF Tester:Jeff Wei
Date: 12.FEB.2026 20:41:50

802.11ax20_5200MHz_Chain 0




ProjectNo.:2602P41234E-RF Tester:Jeff Wei
Date: 12.FEB.2026 20:43:21

802.11ax20_5240MHz_Chain 0




ProjectNo.:2602P41234E-RF Tester:Jeff Wei
Date: 12.FEB.2026 20:44:59

802.11ax20_5180MHz_Chain 1




ProjectNo.:2602P41234E-RF Tester:Jeff Wei
Date: 12.FEB.2026 21:00:13

802.11ax20_5200MHz_Chain 1




ProjectNo.:2602P41234E-RF Tester:Jeff Wei
Date: 12.FEB.2026 21:01:31

802.11ax20_5240MHz_Chain 1




ProjectNo.:2602P41234E-RF Tester:Jeff Wei
Date: 12.FEB.2026 21:02:52

802.11ax40_5190MHz_Chain 0




ProjectNo.:2602P41234E-RF Tester:Jeff Wei
Date: 12.FEB.2026 20:31:39

802.11ax40_5230MHz_Chain 0




ProjectNo.:2602P41234E-RF Tester:Jeff Wei
Date: 12.FEB.2026 20:32:48

802.11ax40_5190MHz_Chain 1




ProjectNo.:2602P41234E-RF Tester:Jeff Wei
Date: 12.FEB.2026 23:07:00

802.11ax40_5230MHz_Chain 1




ProjectNo.:2602P41234E-RF Tester:Jeff Wei
Date: 12.FEB.2026 23:14:55

802.11ax80_5210MHz_Chain 0



ProjectNo.:2602P41234E-RF Tester:Jeff Wei
Date: 12.FEB.2026 20:28:46


802.11ax80_5210MHz_Chain 1



ProjectNo.:2602P41234E-RF Tester:Jeff Wei
Date: 12.FEB.2026 23:16:59


5250-5350MHz

802.11a_5260MHz_Chain 0




ProjectNo.:2602P41234E-RF Tester:Jeff Wei
Date: 24.MAR.2026 03:15:12

802.11a_5280MHz_Chain 0




ProjectNo.:2602P41234E-RF Tester:Jeff Wei
Date: 24.MAR.2026 03:19:04

802.11a_5320MHz_Chain 0




ProjectNo.:2602P41234E-RF Tester:Jeff Wei
Date: 24.MAR.2026 03:20:31

802.11a_5260MHz_Chain 1




ProjectNo.:2602P41234E-RF Tester:Jeff Wei
Date: 24.MAR.2026 03:13:25

802.11a_5280MHz_Chain 1




ProjectNo.:2602P41234E-RF Tester:Jeff Wei
Date: 12.FEB.2026 21:13:42

802.11a_5320MHz_Chain 1




ProjectNo.:2602P41234E-RF Tester:Jeff Wei
Date: 12.FEB.2026 21:15:27

802.11ac20_5260MHz_Chain 0




ProjectNo.:2602P41234E-RF Tester:Jeff Wei
Date: 24.MAR.2026 03:34:52

802.11ac20_5280MHz_Chain 0




ProjectNo.:2602P41234E-RF Tester:Jeff Wei
Date: 24.MAR.2026 03:36:24

802.11ac20_5320MHz_Chain 0




ProjectNo.:2602P41234E-RF Tester:Jeff Wei
Date: 24.MAR.2026 03:37:41

802.11ac20_5260MHz_Chain 1




ProjectNo.:2602P41234E-RF Tester:Jeff Wei
Date: 12.FEB.2026 21:21:02

802.11ac20_5280MHz_Chain 1




ProjectNo.:2602P41234E-RF Tester:Jeff Wei
Date: 12.FEB.2026 21:22:28

802.11ac20_5320MHz_Chain 1




ProjectNo.:2602P41234E-RF Tester:Jeff Wei
Date: 12.FEB.2026 21:23:55

802.11ac40_5310MHz_Chain 0




ProjectNo.:2602P41234E-RF Tester:Jeff Wei
Date: 24.MAR.2026 03:41:58

802.11ac40_5310MHz_Chain 1




ProjectNo.:2602P41234E-RF Tester:Jeff Wei
Date: 12.FEB.2026 22:52:24

802.11ac80 5290MHz Chain 1




ProjectNo.:2602P41234E-RF Tester:Jeff Wei
Date: 12.FEB.2026 23:26:13

802.11ax20_5260MHz_Chain 0




ProjectNo.:2602P41234E-RF Tester:Jeff Wei
Date: 24.MAR.2026 03:28:57

802.11ax20_5280MHz_Chain 0




ProjectNo.:2602P41234E-RF Tester:Jeff Wei
Date: 24.MAR.2026 03:29:24

802.11ax20_5320MHz_Chain 0




ProjectNo.:2602P41234E-RF Tester:Jeff Wei
Date: 24.MAR.2026 03:31:05

802.11ax20_5260MHz_Chain 1




ProjectNo.:2602P41234E-RF Tester:Jeff Wei
Date: 12.FEB.2026 21:16:42

802.11ax20_5280MHz_Chain 1




ProjectNo.:2602P41234E-RF Tester:Jeff Wei
Date: 12.FEB.2026 21:18:51

802.11ax20_5320MHz_Chain 1




ProjectNo.:2602P41234E-RF Tester:Jeff Wei
Date: 12.FEB.2026 21:19:40

802.11ax40_5270MHz_Chain 0




ProjectNo.:2602P41234E-RF Tester:Jeff Wei
Date: 24.MAR.2026 03:44:39

802.11ax40_5310MHz_Chain 0




ProjectNo.:2602P41234E-RF Tester:Jeff Wei
Date: 24.MAR.2026 03:46:56

802.11ax40_5270MHz_Chain 1




ProjectNo.:2602P41234E-RF Tester:Jeff Wei
Date: 24.MAR.2026 03:45:38

802.11ax40_5310MHz_Chain 1




ProjectNo.:2602P41234E-RF Tester:Jeff Wei
Date: 24.MAR.2026 03:48:01

802.11ax80_5290MHz_Chain 0



ProjectNo.:2602P41234E-RF Tester:Jeff Wei
Date: 24.MAR.2026 03:49:01


802.11ax80_5290MHz_Chain 1



ProjectNo.:2602P41234E-RF Tester:Jeff Wei
Date: 12.FEB.2026 23:25:10


5470-5725MHz

802.11a_5500MHz_Chain 0




ProjectNo.:2602P41234E-RF Tester:Jeff Wei
Date: 13.FEB.2026 03:30:40

802.11a_5600MHz_Chain 0




ProjectNo.:2602P41234E-RF Tester:Jeff Wei
Date: 13.FEB.2026 03:31:01

802.11a_5700MHz_Chain 0




ProjectNo.:2602P41234E-RF Tester:Jeff Wei
Date: 13.FEB.2026 03:31:32

802.11a_5720MHz_Chain 0




ProjectNo.:2602P41234E-RF Tester:Jeff Wei
Date: 13.FEB.2026 03:32:21

802.11a_5500MHz_Chain 1




ProjectNo.:2602P41234E-RF Tester:Jeff Wei
Date: 12.FEB.2026 21:26:13

802.11a_5600MHz_Chain 1




ProjectNo.:2602P41234E-RF Tester:Jeff Wei
Date: 12.FEB.2026 21:32:45

802.11a_5700MHz_Chain 1




ProjectNo.:2602P41234E-RF Tester:Jeff Wei
Date: 12.FEB.2026 21:34:28

802.11a_5720MHz_Chain 1




ProjectNo.:2602P41234E-RF Tester:Jeff Wei
Date: 12.FEB.2026 21:40:38

802.11ac20_5500MHz_Chain 0




ProjectNo.:2602P41234E-RF Tester:Jeff Wei
Date: 13.FEB.2026 03:34:55

802.11ac20_5600MHz_Chain 0




ProjectNo.:2602P41234E-RF Tester:Jeff Wei
Date: 13.FEB.2026 03:35:17

802.11ac20_5700MHz_Chain 0




ProjectNo.:2602P41234E-RF Tester:Jeff Wei
Date: 13.FEB.2026 03:35:57

802.11ac20_5720MHz_Chain 0




ProjectNo.:2602P41234E-RF Tester:Jeff Wei
Date: 13.FEB.2026 03:36:24

802.11ac20_5500MHz_Chain 1




ProjectNo.:2602P41234E-RF Tester:Jeff Wei
Date: 12.FEB.2026 21:49:29

802.11ac20_5600MHz_Chain 1




ProjectNo.:2602P41234E-RF Tester:Jeff Wei
Date: 12.FEB.2026 21:52:32

802.11ac20_5700MHz_Chain 1




ProjectNo.:2602P41234E-RF Tester:Jeff Wei
Date: 12.FEB.2026 21:54:47

802.11ac20_5720MHz_Chain 1




ProjectNo.:2602P41234E-RF Tester:Jeff Wei
Date: 12.FEB.2026 21:55:48

802.11ac40_5510MHz_Chain 0




ProjectNo.:2602P41234E-RF Tester:Jeff Wei
Date: 13.FEB.2026 04:25:31

802.11ac40_5590MHz_Chain 0




ProjectNo.:2602P41234E-RF Tester:Jeff Wei
Date: 13.FEB.2026 04:25:53

802.11ac40_5670MHz_Chain 0




ProjectNo.:2602P41234E-RF Tester:Jeff Wei
Date: 13.FEB.2026 04:26:16

802.11ac40_5710MHz_Chain 0




ProjectNo.:2602P41234E-RF Tester:Jeff Wei
Date: 13.FEB.2026 04:26:43

802.11ac40_5510MHz_Chain 1




ProjectNo.:2602P41234E-RF Tester:Jeff Wei
Date: 12.FEB.2026 22:56:25

802.11ac40_5590MHz_Chain 1




ProjectNo.:2602P41234E-RF Tester:Jeff Wei
Date: 12.FEB.2026 22:57:10

802.11ac40_5670MHz_Chain 1




ProjectNo.:2602P41234E-RF Tester:Jeff Wei
Date: 12.FEB.2026 22:58:01

802.11ac40_5710MHz_Chain 1




ProjectNo.:2602P41234E-RF Tester:Jeff Wei
Date: 12.FEB.2026 22:58:50

802.11ac80_5530MHz_Chain 0




ProjectNo.:2602P41234E-RF Tester:Jeff Wei
Date: 12.FEB.2026 23:41:46

802.11ac80_5610MHz_Chain 0




ProjectNo.:2602P41234E-RF Tester:Jeff Wei
Date: 12.FEB.2026 23:42:47

802.11ac80_5690MHz_Chain 0




ProjectNo.:2602P41234E-RF Tester:Jeff Wei
Date: 12.FEB.2026 23:43:35

802.11ac80_5530MHz_Chain 1




ProjectNo.:2602P41234E-RF Tester:Jeff Wei
Date: 12.FEB.2026 23:29:35

802.11ac80_5610MHz_Chain 1




ProjectNo.:2602P41234E-RF Tester:Jeff Wei
Date: 12.FEB.2026 23:30:52

802.11ac80_5690MHz_Chain 1




ProjectNo.:2602P41234E-RF Tester:Jeff Wei
Date: 12.FEB.2026 23:32:20

802.11ax20_5500MHz_Chain 0




ProjectNo.:2602P41234E-RF Tester:Jeff Wei
Date: 13.FEB.2026 03:32:59

802.11ax20_5600MHz_Chain 0




ProjectNo.:2602P41234E-RF Tester:Jeff Wei
Date: 13.FEB.2026 03:33:23

802.11ax20_5700MHz_Chain 0




ProjectNo.:2602P41234E-RF Tester:Jeff Wei
Date: 13.FEB.2026 03:33:50

802.11ax20_5720MHz_Chain 0




ProjectNo.:2602P41234E-RF Tester:Jeff Wei
Date: 13.FEB.2026 03:34:18

802.11ax20_5500MHz_Chain 1




ProjectNo.:2602P41234E-RF Tester:Jeff Wei
Date: 12.FEB.2026 21:42:00

802.11ax20_5600MHz_Chain 1




ProjectNo.:2602P41234E-RF Tester:Jeff Wei
Date: 12.FEB.2026 21:43:51

802.11ax20_5700MHz_Chain 1




ProjectNo.:2602P41234E-RF Tester:Jeff Wei
Date: 12.FEB.2026 21:46:42

802.11ax20_5720MHz_Chain 1




ProjectNo.:2602P41234E-RF Tester:Jeff Wei
Date: 12.FEB.2026 21:48:17

802.11ax40_5510MHz_Chain 0




ProjectNo.:2602P41234E-RF Tester:Jeff Wei
Date: 13.FEB.2026 04:29:42

802.11ax40_5590MHz_Chain 0




ProjectNo.:2602P41234E-RF Tester:Jeff Wei
Date: 13.FEB.2026 04:30:20

802.11ax40_5670MHz_Chain 0




ProjectNo.:2602P41234E-RF Tester:Jeff Wei
Date: 13.FEB.2026 04:30:46

802.11ax40_5710MHz_Chain 0




ProjectNo.:2602P41234E-RF Tester:Jeff Wei
Date: 13.FEB.2026 04:31:16

802.11ax40_5510MHz_Chain 1




ProjectNo.:2602P41234E-RF Tester:Jeff Wei
Date: 12.FEB.2026 22:53:09

802.11ax40_5590MHz_Chain 1




ProjectNo.:2602P41234E-RF Tester:Jeff Wei
Date: 12.FEB.2026 22:53:54

802.11ax40_5670MHz_Chain 1




ProjectNo.:2602P41234E-RF Tester:Jeff Wei
Date: 12.FEB.2026 22:54:49

802.11ax40_5710MHz_Chain 1




ProjectNo.:2602P41234E-RF Tester:Jeff Wei
Date: 12.FEB.2026 22:55:37

802.11ax80_5530MHz_Chain 0




ProjectNo.:2602P41234E-RF Tester:Jeff Wei
Date: 12.FEB.2026 23:38:40

802.11ax80_5610MHz_Chain 0




ProjectNo.:2602P41234E-RF Tester:Jeff Wei
Date: 12.FEB.2026 23:39:50

802.11ax80_5690MHz_Chain 0




ProjectNo.:2602P41234E-RF Tester:Jeff Wei
Date: 12.FEB.2026 23:40:43

802.11ax80_5530MHz_Chain 1




ProjectNo.:2602P41234E-RF Tester:Jeff Wei
Date: 12.FEB.2026 23:27:00

802.11ax80_5610MHz_Chain 1



ProjectNo.:2602P41234E-RF Tester:Jeff Wei
Date: 12.FEB.2026 23:27:47


802.11ax80_5690MHz_Chain 1



ProjectNo.:2602P41234E-RF Tester:Jeff Wei
Date: 12.FEB.2026 23:28:33


5725-5850MHz

802.11a_5745MHz_Chain 0




ProjectNo.:2602P41234E-RF Tester:Jeff Wei
Date: 13.FEB.2026 03:36:50

802.11a_5785MHz_Chain 0




ProjectNo.:2602P41234E-RF Tester:Jeff Wei
Date: 13.FEB.2026 03:37:16

802.11a_5825MHz_Chain 0




ProjectNo.:2602P41234E-RF Tester:Jeff Wei
Date: 13.FEB.2026 03:37:39

802.11a_5745MHz_Chain 1




ProjectNo.:2602P41234E-RF Tester:Jeff Wei
Date: 12.FEB.2026 22:37:21

802.11a_5785MHz_Chain 1




ProjectNo.:2602P41234E-RF Tester:Jeff Wei
Date: 12.FEB.2026 22:38:17

802.11a_5825MHz_Chain 1




ProjectNo.:2602P41234E-RF Tester:Jeff Wei
Date: 12.FEB.2026 22:39:54

802.11ac20_5745MHz_Chain 0




ProjectNo.:2602P41234E-RF Tester:Jeff Wei
Date: 13.FEB.2026 03:39:32

802.11ac20_5785MHz_Chain 0




ProjectNo.:2602P41234E-RF Tester:Jeff Wei
Date: 13.FEB.2026 03:40:29

802.11ac20_5825MHz_Chain 0




ProjectNo.:2602P41234E-RF Tester:Jeff Wei
Date: 13.FEB.2026 03:40:59

802.11ac20_5745MHz_Chain 1




ProjectNo.:2602P41234E-RF Tester:Jeff Wei
Date: 12.FEB.2026 22:47:44

802.11ac20_5785MHz_Chain 1




ProjectNo.:2602P41234E-RF Tester:Jeff Wei
Date: 12.FEB.2026 22:45:20

802.11ac20_5825MHz_Chain 1




ProjectNo.:2602P41234E-RF Tester:Jeff Wei
Date: 12.FEB.2026 22:46:14

802.11ac40_5755MHz_Chain 0



ProjectNo.:2602P41234E-RF Tester:Jeff Wei
Date: 13.FEB.2026 04:28:10

802.11ac40_5795MHz_Chain 0



ProjectNo.:2602P41234E-RF Tester:Jeff Wei
Date: 13.FEB.2026 04:28:49