


Test_Mode	802.11 n(HT20) Transmitting	Test_Frequency	2412MHz
Remark:	/	Test_Date	2026/4/20


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	18693.2877	-26.50	63.38	36.88	74.00	37.12	PASS	Horizont	PK
2	19995.5398	-24.63	60.85	36.22	74.00	37.78	PASS	Horizont	PK
3	21157.3663	-25.80	61.53	35.73	74.00	38.27	PASS	Horizont	PK
4	22129.4652	-25.54	61.27	35.73	74.00	38.27	PASS	Horizont	PK
5	23749.97	-22.51	58.89	36.38	74.00	37.62	PASS	Horizont	PK
6	25569.3828	-20.83	57.86	37.03	74.00	36.97	PASS	Horizont	PK

Test_Mode	802.11 n(HT20) Transmitting	Test_Frequency	2412MHz
Remark:	/	Test_Date	2026/4/20


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	19015.2806	-26.26	63.12	36.86	74.00	37.14	PASS	Vertical	PK
2	20004.0402	-24.64	61.08	36.44	74.00	37.56	PASS	Vertical	PK
3	20814.6326	-25.68	61.85	36.17	74.00	37.83	PASS	Vertical	PK
4	22122.3249	-25.56	61.44	35.88	74.00	38.12	PASS	Vertical	PK
5	23849.254	-22.23	59.50	37.27	74.00	36.73	PASS	Vertical	PK
6	25186.5275	-21.11	58.37	37.26	74.00	36.74	PASS	Vertical	PK

Test_Mode	802.11 n(HT20) Transmitting	Test_Frequency	2437MHz
Remark:	/	Test_Date	2026/4/20


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1454.697	13.04	38.92	51.96	74.00	22.04	PASS	Horizontal	PK
2	2296.8865	15.75	36.32	52.07	74.00	21.93	PASS	Horizontal	PK
3	3120.008	-14.68	58.27	43.59	74.00	30.41	PASS	Horizontal	PK
4	4881.1254	-8.36	60.70	52.34	74.00	21.66	PASS	Horizontal	PK
5	8535.369	-0.50	45.80	45.30	74.00	28.70	PASS	Horizontal	PK
6	13695.713	7.27	43.51	50.78	74.00	23.22	PASS	Horizontal	PK

Test_Mode	802.11 n(HT20) Transmitting	Test_Frequency	2437MHz
Remark:	/	Test_Date	2026/4/20


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1419.3613	12.86	39.09	51.95	74.00	22.05	PASS	Vertical	PK
2	2122.4748	15.17	36.07	51.24	74.00	22.76	PASS	Vertical	PK
3	3120.008	-14.68	65.35	50.67	74.00	23.33	PASS	Vertical	PK
4	4680.112	-8.99	60.97	51.98	74.00	22.02	PASS	Vertical	PK
5	7800.32	-2.09	51.04	48.95	74.00	25.05	PASS	Vertical	PK
6	13683.7122	7.32	43.74	51.06	74.00	22.94	PASS	Vertical	PK

Test_Mode	802.11 n(HT20) Transmitting	Test_Frequency	2462MHz
Remark:	/	Test_Date	2026/4/20


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1484.699	13.19	38.69	51.88	74.00	22.12	PASS	Horizont	PK
2	2256.3504	15.52	37.10	52.62	74.00	21.38	PASS	Horizont	PK
3	3120.008	-14.68	57.36	42.68	74.00	31.32	PASS	Horizont	PK
4	4924.1283	-8.16	60.59	52.43	74.00	21.57	PASS	Horizont	PK
5	8581.3721	-0.50	45.67	45.17	74.00	28.83	PASS	Horizont	PK
6	13714.7143	7.24	43.56	50.80	74.00	23.20	PASS	Horizont	PK

Test_Mode	802.11 n(HT20) Transmitting	Test_Frequency	2462MHz
Remark:	/	Test_Date	2026/4/20


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1434.9623	13.05	39.19	52.24	74.00	21.76	PASS	Vertical	PK
2	2204.747	15.35	36.10	51.45	74.00	22.55	PASS	Vertical	PK
3	3778.0519	-12.63	61.46	48.83	74.00	25.17	PASS	Vertical	PK
4	4921.1281	-8.18	61.40	53.22	74.00	20.78	PASS	Vertical	PK
5	7799.32	-2.08	51.57	49.49	74.00	24.51	PASS	Vertical	PK
6	13131.6754	6.31	44.57	50.88	74.00	23.12	PASS	Vertical	PK

Test_Mode	802.11 n(HT20) Transmitting	Test_Frequency	2462MHz
Remark:	/	Test_Date	2026/4/20


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	18828.9532	-26.29	63.61	37.32	74.00	36.68	PASS	Horizont	PK
2	20074.423	-24.95	61.47	36.52	74.00	37.48	PASS	Horizont	PK
3	20874.475	-25.78	61.74	35.96	74.00	38.04	PASS	Horizont	PK
4	22399.776	-25.10	61.22	36.12	74.00	37.88	PASS	Horizont	PK
5	23907.0563	-22.12	58.91	36.79	74.00	37.21	PASS	Horizont	PK
6	25240.5896	-21.12	58.36	37.24	74.00	36.76	PASS	Horizont	PK

Test_Mode	802.11 n(HT20) Transmitting	Test_Frequency	2462MHz
Remark:	/	Test_Date	2026/4/20


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	18746.3299	-26.40	63.56	37.16	74.00	36.84	PASS	Vertical	PK
2	19750.73	-25.32	61.99	36.67	74.00	37.33	PASS	Vertical	PK
3	21589.1836	-25.75	62.12	36.37	74.00	37.63	PASS	Vertical	PK
4	22571.1428	-25.02	60.74	35.72	74.00	38.28	PASS	Vertical	PK
5	23858.7744	-22.22	59.07	36.85	74.00	37.15	PASS	Vertical	PK
6	25295.3318	-21.23	58.09	36.86	74.00	37.14	PASS	Vertical	PK

Test_Mode	802.11 n(HT20) Transmitting	Test_Frequency	2437MHz
Remark:	/	Test_Date	2026/4/20


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	18743.6097	-26.40	63.50	37.10	74.00	36.90	PASS	Horizontal	PK
2	19554.5422	-25.60	62.09	36.49	74.00	37.51	PASS	Horizontal	PK
3	20892.8357	-25.81	62.73	36.92	74.00	37.08	PASS	Horizontal	PK
4	22247.4499	-25.33	60.84	35.51	74.00	38.49	PASS	Horizontal	PK
5	24015.1806	-21.99	58.56	36.57	74.00	37.43	PASS	Horizontal	PK
6	25276.9711	-21.19	57.87	36.68	74.00	37.32	PASS	Horizontal	PK

Test_Mode	802.11 n(HT20) Transmitting	Test_Frequency	2437MHz
Remark:	/	Test_Date	2026/4/20


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	18560.3424	-26.69	64.38	37.69	74.00	36.31	PASS	Vertical	PK
2	19892.1757	-24.95	61.58	36.63	74.00	37.37	PASS	Vertical	PK
3	21216.5287	-25.76	61.76	36.00	74.00	38.00	PASS	Vertical	PK
4	22611.2645	-25.00	60.53	35.53	74.00	38.47	PASS	Vertical	PK
5	23966.8987	-22.00	59.25	37.25	74.00	36.75	PASS	Vertical	PK
6	25816.5727	-20.83	58.11	37.28	74.00	36.72	PASS	Vertical	PK

Test_Mode	802.11 b Transmitting	Test_Frequency	2462MHz
Remark:	/	Test_Date	2026/4/20


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	18664.0466	-26.56	63.15	36.59	74.00	37.41	PASS	Horizont	PK
2	20041.1016	-24.80	61.48	36.68	74.00	37.32	PASS	Horizont	PK
3	21232.1693	-25.77	61.60	35.83	74.00	38.17	PASS	Horizont	PK
4	22403.1761	-25.10	60.42	35.32	74.00	38.68	PASS	Horizont	PK
5	23976.4191	-21.99	59.01	37.02	74.00	36.98	PASS	Horizont	PK
6	25534.0214	-20.95	58.19	37.24	74.00	36.76	PASS	Horizont	PK

Test_Mode	802.11 b Transmitting	Test_Frequency	2462MHz
Remark:	/	Test_Date	2026/4/20


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	18747.3499	-26.40	63.42	37.02	74.00	36.98	PASS	Vertical	PK
2	20085.6434	-25.00	61.61	36.61	74.00	37.39	PASS	Vertical	PK
3	21521.8609	-25.80	62.13	36.33	74.00	37.67	PASS	Vertical	PK
4	22810.8524	-25.08	59.98	34.90	74.00	39.10	PASS	Vertical	PK
5	23852.6541	-22.23	58.66	36.43	74.00	37.57	PASS	Vertical	PK
6	25230.0492	-21.10	57.97	36.87	74.00	37.13	PASS	Vertical	PK

Test_Mode	802.11 n(HT40) Transmitting	Test_Frequency	2422MHz
Remark:	/	Test_Date	2026/4/20


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1435.0957	13.06	37.45	50.51	74.00	23.49	PASS	Horizontal	PK
2	2274.7516	15.73	36.26	51.99	74.00	22.01	PASS	Horizontal	PK
3	3120.008	-14.68	59.61	44.93	74.00	29.07	PASS	Horizontal	PK
4	4845.123	-8.48	59.28	50.80	74.00	23.20	PASS	Horizontal	PK
5	9151.4101	0.08	46.18	46.26	74.00	27.74	PASS	Horizontal	PK
6	13677.7118	7.35	44.90	52.25	74.00	21.75	PASS	Horizontal	PK

Test_Mode	802.11 n(HT40) Transmitting	Test_Frequency	2422MHz
Remark:	/	Test_Date	2026/4/20


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1473.4982	13.06	40.18	53.24	74.00	20.76	PASS	Vertical	PK
2	2270.4847	15.74	35.71	51.45	74.00	22.55	PASS	Vertical	PK
3	3821.0547	-12.28	60.64	48.36	74.00	25.64	PASS	Vertical	PK
4	4680.112	-8.99	60.24	51.25	74.00	22.75	PASS	Vertical	PK
5	7799.32	-2.08	50.04	47.96	74.00	26.04	PASS	Vertical	PK
6	13149.6766	6.39	45.03	51.42	74.00	22.58	PASS	Vertical	PK

Test_Mode	802.11 n(HT40) Transmitting	Test_Frequency	2422MHz
Remark:	/	Test_Date	2026/4/20


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	18530.0812	-26.69	64.04	37.35	74.00	36.65	PASS	Horizont	PK
2	19515.1006	-25.61	63.52	37.91	74.00	36.09	PASS	Horizont	PK
3	20874.135	-25.78	61.88	36.10	74.00	37.90	PASS	Horizont	PK
4	21777.8911	-25.55	61.73	36.18	74.00	37.82	PASS	Horizont	PK
5	23908.0763	-22.12	58.63	36.51	74.00	37.49	PASS	Horizont	PK
6	25283.7714	-21.20	58.05	36.85	74.00	37.15	PASS	Horizont	PK

Test_Mode	802.11 n(HT40) Transmitting	Test_Frequency	2422MHz
Remark:	/	Test_Date	2026/4/20


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	18835.0734	-26.29	63.25	36.96	74.00	37.04	PASS	Vertical	PK
2	20016.2807	-24.69	61.28	36.59	74.00	37.41	PASS	Vertical	PK
3	21162.1265	-25.80	62.56	36.76	74.00	37.24	PASS	Vertical	PK
4	22491.2396	-25.06	60.77	35.71	74.00	38.29	PASS	Vertical	PK
5	23645.9258	-22.89	59.40	36.51	74.00	37.49	PASS	Vertical	PK
6	25311.6525	-21.27	57.50	36.23	74.00	37.77	PASS	Vertical	PK

Test_Mode	802.11 n(HT40) Transmitting	Test_Frequency	2437MHz
Remark:	/	Test_Date	2026/4/20


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1424.1616	12.87	37.35	50.22	74.00	23.78	PASS	Horizont	PK
2	2173.2782	15.43	36.83	52.26	74.00	21.74	PASS	Horizont	PK
3	3120.008	-14.68	58.64	43.96	74.00	30.04	PASS	Horizont	PK
4	4866.1244	-8.41	59.07	50.66	74.00	23.34	PASS	Horizont	PK
5	9294.4196	0.78	44.29	45.07	74.00	28.93	PASS	Horizont	PK
6	13706.7138	7.25	45.23	52.48	74.00	21.52	PASS	Horizont	PK

Test_Mode	802.11 n(HT40) Transmitting	Test_Frequency	2437MHz
Remark:	/	Test_Date	2026/4/20


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1464.2976	13.03	38.50	51.53	74.00	22.47	PASS	Vertical	PK
2	2223.5482	15.41	36.60	52.01	74.00	21.99	PASS	Vertical	PK
3	3782.0521	-12.59	64.58	51.99	74.00	22.01	PASS	Vertical	PK
4	4680.112	-8.99	60.59	51.60	74.00	22.40	PASS	Vertical	PK
5	7800.32	-2.09	49.78	47.69	74.00	26.31	PASS	Vertical	PK
6	13674.7116	7.36	43.90	51.26	74.00	22.74	PASS	Vertical	PK

Test_Mode	802.11 n(HT40) Transmitting	Test_Frequency	2437MHz
Remark:	/	Test_Date	2026/4/20


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	18692.2677	-26.51	63.34	36.83	74.00	37.17	PASS	Horizontal	PK
2	19854.0942	-25.07	61.72	36.65	74.00	37.35	PASS	Horizontal	PK
3	21208.3683	-25.76	61.59	35.83	74.00	38.17	PASS	Horizontal	PK
4	22337.5535	-25.20	60.22	35.02	74.00	38.98	PASS	Horizontal	PK
5	24108.6843	-22.32	58.94	36.62	74.00	37.38	PASS	Horizontal	PK
6	25735.3094	-20.78	58.07	37.29	74.00	36.71	PASS	Horizontal	PK

Test_Mode	802.11 n(HT40) Transmitting	Test_Frequency	2437MHz
Remark:	/	Test_Date	2026/4/20


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	18814.3326	-26.29	62.88	36.59	74.00	37.41	PASS	Vertical	PK
2	20033.6213	-24.77	61.14	36.37	74.00	37.63	PASS	Vertical	PK
3	21567.4227	-25.77	61.58	35.81	74.00	38.19	PASS	Vertical	PK
4	22836.0134	-25.17	61.37	36.20	74.00	37.80	PASS	Vertical	PK
5	23938.3375	-22.06	58.72	36.66	74.00	37.34	PASS	Vertical	PK
6	25538.7816	-20.93	58.13	37.20	74.00	36.80	PASS	Vertical	PK

Test_Mode	802.11 n(HT40) Transmitting	Test_Frequency	2452MHz
Remark:	/	Test_Date	2026/4/20


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1425.495	12.88	38.70	51.58	74.00	22.42	PASS	Horizont	PK
2	2134.7423	15.34	35.93	51.27	74.00	22.73	PASS	Horizont	PK
3	3120.008	-14.68	58.58	43.90	74.00	30.10	PASS	Horizont	PK
4	4890.126	-8.33	60.21	51.88	74.00	22.12	PASS	Horizont	PK
5	8718.3812	-0.42	46.07	45.65	74.00	28.35	PASS	Horizont	PK
6	13674.7116	7.36	44.22	51.58	74.00	22.42	PASS	Horizont	PK

Test_Mode	802.11 n(HT40) Transmitting	Test_Frequency	2452MHz
Remark:	/	Test_Date	2026/4/20


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1509.5006	13.28	37.49	50.77	74.00	23.23	PASS	Vertical	PK
2	2276.2184	15.72	35.85	51.57	74.00	22.43	PASS	Vertical	PK
3	3788.0525	-12.54	60.52	47.98	74.00	26.02	PASS	Vertical	PK
4	4680.112	-8.99	60.90	51.91	74.00	22.09	PASS	Vertical	PK
5	7800.32	-2.09	51.59	49.50	74.00	24.50	PASS	Vertical	PK
6	13787.7192	7.60	43.41	51.01	74.00	22.99	PASS	Vertical	PK

Test_Mode	802.11 n(HT40) Transmitting	Test_Frequency	2452MHz
Remark:	/	Test_Date	2026/4/20


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	18772.5109	-26.34	63.68	37.34	74.00	36.66	PASS	Horizont	PK
2	19915.2966	-24.88	62.30	37.42	74.00	36.58	PASS	Horizont	PK
3	21050.602	-25.94	61.84	35.90	74.00	38.10	PASS	Horizont	PK
4	22533.0613	-25.03	60.14	35.11	74.00	38.89	PASS	Horizont	PK
5	24043.0617	-22.09	59.07	36.98	74.00	37.02	PASS	Horizont	PK
6	25483.3593	-21.13	58.06	36.93	74.00	37.07	PASS	Horizont	PK

Test_Mode	802.11 n(HT40) Transmitting	Test_Frequency	2452MHz
Remark:	/	Test_Date	2026/4/20


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	18647.0459	-26.60	63.90	37.30	74.00	36.70	PASS	Vertical	PK
2	19941.1376	-24.80	61.53	36.73	74.00	37.27	PASS	Vertical	PK
3	21183.8874	-25.77	62.01	36.24	74.00	37.76	PASS	Vertical	PK
4	22829.8932	-25.14	60.56	35.42	74.00	38.58	PASS	Vertical	PK
5	24563.6225	-21.83	58.18	36.35	74.00	37.65	PASS	Vertical	PK
6	25794.4718	-20.82	57.70	36.88	74.00	37.12	PASS	Vertical	PK

Test_Mode	802.11 ax(HE20) Transmitting	Test_Frequency	2412MHz
Remark:	/	Test_Date	2026/4/20


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1473.2315	13.06	39.07	52.13	74.00	21.87	PASS	Horizontal	PK
2	2241.4161	15.42	37.26	52.68	74.00	21.32	PASS	Horizontal	PK
3	3827.0551	-12.24	55.87	43.63	74.00	30.37	PASS	Horizontal	PK
4	4816.1211	-8.56	55.35	46.79	74.00	27.21	PASS	Horizontal	PK
5	9833.4556	1.28	44.40	45.68	74.00	28.32	PASS	Horizontal	PK
6	13688.7126	7.30	43.77	51.07	74.00	22.93	PASS	Horizontal	PK

Test_Mode	802.11 ax(HE20) Transmitting	Test_Frequency	2412MHz
Remark:	/	Test_Date	2026/4/20


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1511.7675	13.29	37.28	50.57	74.00	23.43	PASS	Vertical	PK
2	2227.8152	15.52	35.67	51.19	74.00	22.81	PASS	Vertical	PK
3	3794.0529	-12.49	62.92	50.43	74.00	23.57	PASS	Vertical	PK
4	4680.112	-8.99	59.67	50.68	74.00	23.32	PASS	Vertical	PK
5	7800.32	-2.09	51.24	49.15	74.00	24.85	PASS	Vertical	PK
6	13667.7112	7.38	43.61	50.99	74.00	23.01	PASS	Vertical	PK

Test_Mode	802.11 ax(HE20) Transmitting	Test_Frequency	2412MHz
Remark:	/	Test_Date	2026/4/20


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	18712.6685	-26.46	63.19	36.73	74.00	37.27	PASS	Horizont	PK
2	20011.1804	-24.67	61.68	37.01	74.00	36.99	PASS	Horizont	PK
3	21451.8181	-25.84	61.95	36.11	74.00	37.89	PASS	Horizont	PK
4	22724.489	-25.04	60.33	35.29	74.00	38.71	PASS	Horizont	PK
5	23876.7951	-22.18	58.65	36.47	74.00	37.53	PASS	Horizont	PK
6	25700.288	-20.77	57.97	37.20	74.00	36.80	PASS	Horizont	PK

Test_Mode	802.11 ax(HE20) Transmitting	Test_Frequency	2412MHz
Remark:	/	Test_Date	2026/4/20


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	18944.5578	-26.28	63.85	37.57	74.00	36.43	PASS	Vertical	PK
2	19809.8924	-25.20	61.51	36.31	74.00	37.69	PASS	Vertical	PK
3	21814.2726	-25.55	61.56	36.01	74.00	37.99	PASS	Vertical	PK
4	23121.6249	-24.82	60.05	35.23	74.00	38.77	PASS	Vertical	PK
5	24097.8039	-22.28	58.72	36.44	74.00	37.56	PASS	Vertical	PK
6	25746.8699	-20.79	58.33	37.54	74.00	36.46	PASS	Vertical	PK

Test_Mode	802.11 ax(HE20) Transmitting	Test_Frequency	2437MHz
Remark:	/	Test_Date	2026/4/20


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1494.6996	13.35	36.57	49.92	74.00	24.08	PASS	Horizont	PK
2	2204.747	15.35	37.78	53.13	74.00	20.87	PASS	Horizont	PK
3	3835.0557	-12.18	56.61	44.43	74.00	29.57	PASS	Horizont	PK
4	4869.1246	-8.40	61.20	52.80	74.00	21.20	PASS	Horizont	PK
5	8442.3628	-0.57	45.94	45.37	74.00	28.63	PASS	Horizont	PK
6	13693.7129	7.28	43.66	50.94	74.00	23.06	PASS	Horizont	PK

Test_Mode	802.11 ax(HE20) Transmitting	Test_Frequency	2437MHz
Remark:	/	Test_Date	2026/4/20


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1427.6285	12.89	37.82	50.71	74.00	23.29	PASS	Vertical	PK
2	2193.4129	15.44	36.46	51.90	74.00	22.10	PASS	Vertical	PK
3	3767.0511	-12.71	62.63	49.92	74.00	24.08	PASS	Vertical	PK
4	4679.1119	-8.99	59.71	50.72	74.00	23.28	PASS	Vertical	PK
5	7799.32	-2.08	52.83	50.75	74.00	23.25	PASS	Vertical	PK
6	13667.7112	7.38	43.47	50.85	74.00	23.15	PASS	Vertical	PK

Test_Mode	802.11 ax(HE20) Transmitting	Test_Frequency	2437MHz
Remark:	/	Test_Date	2026/4/20

Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	19114.9046	-26.15	63.34	37.19	74.00	36.81	PASS	Horizont	PK
2	19761.6105	-25.30	62.22	36.92	74.00	37.08	PASS	Horizont	PK
3	20825.513	-25.69	61.65	35.96	74.00	38.04	PASS	Horizont	PK
4	21882.6153	-25.64	61.45	35.81	74.00	38.19	PASS	Horizont	PK
5	24016.5407	-21.99	58.43	36.44	74.00	37.56	PASS	Horizont	PK
6	25678.1871	-20.75	57.85	37.10	74.00	36.90	PASS	Horizont	PK