


Test_Mode	802.11 n(HT40) Transmitting	Test_Frequency	5190MHz
Remark:	/	Test_Date	2026/4/20


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1436.0574	13.06	35.42	48.48	74.00	25.52	PASS	Horizontal	PK
2	2424.557	16.35	34.51	50.86	68.20	17.34	PASS	Horizontal	PK
3	3471.7989	19.46	33.24	52.70	68.20	15.50	PASS	Horizontal	PK
4	7604.5042	-1.65	47.73	46.08	74.00	27.92	PASS	Horizontal	PK
5	9671.3669	1.17	46.15	47.32	68.20	20.88	PASS	Horizontal	PK
6	13758.6303	7.19	44.15	51.34	68.20	16.86	PASS	Horizontal	PK

Test_Mode	802.11 n(HT40) Transmitting	Test_Frequency	5190MHz
Remark:	/	Test_Date	2026/4/20


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1391.1756	12.84	35.07	47.91	74.00	26.09	PASS	Vertical	PK
2	2180.5672	15.56	33.36	48.92	68.20	19.28	PASS	Vertical	PK
3	3732.7293	20.51	33.01	53.52	74.00	20.48	PASS	Vertical	PK
4	7603.1241	-1.64	47.90	46.26	74.00	27.74	PASS	Vertical	PK
5	9632.2653	1.20	46.54	47.74	68.20	20.46	PASS	Vertical	PK
6	13787.1515	7.07	43.91	50.98	68.20	17.22	PASS	Vertical	PK

Test_Mode	802.11 n(HT40) Transmitting	Test_Frequency	5190MHz
Remark:	/	Test_Date	2026/4/20


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBµV]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Result	Polarity	Remark
1	19792.6317	-25.24	58.98	33.74	74.00	40.26	PASS	Horizontal	PK
2	21912.6365	-25.69	58.91	33.22	68.20	34.98	PASS	Horizontal	PK
3	24851.9541	-22.01	56.51	34.50	68.20	33.70	PASS	Horizontal	PK
4	28875.475	-21.41	55.53	34.12	68.20	34.08	PASS	Horizontal	PK
5	32405.2962	-18.06	51.74	33.68	68.20	34.52	PASS	Horizontal	PK
6	35332.2933	-16.03	48.37	32.34	68.20	35.86	PASS	Horizontal	PK

Test_Mode	802.11 n(HT40) Transmitting	Test_Frequency	5190MHz
Remark:	/	Test_Date	2026/4/20


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	19815.5126	-25.19	59.06	33.87	74.00	40.13	PASS	Vertical	PK
2	22625.465	-25.00	57.25	32.25	74.00	41.75	PASS	Vertical	PK
3	25299.892	-21.24	56.00	34.76	68.20	33.44	PASS	Vertical	PK
4	28865.7946	-21.42	55.19	33.77	68.20	34.43	PASS	Vertical	PK
5	32394.7358	-18.06	51.87	33.81	68.20	34.39	PASS	Vertical	PK
6	37586.0634	-14.91	46.99	32.08	68.20	36.12	PASS	Vertical	PK

Test_Mode	802.11 n(HT40) Transmitting	Test_Frequency	5230MHz
Remark:	/	Test_Date	2026/4/20


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1426.3771	12.96	35.48	48.44	74.00	25.56	PASS	Horizontal	PK
2	1935.2574	14.79	33.64	48.43	68.20	19.77	PASS	Horizontal	PK
3	2907.0363	17.86	33.36	51.22	68.20	16.98	PASS	Horizontal	PK
4	8367.2147	-1.01	48.43	47.42	74.00	26.58	PASS	Horizontal	PK
5	11222.0889	2.60	45.63	48.23	74.00	25.77	PASS	Horizontal	PK
6	14965.2586	9.34	42.59	51.93	68.20	16.27	PASS	Horizontal	PK

Test_Mode	802.11 n(HT40) Transmitting	Test_Frequency	5230MHz
Remark:	/	Test_Date	2026/4/20


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1490.6196	13.51	33.94	47.45	74.00	26.55	PASS	Vertical	PK
2	2696.9279	17.28	34.06	51.34	74.00	22.66	PASS	Vertical	PK
3	3972.0989	21.43	32.14	53.57	74.00	20.43	PASS	Vertical	PK
4	7621.9849	-1.73	48.49	46.76	74.00	27.24	PASS	Vertical	PK
5	9736.2294	1.12	47.48	48.60	68.20	19.60	PASS	Vertical	PK
6	13209.8284	6.52	44.25	50.77	68.20	17.43	PASS	Vertical	PK

Test_Mode	802.11 n(HT40) Transmitting	Test_Frequency	5230MHz
Remark:	/	Test_Date	2026/4/20


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	20033.7614	-24.77	59.18	34.41	74.00	39.59	PASS	Horizontal	PK
2	21932.8773	-25.71	58.20	32.49	68.20	35.71	PASS	Horizontal	PK
3	25401.9761	-21.43	55.49	34.06	68.20	34.14	PASS	Horizontal	PK
4	28195.2078	-21.30	55.49	34.19	68.20	34.01	PASS	Horizontal	PK
5	31123.965	-19.76	52.90	33.14	68.20	35.06	PASS	Horizontal	PK
6	35026.9211	-16.08	49.56	33.48	68.20	34.72	PASS	Horizontal	PK

Test_Mode	802.11 n(HT40) Transmitting	Test_Frequency	5230MHz
Remark:	/	Test_Date	2026/4/20


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBµV]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Result	Polarity	Remark
1	20138.4855	-25.24	57.93	32.69	74.00	41.31	PASS	Vertical	PK
2	22375.535	-25.13	56.91	31.78	74.00	42.22	PASS	Vertical	PK
3	25212.7685	-21.07	55.04	33.97	68.20	34.23	PASS	Vertical	PK
4	28057.9223	-21.23	55.71	34.48	68.20	33.72	PASS	Vertical	PK
5	31478.6191	-19.69	53.29	33.60	74.00	40.40	PASS	Vertical	PK
6	35900.796	-17.01	48.98	31.97	68.20	36.23	PASS	Vertical	PK

Test_Mode	802.11 n(HT40) Transmitting	Test_Frequency	5270MHz
Remark:	/	Test_Date	2026/4/21


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1434.9574	13.03	37.40	50.43	68.20	17.77	PASS	Horizontal	PK
2	1929.0972	14.78	32.52	47.30	68.20	20.90	PASS	Horizontal	PK
3	3070.7228	18.33	33.86	52.19	68.20	16.01	PASS	Horizontal	PK
4	8333.1733	-1.17	47.58	46.41	74.00	27.59	PASS	Horizontal	PK
5	10258.3503	1.95	45.89	47.84	68.20	20.36	PASS	Horizontal	PK
6	13089.3036	6.41	43.32	49.73	68.20	18.47	PASS	Horizontal	PK

Test_Mode	802.11 n(HT40) Transmitting	Test_Frequency	5270MHz
Remark:	/	Test_Date	2026/4/21


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1416.2566	13.04	36.50	49.54	74.00	24.46	PASS	Vertical	PK
2	1863.5345	14.73	34.19	48.92	68.20	19.28	PASS	Vertical	PK
3	2318.5127	15.92	33.55	49.47	74.00	24.53	PASS	Vertical	PK
4	7653.7261	-1.86	46.79	44.93	74.00	29.07	PASS	Vertical	PK
5	11223.929	2.59	45.91	48.50	74.00	25.50	PASS	Vertical	PK
6	13707.5683	7.25	43.22	50.47	68.20	17.73	PASS	Vertical	PK

Test_Mode	802.11 n(HT40) Transmitting	Test_Frequency	5270MHz
Remark:	/	Test_Date	2026/4/21


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	20343.5337	-25.49	57.98	32.49	74.00	41.51	PASS	Horizontal	PK
2	23187.8075	-24.35	56.93	32.58	68.20	35.62	PASS	Horizontal	PK
3	25646.6259	-20.73	54.51	33.78	68.20	34.42	PASS	Horizontal	PK
4	29697.4279	-20.79	53.61	32.82	68.20	35.38	PASS	Horizontal	PK
5	32402.6561	-18.04	51.86	33.82	68.20	34.38	PASS	Horizontal	PK
6	34969.7188	-16.16	48.53	32.37	68.20	35.83	PASS	Horizontal	PK

Test_Mode	802.11 n(HT40) Transmitting	Test_Frequency	5270MHz
Remark:	/	Test_Date	2026/4/21


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBµV]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Result	Polarity	Remark
1	20002.9601	-24.63	58.44	33.81	74.00	40.19	PASS	Vertical	PK
2	22106.2442	-25.60	57.19	31.59	74.00	42.41	PASS	Vertical	PK
3	23909.4364	-22.12	56.52	34.40	74.00	39.60	PASS	Vertical	PK
4	27867.8347	-21.11	54.77	33.66	68.20	34.54	PASS	Vertical	PK
5	29371.8149	-21.34	53.89	32.55	68.20	35.65	PASS	Vertical	PK
6	33585.4234	-17.38	50.00	32.62	68.20	35.58	PASS	Vertical	PK

Test_Mode	802.11 n(HT40) Transmitting	Test_Frequency	5310MHz
Remark:	/	Test_Date	2026/4/21


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1420.2168	13.02	36.28	49.30	74.00	24.70	PASS	Horizontal	PK
2	2169.5668	15.70	33.75	49.45	68.20	18.75	PASS	Horizontal	PK
3	2844.3338	17.52	33.44	50.96	74.00	23.04	PASS	Horizontal	PK
4	7612.3245	-1.68	48.20	46.52	74.00	27.48	PASS	Horizontal	PK
5	9669.0668	1.16	46.21	47.37	68.20	20.83	PASS	Horizontal	PK
6	13245.7098	6.23	44.18	50.41	68.20	17.79	PASS	Horizontal	PK

Test_Mode	802.11 n(HT40) Transmitting	Test_Frequency	5310MHz
Remark:	/	Test_Date	2026/4/21


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1416.2566	13.04	35.19	48.23	74.00	25.77	PASS	Vertical	PK
2	2177.0471	15.60	33.63	49.23	68.20	18.97	PASS	Vertical	PK
3	3067.4227	18.35	33.81	52.16	68.20	16.04	PASS	Vertical	PK
4	9087.1435	0.04	46.48	46.52	74.00	27.48	PASS	Vertical	PK
5	13279.7512	6.11	43.03	49.14	74.00	24.86	PASS	Vertical	PK
6	15546.7219	9.99	41.69	51.68	74.00	22.32	PASS	Vertical	PK

Test_Mode	802.11 n(HT40) Transmitting	Test_Frequency	5310MHz
Remark:	/	Test_Date	2026/4/21


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	19845.4338	-25.09	58.42	33.33	74.00	40.67	PASS	Horizontal	PK
2	22826.113	-25.13	56.29	31.16	74.00	42.84	PASS	Horizontal	PK
3	25356.2142	-21.35	55.70	34.35	68.20	33.85	PASS	Horizontal	PK
4	30900.436	-19.48	53.24	33.76	68.20	34.44	PASS	Horizontal	PK
5	34827.1531	-16.43	48.18	31.75	68.20	36.45	PASS	Horizontal	PK
6	36616.2647	-15.84	47.51	31.67	68.20	36.53	PASS	Horizontal	PK

Test_Mode	802.11 n(HT40) Transmitting	Test_Frequency	5310MHz
Remark:	/	Test_Date	2026/4/21


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBµV]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Result	Polarity	Remark
1	20366.4147	-25.49	58.64	33.15	74.00	40.85	PASS	Vertical	PK
2	22777.7111	-25.04	57.01	31.97	74.00	42.03	PASS	Vertical	PK
3	25239.1696	-21.12	54.41	33.29	68.20	34.91	PASS	Vertical	PK
4	27978.7191	-21.18	55.94	34.76	68.20	33.44	PASS	Vertical	PK
5	30910.1164	-19.46	53.25	33.79	68.20	34.41	PASS	Vertical	PK
6	34200.568	-17.39	49.09	31.70	68.20	36.50	PASS	Vertical	PK

Test_Mode	802.11 ac(VHT20) Transmitting	Test_Frequency	5180MHz
Remark:	/	Test_Date	2026/4/21


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1197.3479	11.61	34.79	46.40	74.00	27.60	PASS	Horizontal	PK
2	1808.0923	14.44	33.32	47.76	68.20	20.44	PASS	Horizontal	PK
3	2802.3121	17.40	34.09	51.49	74.00	22.51	PASS	Horizontal	PK
4	8000.12	-1.15	47.35	46.20	68.20	22.00	PASS	Horizontal	PK
5	11993.0797	3.29	45.21	48.50	74.00	25.50	PASS	Horizontal	PK
6	15503.0201	10.05	41.95	52.00	74.00	22.00	PASS	Horizontal	PK

Test_Mode	802.11 ac(VHT20) Transmitting	Test_Frequency	5180MHz
Remark:	/	Test_Date	2026/4/21


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1514.8206	13.44	36.21	49.65	74.00	24.35	PASS	Vertical	PK
2	2184.3074	15.54	33.80	49.34	68.20	18.86	PASS	Vertical	PK
3	2701.5481	17.20	34.68	51.88	74.00	22.12	PASS	Vertical	PK
4	7707.5483	-1.77	46.47	44.70	74.00	29.30	PASS	Vertical	PK
5	10425.797	2.00	45.48	47.48	68.20	20.72	PASS	Vertical	PK
6	12997.7599	5.65	43.48	49.13	68.20	19.07	PASS	Vertical	PK

Test_Mode	802.11 ac(VHT20) Transmitting	Test_Frequency	5180MHz
Remark:	/	Test_Date	2026/4/21


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	20019.6808	-24.71	58.18	33.47	74.00	40.53	PASS	Horizontal	PK
2	22137.0455	-25.53	58.03	32.50	74.00	41.50	PASS	Horizontal	PK
3	24608.1843	-21.87	55.01	33.14	68.20	35.06	PASS	Horizontal	PK
4	28182.0073	-21.29	55.89	34.60	68.20	33.60	PASS	Horizontal	PK
5	31556.9423	-19.65	52.48	32.83	74.00	41.17	PASS	Horizontal	PK
6	33208.7684	-18.22	51.88	33.66	68.20	34.54	PASS	Horizontal	PK

Test_Mode	802.11 ac(VHT20) Transmitting	Test_Frequency	5180MHz
Remark:	/	Test_Date	2026/4/21


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	19689.6676	-25.43	59.10	33.67	74.00	40.33	PASS	Vertical	PK
2	24320.4128	-22.06	55.72	33.66	68.20	34.54	PASS	Vertical	PK
3	26854.9142	-21.63	55.56	33.93	68.20	34.27	PASS	Vertical	PK
4	31305.2522	-19.87	52.38	32.51	74.00	41.49	PASS	Vertical	PK
5	34052.7221	-17.77	49.46	31.69	68.20	36.51	PASS	Vertical	PK
6	36295.0518	-16.73	47.97	31.24	68.20	36.96	PASS	Vertical	PK

Test_Mode	802.11 ac(VHT20) Transmitting	Test_Frequency	5200MHz
Remark:	/	Test_Date	2026/4/21


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1504.2602	13.43	34.33	47.76	74.00	26.24	PASS	Horizontal	PK
2	2273.851	15.87	33.49	49.36	74.00	24.64	PASS	Horizontal	PK
3	2937.1775	17.83	33.77	51.60	68.20	16.60	PASS	Horizontal	PK
4	7999.66	-1.15	47.11	45.96	68.20	22.24	PASS	Horizontal	PK
5	10955.2782	2.02	45.40	47.42	74.00	26.58	PASS	Horizontal	PK
6	13685.0274	7.03	43.62	50.65	68.20	17.55	PASS	Horizontal	PK

Test_Mode	802.11 ac(VHT20) Transmitting	Test_Frequency	5200MHz
Remark:	/	Test_Date	2026/4/21


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1364.9946	12.72	33.73	46.45	74.00	27.55	PASS	Vertical	PK
2	2120.0648	15.38	32.40	47.78	68.20	20.42	PASS	Vertical	PK
3	2839.7136	17.57	34.41	51.98	74.00	22.02	PASS	Vertical	PK
4	7644.0658	-1.84	47.97	46.13	74.00	27.87	PASS	Vertical	PK
5	10619.9248	2.30	47.21	49.51	74.00	24.49	PASS	Vertical	PK
6	13732.4093	7.23	43.28	50.51	68.20	17.69	PASS	Vertical	PK

Test_Mode	802.11 ac(VHT20) Transmitting	Test_Frequency	5200MHz
Remark:	/	Test_Date	2026/4/21


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	20112.9645	-25.12	58.38	33.26	74.00	40.74	PASS	Horizontal	PK
2	22592.0237	-25.00	57.11	32.11	74.00	41.89	PASS	Horizontal	PK
3	24748.99	-21.94	55.46	33.52	68.20	34.68	PASS	Horizontal	PK
4	27922.3969	-21.14	55.11	33.97	68.20	34.23	PASS	Horizontal	PK
5	31336.9335	-19.81	52.41	32.60	74.00	41.40	PASS	Horizontal	PK
6	36284.4914	-16.73	47.20	30.47	68.20	37.73	PASS	Horizontal	PK

Test_Mode	802.11 ac(VHT20) Transmitting	Test_Frequency	5200MHz
Remark:	/	Test_Date	2026/4/21


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	20298.6519	-25.50	58.34	32.84	74.00	41.16	PASS	Vertical	PK
2	22536.5815	-25.03	57.43	32.40	74.00	41.60	PASS	Vertical	PK
3	24619.6248	-21.87	55.35	33.48	68.20	34.72	PASS	Vertical	PK
4	27979.5992	-21.18	55.30	34.12	68.20	34.08	PASS	Vertical	PK
5	31263.0105	-19.94	53.45	33.51	74.00	40.49	PASS	Vertical	PK
6	34656.4263	-16.20	47.82	31.62	68.20	36.58	PASS	Vertical	PK

Test_Mode	802.11 ac(VHT20) Transmitting	Test_Frequency	5240MHz
Remark:	/	Test_Date	2026/4/21

Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1419.7768	13.02	34.81	47.83	74.00	26.17	PASS	Horizontal	PK
2	2440.8376	16.46	35.34	51.80	68.20	16.40	PASS	Horizontal	PK
3	3319.1128	18.67	34.10	52.77	68.20	15.43	PASS	Horizontal	PK
4	7630.2652	-1.77	47.20	45.43	74.00	28.57	PASS	Horizontal	PK
5	10216.9487	1.75	45.78	47.53	68.20	20.67	PASS	Horizontal	PK
6	13828.0931	7.14	43.10	50.24	68.20	17.96	PASS	Horizontal	PK