


Test_Mode	802.11 ac(VHT20) Transmitting	Test_Frequency	5240MHz
Remark:	/	Test_Date	2026/4/21


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1373.5749	12.79	34.65	47.44	74.00	26.56	PASS	Vertical	PK
2	1826.7931	14.51	33.14	47.65	68.20	20.55	PASS	Vertical	PK
3	2698.2479	17.25	35.38	52.63	74.00	21.37	PASS	Vertical	PK
4	7518.0207	-2.43	49.36	46.93	74.00	27.07	PASS	Vertical	PK
5	10425.337	1.99	45.74	47.73	68.20	20.47	PASS	Vertical	PK
6	14445.4378	8.77	42.32	51.09	68.20	17.11	PASS	Vertical	PK

Test_Mode	802.11 ac(VHT20) Transmitting	Test_Frequency	5240MHz
Remark:	/	Test_Date	2026/4/21


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	19989.7596	-24.65	58.12	33.47	74.00	40.53	PASS	Horizontal	PK
2	22548.0219	-25.02	57.66	32.64	74.00	41.36	PASS	Horizontal	PK
3	25044.6818	-21.89	54.49	32.60	68.20	35.60	PASS	Horizontal	PK
4	29925.357	-21.04	53.78	32.74	68.20	35.46	PASS	Horizontal	PK
5	32927.1571	-18.76	50.88	32.12	68.20	36.08	PASS	Horizontal	PK
6	36860.9144	-16.98	47.82	30.84	68.20	37.36	PASS	Horizontal	PK

Test_Mode	802.11 ac(VHT20) Transmitting	Test_Frequency	5240MHz
Remark:	/	Test_Date	2026/4/21


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	19936.9575	-24.81	57.76	32.95	74.00	41.05	PASS	Vertical	PK
2	22507.5403	-25.05	57.83	32.78	74.00	41.22	PASS	Vertical	PK
3	26076.9631	-21.08	55.67	34.59	68.20	33.61	PASS	Vertical	PK
4	29159.7264	-21.44	55.47	34.03	68.20	34.17	PASS	Vertical	PK
5	33146.2859	-18.37	51.10	32.73	68.20	35.47	PASS	Vertical	PK
6	36785.2314	-16.81	47.63	30.82	68.20	37.38	PASS	Vertical	PK

Test_Mode	802.11 ac(VHT20) Transmitting	Test_Frequency	5260MHz
Remark:	/	Test_Date	2026/4/21


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBµV]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Result	Polarity	Remark
1	1466.6387	13.20	34.52	47.72	74.00	26.28	PASS	Horizontal	PK
2	1861.5545	14.71	32.80	47.51	68.20	20.69	PASS	Horizontal	PK
3	2432.4773	16.39	33.96	50.35	68.20	17.85	PASS	Horizontal	PK
4	6954.4982	-2.84	48.11	45.27	68.20	22.93	PASS	Horizontal	PK
5	9277.5911	0.94	45.43	46.37	68.20	21.83	PASS	Horizontal	PK
6	12541.8817	5.00	44.69	49.69	74.00	24.31	PASS	Horizontal	PK

Test_Mode	802.11 ac(VHT20) Transmitting	Test_Frequency	5260MHz
Remark:	/	Test_Date	2026/4/21


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBµV]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Result	Polarity	Remark
1	1288.6515	12.05	35.59	47.64	68.20	20.56	PASS	Vertical	PK
2	2179.6872	15.57	34.23	49.80	68.20	18.40	PASS	Vertical	PK
3	3062.5825	18.37	35.28	53.65	68.20	14.55	PASS	Vertical	PK
4	7575.523	-2.00	47.76	45.76	74.00	28.24	PASS	Vertical	PK
5	11236.8095	2.52	46.25	48.77	74.00	25.23	PASS	Vertical	PK
6	13154.1662	6.05	43.34	49.39	68.20	18.81	PASS	Vertical	PK

Test_Mode	802.11 ac(VHT20) Transmitting	Test_Frequency	5260MHz
Remark:	/	Test_Date	2026/4/21


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBµV]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Result	Polarity	Remark
1	19884.1554	-24.97	58.61	33.64	74.00	40.36	PASS	Horizontal	PK
2	22863.9546	-25.25	57.64	32.39	74.00	41.61	PASS	Horizontal	PK
3	24608.1843	-21.87	55.12	33.25	68.20	34.95	PASS	Horizontal	PK
4	28316.6527	-21.42	54.77	33.35	68.20	34.85	PASS	Horizontal	PK
5	31681.0272	-19.74	53.37	33.63	74.00	40.37	PASS	Horizontal	PK
6	33662.8665	-17.47	49.67	32.20	68.20	36.00	PASS	Horizontal	PK

Test_Mode	802.11 ac(VHT20) Transmitting	Test_Frequency	5260MHz
Remark:	/	Test_Date	2026/4/21


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	20009.1204	-24.66	58.00	33.34	74.00	40.66	PASS	Vertical	PK
2	22753.9502	-25.04	57.05	32.01	74.00	41.99	PASS	Vertical	PK
3	26240.6496	-21.32	54.85	33.53	68.20	34.67	PASS	Vertical	PK
4	28875.475	-21.41	54.67	33.26	68.20	34.94	PASS	Vertical	PK
5	31820.9528	-19.97	52.05	32.08	68.20	36.12	PASS	Vertical	PK
6	34371.2949	-17.23	48.93	31.70	68.20	36.50	PASS	Vertical	PK

Test_Mode	802.11 ac(VHT20) Transmitting	Test_Frequency	5280MHz
Remark:	/	Test_Date	2026/4/21


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1434.5174	13.02	40.32	53.34	68.20	14.86	PASS	Horizontal	PK
2	1796.8719	14.36	34.04	48.40	68.20	19.80	PASS	Horizontal	PK
3	2843.6737	17.53	34.30	51.83	74.00	22.17	PASS	Horizontal	PK
4	8462.4385	-0.75	47.13	46.38	74.00	27.62	PASS	Horizontal	PK
5	12402.4961	4.11	45.04	49.15	74.00	24.85	PASS	Horizontal	PK
6	14361.7145	9.01	42.01	51.02	68.20	17.18	PASS	Horizontal	PK

Test_Mode	802.11 ac(VHT20) Transmitting	Test_Frequency	5280MHz
Remark:	/	Test_Date	2026/4/21


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1366.9747	12.76	35.01	47.77	74.00	26.23	PASS	Vertical	PK
2	1867.4947	14.74	32.90	47.64	68.20	20.56	PASS	Vertical	PK
3	2509.0404	16.74	34.95	51.69	68.20	16.51	PASS	Vertical	PK
4	7584.7234	-1.86	47.78	45.92	74.00	28.08	PASS	Vertical	PK
5	10220.1688	1.77	47.02	48.79	68.20	19.41	PASS	Vertical	PK
6	13131.1652	6.16	43.47	49.63	68.20	18.57	PASS	Vertical	PK

Test_Mode	802.11 ac(VHT20) Transmitting	Test_Frequency	5280MHz
Remark:	/	Test_Date	2026/4/21


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBµV]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Result	Polarity	Remark
1	20016.1606	-24.69	57.96	33.27	74.00	40.73	PASS	Horizontal	PK
2	24014.1606	-21.99	55.78	33.79	68.20	34.41	PASS	Horizontal	PK
3	26112.1645	-21.15	54.93	33.78	68.20	34.42	PASS	Horizontal	PK
4	29517.9007	-20.89	53.81	32.92	68.20	35.28	PASS	Horizontal	PK
5	32357.7743	-18.30	51.71	33.41	68.20	34.79	PASS	Horizontal	PK
6	35099.964	-16.00	48.62	32.62	68.20	35.58	PASS	Horizontal	PK

Test_Mode	802.11 ac(VHT20) Transmitting	Test_Frequency	5280MHz
Remark:	/	Test_Date	2026/4/21


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBµV]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Result	Polarity	Remark
1	19973.919	-24.70	57.92	33.22	74.00	40.78	PASS	Vertical	PK
2	22636.0254	-25.01	57.21	32.20	74.00	41.80	PASS	Vertical	PK
3	25232.1293	-21.10	54.78	33.68	68.20	34.52	PASS	Vertical	PK
4	29167.6467	-21.45	56.00	34.55	68.20	33.65	PASS	Vertical	PK
5	32395.6158	-18.06	52.78	34.72	68.20	33.48	PASS	Vertical	PK
6	34836.8335	-16.41	47.84	31.43	68.20	36.77	PASS	Vertical	PK

Test_Mode	802.11 ac(VHT20) Transmitting	Test_Frequency	5320MHz
Remark:	/	Test_Date	2026/4/21


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1430.5572	12.93	35.06	47.99	68.20	20.21	PASS	Horizontal	PK
2	2707.2683	17.23	34.53	51.76	74.00	22.24	PASS	Horizontal	PK
3	3935.5774	21.52	32.00	53.52	74.00	20.48	PASS	Horizontal	PK
4	7617.3847	-1.70	48.14	46.44	74.00	27.56	PASS	Horizontal	PK
5	10736.3095	2.28	45.80	48.08	74.00	25.92	PASS	Horizontal	PK
6	13746.6699	7.23	42.79	50.02	68.20	18.18	PASS	Horizontal	PK

Test_Mode	802.11 ac(VHT20) Transmitting	Test_Frequency	5320MHz
Remark:	/	Test_Date	2026/4/21


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1372.9149	12.80	35.68	48.48	74.00	25.52	PASS	Vertical	PK
2	2185.8474	15.53	33.86	49.39	68.20	18.81	PASS	Vertical	PK
3	3370.5948	18.90	33.45	52.35	68.20	15.85	PASS	Vertical	PK
4	7627.0451	-1.75	47.92	46.17	74.00	27.83	PASS	Vertical	PK
5	10121.2649	1.76	45.97	47.73	68.20	20.47	PASS	Vertical	PK
6	13825.793	7.13	43.91	51.04	68.20	17.16	PASS	Vertical	PK

Test_Mode	802.11 ac(VHT20) Transmitting	Test_Frequency	5320MHz
Remark:	/	Test_Date	2026/4/21


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	19962.4785	-24.74	58.38	33.64	74.00	40.36	PASS	Horizontal	PK
2	22533.0613	-25.03	57.98	32.95	74.00	41.05	PASS	Horizontal	PK
3	25894.7958	-20.86	55.10	34.24	68.20	33.96	PASS	Horizontal	PK
4	29688.6275	-20.77	54.56	33.79	68.20	34.41	PASS	Horizontal	PK
5	32378.0151	-18.17	51.94	33.77	68.20	34.43	PASS	Horizontal	PK
6	35055.0822	-16.05	49.14	33.09	68.20	35.11	PASS	Horizontal	PK

Test_Mode	802.11 ac(VHT20) Transmitting	Test_Frequency	5320MHz
Remark:	/	Test_Date	2026/4/21


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	19943.9978	-24.79	57.96	33.17	74.00	40.83	PASS	Vertical	PK
2	22723.1489	-25.03	56.84	31.81	74.00	42.19	PASS	Vertical	PK
3	26350.654	-21.22	54.68	33.46	68.20	34.74	PASS	Vertical	PK
4	30861.7145	-19.54	53.62	34.08	68.20	34.12	PASS	Vertical	PK
5	33394.4558	-18.14	50.51	32.37	68.20	35.83	PASS	Vertical	PK
6	35851.5141	-16.88	48.57	31.69	68.20	36.51	PASS	Vertical	PK

Test_Mode	802.11 ac(VHT40) Transmitting	Test_Frequency	5190MHz
Remark:	/	Test_Date	2026/4/21


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1335.5134	12.46	33.60	46.06	74.00	27.94	PASS	Horizontal	PK
2	2438.8576	16.44	35.51	51.95	68.20	16.25	PASS	Horizontal	PK
3	3481.2592	19.23	34.16	53.39	68.20	14.81	PASS	Horizontal	PK
4	7642.6857	-1.83	48.16	46.33	74.00	27.67	PASS	Horizontal	PK
5	9733.9294	1.12	46.78	47.90	68.20	20.30	PASS	Horizontal	PK
6	14399.436	9.18	42.25	51.43	68.20	16.77	PASS	Horizontal	PK

Test_Mode	802.11 ac(VHT40) Transmitting	Test_Frequency	5190MHz
Remark:	/	Test_Date	2026/4/21


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1281.1712	11.83	36.63	48.46	68.20	19.74	PASS	Vertical	PK
2	2167.1467	15.61	34.03	49.64	68.20	18.56	PASS	Vertical	PK
3	3198.3279	18.39	34.71	53.10	68.20	15.10	PASS	Vertical	PK
4	7621.5249	-1.72	48.01	46.29	74.00	27.71	PASS	Vertical	PK
5	9690.2276	1.17	46.41	47.58	68.20	20.62	PASS	Vertical	PK
6	13213.9686	6.48	43.25	49.73	68.20	18.47	PASS	Vertical	PK

Test_Mode	802.11 ac(VHT40) Transmitting	Test_Frequency	5190MHz
Remark:	/	Test_Date	2026/4/21


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBµV]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Result	Polarity	Remark
1	19775.031	-25.27	58.36	33.09	74.00	40.91	PASS	Horizontal	PK
2	22101.8441	-25.60	57.56	31.96	74.00	42.04	PASS	Horizontal	PK
3	24546.5819	-21.82	56.07	34.25	68.20	33.95	PASS	Horizontal	PK
4	28289.3716	-21.39	55.49	34.10	68.20	34.10	PASS	Horizontal	PK
5	30980.5192	-19.36	53.70	34.34	68.20	33.86	PASS	Horizontal	PK
6	35137.8055	-15.96	48.36	32.40	68.20	35.80	PASS	Horizontal	PK

Test_Mode	802.11 ac(VHT40) Transmitting	Test_Frequency	5190MHz
Remark:	/	Test_Date	2026/4/21


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	19820.7928	-25.17	57.82	32.65	74.00	41.35	PASS	Vertical	PK
2	22763.6305	-25.04	56.94	31.90	74.00	42.10	PASS	Vertical	PK
3	25671.2669	-20.75	54.56	33.81	68.20	34.39	PASS	Vertical	PK
4	29650.786	-20.70	54.11	33.41	68.20	34.79	PASS	Vertical	PK
5	32404.4162	-18.05	52.21	34.16	68.20	34.04	PASS	Vertical	PK
6	35563.7426	-16.15	48.35	32.20	68.20	36.00	PASS	Vertical	PK

Test_Mode	802.11 ac(VHT40) Transmitting	Test_Frequency	5230MHz
Remark:	/	Test_Date	2026/4/21


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1310.4324	12.34	34.01	46.35	74.00	27.65	PASS	Horizontal	PK
2	1931.2973	14.78	33.23	48.01	68.20	20.19	PASS	Horizontal	PK
3	2708.5883	17.24	35.06	52.30	74.00	21.70	PASS	Horizontal	PK
4	7578.7432	-1.95	47.73	45.78	74.00	28.22	PASS	Horizontal	PK
5	10742.7497	2.22	45.45	47.67	74.00	26.33	PASS	Horizontal	PK
6	13739.3096	7.23	42.84	50.07	68.20	18.13	PASS	Horizontal	PK

Test_Mode	802.11 ac(VHT40) Transmitting	Test_Frequency	5230MHz
Remark:	/	Test_Date	2026/4/21


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1367.8547	12.77	35.52	48.29	74.00	25.71	PASS	Vertical	PK
2	2681.3073	17.31	35.12	52.43	68.20	15.77	PASS	Vertical	PK
3	3588.4035	19.79	33.49	53.28	68.20	14.92	PASS	Vertical	PK
4	7631.1852	-1.77	47.77	46.00	74.00	28.00	PASS	Vertical	PK
5	9573.3829	1.01	46.27	47.28	68.20	20.92	PASS	Vertical	PK
6	13586.5835	7.44	43.54	50.98	68.20	17.22	PASS	Vertical	PK

Test_Mode	802.11 ac(VHT40) Transmitting	Test_Frequency	5230MHz
Remark:	/	Test_Date	2026/4/21


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	19699.348	-25.41	58.44	33.03	74.00	40.97	PASS	Horizontal	PK
2	21831.6733	-25.57	58.45	32.88	68.20	35.32	PASS	Horizontal	PK
3	24316.8927	-22.08	55.29	33.21	68.20	34.99	PASS	Horizontal	PK
4	27937.3575	-21.16	55.33	34.17	68.20	34.03	PASS	Horizontal	PK
5	31318.4527	-19.84	52.68	32.84	74.00	41.16	PASS	Horizontal	PK
6	35078.8432	-16.03	48.52	32.49	68.20	35.71	PASS	Horizontal	PK

Test_Mode	802.11 ac(VHT40) Transmitting	Test_Frequency	5230MHz
Remark:	/	Test_Date	2026/4/21


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	19293.6517	-25.85	58.45	32.60	74.00	41.40	PASS	Vertical	PK
2	21252.6101	-25.78	58.33	32.55	74.00	41.45	PASS	Vertical	PK
3	24616.9847	-21.87	54.94	33.07	68.20	35.13	PASS	Vertical	PK
4	27961.1184	-21.18	55.27	34.09	68.20	34.11	PASS	Vertical	PK
5	32379.7752	-18.16	52.29	34.13	68.20	34.07	PASS	Vertical	PK
6	36552.0221	-15.98	47.58	31.60	68.20	36.60	PASS	Vertical	PK

Test_Mode	802.11 ac(VHT40) Transmitting	Test_Frequency	5270MHz
Remark:	/	Test_Date	2026/4/21


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1466.4187	13.20	34.29	47.49	74.00	26.51	PASS	Horizontal	PK
2	2335.2334	15.94	35.12	51.06	74.00	22.94	PASS	Horizontal	PK
3	3079.9632	18.23	34.80	53.03	68.20	15.17	PASS	Horizontal	PK
4	7596.2238	-1.68	48.92	47.24	74.00	26.76	PASS	Horizontal	PK
5	10585.4234	2.06	45.65	47.71	68.20	20.49	PASS	Horizontal	PK
6	14434.8574	8.87	42.59	51.46	68.20	16.74	PASS	Horizontal	PK

Test_Mode	802.11 ac(VHT40) Transmitting	Test_Frequency	5270MHz
Remark:	/	Test_Date	2026/4/21

Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1284.9114	11.94	36.44	48.38	68.20	19.82	PASS	Vertical	PK
2	2185.6274	15.53	33.56	49.09	68.20	19.11	PASS	Vertical	PK
3	3058.1823	18.35	34.71	53.06	68.20	15.14	PASS	Vertical	PK
4	7586.1034	-1.83	47.89	46.06	74.00	27.94	PASS	Vertical	PK
5	10451.098	2.16	45.99	48.15	68.20	20.05	PASS	Vertical	PK
6	14389.7756	9.13	42.06	51.19	68.20	17.01	PASS	Vertical	PK