


Test_Mode	802.11 ac(VHT40) Transmitting	Test_Frequency	5270MHz
Remark:	/	Test_Date	2026/4/21


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	19776.7911	-25.27	58.49	33.22	74.00	40.78	PASS	Horizontal	PK
2	23236.2094	-24.15	57.30	33.15	68.20	35.05	PASS	Horizontal	PK
3	26931.4773	-21.73	56.04	34.31	68.20	33.89	PASS	Horizontal	PK
4	30983.1593	-19.36	52.77	33.41	68.20	34.79	PASS	Horizontal	PK
5	33152.4461	-18.36	52.46	34.10	68.20	34.10	PASS	Horizontal	PK
6	36567.8627	-15.91	48.48	32.57	68.20	35.63	PASS	Horizontal	PK

Test_Mode	802.11 ac(VHT40) Transmitting	Test_Frequency	5270MHz
Remark:	/	Test_Date	2026/4/21


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	19837.5135	-25.11	58.62	33.51	74.00	40.49	PASS	Vertical	PK
2	22434.4974	-25.08	57.14	32.06	74.00	41.94	PASS	Vertical	PK
3	24486.7395	-21.77	55.21	33.44	68.20	34.76	PASS	Vertical	PK
4	27793.9118	-21.07	55.63	34.56	68.20	33.64	PASS	Vertical	PK
5	31000.76	-19.33	53.10	33.77	68.20	34.43	PASS	Vertical	PK
6	34951.238	-16.20	49.98	33.78	68.20	34.42	PASS	Vertical	PK

Test_Mode	802.11 ac(VHT40) Transmitting	Test_Frequency	5310MHz
Remark:	/	Test_Date	2026/4/21


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1691.2677	14.11	34.58	48.69	74.00	25.31	PASS	Horizontal	PK
2	2335.2334	15.94	34.72	50.66	74.00	23.34	PASS	Horizontal	PK
3	3590.3836	19.78	33.18	52.96	68.20	15.24	PASS	Horizontal	PK
4	7579.2032	-1.94	48.04	46.10	74.00	27.90	PASS	Horizontal	PK
5	10199.928	1.64	46.40	48.04	68.20	20.16	PASS	Horizontal	PK
6	13752.6501	7.21	42.95	50.16	68.20	18.04	PASS	Horizontal	PK

Test_Mode	802.11 ac(VHT40) Transmitting	Test_Frequency	5310MHz
Remark:	/	Test_Date	2026/4/21


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1136.6255	11.43	35.60	47.03	74.00	26.97	PASS	Vertical	PK
2	1923.3769	14.87	33.39	48.26	68.20	19.94	PASS	Vertical	PK
3	3058.8424	18.36	35.14	53.50	68.20	14.70	PASS	Vertical	PK
4	7639.0056	-1.81	49.23	47.42	74.00	26.58	PASS	Vertical	PK
5	10214.6486	1.72	47.26	48.98	68.20	19.22	PASS	Vertical	PK
6	15043.9218	10.09	41.74	51.83	68.20	16.37	PASS	Vertical	PK

Test_Mode	802.11 ac(VHT40) Transmitting	Test_Frequency	5310MHz
Remark:	/	Test_Date	2026/4/21


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBµV]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Result	Polarity	Remark
1	19519.8208	-25.61	58.48	32.87	74.00	41.13	PASS	Horizontal	PK
2	22495.2198	-25.05	57.41	32.36	74.00	41.64	PASS	Horizontal	PK
3	26002.1601	-20.91	55.06	34.15	68.20	34.05	PASS	Horizontal	PK
4	30925.957	-19.44	54.13	34.69	68.20	33.51	PASS	Horizontal	PK
5	33603.0241	-17.33	50.30	32.97	68.20	35.23	PASS	Horizontal	PK
6	36298.5719	-16.73	49.03	32.30	68.20	35.90	PASS	Horizontal	PK

Test_Mode	802.11 ac(VHT40) Transmitting	Test_Frequency	5310MHz
Remark:	/	Test_Date	2026/4/21


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBµV]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Result	Polarity	Remark
1	19733.6693	-25.35	59.94	34.59	74.00	39.41	PASS	Vertical	PK
2	21800.872	-25.53	59.14	33.61	68.20	34.59	PASS	Vertical	PK
3	23895.3558	-22.14	56.34	34.20	74.00	39.80	PASS	Vertical	PK
4	27821.1928	-21.08	56.97	35.89	68.20	32.31	PASS	Vertical	PK
5	31069.4028	-19.58	53.16	33.58	68.20	34.62	PASS	Vertical	PK
6	34998.76	-16.11	48.57	32.46	68.20	35.74	PASS	Vertical	PK

Test_Mode	802.11 ax(HE20) Transmitting	Test_Frequency	5180MHz
Remark:	/	Test_Date	2026/4/21


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1415.5966	13.05	34.90	47.95	74.00	26.05	PASS	Horizontal	PK
2	1821.7329	14.52	33.11	47.63	68.20	20.57	PASS	Horizontal	PK
3	2478.6791	16.67	34.44	51.11	68.20	17.09	PASS	Horizontal	PK
4	7746.1898	-1.86	48.38	46.52	74.00	27.48	PASS	Horizontal	PK
5	11211.9685	2.67	45.35	48.02	74.00	25.98	PASS	Horizontal	PK
6	13716.3087	7.25	42.86	50.11	68.20	18.09	PASS	Horizontal	PK

Test_Mode	802.11 ax(HE20) Transmitting	Test_Frequency	5180MHz
Remark:	/	Test_Date	2026/4/21


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1306.6923	12.30	34.12	46.42	74.00	27.58	PASS	Vertical	PK
2	1853.8542	14.61	32.54	47.15	68.20	21.05	PASS	Vertical	PK
3	2565.5826	16.73	34.76	51.49	68.20	16.71	PASS	Vertical	PK
4	7574.603	-2.02	48.30	46.28	74.00	27.72	PASS	Vertical	PK
5	10716.9887	2.47	44.88	47.35	74.00	26.65	PASS	Vertical	PK
6	13737.0095	7.23	43.53	50.76	68.20	17.44	PASS	Vertical	PK

Test_Mode	802.11 ax(HE20) Transmitting	Test_Frequency	5180MHz
Remark:	/	Test_Date	2026/4/21


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBµV]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Result	Polarity	Remark
1	19529.5012	-25.60	58.99	33.39	74.00	40.61	PASS	Horizontal	PK
2	23160.5264	-24.55	57.21	32.66	68.20	35.54	PASS	Horizontal	PK
3	27441.0176	-21.62	55.85	34.23	68.20	33.97	PASS	Horizontal	PK
4	30891.6357	-19.49	53.21	33.72	68.20	34.48	PASS	Horizontal	PK
5	35048.922	-16.05	48.51	32.46	68.20	35.74	PASS	Horizontal	PK
6	37518.3007	-15.25	47.15	31.90	68.20	36.30	PASS	Horizontal	PK

Test_Mode	802.11 ax(HE20) Transmitting	Test_Frequency	5180MHz
Remark:	/	Test_Date	2026/4/21


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBµV]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Result	Polarity	Remark
1	20061.0424	-24.89	59.39	34.50	74.00	39.50	PASS	Vertical	PK
2	22382.5753	-25.13	58.12	32.99	74.00	41.01	PASS	Vertical	PK
3	25450.378	-21.26	54.71	33.45	68.20	34.75	PASS	Vertical	PK
4	29157.9663	-21.44	54.95	33.51	68.20	34.69	PASS	Vertical	PK
5	32889.3156	-18.75	51.43	32.68	68.20	35.52	PASS	Vertical	PK
6	35104.3642	-15.99	48.25	32.26	68.20	35.94	PASS	Vertical	PK

Test_Mode	802.11 ax(HE20) Transmitting	Test_Frequency	5200MHz
Remark:	/	Test_Date	2026/4/21


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1399.536	12.83	34.76	47.59	74.00	26.41	PASS	Horizontal	PK
2	1926.8971	14.81	32.92	47.73	68.20	20.47	PASS	Horizontal	PK
3	2646.9859	17.05	33.74	50.79	68.20	17.41	PASS	Horizontal	PK
4	8183.2073	-1.26	46.55	45.29	74.00	28.71	PASS	Horizontal	PK
5	11185.7474	2.60	46.41	49.01	74.00	24.99	PASS	Horizontal	PK
6	15718.3087	10.29	41.74	52.03	74.00	21.97	PASS	Horizontal	PK

Test_Mode	802.11 ax(HE20) Transmitting	Test_Frequency	5200MHz
Remark:	/	Test_Date	2026/4/21


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1385.2354	12.81	35.43	48.24	74.00	25.76	PASS	Vertical	PK
2	1958.7984	14.81	31.82	46.63	68.20	21.57	PASS	Vertical	PK
3	2669.6468	17.33	34.60	51.93	68.20	16.27	PASS	Vertical	PK
4	7641.7657	-1.82	46.92	45.10	74.00	28.90	PASS	Vertical	PK
5	9742.2097	1.11	45.62	46.73	68.20	21.47	PASS	Vertical	PK
6	12998.2199	5.65	43.82	49.47	68.20	18.73	PASS	Vertical	PK

Test_Mode	802.11 ax(HE20) Transmitting	Test_Frequency	5200MHz
Remark:	/	Test_Date	2026/4/21


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	19962.4785	-24.74	57.74	33.00	74.00	41.00	PASS	Horizontal	PK
2	23123.5649	-24.81	57.34	32.53	68.20	35.67	PASS	Horizontal	PK
3	26349.774	-21.22	54.56	33.34	68.20	34.86	PASS	Horizontal	PK
4	29986.0794	-21.06	53.46	32.40	68.20	35.80	PASS	Horizontal	PK
5	33620.6248	-17.37	50.68	33.31	68.20	34.89	PASS	Horizontal	PK
6	35382.4553	-16.07	48.66	32.59	68.20	35.61	PASS	Horizontal	PK

Test_Mode	802.11 ax(HE20) Transmitting	Test_Frequency	5200MHz
Remark:	/	Test_Date	2026/4/21


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	19930.7972	-24.83	58.37	33.54	74.00	40.46	PASS	Vertical	PK
2	22784.7514	-25.05	56.88	31.83	74.00	42.17	PASS	Vertical	PK
3	27229.8092	-21.87	55.85	33.98	68.20	34.22	PASS	Vertical	PK
4	29933.2773	-21.04	53.63	32.59	68.20	35.61	PASS	Vertical	PK
5	31688.0675	-19.75	52.44	32.69	74.00	41.31	PASS	Vertical	PK
6	34390.6556	-17.22	50.04	32.82	68.20	35.38	PASS	Vertical	PK

Test_Mode	802.11 ax(HE20) Transmitting	Test_Frequency	5240MHz
Remark:	/	Test_Date	2026/4/21


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBµV]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Result	Polarity	Remark
1	1477.4191	13.24	36.49	49.73	74.00	24.27	PASS	Horizontal	PK
2	2602.5441	16.65	33.92	50.57	68.20	17.63	PASS	Horizontal	PK
3	2938.2775	17.81	34.40	52.21	68.20	15.99	PASS	Horizontal	PK
4	7396.1158	-3.15	48.62	45.47	74.00	28.53	PASS	Horizontal	PK
5	9709.5484	1.15	46.56	47.71	68.20	20.49	PASS	Horizontal	PK
6	11891.8757	3.07	45.47	48.54	74.00	25.46	PASS	Horizontal	PK

Test_Mode	802.11 ax(HE20) Transmitting	Test_Frequency	5240MHz
Remark:	/	Test_Date	2026/4/21


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1476.9791	13.24	36.97	50.21	74.00	23.79	PASS	Vertical	PK
2	1836.6935	14.50	32.69	47.19	68.20	21.01	PASS	Vertical	PK
3	2539.4016	16.70	35.38	52.08	68.20	16.12	PASS	Vertical	PK
4	7581.9633	-1.90	48.25	46.35	74.00	27.65	PASS	Vertical	PK
5	11229.4492	2.57	45.43	48.00	74.00	26.00	PASS	Vertical	PK
6	14995.1598	9.59	42.12	51.71	68.20	16.49	PASS	Vertical	PK

Test_Mode	802.11 ax(HE20) Transmitting	Test_Frequency	5240MHz
Remark:	/	Test_Date	2026/4/21


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBµV]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Result	Polarity	Remark
1	19503.1001	-25.61	58.42	32.81	74.00	41.19	PASS	Horizontal	PK
2	21888.8756	-25.65	58.44	32.79	68.20	35.41	PASS	Horizontal	PK
3	25145.8858	-21.34	54.67	33.33	68.20	34.87	PASS	Horizontal	PK
4	29729.1092	-20.85	54.31	33.46	68.20	34.74	PASS	Horizontal	PK
5	33625.905	-17.38	50.67	33.29	68.20	34.91	PASS	Horizontal	PK
6	36530.9012	-16.08	48.90	32.82	68.20	35.38	PASS	Horizontal	PK

Test_Mode	802.11 ax(HE20) Transmitting	Test_Frequency	5240MHz
Remark:	/	Test_Date	2026/4/21


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBµV]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Result	Polarity	Remark
1	19726.6291	-25.36	58.36	33.00	74.00	41.00	PASS	Vertical	PK
2	22323.6129	-25.22	57.45	32.23	74.00	41.77	PASS	Vertical	PK
3	24845.7938	-22.00	55.29	33.29	68.20	34.91	PASS	Vertical	PK
4	28443.3777	-21.60	54.78	33.18	68.20	35.02	PASS	Vertical	PK
5	31824.473	-19.98	53.05	33.07	68.20	35.13	PASS	Vertical	PK
6	36645.3058	-16.01	47.77	31.76	68.20	36.44	PASS	Vertical	PK

Test_Mode	802.11 ax(HE20) Transmitting	Test_Frequency	5260MHz
Remark:	/	Test_Date	2026/4/21


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1476.5391	13.24	34.26	47.50	74.00	26.50	PASS	Horizontal	PK
2	2127.9851	15.53	32.55	48.08	68.20	20.12	PASS	Horizontal	PK
3	3193.7077	18.45	33.75	52.20	68.20	16.00	PASS	Horizontal	PK
4	7627.9651	-1.75	47.70	45.95	74.00	28.05	PASS	Horizontal	PK
5	10373.815	1.88	46.35	48.23	68.20	19.97	PASS	Horizontal	PK
6	14477.1791	8.70	42.35	51.05	74.00	22.95	PASS	Horizontal	PK

Test_Mode	802.11 ax(HE20) Transmitting	Test_Frequency	5260MHz
Remark:	/	Test_Date	2026/4/21


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1270.8308	11.94	34.68	46.62	68.20	21.58	PASS	Vertical	PK
2	1787.1915	14.38	33.54	47.92	68.20	20.28	PASS	Vertical	PK
3	3189.7476	18.50	34.60	53.10	68.20	15.10	PASS	Vertical	PK
4	7896.1558	-1.56	46.28	44.72	68.20	23.48	PASS	Vertical	PK
5	10667.3067	2.58	45.27	47.85	74.00	26.15	PASS	Vertical	PK
6	13866.7347	7.51	42.93	50.44	68.20	17.76	PASS	Vertical	PK

Test_Mode	802.11 ax(HE20) Transmitting	Test_Frequency	5260MHz
Remark:	/	Test_Date	2026/4/21


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBµV]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Result	Polarity	Remark
1	19486.3795	-25.60	58.83	33.23	74.00	40.77	PASS	Horizontal	PK
2	21634.5454	-25.70	58.61	32.91	68.20	35.29	PASS	Horizontal	PK
3	25062.2825	-21.80	55.51	33.71	68.20	34.49	PASS	Horizontal	PK
4	27919.7568	-21.14	55.24	34.10	68.20	34.10	PASS	Horizontal	PK
5	30496.4999	-20.46	53.71	33.25	68.20	34.95	PASS	Horizontal	PK
6	35112.2845	-15.98	48.47	32.49	68.20	35.71	PASS	Horizontal	PK

Test_Mode	802.11 ax(HE20) Transmitting	Test_Frequency	5260MHz
Remark:	/	Test_Date	2026/4/21


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	19549.742	-25.60	58.10	32.50	74.00	41.50	PASS	Vertical	PK
2	22179.2872	-25.44	58.42	32.98	74.00	41.02	PASS	Vertical	PK
3	23999.2	-21.94	55.75	33.81	74.00	40.19	PASS	Vertical	PK
4	26931.4773	-21.73	55.37	33.64	68.20	34.56	PASS	Vertical	PK
5	29598.864	-20.60	54.81	34.21	68.20	33.99	PASS	Vertical	PK
6	33607.4243	-17.34	49.89	32.55	68.20	35.65	PASS	Vertical	PK

Test_Mode	802.11 ax(HE20) Transmitting	Test_Frequency	5280MHz
Remark:	/	Test_Date	2026/4/21


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1366.7547	12.76	33.93	46.69	74.00	27.31	PASS	Horizontal	PK
2	2185.1874	15.53	34.42	49.95	68.20	18.25	PASS	Horizontal	PK
3	3598.0839	19.81	33.19	53.00	68.20	15.20	PASS	Horizontal	PK
4	7600.824	-1.62	47.44	45.82	74.00	28.18	PASS	Horizontal	PK
5	11836.2134	2.87	45.86	48.73	74.00	25.27	PASS	Horizontal	PK
6	14984.5794	9.51	41.81	51.32	68.20	16.88	PASS	Horizontal	PK

Test_Mode	802.11 ax(HE20) Transmitting	Test_Frequency	5280MHz
Remark:	/	Test_Date	2026/4/21


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1343.4337	12.50	34.55	47.05	74.00	26.95	PASS	Vertical	PK
2	2069.9028	14.96	33.67	48.63	68.20	19.57	PASS	Vertical	PK
3	3080.4032	18.24	34.27	52.51	68.20	15.69	PASS	Vertical	PK
4	7641.3057	-1.82	47.68	45.86	74.00	28.14	PASS	Vertical	PK
5	10632.8053	2.41	45.98	48.39	74.00	25.61	PASS	Vertical	PK
6	13825.793	7.13	43.17	50.30	68.20	17.90	PASS	Vertical	PK

Test_Mode	802.11 ax(HE20) Transmitting	Test_Frequency	5280MHz
Remark:	/	Test_Date	2026/4/21

Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBµV]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Result	Polarity	Remark
1	19532.1413	-25.60	58.81	33.21	74.00	40.79	PASS	Horizontal	PK
2	22471.4589	-25.07	56.90	31.83	74.00	42.17	PASS	Horizontal	PK
3	25285.8114	-21.21	55.37	34.16	68.20	34.04	PASS	Horizontal	PK
4	27996.3199	-21.20	56.40	35.20	68.20	33.00	PASS	Horizontal	PK
5	31380.9352	-19.75	53.18	33.43	74.00	40.57	PASS	Horizontal	PK
6	35033.9614	-16.08	48.69	32.61	68.20	35.59	PASS	Horizontal	PK