


|           |                                 |                |           |
|-----------|---------------------------------|----------------|-----------|
| Test_Mode | 802.11 ax(HE20)<br>Transmitting | Test_Frequency | 5280MHz   |
| Remark:   | /                               | Test_Date      | 2026/4/21 |


Test Graph



| Suspected List |             |             |                |                |                |             |        |          |        |
|----------------|-------------|-------------|----------------|----------------|----------------|-------------|--------|----------|--------|
| NO             | Freq. [MHz] | Factor [dB] | Reading [dBμV] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Result | Polarity | Remark |
| 1              | 19562.9425  | -25.60      | 58.77          | 33.17          | 74.00          | 40.83       | PASS   | Vertical | PK     |
| 2              | 22284.0114  | -25.27      | 57.40          | 32.13          | 74.00          | 41.87       | PASS   | Vertical | PK     |
| 3              | 23867.1947  | -22.20      | 56.54          | 34.34          | 74.00          | 39.66       | PASS   | Vertical | PK     |
| 4              | 26576.8231  | -21.11      | 54.77          | 33.66          | 68.20          | 34.54       | PASS   | Vertical | PK     |
| 5              | 29429.0172  | -21.20      | 53.75          | 32.55          | 68.20          | 35.65       | PASS   | Vertical | PK     |
| 6              | 32462.4985  | -18.31      | 52.08          | 33.77          | 68.20          | 34.43       | PASS   | Vertical | PK     |

|           |                                 |                |           |
|-----------|---------------------------------|----------------|-----------|
| Test_Mode | 802.11 ax(HE20)<br>Transmitting | Test_Frequency | 5320MHz   |
| Remark:   | /                               | Test_Date      | 2026/4/21 |


Test Graph



| Suspected List |             |             |                |                |                |             |        |            |        |
|----------------|-------------|-------------|----------------|----------------|----------------|-------------|--------|------------|--------|
| NO             | Freq. [MHz] | Factor [dB] | Reading [dBμV] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Result | Polarity   | Remark |
| 1              | 1364.1146   | 12.71       | 34.09          | 46.80          | 74.00          | 27.20       | PASS   | Horizontal | PK     |
| 2              | 2684.6074   | 17.36       | 35.30          | 52.66          | 68.20          | 15.54       | PASS   | Horizontal | PK     |
| 3              | 3560.4624   | 19.35       | 33.81          | 53.16          | 68.20          | 15.04       | PASS   | Horizontal | PK     |
| 4              | 7576.9031   | -1.98       | 47.99          | 46.01          | 74.00          | 27.99       | PASS   | Horizontal | PK     |
| 5              | 11279.5912  | 2.41        | 45.65          | 48.06          | 74.00          | 25.94       | PASS   | Horizontal | PK     |
| 6              | 15062.3225  | 10.46       | 41.48          | 51.94          | 68.20          | 16.26       | PASS   | Horizontal | PK     |

|           |                                 |                |           |
|-----------|---------------------------------|----------------|-----------|
| Test_Mode | 802.11 ax(HE20)<br>Transmitting | Test_Frequency | 5320MHz   |
| Remark:   | /                               | Test_Date      | 2026/4/21 |


Test Graph



| Suspected List |             |             |                |                |                |             |        |          |        |
|----------------|-------------|-------------|----------------|----------------|----------------|-------------|--------|----------|--------|
| NO             | Freq. [MHz] | Factor [dB] | Reading [dBµV] | Level [dBµV/m] | Limit [dBµV/m] | Margin [dB] | Result | Polarity | Remark |
| 1              | 1368.7347   | 12.79       | 35.33          | 48.12          | 74.00          | 25.88       | PASS   | Vertical | PK     |
| 2              | 2179.2472   | 15.57       | 34.10          | 49.67          | 68.20          | 18.53       | PASS   | Vertical | PK     |
| 3              | 3195.2478   | 18.44       | 35.43          | 53.87          | 68.20          | 14.33       | PASS   | Vertical | PK     |
| 4              | 7564.4826   | -2.18       | 47.59          | 45.41          | 74.00          | 28.59       | PASS   | Vertical | PK     |
| 5              | 10295.1518  | 1.97        | 45.63          | 47.60          | 68.20          | 20.60       | PASS   | Vertical | PK     |
| 6              | 13729.6492  | 7.23        | 43.23          | 50.46          | 68.20          | 17.74       | PASS   | Vertical | PK     |

|           |                                 |                |           |
|-----------|---------------------------------|----------------|-----------|
| Test_Mode | 802.11 ax(HE20)<br>Transmitting | Test_Frequency | 5320MHz   |
| Remark:   | /                               | Test_Date      | 2026/4/21 |


Test Graph



| Suspected List |             |             |                |                |                |             |        |            |        |
|----------------|-------------|-------------|----------------|----------------|----------------|-------------|--------|------------|--------|
| NO             | Freq. [MHz] | Factor [dB] | Reading [dBµV] | Level [dBµV/m] | Limit [dBµV/m] | Margin [dB] | Result | Polarity   | Remark |
| 1              | 19488.1395  | -25.60      | 59.13          | 33.53          | 74.00          | 40.47       | PASS   | Horizontal | PK     |
| 2              | 21824.633   | -25.57      | 58.95          | 33.38          | 68.20          | 34.82       | PASS   | Horizontal | PK     |
| 3              | 23828.4731  | -22.28      | 55.98          | 33.70          | 74.00          | 40.30       | PASS   | Horizontal | PK     |
| 4              | 27925.917   | -21.15      | 55.58          | 34.43          | 68.20          | 33.77       | PASS   | Horizontal | PK     |
| 5              | 31031.5613  | -19.44      | 53.68          | 34.24          | 68.20          | 33.96       | PASS   | Horizontal | PK     |
| 6              | 33570.4628  | -17.44      | 50.80          | 33.36          | 68.20          | 34.84       | PASS   | Horizontal | PK     |

|           |                                 |                |           |
|-----------|---------------------------------|----------------|-----------|
| Test_Mode | 802.11 ax(HE20)<br>Transmitting | Test_Frequency | 5320MHz   |
| Remark:   | /                               | Test_Date      | 2026/4/21 |


Test Graph



| Suspected List |             |             |                |                |                |             |        |          |        |
|----------------|-------------|-------------|----------------|----------------|----------------|-------------|--------|----------|--------|
| NO             | Freq. [MHz] | Factor [dB] | Reading [dBµV] | Level [dBµV/m] | Limit [dBµV/m] | Margin [dB] | Result | Polarity | Remark |
| 1              | 19563.8226  | -25.60      | 59.63          | 34.03          | 74.00          | 39.97       | PASS   | Vertical | PK     |
| 2              | 22130.0052  | -25.54      | 58.28          | 32.74          | 74.00          | 41.26       | PASS   | Vertical | PK     |
| 3              | 24542.1817  | -21.82      | 55.42          | 33.60          | 68.20          | 34.60       | PASS   | Vertical | PK     |
| 4              | 27943.5177  | -21.16      | 55.90          | 34.74          | 68.20          | 33.46       | PASS   | Vertical | PK     |
| 5              | 30456.8983  | -20.41      | 54.18          | 33.77          | 68.20          | 34.43       | PASS   | Vertical | PK     |
| 6              | 35067.4027  | -16.03      | 48.44          | 32.41          | 68.20          | 35.79       | PASS   | Vertical | PK     |

|           |                                 |                |           |
|-----------|---------------------------------|----------------|-----------|
| Test_Mode | 802.11 ax(HE40)<br>Transmitting | Test_Frequency | 5190MHz   |
| Remark:   | /                               | Test_Date      | 2026/4/21 |


Test Graph



| Suspected List |             |             |                |                |                |             |        |            |        |
|----------------|-------------|-------------|----------------|----------------|----------------|-------------|--------|------------|--------|
| NO             | Freq. [MHz] | Factor [dB] | Reading [dBµV] | Level [dBµV/m] | Limit [dBµV/m] | Margin [dB] | Result | Polarity   | Remark |
| 1              | 1420.8768   | 13.01       | 34.78          | 47.79          | 74.00          | 26.21       | PASS   | Horizontal | PK     |
| 2              | 2295.6318   | 15.83       | 33.89          | 49.72          | 74.00          | 24.28       | PASS   | Horizontal | PK     |
| 3              | 3435.7174   | 19.43       | 34.08          | 53.51          | 68.20          | 14.69       | PASS   | Horizontal | PK     |
| 4              | 7646.8259   | -1.84       | 47.90          | 46.06          | 74.00          | 27.94       | PASS   | Horizontal | PK     |
| 5              | 9733.4693   | 1.12        | 46.55          | 47.67          | 68.20          | 20.53       | PASS   | Horizontal | PK     |
| 6              | 13708.0283  | 7.25        | 43.37          | 50.62          | 68.20          | 17.58       | PASS   | Horizontal | PK     |

|           |                                 |                |           |
|-----------|---------------------------------|----------------|-----------|
| Test_Mode | 802.11 ax(HE40)<br>Transmitting | Test_Frequency | 5190MHz   |
| Remark:   | /                               | Test_Date      | 2026/4/21 |


Test Graph



| Suspected List |             |             |                |                |                |             |        |          |        |
|----------------|-------------|-------------|----------------|----------------|----------------|-------------|--------|----------|--------|
| NO             | Freq. [MHz] | Factor [dB] | Reading [dBμV] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Result | Polarity | Remark |
| 1              | 1422.4169   | 13.00       | 35.47          | 48.47          | 74.00          | 25.53       | PASS   | Vertical | PK     |
| 2              | 2186.9475   | 15.52       | 33.27          | 48.79          | 68.20          | 19.41       | PASS   | Vertical | PK     |
| 3              | 3181.8273   | 18.61       | 34.21          | 52.82          | 68.20          | 15.38       | PASS   | Vertical | PK     |
| 4              | 7627.9651   | -1.75       | 47.64          | 45.89          | 74.00          | 28.11       | PASS   | Vertical | PK     |
| 5              | 10261.5705  | 1.95        | 46.62          | 48.57          | 68.20          | 19.63       | PASS   | Vertical | PK     |
| 6              | 14468.4387  | 8.72        | 41.74          | 50.46          | 68.20          | 17.74       | PASS   | Vertical | PK     |

|           |                                 |                |           |
|-----------|---------------------------------|----------------|-----------|
| Test_Mode | 802.11 ax(HE40)<br>Transmitting | Test_Frequency | 5190MHz   |
| Remark:   | /                               | Test_Date      | 2026/4/21 |


Test Graph



| Suspected List |             |             |                |                |                |             |        |            |        |
|----------------|-------------|-------------|----------------|----------------|----------------|-------------|--------|------------|--------|
| NO             | Freq. [MHz] | Factor [dB] | Reading [dBμV] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Result | Polarity   | Remark |
| 1              | 19569.1028  | -25.60      | 58.27          | 32.67          | 74.00          | 41.33       | PASS   | Horizontal | PK     |
| 2              | 21855.4342  | -25.61      | 58.91          | 33.30          | 68.20          | 34.90       | PASS   | Horizontal | PK     |
| 3              | 24048.4819  | -22.11      | 54.86          | 32.75          | 68.20          | 35.45       | PASS   | Horizontal | PK     |
| 4              | 28849.074   | -21.44      | 55.52          | 34.08          | 68.20          | 34.12       | PASS   | Horizontal | PK     |
| 5              | 31005.1602  | -19.35      | 53.26          | 33.91          | 68.20          | 34.29       | PASS   | Horizontal | PK     |
| 6              | 35041.8817  | -16.07      | 49.03          | 32.96          | 68.20          | 35.24       | PASS   | Horizontal | PK     |

|           |                                 |                |           |
|-----------|---------------------------------|----------------|-----------|
| Test_Mode | 802.11 ax(HE40)<br>Transmitting | Test_Frequency | 5190MHz   |
| Remark:   | /                               | Test_Date      | 2026/4/21 |


Test Graph



| Suspected List |             |             |                |                |                |             |        |          |        |
|----------------|-------------|-------------|----------------|----------------|----------------|-------------|--------|----------|--------|
| NO             | Freq. [MHz] | Factor [dB] | Reading [dBμV] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Result | Polarity | Remark |
| 1              | 19459.9784  | -25.61      | 59.09          | 33.48          | 74.00          | 40.52       | PASS   | Vertical | PK     |
| 2              | 21880.9552  | -25.64      | 58.50          | 32.86          | 68.20          | 35.34       | PASS   | Vertical | PK     |
| 3              | 23888.3155  | -22.15      | 56.98          | 34.83          | 74.00          | 39.17       | PASS   | Vertical | PK     |
| 4              | 27832.6333  | -21.09      | 55.22          | 34.13          | 68.20          | 34.07       | PASS   | Vertical | PK     |
| 5              | 30860.8344  | -19.54      | 53.69          | 34.15          | 68.20          | 34.05       | PASS   | Vertical | PK     |
| 6              | 35120.2048  | -15.98      | 48.98          | 33.00          | 68.20          | 35.20       | PASS   | Vertical | PK     |

|           |                                 |                |           |
|-----------|---------------------------------|----------------|-----------|
| Test_Mode | 802.11 ax(HE40)<br>Transmitting | Test_Frequency | 5230MHz   |
| Remark:   | /                               | Test_Date      | 2026/4/21 |


Test Graph



| Suspected List |             |             |                |                |                |             |        |            |        |
|----------------|-------------|-------------|----------------|----------------|----------------|-------------|--------|------------|--------|
| NO             | Freq. [MHz] | Factor [dB] | Reading [dBµV] | Level [dBµV/m] | Limit [dBµV/m] | Margin [dB] | Result | Polarity   | Remark |
| 1              | 1300.532    | 12.23       | 35.18          | 47.41          | 74.00          | 26.59       | PASS   | Horizontal | PK     |
| 2              | 2180.1272   | 15.56       | 33.93          | 49.49          | 68.20          | 18.71       | PASS   | Horizontal | PK     |
| 3              | 3540.4416   | 19.46       | 33.41          | 52.87          | 68.20          | 15.33       | PASS   | Horizontal | PK     |
| 4              | 7599.904    | -1.62       | 47.93          | 46.31          | 74.00          | 27.69       | PASS   | Horizontal | PK     |
| 5              | 9629.0452   | 1.20        | 46.28          | 47.48          | 68.20          | 20.72       | PASS   | Horizontal | PK     |
| 6              | 13720.4488  | 7.24        | 42.85          | 50.09          | 68.20          | 18.11       | PASS   | Horizontal | PK     |

|           |                                 |                |           |
|-----------|---------------------------------|----------------|-----------|
| Test_Mode | 802.11 ax(HE40)<br>Transmitting | Test_Frequency | 5230MHz   |
| Remark:   | /                               | Test_Date      | 2026/4/21 |


Test Graph



| Suspected List |             |             |                |                |                |             |        |          |        |
|----------------|-------------|-------------|----------------|----------------|----------------|-------------|--------|----------|--------|
| NO             | Freq. [MHz] | Factor [dB] | Reading [dBµV] | Level [dBµV/m] | Limit [dBµV/m] | Margin [dB] | Result | Polarity | Remark |
| 1              | 1287.7715   | 12.02       | 36.14          | 48.16          | 68.20          | 20.04       | PASS   | Vertical | PK     |
| 2              | 2418.6167   | 16.32       | 34.56          | 50.88          | 68.20          | 17.32       | PASS   | Vertical | PK     |
| 3              | 3598.3039   | 19.81       | 32.79          | 52.60          | 68.20          | 15.60       | PASS   | Vertical | PK     |
| 4              | 7593.4637   | -1.73       | 47.89          | 46.16          | 74.00          | 27.84       | PASS   | Vertical | PK     |
| 5              | 10998.5199  | 2.24        | 46.51          | 48.75          | 74.00          | 25.25       | PASS   | Vertical | PK     |
| 6              | 15494.7398  | 10.03       | 42.16          | 52.19          | 74.00          | 21.81       | PASS   | Vertical | PK     |

|           |                                 |                |           |
|-----------|---------------------------------|----------------|-----------|
| Test_Mode | 802.11 ax(HE40)<br>Transmitting | Test_Frequency | 5230MHz   |
| Remark:   | /                               | Test_Date      | 2026/4/21 |


Test Graph



| Suspected List |             |             |                |                |                |             |        |            |        |
|----------------|-------------|-------------|----------------|----------------|----------------|-------------|--------|------------|--------|
| NO             | Freq. [MHz] | Factor [dB] | Reading [dBμV] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Result | Polarity   | Remark |
| 1              | 19548.862   | -25.60      | 58.95          | 33.35          | 74.00          | 40.65       | PASS   | Horizontal | PK     |
| 2              | 21964.5586  | -25.76      | 59.35          | 33.59          | 68.20          | 34.61       | PASS   | Horizontal | PK     |
| 3              | 23893.5957  | -22.14      | 56.18          | 34.04          | 74.00          | 39.96       | PASS   | Horizontal | PK     |
| 4              | 27944.3978  | -21.16      | 55.28          | 34.12          | 68.20          | 34.08       | PASS   | Horizontal | PK     |
| 5              | 32401.7761  | -18.04      | 51.86          | 33.82          | 68.20          | 34.38       | PASS   | Horizontal | PK     |
| 6              | 36584.5834  | -15.83      | 47.50          | 31.67          | 68.20          | 36.53       | PASS   | Horizontal | PK     |

|           |                                 |                |           |
|-----------|---------------------------------|----------------|-----------|
| Test_Mode | 802.11 ax(HE40)<br>Transmitting | Test_Frequency | 5230MHz   |
| Remark:   | /                               | Test_Date      | 2026/4/21 |


Test Graph



| Suspected List |             |             |                |                |                |             |        |          |        |
|----------------|-------------|-------------|----------------|----------------|----------------|-------------|--------|----------|--------|
| NO             | Freq. [MHz] | Factor [dB] | Reading [dBµV] | Level [dBµV/m] | Limit [dBµV/m] | Margin [dB] | Result | Polarity | Remark |
| 1              | 19520.7008  | -25.61      | 58.82          | 33.21          | 74.00          | 40.79       | PASS   | Vertical | PK     |
| 2              | 22330.6532  | -25.20      | 57.75          | 32.55          | 74.00          | 41.45       | PASS   | Vertical | PK     |
| 3              | 25216.2887  | -21.08      | 55.24          | 34.16          | 68.20          | 34.04       | PASS   | Vertical | PK     |
| 4              | 27991.9197  | -21.19      | 55.61          | 34.42          | 68.20          | 33.78       | PASS   | Vertical | PK     |
| 5              | 32403.5361  | -18.05      | 51.69          | 33.64          | 68.20          | 34.56       | PASS   | Vertical | PK     |
| 6              | 36597.7839  | -15.76      | 47.68          | 31.92          | 68.20          | 36.28       | PASS   | Vertical | PK     |

|           |                                 |                |           |
|-----------|---------------------------------|----------------|-----------|
| Test_Mode | 802.11 ax(HE40)<br>Transmitting | Test_Frequency | 5270MHz   |
| Remark:   | /                               | Test_Date      | 2026/4/21 |


Test Graph



| Suspected List |             |             |                |                |                |             |        |            |        |
|----------------|-------------|-------------|----------------|----------------|----------------|-------------|--------|------------|--------|
| NO             | Freq. [MHz] | Factor [dB] | Reading [dBμV] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Result | Polarity   | Remark |
| 1              | 1408.5563   | 13.05       | 35.08          | 48.13          | 74.00          | 25.87       | PASS   | Horizontal | PK     |
| 2              | 2415.3166   | 16.29       | 34.41          | 50.70          | 68.20          | 17.50       | PASS   | Horizontal | PK     |
| 3              | 3848.2339   | 20.77       | 32.21          | 52.98          | 74.00          | 21.02       | PASS   | Horizontal | PK     |
| 4              | 8424.257    | -0.67       | 46.98          | 46.31          | 74.00          | 27.69       | PASS   | Horizontal | PK     |
| 5              | 10130.9252  | 1.77        | 46.52          | 48.29          | 68.20          | 19.91       | PASS   | Horizontal | PK     |
| 6              | 12363.8546  | 4.58        | 45.98          | 50.56          | 74.00          | 23.44       | PASS   | Horizontal | PK     |

|           |                                 |                |           |
|-----------|---------------------------------|----------------|-----------|
| Test_Mode | 802.11 ax(HE40)<br>Transmitting | Test_Frequency | 5270MHz   |
| Remark:   | /                               | Test_Date      | 2026/4/21 |


Test Graph



| Suspected List |             |             |                |                |                |             |        |          |        |
|----------------|-------------|-------------|----------------|----------------|----------------|-------------|--------|----------|--------|
| NO             | Freq. [MHz] | Factor [dB] | Reading [dBμV] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Result | Polarity | Remark |
| 1              | 1385.0154   | 12.81       | 35.10          | 47.91          | 74.00          | 26.09       | PASS   | Vertical | PK     |
| 2              | 2217.7487   | 15.44       | 34.09          | 49.53          | 74.00          | 24.47       | PASS   | Vertical | PK     |
| 3              | 3592.5837   | 19.78       | 33.22          | 53.00          | 68.20          | 15.20       | PASS   | Vertical | PK     |
| 4              | 7584.2634   | -1.87       | 47.99          | 46.12          | 74.00          | 27.88       | PASS   | Vertical | PK     |
| 5              | 10628.2051  | 2.37        | 46.89          | 49.26          | 74.00          | 24.74       | PASS   | Vertical | PK     |
| 6              | 13846.0338  | 7.22        | 43.89          | 51.11          | 68.20          | 17.09       | PASS   | Vertical | PK     |

|           |                                 |                |           |
|-----------|---------------------------------|----------------|-----------|
| Test_Mode | 802.11 ax(HE40)<br>Transmitting | Test_Frequency | 5270MHz   |
| Remark:   | /                               | Test_Date      | 2026/4/21 |


Test Graph



| Suspected List |             |             |                |                |                |             |        |            |        |
|----------------|-------------|-------------|----------------|----------------|----------------|-------------|--------|------------|--------|
| NO             | Freq. [MHz] | Factor [dB] | Reading [dBµV] | Level [dBµV/m] | Limit [dBµV/m] | Margin [dB] | Result | Polarity   | Remark |
| 1              | 19657.9863  | -25.49      | 58.94          | 33.45          | 74.00          | 40.55       | PASS   | Horizontal | PK     |
| 2              | 22259.3704  | -25.31      | 57.00          | 31.69          | 74.00          | 42.31       | PASS   | Horizontal | PK     |
| 3              | 24711.1484  | -21.92      | 54.88          | 32.96          | 68.20          | 35.24       | PASS   | Horizontal | PK     |
| 4              | 28149.446   | -21.27      | 54.54          | 33.27          | 68.20          | 34.93       | PASS   | Horizontal | PK     |
| 5              | 31432.8573  | -19.70      | 52.60          | 32.90          | 74.00          | 41.10       | PASS   | Horizontal | PK     |
| 6              | 35040.1216  | -16.06      | 49.33          | 33.27          | 68.20          | 34.93       | PASS   | Horizontal | PK     |

|           |                                 |                |           |
|-----------|---------------------------------|----------------|-----------|
| Test_Mode | 802.11 ax(HE40)<br>Transmitting | Test_Frequency | 5270MHz   |
| Remark:   | /                               | Test_Date      | 2026/4/21 |


Test Graph



| Suspected List |             |             |                |                |                |             |        |          |        |
|----------------|-------------|-------------|----------------|----------------|----------------|-------------|--------|----------|--------|
| NO             | Freq. [MHz] | Factor [dB] | Reading [dBµV] | Level [dBµV/m] | Limit [dBµV/m] | Margin [dB] | Result | Polarity | Remark |
| 1              | 19664.1466  | -25.48      | 57.92          | 32.44          | 74.00          | 41.56       | PASS   | Vertical | PK     |
| 2              | 21631.9053  | -25.70      | 59.40          | 33.70          | 68.20          | 34.50       | PASS   | Vertical | PK     |
| 3              | 24107.4443  | -22.31      | 55.42          | 33.11          | 68.20          | 35.09       | PASS   | Vertical | PK     |
| 4              | 27849.354   | -21.09      | 55.64          | 34.55          | 68.20          | 33.65       | PASS   | Vertical | PK     |
| 5              | 30474.499   | -20.43      | 54.40          | 33.97          | 68.20          | 34.23       | PASS   | Vertical | PK     |
| 6              | 35042.7617  | -16.07      | 49.65          | 33.58          | 68.20          | 34.62       | PASS   | Vertical | PK     |

|           |                                 |                |           |
|-----------|---------------------------------|----------------|-----------|
| Test_Mode | 802.11 ax(HE40)<br>Transmitting | Test_Frequency | 5310MHz   |
| Remark:   | /                               | Test_Date      | 2026/4/21 |


Test Graph



| Suspected List |             |             |                |                |                |             |        |            |        |
|----------------|-------------|-------------|----------------|----------------|----------------|-------------|--------|------------|--------|
| NO             | Freq. [MHz] | Factor [dB] | Reading [dBμV] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Result | Polarity   | Remark |
| 1              | 1427.9171   | 12.94       | 35.09          | 48.03          | 68.20          | 20.17       | PASS   | Horizontal | PK     |
| 2              | 2415.7566   | 16.29       | 35.25          | 51.54          | 68.20          | 16.66       | PASS   | Horizontal | PK     |
| 3              | 3553.2021   | 19.38       | 33.59          | 52.97          | 68.20          | 15.23       | PASS   | Horizontal | PK     |
| 4              | 7593.0037   | -1.73       | 47.76          | 46.03          | 74.00          | 27.97       | PASS   | Horizontal | PK     |
| 5              | 10261.1104  | 1.95        | 46.24          | 48.19          | 68.20          | 20.01       | PASS   | Horizontal | PK     |
| 6              | 13800.492   | 7.02        | 43.38          | 50.40          | 68.20          | 17.80       | PASS   | Horizontal | PK     |

|           |                                 |                |           |
|-----------|---------------------------------|----------------|-----------|
| Test_Mode | 802.11 ax(HE40)<br>Transmitting | Test_Frequency | 5310MHz   |
| Remark:   | /                               | Test_Date      | 2026/4/21 |


Test Graph



| Suspected List |             |             |                |                |                |             |        |          |        |
|----------------|-------------|-------------|----------------|----------------|----------------|-------------|--------|----------|--------|
| NO             | Freq. [MHz] | Factor [dB] | Reading [dBμV] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Result | Polarity | Remark |
| 1              | 1376.8751   | 12.77       | 34.21          | 46.98          | 74.00          | 27.02       | PASS   | Vertical | PK     |
| 2              | 2327.5331   | 15.93       | 35.06          | 50.99          | 74.00          | 23.01       | PASS   | Vertical | PK     |
| 3              | 3593.6837   | 19.79       | 33.09          | 52.88          | 68.20          | 15.32       | PASS   | Vertical | PK     |
| 4              | 7616.0046   | -1.69       | 47.14          | 45.45          | 74.00          | 28.55       | PASS   | Vertical | PK     |
| 5              | 10618.0847  | 2.29        | 46.53          | 48.82          | 74.00          | 25.18       | PASS   | Vertical | PK     |
| 6              | 14409.5564  | 9.10        | 41.30          | 50.40          | 68.20          | 17.80       | PASS   | Vertical | PK     |

|           |                                 |                |           |
|-----------|---------------------------------|----------------|-----------|
| Test_Mode | 802.11 ax(HE40)<br>Transmitting | Test_Frequency | 5310MHz   |
| Remark:   | /                               | Test_Date      | 2026/4/21 |


Test Graph



| Suspected List |             |             |                |                |                |             |        |            |        |
|----------------|-------------|-------------|----------------|----------------|----------------|-------------|--------|------------|--------|
| NO             | Freq. [MHz] | Factor [dB] | Reading [dBμV] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Result | Polarity   | Remark |
| 1              | 19970.3988  | -24.71      | 58.79          | 34.08          | 74.00          | 39.92       | PASS   | Horizontal | PK     |
| 2              | 21778.8712  | -25.55      | 59.49          | 33.94          | 68.20          | 34.26       | PASS   | Horizontal | PK     |
| 3              | 24368.8148  | -21.83      | 55.84          | 34.01          | 68.20          | 34.19       | PASS   | Horizontal | PK     |
| 4              | 28042.9617  | -21.22      | 56.03          | 34.81          | 68.20          | 33.39       | PASS   | Horizontal | PK     |
| 5              | 32334.0134  | -18.45      | 52.21          | 33.76          | 68.20          | 34.44       | PASS   | Horizontal | PK     |
| 6              | 36229.9292  | -16.74      | 48.54          | 31.80          | 68.20          | 36.40       | PASS   | Horizontal | PK     |

|           |                                 |                |           |
|-----------|---------------------------------|----------------|-----------|
| Test_Mode | 802.11 ax(HE40)<br>Transmitting | Test_Frequency | 5310MHz   |
| Remark:   | /                               | Test_Date      | 2026/4/21 |

Test Graph




| Suspected List |             |             |                |                |                |             |        |          |        |
|----------------|-------------|-------------|----------------|----------------|----------------|-------------|--------|----------|--------|
| NO             | Freq. [MHz] | Factor [dB] | Reading [dBμV] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Result | Polarity | Remark |
| 1              | 20107.6843  | -25.10      | 59.25          | 34.15          | 74.00          | 39.85       | PASS   | Vertical | PK     |
| 2              | 23135.0054  | -24.73      | 57.93          | 33.20          | 68.20          | 35.00       | PASS   | Vertical | PK     |
| 3              | 25284.9314  | -21.21      | 55.51          | 34.30          | 68.20          | 33.90       | PASS   | Vertical | PK     |
| 4              | 29596.2238  | -20.61      | 54.88          | 34.27          | 68.20          | 33.93       | PASS   | Vertical | PK     |
| 5              | 32410.5764  | -18.07      | 51.76          | 33.69          | 68.20          | 34.51       | PASS   | Vertical | PK     |
| 6              | 35011.9605  | -16.09      | 49.01          | 32.92          | 68.20          | 35.28       | PASS   | Vertical | PK     |

U-NII-2C:

|           |                                |                |           |
|-----------|--------------------------------|----------------|-----------|
| Test_Mode | 802.11 n(HT20)<br>Transmitting | Test_Frequency | 5500MHz   |
| Remark:   | /                              | Test_Date      | 2026/4/20 |


Test Graph



| Suspected List |             |             |                |                |                |             |        |            |        |
|----------------|-------------|-------------|----------------|----------------|----------------|-------------|--------|------------|--------|
| NO             | Freq. [MHz] | Factor [dB] | Reading [dBµV] | Level [dBµV/m] | Limit [dBµV/m] | Margin [dB] | Result | Polarity   | Remark |
| 1              | 1429.0172   | 12.92       | 34.39          | 47.31          | 68.20          | 20.89       | PASS   | Horizontal | PK     |
| 2              | 1922.4969   | 14.88       | 33.01          | 47.89          | 68.20          | 20.31       | PASS   | Horizontal | PK     |
| 3              | 2947.2979   | 17.69       | 33.93          | 51.62          | 68.20          | 16.58       | PASS   | Horizontal | PK     |
| 4              | 7938.0175   | -1.50       | 47.21          | 45.71          | 68.20          | 22.49       | PASS   | Horizontal | PK     |
| 5              | 10273.991   | 1.95        | 45.58          | 47.53          | 68.20          | 20.67       | PASS   | Horizontal | PK     |
| 6              | 13017.5407  | 5.93        | 44.36          | 50.29          | 68.20          | 17.91       | PASS   | Horizontal | PK     |

|           |                                |                |           |
|-----------|--------------------------------|----------------|-----------|
| Test_Mode | 802.11 n(HT20)<br>Transmitting | Test_Frequency | 5500MHz   |
| Remark:   | /                              | Test_Date      | 2026/4/20 |


Test Graph



| Suspected List |             |             |                |                |                |             |        |          |        |
|----------------|-------------|-------------|----------------|----------------|----------------|-------------|--------|----------|--------|
| NO             | Freq. [MHz] | Factor [dB] | Reading [dBµV] | Level [dBµV/m] | Limit [dBµV/m] | Margin [dB] | Result | Polarity | Remark |
| 1              | 1576.4231   | 13.67       | 33.94          | 47.61          | 74.00          | 26.39       | PASS   | Vertical | PK     |
| 2              | 2102.0241   | 15.26       | 32.21          | 47.47          | 68.20          | 20.73       | PASS   | Vertical | PK     |
| 3              | 2812.2125   | 17.46       | 34.28          | 51.74          | 74.00          | 22.26       | PASS   | Vertical | PK     |
| 4              | 7641.7657   | -1.82       | 47.25          | 45.43          | 74.00          | 28.57       | PASS   | Vertical | PK     |
| 5              | 10480.5392  | 2.11        | 47.19          | 49.30          | 68.20          | 18.90       | PASS   | Vertical | PK     |
| 6              | 14941.7977  | 9.25        | 42.18          | 51.43          | 68.20          | 16.77       | PASS   | Vertical | PK     |

|           |                                |                |           |
|-----------|--------------------------------|----------------|-----------|
| Test_Mode | 802.11 n(HT20)<br>Transmitting | Test_Frequency | 5500MHz   |
| Remark:   | /                              | Test_Date      | 2026/4/20 |


Test Graph



| Suspected List |             |             |                |                |                |             |        |            |        |
|----------------|-------------|-------------|----------------|----------------|----------------|-------------|--------|------------|--------|
| NO             | Freq. [MHz] | Factor [dB] | Reading [dBμV] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Result | Polarity   | Remark |
| 1              | 19523.3409  | -25.61      | 59.43          | 33.82          | 74.00          | 40.18       | PASS   | Horizontal | PK     |
| 2              | 21285.1714  | -25.80      | 59.25          | 33.45          | 74.00          | 40.55       | PASS   | Horizontal | PK     |
| 3              | 23683.2673  | -22.76      | 55.84          | 33.08          | 74.00          | 40.92       | PASS   | Horizontal | PK     |
| 4              | 27010.6804  | -21.84      | 55.68          | 33.84          | 68.20          | 34.36       | PASS   | Horizontal | PK     |
| 5              | 29514.3806  | -20.90      | 54.91          | 34.01          | 68.20          | 34.19       | PASS   | Horizontal | PK     |
| 6              | 32736.1894  | -18.80      | 51.99          | 33.19          | 68.20          | 35.01       | PASS   | Horizontal | PK     |

|           |                                |                |           |
|-----------|--------------------------------|----------------|-----------|
| Test_Mode | 802.11 n(HT20)<br>Transmitting | Test_Frequency | 5500MHz   |
| Remark:   | /                              | Test_Date      | 2026/4/20 |

Test Graph



| Suspected List |             |             |                |                |                |             |        |          |        |
|----------------|-------------|-------------|----------------|----------------|----------------|-------------|--------|----------|--------|
| NO             | Freq. [MHz] | Factor [dB] | Reading [dBμV] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Result | Polarity | Remark |
| 1              | 19792.6317  | -25.24      | 58.36          | 33.12          | 74.00          | 40.88       | PASS   | Vertical | PK     |
| 2              | 22438.0175  | -25.08      | 57.72          | 32.64          | 74.00          | 41.36       | PASS   | Vertical | PK     |
| 3              | 24314.2526  | -22.09      | 55.78          | 33.69          | 68.20          | 34.51       | PASS   | Vertical | PK     |
| 4              | 27363.5745  | -21.69      | 55.81          | 34.12          | 68.20          | 34.08       | PASS   | Vertical | PK     |
| 5              | 31681.9073  | -19.74      | 53.44          | 33.70          | 74.00          | 40.30       | PASS   | Vertical | PK     |
| 6              | 34187.3675  | -17.42      | 50.63          | 33.21          | 68.20          | 34.99       | PASS   | Vertical | PK     |