


Test_Mode	802.11 n(HT20) Transmitting	Test_Frequency	5260MHz
Remark:	/	Test_Date	2026/4/22


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5250	24.26	40.25	64.51	68.20	3.69	PASS	Horizontal	PK
2	5250	24.26	25.44	49.70	54.00	4.30	PASS	Horizontal	AV

Test_Mode	802.11 n(HT20) Transmitting	Test_Frequency	5260MHz
Remark:	/	Test_Date	2026/4/22


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5250	24.26	38.63	62.89	68.20	5.31	PASS	Vertical	PK
2	5250	24.26	22.60	46.86	54.00	7.14	PASS	Vertical	AV

Test_Mode	802.11 n(HT20) Transmitting	Test_Frequency	5320MHz
Remark:	/	Test_Date	2026/4/22


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5350	24.37	30.11	54.48	68.20	13.72	PASS	Horizontal	PK
2	5350	24.37	16.57	40.94	54.00	13.06	PASS	Horizontal	AV

Test_Mode	802.11 n(HT20) Transmitting	Test_Frequency	5320MHz
Remark:	/	Test_Date	2026/4/22


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5350	24.37	30.79	55.16	68.20	13.04	PASS	Vertical	PK
2	5350	24.37	17.68	42.05	54.00	11.95	PASS	Vertical	AV

Test_Mode	802.11 n(HT40) Transmitting	Test_Frequency	5190MHz
Remark:	/	Test_Date	2026/4/22


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5150	24.08	30.28	54.36	68.20	13.84	PASS	Horizontal	PK
2	5150	24.08	17.21	41.29	54.00	12.71	PASS	Horizontal	AV

Test_Mode	802.11 n(HT40) Transmitting	Test_Frequency	5190MHz
Remark:	/	Test_Date	2026/4/22


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBµV]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Result	Polarity	Remark
1	5150	24.08	28.58	52.66	68.20	15.54	PASS	Vertical	PK
2	5150	24.08	14.89	38.97	54.00	15.03	PASS	Vertical	AV

Test_Mode	802.11 n(HT40) Transmitting	Test_Frequency	5230MHz
Remark:	/	Test_Date	2026/4/22


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5250	24.26	41.91	66.17	68.20	2.03	PASS	Horizontal	PK
2	5250	24.26	26.70	50.96	54.00	3.04	PASS	Horizontal	AV

Test_Mode	802.11 n(HT40) Transmitting	Test_Frequency	5230MHz
Remark:	/	Test_Date	2026/4/22


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5250	24.26	40.14	64.40	68.20	3.80	PASS	Vertical	PK
2	5250	24.26	22.61	46.87	54.00	7.13	PASS	Vertical	AV

Test_Mode	802.11 n(HT40) Transmitting	Test_Frequency	5270MHz
Remark:	/	Test_Date	2026/4/22


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5250	24.26	35.75	60.01	68.20	8.19	PASS	Horizontal	PK
2	5250	24.26	23.77	48.03	54.00	5.97	PASS	Horizontal	AV

Test_Mode	802.11 n(HT40) Transmitting	Test_Frequency	5270MHz
Remark:	/	Test_Date	2026/4/22


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5250	24.26	34.56	58.82	68.20	9.38	PASS	Vertical	PK
2	5250	24.26	16.89	41.15	54.00	12.85	PASS	Vertical	AV

Test_Mode	802.11 n(HT40) Transmitting	Test_Frequency	5310MHz
Remark:	/	Test_Date	2026/4/22


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5350	24.37	30.64	55.01	68.20	13.19	PASS	Horizontal	PK
2	5350	24.37	17.97	42.34	54.00	11.66	PASS	Horizontal	AV

Test_Mode	802.11 n(HT40) Transmitting	Test_Frequency	5310MHz
Remark:	/	Test_Date	2026/4/22


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5350	24.37	30.31	54.68	68.20	13.52	PASS	Vertical	PK
2	5350	24.37	17.91	42.28	54.00	11.72	PASS	Vertical	AV

Test_Mode	802.11 ac(VHT20) Transmitting	Test_Frequency	5180MHz
Remark:	/	Test_Date	2026/4/22


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5150	23.98	31.69	55.67	68.20	12.53	PASS	Horizontal	PK
2	5150	23.98	15.44	39.42	54.00	14.58	PASS	Horizontal	AV

Test_Mode	802.11 ac(VHT20) Transmitting	Test_Frequency	5180MHz
Remark:	/	Test_Date	2026/4/22


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBµV]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Result	Polarity	Remark
1	5150	23.98	27.65	51.63	68.20	16.57	PASS	Vertical	PK
2	5150	23.98	15.87	39.85	54.00	14.15	PASS	Vertical	AV

Test_Mode	802.11 ac(VHT20) Transmitting	Test_Frequency	5240MHz
Remark:	/	Test_Date	2026/4/22


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5250	24.26	40.21	64.47	68.20	3.73	PASS	Horizontal	PK
2	5250	24.26	26.31	50.57	54.00	3.43	PASS	Horizontal	AV

Test_Mode	802.11 ac(VHT20) Transmitting	Test_Frequency	5240MHz
Remark:	/	Test_Date	2026/4/22


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5250	24.26	39.05	63.31	68.20	4.89	PASS	Vertical	PK
2	5250	24.26	23.92	48.18	54.00	5.82	PASS	Vertical	AV

Test_Mode	802.11 ac(VHT20) Transmitting	Test_Frequency	5260MHz
Remark:	/	Test_Date	2026/4/22


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5250	24.26	40.80	65.06	68.20	3.14	PASS	Horizontal	PK
2	5250	24.26	27.65	51.91	54.00	2.09	PASS	Horizontal	AV

Test_Mode	802.11 ac(VHT20) Transmitting	Test_Frequency	5260MHz
Remark:	/	Test_Date	2026/4/22


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5250	24.26	38.99	63.25	68.20	4.95	PASS	Vertical	PK
2	5250	24.26	23.66	47.92	54.00	6.08	PASS	Vertical	AV

Test_Mode	802.11 ac(VHT20) Transmitting	Test_Frequency	5320MHz
Remark:	/	Test_Date	2026/4/22


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5350	24.37	30.40	54.77	68.20	13.43	PASS	Horizontal	PK
2	5350	24.37	16.66	41.03	54.00	12.97	PASS	Horizontal	AV

Test_Mode	802.11 ac(VHT20) Transmitting	Test_Frequency	5320MHz
Remark:	/	Test_Date	2026/4/22


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5350	24.37	29.30	53.67	68.20	14.53	PASS	Vertical	PK
2	5350	24.37	17.16	41.53	54.00	12.47	PASS	Vertical	AV

Test_Mode	802.11 ac(VHT40) Transmitting	Test_Frequency	5190MHz
Remark:	/	Test_Date	2026/4/22


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5150	24.08	30.87	54.95	68.20	13.25	PASS	Horizontal	PK
2	5150	24.08	14.94	39.02	54.00	14.98	PASS	Horizontal	AV

Test_Mode	802.11 ac(VHT40) Transmitting	Test_Frequency	5190MHz
Remark:	/	Test_Date	2026/4/22


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5150	24.08	27.98	52.06	68.20	16.14	PASS	Vertical	PK
2	5150	24.08	15.05	39.13	54.00	14.87	PASS	Vertical	AV

Test_Mode	802.11 ac(VHT40) Transmitting	Test_Frequency	5230MHz
Remark:	/	Test_Date	2026/4/22


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5250	24.26	41.03	65.29	68.20	2.91	PASS	Horizontal	PK
2	5250	24.26	23.79	48.05	54.00	5.95	PASS	Horizontal	AV

Test_Mode	802.11 ac(VHT40) Transmitting	Test_Frequency	5230MHz
Remark:	/	Test_Date	2026/4/22

Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5250	24.26	40.16	64.42	68.20	3.78	PASS	Vertical	PK
2	5250	24.26	22.69	46.95	54.00	7.05	PASS	Vertical	AV