


Test_Mode	802.11 ac(VHT40) Transmitting	Test_Frequency	5270MHz
Remark:	/	Test_Date	2026/4/22


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5250	24.26	39.36	63.62	68.20	4.58	PASS	Horizontal	PK
2	5250	24.26	22.40	46.66	54.00	7.34	PASS	Horizontal	AV

Test_Mode	802.11 ac(VHT40) Transmitting	Test_Frequency	5270MHz
Remark:	/	Test_Date	2026/4/22


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5250	24.26	33.72	57.98	68.20	10.22	PASS	Vertical	PK
2	5250	24.26	17.16	41.42	54.00	12.58	PASS	Vertical	AV

Test_Mode	802.11 ac(VHT40) Transmitting	Test_Frequency	5310MHz
Remark:	/	Test_Date	2026/4/22


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5350	24.37	29.71	54.08	68.20	14.12	PASS	Horizontal	PK
2	5350	24.37	17.92	42.29	54.00	11.71	PASS	Horizontal	AV

Test_Mode	802.11 ac(VHT40) Transmitting	Test_Frequency	5310MHz
Remark:	/	Test_Date	2026/4/22


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5350	24.37	29.66	54.03	68.20	14.17	PASS	Vertical	PK
2	5350	24.37	18.18	42.55	54.00	11.45	PASS	Vertical	AV

Test_Mode	802.11 ax(HE20) Transmitting	Test_Frequency	5180MHz
Remark:	/	Test_Date	2026/4/22


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5150	23.98	29.43	53.41	68.20	14.79	PASS	Horizontal	PK
2	5150	23.98	15.65	39.63	54.00	14.37	PASS	Horizontal	AV

Test_Mode	802.11 ax(HE20) Transmitting	Test_Frequency	5180MHz
Remark:	/	Test_Date	2026/4/22


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5150	23.98	29.08	53.06	68.20	15.14	PASS	Vertical	PK
2	5150	23.98	14.91	38.89	54.00	15.11	PASS	Vertical	AV

Test_Mode	802.11 ax(HE20) Transmitting	Test_Frequency	5240MHz
Remark:	/	Test_Date	2026/4/22


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5250	24.26	38.35	62.61	68.20	5.59	PASS	Horizontal	PK
2	5250	24.26	25.08	49.34	54.00	4.66	PASS	Horizontal	AV

Test_Mode	802.11 ax(HE20) Transmitting	Test_Frequency	5240MHz
Remark:	/	Test_Date	2026/4/22


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5250	24.26	39.06	63.32	68.20	4.88	PASS	Vertical	PK
2	5250	24.26	27.12	51.38	54.00	2.62	PASS	Vertical	AV

Test_Mode	802.11 ax(HE20) Transmitting	Test_Frequency	5260MHz
Remark:	/	Test_Date	2026/4/22


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5250	24.26	38.69	62.95	68.20	5.25	PASS	Horizontal	PK
2	5250	24.26	22.67	46.93	54.00	7.07	PASS	Horizontal	AV

Test_Mode	802.11 ax(HE20) Transmitting	Test_Frequency	5260MHz
Remark:	/	Test_Date	2026/4/22


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5250	24.26	38.98	63.24	68.20	4.96	PASS	Vertical	PK
2	5250	24.26	24.13	48.39	54.00	5.61	PASS	Vertical	AV

Test_Mode	802.11 ax(HE20) Transmitting	Test_Frequency	5320MHz
Remark:	/	Test_Date	2026/4/22


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5350	24.37	30.98	55.35	68.20	12.85	PASS	Horizontal	PK
2	5350	24.37	16.55	40.92	54.00	13.08	PASS	Horizontal	AV

Test_Mode	802.11 ax(HE20) Transmitting	Test_Frequency	5320MHz
Remark:	/	Test_Date	2026/4/22


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5350	24.37	29.97	54.34	68.20	13.86	PASS	Vertical	PK
2	5350	24.37	16.61	40.98	54.00	13.02	PASS	Vertical	AV

Test_Mode	802.11 ax(HE40) Transmitting	Test_Frequency	5190MHz
Remark:	/	Test_Date	2026/4/22


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5150	24.08	32.30	56.38	68.20	11.82	PASS	Horizontal	PK
2	5150	24.08	18.17	42.25	54.00	11.75	PASS	Horizontal	AV

Test_Mode	802.11 ax(HE40) Transmitting	Test_Frequency	5190MHz
Remark:	/	Test_Date	2026/4/22


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5150	24.08	29.46	53.54	68.20	14.66	PASS	Vertical	PK
2	5150	24.08	15.41	39.49	54.00	14.51	PASS	Vertical	AV

Test_Mode	802.11 ax(HE40) Transmitting	Test_Frequency	5230MHz
Remark:	/	Test_Date	2026/4/22


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5250	24.26	40.90	65.16	68.20	3.04	PASS	Horizontal	PK
2	5250	24.26	24.09	48.35	54.00	5.65	PASS	Horizontal	AV

Test_Mode	802.11 ax(HE40) Transmitting	Test_Frequency	5230MHz
Remark:	/	Test_Date	2026/4/22


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5250	24.26	39.83	64.09	68.20	4.11	PASS	Vertical	PK
2	5250	24.26	24.43	48.69	54.00	5.31	PASS	Vertical	AV

Test_Mode	802.11 ax(HE40) Transmitting	Test_Frequency	5270MHz
Remark:	/	Test_Date	2026/4/22


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5250	24.26	39.96	64.22	68.20	3.98	PASS	Horizontal	PK
2	5250	24.26	23.91	48.17	54.00	5.83	PASS	Horizontal	AV

Test_Mode	802.11 ax(HE40) Transmitting	Test_Frequency	5270MHz
Remark:	/	Test_Date	2026/4/22


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5250	24.26	36.32	60.58	68.20	7.62	PASS	Vertical	PK
2	5250	24.26	15.42	39.68	54.00	14.32	PASS	Vertical	AV

Test_Mode	802.11 ax(HE40) Transmitting	Test_Frequency	5310MHz
Remark:	/	Test_Date	2026/4/22


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5350	24.37	29.99	54.36	68.20	13.84	PASS	Horizontal	PK
2	5350	24.37	17.19	41.56	54.00	12.44	PASS	Horizontal	AV

Test_Mode	802.11 ax(HE40) Transmitting	Test_Frequency	5310MHz
Remark:	/	Test_Date	2026/4/22


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5350	24.37	28.89	53.26	68.20	14.94	PASS	Vertical	PK
2	5350	24.37	17.78	42.15	54.00	11.85	PASS	Vertical	AV

Test_Mode	802.11 a Transmitting	Test_Frequency	5500MHz
Remark:	/	Test_Date	2026/4/21


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5460	24.77	29.51	54.28	68.20	13.92	PASS	Horizontal	PK
2	5460	24.77	16.86	41.63	54.00	12.37	PASS	Horizontal	AV

Test_Mode	802.11 a Transmitting	Test_Frequency	5500MHz
Remark:	/	Test_Date	2026/4/21


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5460	24.77	29.75	54.52	68.20	13.68	PASS	Vertical	PK
2	5460	24.77	16.19	40.96	54.00	13.04	PASS	Vertical	AV

Test_Mode	802.11 a Transmitting	Test_Frequency	5700MHz
Remark:	/	Test_Date	2026/4/21


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5725	25.35	31.35	56.70	68.20	11.50	PASS	Horizontal	PK
2	5725	25.35	17.24	42.59	54.00	11.41	PASS	Horizontal	AV

Test_Mode	802.11 a Transmitting	Test_Frequency	5700MHz
Remark:	/	Test_Date	2026/4/21

Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5725	25.35	29.87	55.22	68.20	12.98	PASS	Vertical	PK
2	5725	25.35	16.48	41.83	54.00	12.17	PASS	Vertical	AV