


Test_Mode	802.11 n(HT20) Transmitting	Test_Frequency	5500MHz
Remark:	/	Test_Date	2026/4/21


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBµV]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Result	Polarity	Remark
1	5460	24.77	30.13	54.90	68.20	13.30	PASS	Horizontal	PK
2	5460	24.77	16.09	40.86	54.00	13.14	PASS	Horizontal	AV

Test_Mode	802.11 n(HT20) Transmitting	Test_Frequency	5500MHz
Remark:	/	Test_Date	2026/4/21


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBµV]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Result	Polarity	Remark
1	5460	24.77	30.87	55.64	68.20	12.56	PASS	Vertical	PK
2	5460	24.77	16.42	41.19	54.00	12.81	PASS	Vertical	AV

Test_Mode	802.11 n(HT20) Transmitting	Test_Frequency	5700MHz
Remark:	/	Test_Date	2026/4/21


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5725	25.35	30.79	56.14	68.20	12.06	PASS	Horizontal	PK
2	5725	25.35	16.59	41.94	54.00	12.06	PASS	Horizontal	AV

Test_Mode	802.11 n(HT20) Transmitting	Test_Frequency	5700MHz
Remark:	/	Test_Date	2026/4/21


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5725	25.35	29.40	54.75	68.20	13.45	PASS	Vertical	PK
2	5725	25.35	17.33	42.68	54.00	11.32	PASS	Vertical	AV

Test_Mode	802.11 n(HT40) Transmitting	Test_Frequency	5510MHz
Remark:	/	Test_Date	2026/4/21


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5460	24.77	30.99	55.76	68.20	12.44	PASS	Horizontal	PK
2	5460	24.77	17.19	41.96	54.00	12.04	PASS	Horizontal	AV

Test_Mode	802.11 n(HT40) Transmitting	Test_Frequency	5510MHz
Remark:	/	Test_Date	2026/4/21


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5460	24.77	30.31	55.08	68.20	13.12	PASS	Vertical	PK
2	5460	24.77	16.41	41.18	54.00	12.82	PASS	Vertical	AV

Test_Mode	802.11 n(HT40) Transmitting	Test_Frequency	5670MHz
Remark:	/	Test_Date	2026/4/21


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5725	25.35	30.79	56.14	68.20	12.06	PASS	Horizontal	PK
2	5725	25.35	15.76	41.11	54.00	12.89	PASS	Horizontal	AV

Test_Mode	802.11 n(HT40) Transmitting	Test_Frequency	5670MHz
Remark:	/	Test_Date	2026/4/21


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5725	25.35	29.68	55.03	68.20	13.17	PASS	Vertical	PK
2	5725	25.35	15.83	41.18	54.00	12.82	PASS	Vertical	AV

Test_Mode	802.11 ac(VHT20) Transmitting	Test_Frequency	5500MHz
Remark:	/	Test_Date	2026/4/21


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBµV]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Result	Polarity	Remark
1	5460	24.77	29.48	54.25	68.20	13.95	PASS	Horizontal	PK
2	5460	24.77	16.61	41.38	54.00	12.62	PASS	Horizontal	AV

Test_Mode	802.11 ac(VHT20) Transmitting	Test_Frequency	5500MHz
Remark:	/	Test_Date	2026/4/21


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5460	24.77	30.02	54.79	68.20	13.41	PASS	Vertical	PK
2	5460	24.77	16.85	41.62	54.00	12.38	PASS	Vertical	AV

Test_Mode	802.11 ac(VHT20) Transmitting	Test_Frequency	5700MHz
Remark:	/	Test_Date	2026/4/21


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5725	25.35	30.28	55.63	68.20	12.57	PASS	Horizontal	PK
2	5725	25.35	15.93	41.28	54.00	12.72	PASS	Horizontal	AV

Test_Mode	802.11 ac(VHT20) Transmitting	Test_Frequency	5700MHz
Remark:	/	Test_Date	2026/4/21


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5725	25.35	31.95	57.30	68.20	10.90	PASS	Vertical	PK
2	5725	25.35	16.62	41.97	54.00	12.03	PASS	Vertical	AV

Test_Mode	802.11 ac(VHT40) Transmitting	Test_Frequency	5510MHz
Remark:	/	Test_Date	2026/4/21


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5460	24.77	31.08	55.85	68.20	12.35	PASS	Horizontal	PK
2	5460	24.77	17.14	41.91	54.00	12.09	PASS	Horizontal	AV

Test_Mode	802.11 ac(VHT40) Transmitting	Test_Frequency	5510MHz
Remark:	/	Test_Date	2026/4/21


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5460	24.77	30.96	55.73	68.20	12.47	PASS	Vertical	PK
2	5460	24.77	16.42	41.19	54.00	12.81	PASS	Vertical	AV

Test_Mode	802.11 ac(VHT40) Transmitting	Test_Frequency	5670MHz
Remark:	/	Test_Date	2026/4/21


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5725	25.35	31.22	56.57	68.20	11.63	PASS	Horizontal	PK
2	5725	25.35	16.53	41.88	54.00	12.12	PASS	Horizontal	AV

Test_Mode	802.11 ac(VHT40) Transmitting	Test_Frequency	5670MHz
Remark:	/	Test_Date	2026/4/21


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5725	25.35	30.25	55.60	68.20	12.60	PASS	Vertical	PK
2	5725	25.35	15.93	41.28	54.00	12.72	PASS	Vertical	AV

Test_Mode	802.11 ax(HE20) Transmitting	Test_Frequency	5500MHz
Remark:	/	Test_Date	2026/4/21


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5460	24.77	30.17	54.94	68.20	13.26	PASS	Horizontal	PK
2	5460	24.77	15.94	40.71	54.00	13.29	PASS	Horizontal	AV

Test_Mode	802.11 ax(HE20) Transmitting	Test_Frequency	5500MHz
Remark:	/	Test_Date	2026/4/21


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5460	24.77	31.68	56.45	68.20	11.75	PASS	Vertical	PK
2	5460	24.77	17.30	42.07	54.00	11.93	PASS	Vertical	AV

Test_Mode	802.11 ax(HE20) Transmitting	Test_Frequency	5700MHz
Remark:	/	Test_Date	2026/4/21


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5725	25.35	30.36	55.71	68.20	12.49	PASS	Horizontal	PK
2	5725	25.35	16.69	42.04	54.00	11.96	PASS	Horizontal	AV

Test_Mode	802.11 ax(HE20) Transmitting	Test_Frequency	5700MHz
Remark:	/	Test_Date	2026/4/21


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5725	25.35	29.45	54.80	68.20	13.40	PASS	Vertical	PK
2	5725	25.35	16.25	41.60	54.00	12.40	PASS	Vertical	AV

Test_Mode	802.11 ax(HE40) Transmitting	Test_Frequency	5510MHz
Remark:	/	Test_Date	2026/4/21


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5460	24.77	31.47	56.24	68.20	11.96	PASS	Horizontal	PK
2	5460	24.77	16.32	41.09	54.00	12.91	PASS	Horizontal	AV

Test_Mode	802.11 ax(HE40) Transmitting	Test_Frequency	5510MHz
Remark:	/	Test_Date	2026/4/21


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5460	24.77	30.80	55.57	68.20	12.63	PASS	Vertical	PK
2	5460	24.77	16.40	41.17	54.00	12.83	PASS	Vertical	AV

Test_Mode	802.11 ax(HE40) Transmitting	Test_Frequency	5670MHz
Remark:	/	Test_Date	2026/4/21


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBµV]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Result	Polarity	Remark
1	5725	25.35	29.63	54.98	68.20	13.22	PASS	Horizontal	PK
2	5725	25.35	16.30	41.65	54.00	12.35	PASS	Horizontal	AV

Test_Mode	802.11 ax(HE40) Transmitting	Test_Frequency	5670MHz
Remark:	/	Test_Date	2026/4/21

Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5725	25.35	29.60	54.95	68.20	13.25	PASS	Vertical	PK
2	5725	25.35	15.68	41.03	54.00	12.97	PASS	Vertical	AV