































Appendix D: Maximum power spectral density

Test Result

TestMode	Antenna	Frequency[MHz]	Result [dBm/MHz]	Limit[dBm/MHz]	Verdict
11A	Ant1	5180	0.61	≤11.00	PASS
11A	Ant1	5220	1.07	≤11.00	PASS
11A	Ant1	5240	0.74	≤11.00	PASS
11A	Ant1	5260	1.03	≤11.00	PASS
11A	Ant1	5300	0.87	≤11.00	PASS
11A	Ant1	5320	0.65	≤11.00	PASS
11A	Ant1	5500	0.92	≤11.00	PASS
11A	Ant1	5580	-0.25	≤11.00	PASS
11A	Ant1	5700	1.05	≤11.00	PASS
11A	Ant1	5745	-2.05	≤30.00	PASS
11A	Ant1	5785	-2.93	≤30.00	PASS
11A	Ant1	5825	-2.55	≤30.00	PASS
11N20SISO	Ant1	5180	-0.06	≤11.00	PASS
11N20SISO	Ant1	5220	0.17	≤11.00	PASS
11N20SISO	Ant1	5240	-0.54	≤11.00	PASS
11N20SISO	Ant1	5260	0.02	≤11.00	PASS
11N20SISO	Ant1	5300	0.14	≤11.00	PASS
11N20SISO	Ant1	5320	-0.90	≤11.00	PASS
11N20SISO	Ant1	5500	-0.03	≤11.00	PASS
11N20SISO	Ant1	5580	-1.01	≤11.00	PASS
11N20SISO	Ant1	5700	-0.36	≤11.00	PASS
11N20SISO	Ant1	5745	-3.82	≤30.00	PASS
11N20SISO	Ant1	5785	-3.22	≤30.00	PASS
11N20SISO	Ant1	5825	-3.00	≤30.00	PASS
11N40SISO	Ant1	5190	-3.03	≤11.00	PASS
11N40SISO	Ant1	5230	-3.35	≤11.00	PASS
11N40SISO	Ant1	5270	-3.46	≤11.00	PASS
11N40SISO	Ant1	5310	-3.40	≤11.00	PASS
11N40SISO	Ant1	5510	-3.68	≤11.00	PASS
11N40SISO	Ant1	5550	-3.68	≤11.00	PASS
11N40SISO	Ant1	5670	-3.70	≤11.00	PASS
11N40SISO	Ant1	5755	-6.02	≤30.00	PASS
11N40SISO	Ant1	5795	-6.70	≤30.00	PASS
11AC20SISO	Ant1	5180	-0.69	≤11.00	PASS
11AC20SISO	Ant1	5220	-0.09	≤11.00	PASS

11AC20SISO	Ant1	5240	-0.61	≤11.00	PASS
11AC20SISO	Ant1	5260	0.09	≤11.00	PASS
11AC20SISO	Ant1	5300	0.17	≤11.00	PASS
11AC20SISO	Ant1	5320	-0.17	≤11.00	PASS
11AC20SISO	Ant1	5500	-0.22	≤11.00	PASS
11AC20SISO	Ant1	5580	-0.71	≤11.00	PASS
11AC20SISO	Ant1	5700	-0.19	≤11.00	PASS
11AC20SISO	Ant1	5745	-3.64	≤30.00	PASS
11AC20SISO	Ant1	5785	-3.46	≤30.00	PASS
11AC20SISO	Ant1	5825	-3.10	≤30.00	PASS
11AC40SISO	Ant1	5190	-3.76	≤11.00	PASS
11AC40SISO	Ant1	5230	-3.56	≤11.00	PASS
11AC40SISO	Ant1	5270	-3.20	≤11.00	PASS
11AC40SISO	Ant1	5310	-3.25	≤11.00	PASS
11AC40SISO	Ant1	5510	-3.80	≤11.00	PASS
11AC40SISO	Ant1	5550	-3.98	≤11.00	PASS
11AC40SISO	Ant1	5670	-3.65	≤11.00	PASS
11AC40SISO	Ant1	5755	-5.90	≤30.00	PASS
11AC40SISO	Ant1	5795	-6.39	≤30.00	PASS
11AX20SISO	Ant1	5180	-1.02	≤11.00	PASS
11AX20SISO	Ant1	5220	-0.17	≤11.00	PASS
11AX20SISO	Ant1	5240	-0.42	≤11.00	PASS
11AX20SISO	Ant1	5260	-0.44	≤11.00	PASS
11AX20SISO	Ant1	5300	0.36	≤11.00	PASS
11AX20SISO	Ant1	5320	-0.08	≤11.00	PASS
11AX20SISO	Ant1	5500	-0.80	≤11.00	PASS
11AX20SISO	Ant1	5580	-1.06	≤11.00	PASS
11AX20SISO	Ant1	5700	-0.27	≤11.00	PASS
11AX20SISO	Ant1	5745	-3.98	≤30.00	PASS
11AX20SISO	Ant1	5785	-3.42	≤30.00	PASS
11AX20SISO	Ant1	5825	-2.95	≤30.00	PASS
11AX40SISO	Ant1	5190	-2.55	≤11.00	PASS
11AX40SISO	Ant1	5230	-3.17	≤11.00	PASS
11AX40SISO	Ant1	5270	-3.39	≤11.00	PASS
11AX40SISO	Ant1	5310	-2.78	≤11.00	PASS
11AX40SISO	Ant1	5510	-3.62	≤11.00	PASS
11AX40SISO	Ant1	5550	-3.88	≤11.00	PASS
11AX40SISO	Ant1	5670	-3.53	≤11.00	PASS
11AX40SISO	Ant1	5755	-6.91	≤30.00	PASS
11AX40SISO	Ant1	5795	-6.52	≤30.00	PASS

Note: 1.The Result and Limit Unit is dBm/500 kHz in the band 5.725–5.85 GHz.
2.The Duty Cycle Factor and RBW Factor is compensated in the graph.

Test Graphs

