


RF Test Data


Duty Cycle	2
Maximum Conducted Output Power	13
-6dB Bandwidth	14
Occupied Channel Bandwidth	25
Maximum Power Spectral Density Level	36
Band Edge	47
Frequency Stability	56
Conducted RF Spurious Emission	67

Duty Cycle


Condition	Mode	Frequency (MHz)	Antenna	Duty Cycle (%)	Correction Factor (dB)	1/T (kHz)
NVNT	a	5745	Ant1	26.81	5.72	1.59
NVNT	a	5785	Ant1	26.69	5.74	1.59
NVNT	a	5825	Ant1	26.81	5.72	1.59
NVNT	n20	5745	Ant1	28.09	5.52	1.52
NVNT	n20	5785	Ant1	27.97	5.53	1.52
NVNT	n20	5825	Ant1	28.09	5.52	1.52
NVNT	n40	5755	Ant1	14.04	8.53	3.03
NVNT	n40	5795	Ant1	14.41	8.41	2.94
NVNT	ac20	5745	Ant1	62.5	2.04	0.48
NVNT	ac20	5785	Ant1	62.31	2.05	0.48
NVNT	ac20	5825	Ant1	62.5	2.04	0.48
NVNT	ac40	5755	Ant1	40	3.98	1.06
NVNT	ac40	5795	Ant1	39.57	4.03	1.08
NVNT	ac80	5775	Ant1	19.23	7.16	2.22
NVNT	ax20	5745	Ant1	49.79	3.03	0.85
NVNT	ax20	5785	Ant1	50	3.01	0.85
NVNT	ax20	5825	Ant1	50	3.01	0.85
NVNT	ax40	5755	Ant1	26.5	5.77	1.61
NVNT	ax40	5795	Ant1	26.5	5.77	1.61
NVNT	ax80	5775	Ant1	14.04	8.53	3.03




Duty Cycle NVNT a 5745MHz Ant1




Duty Cycle NVNT a 5785MHz Ant1




Duty Cycle NVNT a 5825MHz Ant1




Duty Cycle NVNT n20 5745MHz Ant1




Duty Cycle NVNT n20 5785MHz Ant1




Duty Cycle NVNT n20 5825MHz Ant1




Duty Cycle NVNT n40 5755MHz Ant1




Duty Cycle NVNT n40 5795MHz Ant1




Duty Cycle NVNT ac20 5745MHz Ant1




Duty Cycle NVNT ac20 5785MHz Ant1




Duty Cycle NVNT ac20 5825MHz Ant1




Duty Cycle NVNT ac40 5755MHz Ant1




Duty Cycle NVNT ac40 5795MHz Ant1




Duty Cycle NVNT ac80 5775MHz Ant1




Duty Cycle NVNT ax20 5745MHz Ant1




Duty Cycle NVNT ax20 5785MHz Ant1




Duty Cycle NVNT ax20 5825MHz Ant1



Duty Cycle NVNT ax40 5755MHz Ant1



Duty Cycle NVNT ax40 5795MHz Ant1




Duty Cycle NVNT ax80 5775MHz Ant1

Maximum Conducted Output Power


Condition	Mode	Frequency (MHz)	Antenna	Conducted Power (dBm)	Duty Factor (dB)	Total Conducted Power (dBm)	Total Conducted Power (W)	Limit Conducted(dBm)	Verdict
NVNT	a	5745	Ant1	NaN	NaN	13.44	0.02208	30	Pass
NVNT	a	5785	Ant1	NaN	NaN	13.48	0.02228	30	Pass
NVNT	a	5825	Ant1	NaN	NaN	12.95	0.01972	30	Pass
NVNT	n20	5745	Ant1	NaN	NaN	13.48	0.02228	30	Pass
NVNT	n20	5785	Ant1	NaN	NaN	13.55	0.02265	30	Pass
NVNT	n20	5825	Ant1	NaN	NaN	13.01	0.02	30	Pass
NVNT	n40	5755	Ant1	NaN	NaN	13.47	0.02223	30	Pass
NVNT	n40	5795	Ant1	NaN	NaN	13.39	0.02183	30	Pass
NVNT	ac20	5745	Ant1	NaN	NaN	15.37	0.03443	30	Pass
NVNT	ac20	5785	Ant1	NaN	NaN	12.64	0.01837	30	Pass
NVNT	ac20	5825	Ant1	NaN	NaN	12.48	0.0177	30	Pass
NVNT	ac40	5755	Ant1	NaN	NaN	12.56	0.01803	30	Pass
NVNT	ac40	5795	Ant1	NaN	NaN	12.86	0.01932	30	Pass
NVNT	ac80	5775	Ant1	NaN	NaN	13.05	0.02018	30	Pass
NVNT	ax20	5745	Ant1	NaN	NaN	11.99	0.01581	30	Pass
NVNT	ax20	5785	Ant1	NaN	NaN	12.02	0.01592	30	Pass
NVNT	ax20	5825	Ant1	NaN	NaN	11.48	0.01406	30	Pass
NVNT	ax40	5755	Ant1	NaN	NaN	11.73	0.01489	30	Pass
NVNT	ax40	5795	Ant1	NaN	NaN	11.88	0.01542	30	Pass
NVNT	ax80	5775	Ant1	NaN	NaN	11.21	0.01321	30	Pass

-6dB Bandwidth


Condition	Mode	Frequency (MHz)	Antenna	-6 dB Bandwidth (MHz)	Limit -6 dB Bandwidth (MHz)	Verdict
NVNT	a	5745	Ant1	16.51	0.5	Pass
NVNT	a	5785	Ant1	16.46	0.5	Pass
NVNT	a	5825	Ant1	16.46	0.5	Pass
NVNT	n20	5745	Ant1	17.75	0.5	Pass
NVNT	n20	5785	Ant1	17.76	0.5	Pass
NVNT	n20	5825	Ant1	17.77	0.5	Pass
NVNT	n40	5755	Ant1	36.42	0.5	Pass
NVNT	n40	5795	Ant1	36.41	0.5	Pass
NVNT	ac20	5745	Ant1	17.71	0.5	Pass
NVNT	ac20	5785	Ant1	17.75	0.5	Pass
NVNT	ac20	5825	Ant1	17.77	0.5	Pass
NVNT	ac40	5755	Ant1	36.45	0.5	Pass
NVNT	ac40	5795	Ant1	36.46	0.5	Pass
NVNT	ac80	5775	Ant1	76.07	0.5	Pass
NVNT	ax20	5745	Ant1	19.1	0.5	Pass
NVNT	ax20	5785	Ant1	19.16	0.5	Pass
NVNT	ax20	5825	Ant1	19.11	0.5	Pass
NVNT	ax40	5755	Ant1	37.97	0.5	Pass
NVNT	ax40	5795	Ant1	38.05	0.5	Pass
NVNT	ax80	5775	Ant1	78.08	0.5	Pass




-6dB Bandwidth NVNT a 5745MHz Ant1




-6dB Bandwidth NVNT a 5785MHz Ant1




-6dB Bandwidth NVNT a 5825MHz Ant1




-6dB Bandwidth NVNT n20 5745MHz Ant1




-6dB Bandwidth NVNT n20 5785MHz Ant1




-6dB Bandwidth NVNT n20 5825MHz Ant1




-6dB Bandwidth NVNT n40 5755MHz Ant1




-6dB Bandwidth NVNT n40 5795MHz Ant1




-6dB Bandwidth NVNT ac20 5745MHz Ant1




-6dB Bandwidth NVNT ac20 5785MHz Ant1




-6dB Bandwidth NVNT ac20 5825MHz Ant1




-6dB Bandwidth NVNT ac40 5755MHz Ant1




-6dB Bandwidth NVNT ac40 5795MHz Ant1




-6dB Bandwidth NVNT ac80 5775MHz Ant1




-6dB Bandwidth NVNT ax20 5745MHz Ant1




-6dB Bandwidth NVNT ax20 5785MHz Ant1




-6dB Bandwidth NVNT ax20 5825MHz Ant1



-6dB Bandwidth NVNT ax40 5755MHz Ant1




-6dB Bandwidth NVNT ax40 5795MHz Ant1




-6dB Bandwidth NVNT ax80 5775MHz Ant1

Occupied Channel Bandwidth


Condition	Mode	Frequency (MHz)	Antenna	99% OBW (MHz)
NVNT	a	5745	Ant1	16.576
NVNT	a	5785	Ant1	16.614
NVNT	a	5825	Ant1	16.588
NVNT	n20	5745	Ant1	17.76
NVNT	n20	5785	Ant1	17.777
NVNT	n20	5825	Ant1	17.787
NVNT	n40	5755	Ant1	36.288
NVNT	n40	5795	Ant1	36.412
NVNT	ac20	5745	Ant1	17.867
NVNT	ac20	5785	Ant1	17.841
NVNT	ac20	5825	Ant1	17.798
NVNT	ac40	5755	Ant1	36.376
NVNT	ac40	5795	Ant1	36.407
NVNT	ac80	5775	Ant1	75.738
NVNT	ax20	5745	Ant1	19.05
NVNT	ax20	5785	Ant1	19.097
NVNT	ax20	5825	Ant1	19.074
NVNT	ax40	5755	Ant1	37.89
NVNT	ax40	5795	Ant1	37.879
NVNT	ax80	5775	Ant1	77.539




OBW NVNT a 5745MHz Ant1




OBW NVNT a 5785MHz Ant1




OBW NVNT a 5825MHz Ant1




OBW NVNT n20 5745MHz Ant1




OBW NVNT n20 5785MHz Ant1




OBW NVNT n20 5825MHz Ant1




OBW NVNT n40 5755MHz Ant1




OBW NVNT n40 5795MHz Ant1




OBW NVNT ac20 5745MHz Ant1




OBW NVNT ac20 5785MHz Ant1




OBW NVNT ac20 5825MHz Ant1




OBW NVNT ac40 5755MHz Ant1




OBW NVNT ac40 5795MHz Ant1




OBW NVNT ac80 5775MHz Ant1




OBW NVNT ax20 5745MHz Ant1




OBW NVNT ax20 5785MHz Ant1




OBW NVNT ax20 5825MHz Ant1



OBW NVNT ax40 5755MHz Ant1



OBW NVNT ax40 5795MHz Ant1




OBW NVNT ax80 5775MHz Ant1

Maximum Power Spectral Density Level

Condition	Mode	Frequency (MHz)	Antenna	Conducted PSD (dBm)	Duty Factor (dB)	Total Conducted PSD (dBm)	Limit Conducted(dBm)	Verdict
NVNT	a	5745	Ant1	-5.51	5.72	0.21	30	Pass
NVNT	a	5785	Ant1	-6.1	5.74	-0.36	30	Pass
NVNT	a	5825	Ant1	-6.74	5.72	-1.02	30	Pass
NVNT	n20	5745	Ant1	-5.11	5.52	0.41	30	Pass
NVNT	n20	5785	Ant1	-5.28	5.53	0.25	30	Pass
NVNT	n20	5825	Ant1	-6.84	5.52	-1.32	30	Pass
NVNT	n40	5755	Ant1	-10.51	8.53	-1.98	30	Pass
NVNT	n40	5795	Ant1	-11.55	8.41	-3.14	30	Pass
NVNT	ac20	5745	Ant1	-0.54	2.04	1.50	30	Pass
NVNT	ac20	5785	Ant1	-3.76	2.05	-1.71	30	Pass
NVNT	ac20	5825	Ant1	-3.8	2.04	-1.76	30	Pass
NVNT	ac40	5755	Ant1	-8.22	3.98	-4.24	30	Pass
NVNT	ac40	5795	Ant1	-8.11	4.03	-4.08	30	Pass
NVNT	ac80	5775	Ant1	-13.28	7.16	-6.12	30	Pass
NVNT	ax20	5745	Ant1	-5.08	3.03	-2.05	30	Pass
NVNT	ax20	5785	Ant1	-5.42	3.01	-2.41	30	Pass
NVNT	ax20	5825	Ant1	-6.06	3.01	-3.05	30	Pass
NVNT	ax40	5755	Ant1	-10.6	5.77	-4.83	30	Pass
NVNT	ax40	5795	Ant1	-11	5.77	-5.23	30	Pass
NVNT	ax80	5775	Ant1	-16.96	8.53	-8.43	30	Pass



PSD NVNT a 5745MHz Ant1



PSD NVNT a 5785MHz Ant1



PSD NVNT a 5825MHz Ant1



PSD NVNT n20 5745MHz Ant1



PSD NVNT n20 5785MHz Ant1



PSD NVNT n20 5825MHz Ant1




PSD NVNT n40 5755MHz Ant1



PSD NVNT n40 5795MHz Ant1



PSD NVNT ac20 5745MHz Ant1




PSD NVNT ac20 5785MHz Ant1



PSD NVNT ac20 5825MHz Ant1



PSD NVNT ac40 5755MHz Ant1



PSD NVNT ac40 5795MHz Ant1



PSD NVNT ac80 5775MHz Ant1



PSD NVNT ax20 5745MHz Ant1




PSD NVNT ax20 5785MHz Ant1




PSD NVNT ax20 5825MHz Ant1



PSD NVNT ax40 5755MHz Ant1



PSD NVNT ax40 5795MHz Ant1



PSD NVNT ax80 5775MHz Ant1

Band Edge


Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBm)	Limit (dBm)	Verdict
NVNT	a	5745	Ant1	-34.43		Pass
NVNT	a	5825	Ant1	-36.77		Pass
NVNT	n20	5745	Ant1	-31.34		Pass
NVNT	n20	5825	Ant1	-36.69		Pass
NVNT	n40	5755	Ant1	-28.49		Pass
NVNT	n40	5795	Ant1	-35.33		Pass
NVNT	ac20	5745	Ant1	-18.04		Pass
NVNT	ac20	5825	Ant1	-43.34		Pass
NVNT	ac40	5755	Ant1	-32.02		Pass
NVNT	ac40	5795	Ant1	-38.99		Pass
NVNT	ac80	5775	Ant1	-28.39		Pass
NVNT	ax20	5745	Ant1	-38.33		Pass
NVNT	ax20	5825	Ant1	-35.33		Pass
NVNT	ax40	5755	Ant1	-33.19		Pass
NVNT	ax40	5795	Ant1	-45.67		Pass
NVNT	ax80	5775	Ant1	-36.38		Pass



Band Edge NVNT a 5745MHz Low Ant1



Band Edge NVNT a 5825MHz High Ant1



Band Edge NVNT n20 5745MHz Low Ant1



Band Edge NVNT n20 5825MHz High Ant1



Band Edge NVNT n40 5755MHz Low Ant1



Band Edge NVNT n40 5795MHz High Ant1



Band Edge NVNT ac20 5745MHz Low Ant1




Band Edge NVNT ac20 5825MHz High Ant1




Band Edge NVNT ac40 5755MHz Low Ant1




Band Edge NVNT ac40 5795MHz High Ant1




Band Edge NVNT ac80 5775MHz Low Ant1




Band Edge NVNT ax20 5745MHz Low Ant1




Band Edge NVNT ax20 5825MHz High Ant1



Band Edge NVNT ax40 5755MHz Low Ant1




Band Edge NVNT ax40 5795MHz High Ant1




Band Edge NVNT ax80 5775MHz Low Ant1

Frequency Stability


Condition	Mode	Frequency (MHz)	Antenna	Measured Frequency (MHz)	Frequency Error (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
NVNT	a	5745	Ant1	5744.88	-120000	-20.89	25	Pass
NVNT	a	5785	Ant1	5784.92	-80000	-13.83	25	Pass
NVNT	a	5825	Ant1	5824.88	-120000	-20.6	25	Pass
NVNT	n20	5745	Ant1	5744.94	-60000	-10.44	25	Pass
NVNT	n20	5785	Ant1	5784.92	-80000	-13.83	25	Pass
NVNT	n20	5825	Ant1	5824.9	-100000	-17.17	25	Pass
NVNT	n40	5755	Ant1	5754.92	-80000	-13.9	25	Pass
NVNT	n40	5795	Ant1	5794.88	-120000	-20.71	25	Pass
NVNT	ac20	5745	Ant1	5744.9	-100000	-17.41	25	Pass
NVNT	ac20	5785	Ant1	5784.9	-100000	-17.29	25	Pass
NVNT	ac20	5825	Ant1	5824.92	-80000	-13.73	25	Pass
NVNT	ac40	5755	Ant1	5754.92	-80000	-13.9	25	Pass
NVNT	ac40	5795	Ant1	5794.88	-120000	-20.71	25	Pass
NVNT	ac80	5775	Ant1	5775	0	0	25	Pass
NVNT	ax20	5745	Ant1	5744.9	-100000	-17.41	25	Pass
NVNT	ax20	5785	Ant1	5784.9	-100000	-17.29	25	Pass
NVNT	ax20	5825	Ant1	5824.9	-100000	-17.17	25	Pass
NVNT	ax40	5755	Ant1	5754.92	-80000	-13.9	25	Pass
NVNT	ax40	5795	Ant1	5794.92	-80000	-13.81	25	Pass
NVNT	ax80	5775	Ant1	5774.92	-80000	-13.85	25	Pass




Freq. Stability NVNT a 5745MHz Ant1




Freq. Stability NVNT a 5785MHz Ant1




Freq. Stability NVNT a 5825MHz Ant1




Freq. Stability NVNT n20 5745MHz Ant1




Freq. Stability NVNT n20 5785MHz Ant1




Freq. Stability NVNT n20 5825MHz Ant1




Freq. Stability NVNT n40 5755MHz Ant1




Freq. Stability NVNT n40 5795MHz Ant1




Freq. Stability NVNT ac20 5745MHz Ant1




Freq. Stability NVNT ac20 5785MHz Ant1




Freq. Stability NVNT ac20 5825MHz Ant1




Freq. Stability NVNT ac40 5755MHz Ant1




Freq. Stability NVNT ac40 5795MHz Ant1




Freq. Stability NVNT ac80 5775MHz Ant1




Freq. Stability NVNT ax20 5745MHz Ant1




Freq. Stability NVNT ax20 5785MHz Ant1




Freq. Stability NVNT ax20 5825MHz Ant1



Freq. Stability NVNT ax40 5755MHz Ant1




Freq. Stability NVNT ax40 5795MHz Ant1




Freq. Stability NVNT ax80 5775MHz Ant1

Conducted RF Spurious Emission


Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	a	5745	Ant1	-36.03	-27	Pass
NVNT	a	5785	Ant1	-36.07	-27	Pass
NVNT	a	5825	Ant1	-36.56	-27	Pass
NVNT	n20	5745	Ant1	-36.42	-27	Pass
NVNT	n20	5785	Ant1	-36.45	-27	Pass
NVNT	n20	5825	Ant1	-36.47	-27	Pass
NVNT	n40	5755	Ant1	-36.39	-27	Pass
NVNT	n40	5795	Ant1	-36.39	-27	Pass
NVNT	ac20	5745	Ant1	-35.83	-27	Pass
NVNT	ac20	5785	Ant1	-36.6	-27	Pass
NVNT	ac20	5825	Ant1	-36.31	-27	Pass
NVNT	ac40	5755	Ant1	-36.42	-27	Pass
NVNT	ac40	5795	Ant1	-36.28	-27	Pass
NVNT	ac80	5775	Ant1	-36.57	-27	Pass
NVNT	ax20	5745	Ant1	-36.32	-27	Pass
NVNT	ax20	5785	Ant1	-35.96	-27	Pass
NVNT	ax20	5825	Ant1	-36.6	-27	Pass
NVNT	ax40	5755	Ant1	-36.17	-27	Pass
NVNT	ax40	5795	Ant1	-35.45	-27	Pass
NVNT	ax80	5775	Ant1	-36.18	-27	Pass
Note: 27GHz-40GHz the Spurious leve margin is the largest, so the test data only reflects 30MHz-27GHz.						




Tx. Spurious NVNT a 5745MHz Ant1 Emission




Tx. Spurious NVNT a 5785MHz Ant1 Emission




Tx. Spurious NVNT a 5825MHz Ant1 Emission




Tx. Spurious NVNT n20 5745MHz Ant1 Emission




Tx. Spurious NVNT n20 5785MHz Ant1 Emission




Tx. Spurious NVNT n20 5825MHz Ant1 Emission




Tx. Spurious NVNT n40 5755MHz Ant1 Emission




Tx. Spurious NVNT n40 5795MHz Ant1 Emission




Tx. Spurious NVNT ac20 5745MHz Ant1 Emission




Tx. Spurious NVNT ac20 5785MHz Ant1 Emission




Tx. Spurious NVNT ac20 5825MHz Ant1 Emission




Tx. Spurious NVNT ac40 5755MHz Ant1 Emission




Tx. Spurious NVNT ac40 5795MHz Ant1 Emission




Tx. Spurious NVNT ac80 5775MHz Ant1 Emission




Tx. Spurious NVNT ax20 5745MHz Ant1 Emission




Tx. Spurious NVNT ax20 5785MHz Ant1 Emission




Tx. Spurious NVNT ax20 5825MHz Ant1 Emission



Tx. Spurious NVNT ax40 5755MHz Ant1 Emission



Tx. Spurious NVNT ax40 5795MHz Ant1 Emission



Tx. Spurious NVNT ax80 5775MHz Ant1 Emission

