



11N40SISO_Ant1_5795_30~5650




11N40SISO_Ant1_5795_5925~40000



11N40SISO_Ant1_5795_27000~40000




11AC20SISO_Ant1_5180_30~5140



11AC20SISO_Ant1_5180_5360~40000




11AC20SISO_Ant1_5180_27000~40000



Date: 15.APR.2026 10:45:36


11AC20SISO_Ant1_5220_30~5140




11AC20SISO_Ant1_5220_5360~40000



11AC20SISO_Ant1_5220_27000~40000




11AC20SISO_Ant1_5240_30~5140




11AC20SISO_Ant1_5240_5360~40000




11AC20SISO_Ant1_5240_27000~40000




11AC20SISO_Ant1_5745_30~5650



11AC20SISO_Ant1_5745_5925~40000




11AC20SISO_Ant1_5745_27000~40000




Date: 15.APR.2026 10:46:14


11AC20SISO_Ant1_5785_30~5650



11AC20SISO_Ant1_5785_5925~40000




11AC20SISO_Ant1_5785_27000~40000



Date: 15.APR.2026 10:46:32


11AC20SISO_Ant1_5825_30~5650



11AC20SISO_Ant1_5825_5925~40000




11AC20SISO_Ant1_5825_27000~40000



Date: 15.APR.2026 10:46:53


11AC40SISO_Ant1_5190_30~5140




11AC40SISO_Ant1_5190_5360~40000



11AC40SISO_Ant1_5190_27000~40000




11AC40SISO_Ant1_5230_30~5140




11AC40SISO_Ant1_5230_5360~40000




11AC40SISO_Ant1_5230_27000~40000




11AC40SISO_Ant1_5755_30~5650




11AC40SISO_Ant1_5755_5925~40000




11AC40SISO_Ant1_5755_27000~40000




11AC40SISO_Ant1_5795_30~5650




11AC40SISO_Ant1_5795_5925~40000




11AC40SISO_Ant1_5795_27000~40000




11AX20SISO_Ant1_5180_30~5140



11AX20SISO_Ant1_5180_5360~40000




11AX20SISO_Ant1_5180_27000~40000



Date: 15.APR.2026 10:48:25


11AX20SISO_Ant1_5220_30~5140




11AX20SISO_Ant1_5220_5360~40000



11AX20SISO_Ant1_5220_27000~40000




11AX20SISO_Ant1_5240_30~5140



11AX20SISO_Ant1_5240_5360~40000




11AX20SISO_Ant1_5240_27000~40000




11AX20SISO_Ant1_5745_30~5650



11AX20SISO_Ant1_5745_5925~40000




11AX20SISO_Ant1_5745_27000~40000




11AX20SISO_Ant1_5785_30~5650



11AX20SISO_Ant1_5785_5925~40000




11AX20SISO_Ant1_5785_27000~40000



Date: 15.APR.2026 10:49:53


11AX20SISO_Ant1_5825_30~5650



11AX20SISO_Ant1_5825_5925~40000




11AX20SISO_Ant1_5825_27000~40000



Date: 15.APR.2026 10:50:22


11AX40SISO_Ant1_5190_30~5140




11AX40SISO_Ant1_5190_5360~40000



11AX40SISO_Ant1_5190_27000~40000




11AX40SISO_Ant1_5230_30~5140




11AX40SISO_Ant1_5230_5360~40000




11AX40SISO_Ant1_5230_27000~40000




11AX40SISO_Ant1_5755_30~5650




11AX40SISO_Ant1_5755_5925~40000




11AX40SISO_Ant1_5755_27000~40000




11AX40SISO_Ant1_5795_30~5650



11AX40SISO_Ant1_5795_5925~40000



11AX40SISO_Ant1_5795_27000~40000



Appendix G: Emissions in Restricted Bands

Test Result

TestMode	ChName	Freq(MHz)	Detector	Freq [MHz]	Result [dBm]	Gain [dB]	DC Factor [dB]	EIRP [dBm]	Limit [dBm]	Verdict
11A	Low	5180	AV	4500.000	-62.09	3.72	1.33	-57.04	≤-41.20	PASS
			AV	5149.600	-53.37	3.72	1.33	-48.32	≤-41.20	PASS
			AV	5150.000	-54.05	3.72	1.33	-49	≤-41.20	PASS
			Peak	4500.000	-52.91	3.72	0.00	-49.19	≤-27.00	PASS
			Peak	5144.000	-43.01	3.72	0.00	-39.29	≤-27.00	PASS
			Peak	5150.000	-43.98	3.72	0.00	-40.26	≤-27.00	PASS
	High	5240	AV	5350.000	-58.66	3.72	1.25	-53.69	≤-41.20	PASS
			AV	5356.320	-58.09	3.72	1.25	-53.12	≤-41.20	PASS
			AV	5460.000	-60.04	3.72	1.25	-55.07	≤-41.20	PASS
			Peak	5350.000	-50.5	3.72	0.00	-46.78	≤-27.00	PASS
			Peak	5384.640	-47.99	3.72	0.00	-44.27	≤-27.00	PASS
			Peak	5460.000	-50.42	3.72	0.00	-46.7	≤-27.00	PASS
	Low	5745	Peak	5650.000	-50.55	2.27	0.00	-48.28	≤-27.00	PASS
			Peak	5700.000	-50.44	2.27	0.00	-48.17	≤10.00	PASS
			Peak	5720.000	-46.92	2.27	0.00	-44.65	≤15.60	PASS
			Peak	5725.000	-37.66	2.27	0.00	-35.39	≤27.00	PASS
	High	5825	Peak	5850.000	-45.449	2.27	0.00	-43.179	≤27.00	PASS
			Peak	5855.000	-46.63	2.27	0.00	-44.36	≤15.60	PASS
			Peak	5875.000	-50.52	2.27	0.00	-48.25	≤10.00	PASS
			Peak	5925.000	-50.99	2.27	0.00	-48.72	≤-27.00	PASS
11N20SISO	Low	5180	AV	4500.000	-62.54	3.72	0.87	-57.95	≤-41.20	PASS
			AV	5148.900	-53.52	3.72	0.87	-48.93	≤-41.20	PASS
			AV	5150.000	-53.86	3.72	0.87	-49.27	≤-41.20	PASS
			Peak	4500.000	-53.48	3.72	0.00	-49.76	≤-27.00	PASS
			Peak	5144.700	-43.4	3.72	0.00	-39.68	≤-27.00	PASS
			Peak	5150.000	-43.94	3.72	0.00	-40.22	≤-27.00	PASS
	High	5240	AV	5350.000	-59.2	3.72	0.87	-54.61	≤-41.20	PASS
			AV	5361.120	-58.57	3.72	0.87	-53.98	≤-41.20	PASS
			AV	5460.000	-59.83	3.72	0.87	-55.24	≤-41.20	PASS
			Peak	5350.000	-48.75	3.72	0.00	-45.03	≤-27.00	PASS
			Peak	5355.840	-48.17	3.72	0.00	-44.45	≤-27.00	PASS
			Peak	5460.000	-51.06	3.72	0.00	-47.34	≤-27.00	PASS
	Low	5745	Peak	5650.000	-52.17	2.27	0.00	-49.9	≤-27.00	PASS
			Peak	5700.000	-48.69	2.27	0.00	-46.42	≤10.00	PASS
			Peak	5720.000	-42.99	2.27	0.00	-40.72	≤15.60	PASS

	High	5825	Peak	5725.000	-36.7	2.27	0.00	-34.43	≤27.00	PASS
			Peak	5850.000	-43.969	2.27	0.00	-41.699	≤27.00	PASS
			Peak	5855.000	-47.56	2.27	0.00	-45.29	≤15.60	PASS
			Peak	5875.000	-50.76	2.27	0.00	-48.49	≤10.00	PASS
			Peak	5925.000	-52.25	2.27	0.00	-49.98	≤-27.00	PASS
11N40SISO	Low	5190	AV	4500.000	-62.38	3.72	1.06	-57.6	≤-41.20	PASS
			AV	5148.900	-51.59	3.72	1.06	-46.81	≤-41.20	PASS
			AV	5150.000	-51.63	3.72	1.06	-46.85	≤-41.20	PASS
			Peak	4500.000	-55.72	3.72	0.00	-52	≤-27.00	PASS
			Peak	5148.200	-42.17	3.72	0.00	-38.45	≤-27.00	PASS
			Peak	5150.000	-40.55	3.72	0.00	-36.83	≤-27.00	PASS
	High	5230	AV	5350.000	-58.73	3.72	1.06	-53.95	≤-41.20	PASS
			AV	5352.100	-58.09	3.72	1.06	-53.31	≤-41.20	PASS
			AV	5460.000	-59.33	3.72	1.06	-54.55	≤-41.20	PASS
			Peak	5350.000	-49.33	3.72	0.00	-45.61	≤-27.00	PASS
			Peak	5352.360	-47.3	3.72	0.00	-43.58	≤-27.00	PASS
			Peak	5460.000	-51.62	2.27	0.00	-49.35	≤-27.00	PASS
	Low	5755	Peak	5650.000	-50.797	2.27	0.00	-48.527	≤-27.00	PASS
			Peak	5700.000	-48.37	2.27	0.00	-46.1	≤10.00	PASS
			Peak	5720.000	-35.14	2.27	0.00	-32.87	≤15.60	PASS
			Peak	5725.000	-37.78	2.27	0.00	-35.51	≤27.00	PASS
	High	5795	Peak	5850.000	-47.941	2.27	0.00	-45.671	≤27.00	PASS
			Peak	5855.000	-47.32	2.27	0.00	-45.05	≤15.60	PASS
			Peak	5875.000	-49.04	2.27	0.00	-46.77	≤10.00	PASS
			Peak	5925.000	-50.18	3.72	0.00	-46.46	≤-27.00	PASS
11AC20SISO	Low	5180	AV	4500.000	-63	3.72	0.79	-58.49	≤-41.20	PASS
			AV	5143.300	-53.22	3.72	0.79	-48.71	≤-41.20	PASS
			AV	5150.000	-52.95	3.72	0.79	-48.44	≤-41.20	PASS
			Peak	4500.000	-54.18	3.72	0.00	-50.46	≤-27.00	PASS
			Peak	5146.100	-43.1	3.72	0.00	-39.38	≤-27.00	PASS
			Peak	5150.000	-44.03	3.72	0.00	-40.31	≤-27.00	PASS
	High	5240	AV	5350.000	-58.94	3.72	0.62	-54.6	≤-41.20	PASS
			AV	5353.680	-58.42	3.72	0.62	-54.08	≤-41.20	PASS
			AV	5460.000	-59.7	3.72	0.62	-55.36	≤-41.20	PASS
			Peak	5350.000	-50	3.72	0.00	-46.28	≤-27.00	PASS
			Peak	5362.320	-48.04	3.72	0.00	-44.32	≤-27.00	PASS
			Peak	5460.000	-50.57	2.27	0.00	-48.3	≤-27.00	PASS
	Low	5745	Peak	5650.000	-51.191	2.27	0.00	-48.921	≤-27.00	PASS
			Peak	5700.000	-48.28	2.27	0.00	-46.01	≤10.00	PASS
			Peak	5720.000	-42.34	2.27	0.00	-40.07	≤15.60	PASS
			Peak	5725.000	-39.52	2.27	0.00	-37.25	≤27.00	PASS
	High	5825	Peak	5850.000	-40.7	2.27	0.00	-38.43	≤27.00	PASS
			Peak	5855.000	-46.19	2.27	0.00	-43.92	≤15.60	PASS


			Peak	5875.000	-49.13	2.27	0.00	-46.86	≤10.00	PASS
			Peak	5925.000	-50.53	3.72	0.00	-46.81	≤-27.00	PASS
11AC40SISO	Low	5190	AV	4500.000	-62	3.72	0.87	-57.41	≤-41.20	PASS
			AV	5149.600	-49.3	3.72	0.87	-44.71	≤-41.20	PASS
			AV	5150.000	-48.98	3.72	0.87	-44.39	≤-41.20	PASS
			Peak	4500.000	-53.33	3.72	0.00	-49.61	≤-27.00	PASS
			Peak	5148.200	-39.23	3.72	0.00	-35.51	≤-27.00	PASS
			Peak	5150.000	-38.95	3.72	0.00	-35.23	≤-27.00	PASS
	High	5230	AV	5350.000	-59.13	3.72	1.12	-54.29	≤-41.20	PASS
			AV	5359.120	-58.22	3.72	1.12	-53.38	≤-41.20	PASS
			AV	5460.000	-59.6	3.72	1.12	-54.76	≤-41.20	PASS
			Peak	5350.000	-50.58	3.72	0.00	-46.86	≤-27.00	PASS
			Peak	5376.800	-47.6	2.27	0.00	-45.33	≤-27.00	PASS
			Peak	5460.000	-50.55	2.27	0.00	-48.28	≤-27.00	PASS
	Low	5755	Peak	5650.000	-50.261	2.27	0.00	-47.991	≤-27.00	PASS
			Peak	5700.000	-47.84	2.27	0.00	-45.57	≤10.00	PASS
			Peak	5720.000	-38.68	2.27	0.00	-36.41	≤15.60	PASS
			Peak	5725.000	-40.77	2.27	0.00	-38.5	≤27.00	PASS
	High	5795	Peak	5850.000	-42.988	2.27	0.00	-40.718	≤27.00	PASS
			Peak	5855.000	-45.99	2.27	0.00	-43.72	≤15.60	PASS
			Peak	5875.000	-48.5	3.72	0.00	-44.78	≤10.00	PASS
			Peak	5925.000	-50.77	3.72	0.00	-47.05	≤-27.00	PASS
11AX20SISO	Low	5180	AV	4500.000	-62.55	3.72	0.62	-58.21	≤-41.20	PASS
			AV	5149.600	-52.54	3.72	0.62	-48.2	≤-41.20	PASS
			AV	5150.000	-52.77	3.72	0.62	-48.43	≤-41.20	PASS
			Peak	4500.000	-54.26	3.72	0.00	-50.54	≤-27.00	PASS
			Peak	5140.500	-41.85	3.72	0.00	-38.13	≤-27.00	PASS
			Peak	5150.000	-43.21	3.72	0.00	-39.49	≤-27.00	PASS
	High	5240	AV	5350.000	-59.05	3.72	0.76	-54.57	≤-41.20	PASS
			AV	5357.520	-58.25	3.72	0.76	-53.77	≤-41.20	PASS
			AV	5460.000	-59.65	3.72	0.76	-55.17	≤-41.20	PASS
			Peak	5350.000	-49.34	3.72	0.00	-45.62	≤-27.00	PASS
			Peak	5363.280	-47.65	2.27	0.00	-45.38	≤-27.00	PASS
			Peak	5460.000	-51.42	2.27	0.00	-49.15	≤-27.00	PASS
	Low	5745	Peak	5650.000	-49.928	2.27	0.00	-47.658	≤-27.00	PASS
			Peak	5700.000	-48.98	2.27	0.00	-46.71	≤10.00	PASS
			Peak	5720.000	-39.85	2.27	0.00	-37.58	≤15.60	PASS
			Peak	5725.000	-38.27	2.27	0.00	-36	≤27.00	PASS
	High	5825	Peak	5850.000	-39.916	2.27	0.00	-37.646	≤27.00	PASS
			Peak	5855.000	-44.77	2.27	0.00	-42.5	≤15.60	PASS
			Peak	5875.000	-50.47	3.72	0.00	-46.75	≤10.00	PASS
			Peak	5925.000	-49.63	3.72	0.00	-45.91	≤-27.00	PASS
11AX40SISO	Low	5190	AV	4500.000	-62.6	3.72	1.06	-57.82	≤-41.20	PASS


			AV	5149.600	-50.42	3.72	1.06	-45.64	≤-41.20	PASS
			AV	5150.000	-50.21	3.72	1.06	-45.43	≤-41.20	PASS
			Peak	4500.000	-54.23	3.72	0.00	-50.51	≤-27.00	PASS
			Peak	5144.000	-38.78	3.72	0.00	-35.06	≤-27.00	PASS
			Peak	5150.000	-40.63	3.72	0.00	-36.91	≤-27.00	PASS
	High	5230	AV	5350.000	-58.74	3.72	1.12	-53.9	≤-41.20	PASS
			AV	5361.720	-58.19	3.72	1.12	-53.35	≤-41.20	PASS
			AV	5460.000	-59.55	3.72	1.12	-54.71	≤-41.20	PASS
			Peak	5350.000	-50.79	3.72	0.00	-47.07	≤-27.00	PASS
			Peak	5383.560	-48.2	2.27	0.00	-45.93	≤-27.00	PASS
			Peak	5460.000	-50.17	2.27	0.00	-47.9	≤-27.00	PASS
	Low	5755	Peak	5650.000	-51.451	2.27	0.00	-49.181	≤-27.00	PASS
			Peak	5700.000	-48.52	2.27	0.00	-46.25	≤10.00	PASS
			Peak	5720.000	-38.48	2.27	0.00	-36.21	≤15.60	PASS
			Peak	5725.000	-42.39	2.27	0.00	-40.12	≤27.00	PASS
	High	5795	Peak	5850.000	-46.48	2.27	0.00	-44.21	≤27.00	PASS
			Peak	5855.000	-48.72	2.27	0.00	-46.45	≤15.60	PASS
			Peak	5875.000	-48.29	3.72	0.00	-44.57	≤10.00	PASS
			Peak	5925.000	-50.17	3.72	0.00	-46.45	≤-27.00	PASS

Note:


For transmitters operating in 5150-5350 GHz band and 5470-5725 GHz band: The limit in dBm for average detector is conversion from 54dBuV/m, according to 15.209(a). The limit in dBm for peak detector is 20dB above the limit of average detector in dBm.

Test Graphs





11A_Ant1_High_5240_Peak



11A_Ant1_Low_5745_Peak

