


11N40SISO_Ant1_5230_5360~40000




11N40SISO_Ant1_5230_27000~40000




11N40SISO_Ant1_5755_30~5650



11N40SISO_Ant1_5755_5925~40000



11N40SISO_Ant1_5755_27000~40000




Date: 13.MAY.2026 06:36:19


11N40SISO_Ant1_5795_30~5650




11N40SISO_Ant1_5795_5925~40000



11N40SISO_Ant1_5795_27000~40000




11AC20SISO_Ant1_5180_30~5140



11AC20SISO_Ant1_5180_5360~40000




11AC20SISO_Ant1_5180_27000~40000



Date: 13.MAY.2026 06:40:54


11AC20SISO_Ant1_5220_30~5140




11AC20SISO_Ant1_5220_5360~40000



11AC20SISO_Ant1_5220_27000~40000




11AC20SISO_Ant1_5240_30~5140



11AC20SISO_Ant1_5240_5360~40000




11AC20SISO_Ant1_5240_27000~40000




11AC20SISO_Ant1_5745_30~5650



11AC20SISO_Ant1_5745_5925~40000



11AC20SISO_Ant1_5745_27000~40000




Date: 13.MAY.2026 07:20:54


11AC20SISO_Ant1_5785_30~5650



11AC20SISO_Ant1_5785_5925~40000




11AC20SISO_Ant1_5785_27000~40000



Date: 13.MAY.2026 07:21:04


11AC20SISO_Ant1_5825_30~5650




11AC20SISO_Ant1_5825_5925~40000



11AC20SISO_Ant1_5825_27000~40000




11AC40SISO_Ant1_5190_30~5140




11AC40SISO_Ant1_5190_5360~40000



11AC40SISO_Ant1_5190_27000~40000




11AC40SISO_Ant1_5230_30~5140



11AC40SISO_Ant1_5230_5360~40000




11AC40SISO_Ant1_5230_27000~40000




11AC40SISO_Ant1_5755_30~5650




11AC40SISO_Ant1_5755_5925~40000




11AC40SISO_Ant1_5755_27000~40000




11AC40SISO_Ant1_5795_30~5650



11AC40SISO_Ant1_5795_5925~40000




11AC40SISO_Ant1_5795_27000~40000



Date: 13.MAY.2026 08:51:07


11AC80SISO_Ant1_5210_30~5140



11AC80SISO_Ant1_5210_5360~40000



11AC80SISO_Ant1_5210_27000~40000




11AC80SISO_Ant1_5775_30~5650



11AC80SISO_Ant1_5775_5925~40000



11AC80SISO_Ant1_5775_27000~40000



Date: 13.MAY.2026 08:51:32

Appendix G: Emissions in Restricted Bands

Test Result

TestMode	Antenna	ChName	Freq(MHz)	Detect or	Freq [MHz]	Result [dBm]	Gain [dB]	DC Factor [dB]	EIRP [dBm]	Limit [dBm]	Verdict
11A	Ant1	Low	5180	AV	4500.000	-62.4	2.00	1.25	-59.15	≤-41.20	PASS
				AV	5149.600	-56.67	2.00	1.25	-53.42	≤-41.20	PASS
				AV	5150.000	-57.02	2.00	1.25	-53.77	≤-41.20	PASS
				Peak	4500.000	-55.04	2.00	0.00	-53.04	≤-27.00	PASS
				Peak	5145.400	-47.55	2.00	0.00	-45.55	≤-27.00	PASS
				Peak	5150.000	-48.69	2.00	0.00	-46.69	≤-27.00	PASS
		High	5240	AV	5350.000	-58.2	2.00	1.03	-55.17	≤-41.20	PASS
				AV	5354.400	-57.46	2.00	1.03	-54.43	≤-41.20	PASS
				AV	5460.000	-58.81	2.00	1.03	-55.78	≤-41.20	PASS
				Peak	5350.000	-47.8	2.00	0.00	-45.8	≤-27.00	PASS
				Peak	5352.480	-47.11	2.00	0.00	-45.11	≤-27.00	PASS
				Peak	5460.000	-50.59	2.00	0.00	-48.59	≤-27.00	PASS
		Low	5745	Peak	5650.000	-51.428	2.19	0.00	-49.238	≤-27.00	PASS
				Peak	5700.000	-49.64	2.19	0.00	-47.45	≤10.00	PASS
				Peak	5720.000	-48.83	2.19	0.00	-46.64	≤15.60	PASS
				Peak	5725.000	-40.27	2.19	0.00	-38.08	≤27.00	PASS
		High	5825	Peak	5850.000	-46.517	2.19	0.00	-44.327	≤27.00	PASS
				Peak	5855.000	-47.47	2.19	0.00	-45.28	≤15.60	PASS
				Peak	5875.000	-48.06	2.19	0.00	-45.87	≤10.00	PASS
				Peak	5925.000	-49.99	2.19	0.00	-47.8	≤-27.00	PASS
11N20SI SO	Ant1	Low	5180	AV	4500.000	-62.66	2.00	1.06	-59.6	≤-41.20	PASS
				AV	5149.600	-56.66	2.00	1.06	-53.6	≤-41.20	PASS
				AV	5150.000	-56.95	2.00	1.06	-53.89	≤-41.20	PASS
				Peak	4500.000	-54.35	2.00	0.00	-52.35	≤-27.00	PASS
				Peak	5127.900	-46.11	2.00	0.00	-44.11	≤-27.00	PASS
				Peak	5150.000	-48.54	2.00	0.00	-46.54	≤-27.00	PASS
		High	5240	AV	5350.000	-58.15	2.00	0.87	-55.28	≤-41.20	PASS
				AV	5360.640	-57.54	2.00	0.87	-54.67	≤-41.20	PASS
				AV	5460.000	-59.36	2.00	0.87	-56.49	≤-41.20	PASS
				Peak	5350.000	-48.24	2.00	0.00	-46.24	≤-27.00	PASS
				Peak	5370.720	-46.21	2.00	0.00	-44.21	≤-27.00	PASS
				Peak	5460.000	-49.64	2.00	0.00	-47.64	≤-27.00	PASS
		Low	5745	Peak	5650.000	-52.161	2.19	0.00	-49.971	≤-27.00	PASS
				Peak	5700.000	-50.34	2.19	0.00	-48.15	≤10.00	PASS
				Peak	5720.000	-44.89	2.19	0.00	-42.7	≤15.60	PASS
				Peak	5725.000	-42.21	2.19	0.00	-40.02	≤27.00	PASS


		High	5825	Peak	5850.000	-40.784	2.19	0.00	-38.594	≤27.00	PASS
				Peak	5855.000	-46.63	2.19	0.00	-44.44	≤15.60	PASS
				Peak	5875.000	-49.05	2.19	0.00	-46.86	≤10.00	PASS
				Peak	5925.000	-49.53	2.19	0.00	-47.34	≤-27.00	PASS
11N40SI SO	Ant1	Low	5190	AV	4500.000	-62.34	2.00	0.87	-59.47	≤-41.20	PASS
				AV	5149.600	-52.96	2.00	0.87	-50.09	≤-41.20	PASS
				AV	5150.000	-52.74	2.00	0.87	-49.87	≤-41.20	PASS
				Peak	4500.000	-52.24	2.00	0.00	-50.24	≤-27.00	PASS
				Peak	5147.500	-41.84	2.00	0.00	-39.84	≤-27.00	PASS
				Peak	5150.000	-41.64	2.00	0.00	-39.64	≤-27.00	PASS
		High	5230	AV	5350.000	-58.17	2.00	1.06	-55.11	≤-41.20	PASS
				AV	5351.060	-57.3	2.00	1.06	-54.24	≤-41.20	PASS
				AV	5460.000	-58.41	2.00	1.06	-55.35	≤-41.20	PASS
				Peak	5350.000	-49.21	2.00	0.00	-47.21	≤-27.00	PASS
				Peak	5389.800	-46.12	2.00	0.00	-44.12	≤-27.00	PASS
				Peak	5460.000	-50.97	2.00	0.00	-48.97	≤-27.00	PASS
		Low	5755	Peak	5650.000	-49.107	2.19	0.00	-46.917	≤-27.00	PASS
				Peak	5700.000	-48.34	2.19	0.00	-46.15	≤10.00	PASS
				Peak	5720.000	-38.97	2.19	0.00	-36.78	≤15.60	PASS
				Peak	5725.000	-39.6	2.19	0.00	-37.41	≤27.00	PASS
		High	5795	Peak	5850.000	-48.611	2.19	0.00	-46.421	≤27.00	PASS
				Peak	5855.000	-47.05	2.19	0.00	-44.86	≤15.60	PASS
				Peak	5875.000	-49.26	2.19	0.00	-47.07	≤10.00	PASS
				Peak	5925.000	-49.74	2.19	0.00	-47.55	≤-27.00	PASS
11AC20S ISO	Ant1	Low	5180	AV	4500.000	-62.14	2.00	0.76	-59.38	≤-41.20	PASS
				AV	5149.600	-56.23	2.00	0.76	-53.47	≤-41.20	PASS
				AV	5150.000	-56.16	2.00	0.76	-53.4	≤-41.20	PASS
				Peak	4500.000	-53.85	2.00	0.00	-51.85	≤-27.00	PASS
				Peak	5141.200	-46.26	2.00	0.00	-44.26	≤-27.00	PASS
				Peak	5150.000	-47.05	2.00	0.00	-45.05	≤-27.00	PASS
		High	5240	AV	5350.000	-57.69	2.00	0.62	-55.07	≤-41.20	PASS
				AV	5363.280	-57.22	2.00	0.62	-54.6	≤-41.20	PASS
				AV	5460.000	-58.57	2.00	0.62	-55.95	≤-41.20	PASS
				Peak	5350.000	-49.21	2.00	0.00	-47.21	≤-27.00	PASS
				Peak	5388.480	-46.08	2.00	0.00	-44.08	≤-27.00	PASS
				Peak	5460.000	-50.44	2.00	0.00	-48.44	≤-27.00	PASS
		Low	5745	Peak	5650.000	-51.163	2.19	0.00	-48.973	≤-27.00	PASS
				Peak	5700.000	-50.32	2.19	0.00	-48.13	≤10.00	PASS
				Peak	5720.000	-44.84	2.19	0.00	-42.65	≤15.60	PASS
				Peak	5725.000	-40.37	2.19	0.00	-38.18	≤27.00	PASS
		High	5825	Peak	5850.000	-38.69	2.19	0.00	-36.5	≤27.00	PASS
				Peak	5855.000	-47.2	2.19	0.00	-45.01	≤15.60	PASS
				Peak	5875.000	-48.21	2.19	0.00	-46.02	≤10.00	PASS


				Peak	5925.000	-50.51	2.19	0.00	-48.32	≤-27.00	PASS
11AC40S ISO	Ant1	Low	5190	AV	4500.000	-62.09	2.00	1.06	-59.03	≤-41.20	PASS
				AV	5149.600	-53.79	2.00	1.06	-50.73	≤-41.20	PASS
				AV	5150.000	-53.42	2.00	1.06	-50.36	≤-41.20	PASS
				Peak	4500.000	-53.69	2.00	0.00	-51.69	≤-27.00	PASS
				Peak	5146.800	-41.54	2.00	0.00	-39.54	≤-27.00	PASS
				Peak	5150.000	-42.83	2.00	0.00	-40.83	≤-27.00	PASS
		High	5230	AV	5350.000	-58.21	2.00	1.12	-55.09	≤-41.20	PASS
				AV	5357.300	-57.32	2.00	1.12	-54.2	≤-41.20	PASS
				AV	5460.000	-58.76	2.00	1.12	-55.64	≤-41.20	PASS
				Peak	5350.000	-48.59	2.00	0.00	-46.59	≤-27.00	PASS
				Peak	5390.320	-47.08	2.00	0.00	-45.08	≤-27.00	PASS
				Peak	5460.000	-50.92	2.00	0.00	-48.92	≤-27.00	PASS
		Low	5755	Peak	5650.000	-50.694	2.19	0.00	-48.504	≤-27.00	PASS
				Peak	5700.000	-47.4	2.19	0.00	-45.21	≤10.00	PASS
				Peak	5720.000	-41.77	2.19	0.00	-39.58	≤15.60	PASS
				Peak	5725.000	-41.78	2.19	0.00	-39.59	≤27.00	PASS
		High	5795	Peak	5850.000	-45.141	2.19	0.00	-42.951	≤27.00	PASS
				Peak	5855.000	-46.36	2.19	0.00	-44.17	≤15.60	PASS
				Peak	5875.000	-47.75	2.19	0.00	-45.56	≤10.00	PASS
				Peak	5925.000	-50.11	2.19	0.00	-47.92	≤-27.00	PASS
11AC80S ISO	Ant1	Low	5210	AV	4500.000	-62.01	2.00	0.92	-59.09	≤-41.20	PASS
				AV	5147.250	-52.39	2.00	0.92	-49.47	≤-41.20	PASS
				AV	5150.000	-53.49	2.00	0.92	-50.57	≤-41.20	PASS
				Peak	4500.000	-54.66	2.00	0.00	-52.66	≤-27.00	PASS
				Peak	5134.500	-39.01	2.00	0.00	-37.01	≤-27.00	PASS
				Peak	5150.000	-43.77	2.00	0.00	-41.77	≤-27.00	PASS
		High	5210	AV	5350.000	-57.83	2.00	0.92	-54.91	≤-41.20	PASS
				AV	5352.480	-57.15	2.00	0.92	-54.23	≤-41.20	PASS
				AV	5460.000	-58.89	2.00	0.92	-55.97	≤-41.20	PASS
				Peak	5350.000	-47.04	2.00	0.00	-45.04	≤-27.00	PASS
				Peak	5363.680	-46.02	2.00	0.00	-44.02	≤-27.00	PASS
				Peak	5460.000	-50.91	2.00	0.00	-48.91	≤-27.00	PASS
		Low	5775	Peak	5650.000	-50.633	2.19	0.00	-48.633	≤-27.00	PASS
				Peak	5700.000	-40.28	2.19	0.00	-38.28	≤10.00	PASS
				Peak	5720.000	-43.11	2.19	0.00	-41.11	≤15.60	PASS
				Peak	5725.000	-34.6	2.19	0.00	-32.6	≤27.00	PASS
		High	5775	Peak	5850.000	-45.988	2.19	0.00	-43.988	≤27.00	PASS
				Peak	5855.000	-40.7	2.19	0.00	-38.7	≤15.60	PASS
				Peak	5875.000	-45.57	2.19	0.00	-43.57	≤10.00	PASS
				Peak	5925.000	-50.79	2.19	0.00	-48.79	≤-27.00	PASS

Note:


1. For transmitters operating in 5150-5350 GHz band and 5470-5725 GHz band: The limit in dBm for average detector is conversion from 54dBuV/m, according to 15.209(a). The limit in dBm for peak detector is 20dB above the limit of average detector in dBm.

Test Graphs







11A_Ant1_High_5240_Peak




11A_Ant1_Low_5745_Peak




11A_Ant1_High_5825_Peak




11N20SISO_Ant1_Low_5180_AV




11N20SISO_Ant1_Low_5180_Peak



11N20SISO_Ant1_High_5240_AV




11N20SISO_Ant1_High_5240_Peak



11N20SISO_Ant1_Low_5745_Peak




11N20SISO_Ant1_High_5825_Peak




11N40SISO_Ant1_Low_5190_AV




11N40SISO_Ant1_Low_5190_Peak



11N40SISO_Ant1_High_5230_AV



11N40SISO_Ant1_High_5230_Peak




11N40SISO_Ant1_Low_5755_Peak



11N40SISO_Ant1_High_5795_Peak



11AC20SISO_Ant1_Low_5180_AV



11AC20SISO_Ant1_Low_5180_Peak

