



GFSK MIDDLE CHANNEL, SPURIOUS

30 MHz ~ 3 GHz




GFSK MIDDLE CHANNEL, SPURIOUS

3 GHz ~ 25 GHz



GFSK HIGH CHANNEL, CARRIER LEVEL




GFSK HIGH CHANNEL, BAND EDGE



GFSK HIGH CHANNEL, SPURIOUS

30 MHz ~ 3 GHz



GFSK HIGH CHANNEL, SPURIOUS




3 GHz ~ 25 GHz




8DPSK LOW CHANNEL, CARRIER LEVEL



8DPSK LOW CHANNEL, BAND EDGE


8DPSK LOW CHANNEL, SPURIOUS
30 MHz ~ 3 GHz8DPSK LOW CHANNEL, SPURIOUS
3 GHz ~ 25 GHz

8DPSK MIDDLE CHANNEL, CARRIER LEVEL




8DPSK MIDDLE CHANNEL, SPURIOUS

30 MHz ~ 3 GHz




8DPSK MIDDLE CHANNEL, SPURIOUS


3 GHz ~ 25 GHz



8DPSK HIGH CHANNEL, CARRIER LEVEL




8DPSK HIGH CHANNEL, BAND EDGE




8DPSK HIGH CHANNEL, SPURIOUS

30 MHz ~ 3 GHz




8DPSK HIGH CHANNEL, SPURIOUS


3 GHz ~ 25 GHz





GFSK HOPPING, CARRIER LEVEL




GFSK HOPPING BAND EDGE (LOW)




GFSK HOPPING BAND EDGE (HIGH)

GFSK Hopping Mode, SPURIOUS
30 MHz ~ 3 GHzGFSK Hopping Mode, SPURIOUS
3GHz ~ 25 GHz




8DPSK HOPPING, CARRIER LEVEL



8DPSK Hopping BAND EDGE (LOW)



8DPSK Hopping BAND EDGE (HIGH)

8DPSK Hopping Mode, SPURIOUS
30 MHz ~ 3 GHz8DPSK Hopping Mode, SPURIOUS
3GHz ~ 25 GHz

A.7 Conducted Emissions

Note ¹: The EUT is working in the Normal link mode. All modes have been tested and normal link mode is worst.


Note ²: Devices subject to Part 15 must be tested for all available U.S. voltages and frequencies (such as a nominal 120 VAC, 60 Hz and 240 VAC, 50 Hz) for which the device is capable of operation. So, The configuration 120 VAC, 60 Hz and 240 VAC, 50 Hz were tested respectively, but only the worst configuration (120 VAC, 60 Hz) shown here.

Note ³: Results (dBuV) = Original reading level of Spectrum Analyzer (dBuV) + Factor (dB)

Test Data and Plots


Left earphone

PHASE L



No.	Frequency (MHz)	Results (dBuV)	Factor (dB)	Limit (dBuV)	Over Limit (dB)	Detector	Line	Verdict
1	0.164	41.89	10.26	65.26	23.37	Peak	L	Pass
1**	0.164	27.96	10.26	55.26	27.30	AV	L	Pass
2	0.232	41.21	10.24	62.38	21.17	Peak	L	Pass
2**	0.232	25.34	10.24	52.38	27.04	AV	L	Pass
3	0.468	40.88	10.25	56.55	15.67	Peak	L	Pass
3**	0.468	27.92	10.25	46.55	18.63	AV	L	Pass
4	3.044	34.07	10.52	56.00	21.93	Peak	L	Pass
4**	3.044	18.93	10.52	46.00	27.07	AV	L	Pass
5	8.592	39.14	11.47	60.00	20.86	Peak	L	Pass
5**	8.592	27.45	11.47	50.00	22.55	AV	L	Pass
6	13.320	42.93	12.57	60.00	17.07	Peak	L	Pass
6**	13.320	34.08	12.57	50.00	15.92	AV	L	Pass


PHASE N



No.	Frequency (MHz)	Results (dBuV)	Factor (dB)	Limit (dBuV)	Over Limit (dB)	Detector	Line	Verdict
1	0.276	39.78	10.16	60.94	21.16	Peak	N	Pass
1**	0.276	27.20	10.16	50.94	23.74	AV	N	Pass
2	0.438	38.72	10.17	57.10	18.38	Peak	N	Pass
2**	0.438	25.45	10.17	47.10	21.65	AV	N	Pass
3	0.974	35.29	10.20	56.00	20.71	Peak	N	Pass
3**	0.974	20.19	10.20	46.00	25.81	AV	N	Pass
4	8.428	36.70	11.34	60.00	23.30	Peak	N	Pass
4**	8.428	26.67	11.34	50.00	23.33	AV	N	Pass
5	13.266	40.20	12.50	60.00	19.80	Peak	N	Pass
5**	13.266	28.89	12.50	50.00	21.11	AV	N	Pass
6	14.822	41.68	12.90	60.00	18.32	Peak	N	Pass
6**	14.822	31.91	12.90	50.00	18.09	AV	N	Pass


Right earphone

PHASE L



No.	Frequency (MHz)	Results (dBuV)	Factor (dB)	Limit (dBuV)	Over Limit (dB)	Detector	Line	Verdict
1	0.262	39.12	10.24	61.37	22.25	Peak	L	Pass
1**	0.262	28.69	10.24	51.37	22.68	AV	L	Pass
2	0.408	39.07	10.24	57.69	18.62	Peak	L	Pass
2**	0.408	25.72	10.24	47.69	21.97	AV	L	Pass
3	0.488	38.30	10.25	56.20	17.90	Peak	L	Pass
3**	0.488	26.07	10.25	46.20	20.13	AV	L	Pass
4	2.394	34.35	10.44	56.00	21.65	Peak	L	Pass
4**	2.394	18.55	10.44	46.00	27.45	AV	L	Pass
5	8.966	37.15	11.55	60.00	22.85	Peak	L	Pass
5**	8.966	25.45	11.55	50.00	24.55	AV	L	Pass
6	12.890	41.37	12.47	60.00	18.63	Peak	L	Pass
6**	12.890	28.45	12.47	50.00	21.55	AV	L	Pass

PHASE N



No.	Frequency (MHz)	Results (dBuV)	Factor (dB)	Limit (dBuV)	Over Limit (dB)	Detector	Line	Verdict
1	0.244	39.26	10.16	61.96	22.70	Peak	N	Pass
1**	0.244	25.52	10.16	51.96	26.44	AV	N	Pass
2	0.282	39.71	10.16	60.76	21.05	Peak	N	Pass
2**	0.282	27.57	10.16	50.76	23.19	AV	N	Pass
3	1.100	33.23	10.21	56.00	22.77	Peak	N	Pass
3**	1.100	19.11	10.21	46.00	26.89	AV	N	Pass
4	8.374	36.54	11.33	60.00	23.46	Peak	N	Pass
4**	8.374	24.84	11.33	50.00	25.16	AV	N	Pass
5	12.850	39.87	12.40	60.00	20.13	Peak	N	Pass
5**	12.850	30.21	12.40	50.00	19.79	AV	N	Pass
6	25.352	38.41	15.42	60.00	21.59	Peak	N	Pass
6**	25.352	24.31	15.42	50.00	25.69	AV	N	Pass

A.8 Radiated Spurious Emission

Note ¹: The symbol of “--” in the table which means not application.

Note ²: For the test data above 1 GHz, according the ANSI C63.10-2020 + Cor. 1-2023 + C63.10a-2024 + Errata to C63.10a-2024, where limits are specified for both average and peak (or quasi-peak) detector functions, if the peak (or quasi-peak) measured value complies with the average limit, it is unnecessary to perform an average measurement.

Note ³: The EUT is working in the Normal link mode below 1 GHz. All modes have been tested and DH5-Hopping mode is the worst.


Note ⁴: Results (dBuV/m) = Original reading level of Spectrum Analyzer (dBuV/m) + Factor (dB)

The low frequency, which started from 9 kHz to 30 MHz, was pre-scanned and the result which was 20 dB lower than the limit line per 15.31(o) was not reported.

Test Data and Plots


Left earphone

30 MHz to 1 GHz, ANT H



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	189.662	28.77	-26.25	43.5	14.73	Peak	138.00	100	Horizontal	Pass
2	263.237	30.10	-24.76	46.0	15.90	Peak	60.00	100	Horizontal	Pass
3	437.788	29.38	-19.62	46.0	16.62	Peak	10.00	200	Horizontal	Pass
4	516.067	30.32	-17.84	46.0	15.68	Peak	28.00	200	Horizontal	Pass
5	725.732	29.00	-13.08	46.0	17.00	Peak	162.00	100	Horizontal	Pass
6	899.993	30.80	-8.74	46.0	15.20	Peak	170.00	200	Horizontal	Pass


30 MHz to 1 GHz, ANT V



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	152.123	26.01	-29.60	43.5	17.49	Peak	332.00	100	Vertical	Pass
2	194.609	28.16	-25.44	43.5	15.34	Peak	148.00	100	Vertical	Pass
3	267.262	26.87	-24.72	46.0	19.13	Peak	360.00	200	Vertical	Pass
4	516.067	28.27	-17.84	46.0	17.73	Peak	48.00	100	Vertical	Pass
5	716.032	30.13	-13.68	46.0	15.87	Peak	291.00	100	Vertical	Pass
6	918.229	30.26	-8.52	46.0	15.74	Peak	307.00	100	Vertical	Pass


Right earphone

30 MHz to 1 GHz, ANT H



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	180.447	32.47	-27.88	43.5	11.03	Peak	173.00	200	Horizontal	Pass
2	192.378	35.16	-25.78	43.5	8.34	Peak	138.00	200	Horizontal	Pass
3	204.066	40.26	-26.57	43.5	3.24	Peak	346.00	100	Horizontal	Pass
4	216.288	36.74	-26.05	46.0	9.26	Peak	130.00	100	Horizontal	Pass
5	509.519	37.87	-17.93	46.0	8.13	Peak	290.00	100	Horizontal	Pass
6	792.566	35.60	-11.20	46.0	10.40	Peak	101.00	200	Horizontal	Pass

30 MHz to 1 GHz, ANT V




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	191.942	31.42	-25.86	43.5	12.08	Peak	45.00	200	Vertical	Pass
2	253.973	31.33	-24.22	46.0	14.67	Peak	287.00	100	Vertical	Pass
3	270.366	30.93	-24.59	46.0	15.07	Peak	187.00	100	Vertical	Pass
4	348.451	33.37	-21.44	46.0	12.63	Peak	20.00	200	Vertical	Pass
5	527.998	29.56	-17.92	46.0	16.44	Peak	9.00	100	Vertical	Pass
6	761.865	31.18	-11.43	46.0	14.82	Peak	51.00	100	Vertical	Pass

Note¹: The marked spikes near 2400 MHz with circle should be ignored because they are Fundamental signal.

Note²: The spurious from 18GHz-25GHz is noise only, do not show on the report.


Left earphone

GFSK LOW CHANNEL 1 GHz to 18 GHz, ANT H




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1351.500	41.31	-17.04	74.0	32.69	Peak	241.00	300	Horizontal	Pass
1**	1351.500	32.93	-17.04	54.0	21.07	AV	241.00	300	Horizontal	Pass
2	2401.800	105.73	-13.91	74.0	-31.73	Peak	98.00	100	Horizontal	N/A
2**	2401.800	104.64	-13.91	54.0	-50.64	AV	98.00	100	Horizontal	N/A
3	2793.600	49.16	-12.05	74.0	24.84	Peak	58.00	100	Horizontal	Pass
3**	2793.600	38.86	-12.05	54.0	15.14	AV	58.00	100	Horizontal	Pass
4	4804.200	47.23	-6.81	74.0	26.77	Peak	360.00	100	Horizontal	Pass
4**	4804.200	45.51	-6.81	54.0	8.49	AV	360.00	100	Horizontal	Pass
5	6948.600	51.94	-0.89	74.0	22.06	Peak	243.00	400	Horizontal	Pass
5**	6948.600	43.15	-0.89	54.0	10.85	AV	243.00	400	Horizontal	Pass
6	17446.912	51.52	8.33	74.0	22.48	Peak	64.00	100	Horizontal	Pass
6**	17446.912	42.23	8.33	54.0	11.77	AV	64.00	100	Horizontal	Pass

GFSK LOW CHANNEL 1 GHz to 18 GHz, ANT V




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1333.300	43.62	-17.82	74.0	30.38	Peak	67.00	300	Vertical	Pass
1**	1333.300	32.53	-17.82	54.0	21.47	AV	67.00	300	Vertical	Pass
2	2401.800	102.25	-13.91	74.0	-28.25	Peak	150.00	100	Vertical	N/A
2**	2401.800	100.90	-13.91	54.0	-46.90	AV	150.00	100	Vertical	N/A
3	2890.300	49.73	-11.69	74.0	24.27	Peak	140.00	200	Vertical	Pass
3**	2890.300	39.34	-11.69	54.0	14.66	AV	140.00	200	Vertical	Pass
4	4804.000	48.17	-6.79	74.0	25.83	Peak	165.00	100	Vertical	Pass
4**	4804.000	44.05	-6.79	54.0	9.95	AV	165.00	100	Vertical	Pass
5	6993.200	51.86	-1.02	74.0	22.14	Peak	189.00	200	Vertical	Pass
5**	6993.200	42.99	-1.02	54.0	11.01	AV	189.00	200	Vertical	Pass
6	16701.938	51.84	6.63	74.0	22.16	Peak	198.00	100	Vertical	Pass
6**	16701.938	41.94	6.63	54.0	12.06	AV	198.00	100	Vertical	Pass

GFSK MIDDLE CHANNEL 1 GHz to 18 GHz, ANT H




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1422.200	41.30	-17.96	74.0	32.70	Peak	240.00	200	Horizontal	Pass
1**	1422.200	31.90	-17.96	54.0	22.10	AV	240.00	200	Horizontal	Pass
2	2441.100	108.75	-13.39	74.0	-34.75	Peak	28.00	100	Horizontal	N/A
2**	2441.100	108.42	-13.39	54.0	-54.42	AV	28.00	100	Horizontal	N/A
3	2979.500	49.43	-10.74	74.0	24.57	Peak	163.00	200	Horizontal	Pass
3**	2979.500	40.17	-10.74	54.0	13.83	AV	163.00	200	Horizontal	Pass
4	4882.200	50.54	-7.10	74.0	23.46	Peak	0.00	100	Horizontal	Pass
4**	4882.200	48.56	-7.10	54.0	5.44	AV	0.00	100	Horizontal	Pass
5	6930.200	51.57	-1.92	74.0	22.43	Peak	360.00	100	Horizontal	Pass
5**	6930.200	41.89	-1.92	54.0	12.11	AV	360.00	100	Horizontal	Pass
6	17998.426	51.34	6.10	74.0	22.66	Peak	162.00	100	Horizontal	Pass
6**	17998.426	42.10	6.10	54.0	11.90	AV	162.00	100	Horizontal	Pass

GFSK MIDDLE CHANNEL 1 GHz to 18 GHz, ANT V




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1328.100	43.68	-17.61	74.0	30.32	Peak	134.00	100	Vertical	Pass
1**	1328.100	34.85	-17.61	54.0	19.15	AV	134.00	100	Vertical	Pass
2	2441.100	101.79	-13.39	74.0	-27.79	Peak	258.00	200	Vertical	N/A
2**	2441.100	101.48	-13.39	54.0	-47.48	AV	258.00	200	Vertical	N/A
3	2752.500	48.95	-11.73	74.0	25.05	Peak	61.00	100	Vertical	Pass
3**	2752.500	39.68	-11.73	54.0	14.32	AV	61.00	100	Vertical	Pass
4	4882.400	48.81	-7.09	74.0	25.19	Peak	91.00	100	Vertical	Pass
4**	4882.400	45.81	-7.09	54.0	8.19	AV	91.00	100	Vertical	Pass
5	6948.000	51.33	-1.26	74.0	22.67	Peak	279.00	300	Vertical	Pass
5**	6948.000	42.20	-1.26	54.0	11.80	AV	279.00	300	Vertical	Pass
6	14047.799	51.75	5.50	74.0	22.25	Peak	203.00	100	Vertical	Pass
6**	14047.799	42.39	5.50	54.0	11.61	AV	203.00	100	Vertical	Pass

GFSK HIGH CHANNEL 1 GHz to 18 GHz, ANT H




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1178.500	42.75	-17.80	74.0	31.25	Peak	307.00	300	Horizontal	Pass
1**	1178.500	32.13	-17.80	54.0	21.87	AV	307.00	300	Horizontal	Pass
2	2479.800	103.75	-13.54	74.0	-29.75	Peak	91.00	200	Horizontal	N/A
2**	2479.800	102.61	-13.54	54.0	-48.61	AV	91.00	200	Horizontal	N/A
3	2914.100	49.19	-11.01	74.0	24.81	Peak	28.00	200	Horizontal	Pass
3**	2914.100	40.22	-11.01	54.0	13.78	AV	28.00	200	Horizontal	Pass
4	4960.200	45.86	-6.71	74.0	28.14	Peak	198.00	100	Horizontal	Pass
4**	4960.200	43.21	-6.71	54.0	10.79	AV	198.00	100	Horizontal	Pass
5	6857.000	51.56	-1.01	74.0	22.44	Peak	281.00	400	Horizontal	Pass
5**	6857.000	42.35	-1.01	54.0	11.65	AV	281.00	400	Horizontal	Pass
6	17457.938	51.56	8.15	74.0	22.44	Peak	298.00	100	Horizontal	Pass
6**	17457.938	42.77	8.15	54.0	11.23	AV	298.00	100	Horizontal	Pass

GFSK HIGH CHANNEL 1 GHz to 18 GHz, ANT V




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1329.500	42.90	-17.61	74.0	31.10	Peak	140.00	300	Vertical	Pass
1**	1329.500	34.46	-17.61	54.0	19.54	AV	140.00	300	Vertical	Pass
2	2479.800	96.82	-13.54	74.0	-22.82	Peak	160.00	200	Vertical	N/A
2**	2479.800	95.72	-13.54	54.0	-41.72	AV	160.00	200	Vertical	N/A
3	2879.500	49.55	-11.57	74.0	24.45	Peak	284.00	200	Vertical	Pass
3**	2879.500	39.70	-11.57	54.0	14.30	AV	284.00	200	Vertical	Pass
4	4960.000	44.44	-6.62	74.0	29.56	Peak	84.00	100	Vertical	Pass
4**	4960.000	40.83	-6.62	54.0	13.17	AV	84.00	100	Vertical	Pass
5	6655.200	51.37	-2.39	74.0	22.63	Peak	284.00	400	Vertical	Pass
5**	6655.200	41.47	-2.39	54.0	12.53	AV	284.00	400	Vertical	Pass
6	16716.637	51.43	6.89	74.0	22.57	Peak	248.00	100	Vertical	Pass
6**	16716.637	42.67	6.89	54.0	11.33	AV	248.00	100	Vertical	Pass

8DPSK LOW CHANNEL 1 GHz to 18 GHz, ANT H




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1328.400	42.64	-17.50	74.0	31.36	Peak	27.00	100	Horizontal	Pass
1**	1328.400	32.89	-17.50	54.0	21.11	AV	27.00	100	Horizontal	Pass
2	2401.500	103.54	-13.73	74.0	-29.54	Peak	99.00	200	Horizontal	N/A
2**	2401.500	100.83	-13.73	54.0	-46.83	AV	99.00	200	Horizontal	N/A
3	2750.500	49.34	-11.75	74.0	24.66	Peak	220.00	100	Horizontal	Pass
3**	2750.500	39.72	-11.75	54.0	14.28	AV	220.00	100	Horizontal	Pass
4	4804.600	44.87	-6.72	74.0	29.13	Peak	2.00	100	Horizontal	Pass
4**	4804.600	39.39	-6.72	54.0	14.61	AV	2.00	100	Horizontal	Pass
5	6841.000	51.58	-1.33	74.0	22.42	Peak	0.00	100	Horizontal	Pass
5**	6841.000	42.36	-1.33	54.0	11.64	AV	0.00	100	Horizontal	Pass
6	16920.600	51.25	6.71	74.0	22.75	Peak	17.00	100	Horizontal	Pass
6**	16920.600	41.66	6.71	54.0	12.34	AV	17.00	100	Horizontal	Pass

8DPSK LOW CHANNEL 1 GHz to 18 GHz, ANT V




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1329.000	43.87	-17.50	74.0	30.13	Peak	148.00	400	Vertical	Pass
1**	1329.000	36.33	-17.50	54.0	17.67	AV	148.00	400	Vertical	Pass
2	2402.300	99.66	-14.11	74.0	-25.66	Peak	148.00	100	Vertical	N/A
2**	2402.300	96.52	-14.11	54.0	-42.52	AV	148.00	100	Vertical	N/A
3	2975.200	49.85	-10.61	74.0	24.15	Peak	137.00	100	Vertical	Pass
3**	2975.200	41.23	-10.61	54.0	12.77	AV	137.00	100	Vertical	Pass
4	4804.000	44.06	-6.79	74.0	29.94	Peak	243.00	100	Vertical	Pass
4**	4804.000	39.28	-6.79	54.0	14.72	AV	243.00	100	Vertical	Pass
5	6992.400	52.04	-1.24	74.0	21.96	Peak	102.00	200	Vertical	Pass
5**	6992.400	42.66	-1.24	54.0	11.34	AV	102.00	200	Vertical	Pass
6	16707.974	52.29	6.83	74.0	21.71	Peak	93.00	100	Vertical	Pass
6**	16707.974	42.59	6.83	54.0	11.41	AV	93.00	100	Vertical	Pass

8DPSK MIDDLE CHANNEL 1 GHz to 18 GHz, ANT H




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1327.300	42.31	-17.78	74.0	31.69	Peak	118.00	400	Horizontal	Pass
1**	1327.300	31.77	-17.78	54.0	22.23	AV	118.00	400	Horizontal	Pass
2	2441.300	105.90	-13.27	74.0	-31.90	Peak	17.00	100	Horizontal	N/A
2**	2441.300	102.31	-13.27	54.0	-48.31	AV	17.00	100	Horizontal	N/A
3	2978.700	49.14	-10.84	74.0	24.86	Peak	323.00	100	Horizontal	Pass
3**	2978.700	40.00	-10.84	54.0	14.00	AV	323.00	100	Horizontal	Pass
4	4856.800	45.81	-6.47	74.0	28.19	Peak	60.00	400	Horizontal	Pass
4**	4856.800	36.93	-6.47	54.0	17.07	AV	60.00	400	Horizontal	Pass
5	6870.800	51.20	-0.92	74.0	22.80	Peak	100.00	300	Horizontal	Pass
5**	6870.800	41.92	-0.92	54.0	12.08	AV	100.00	300	Horizontal	Pass
6	16711.650	51.82	6.90	74.0	22.18	Peak	332.00	100	Horizontal	Pass
6**	16711.650	42.67	6.90	54.0	11.33	AV	332.00	100	Horizontal	Pass

8DPSK MIDDLE CHANNEL 1 GHz to 18 GHz, ANT V




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1328.600	43.89	-17.43	74.0	30.11	Peak	75.00	100	Vertical	Pass
1**	1328.600	36.48	-17.43	54.0	17.52	AV	75.00	100	Vertical	Pass
2	2441.300	101.63	-13.27	74.0	-27.63	Peak	146.00	100	Vertical	N/A
2**	2441.300	98.23	-13.27	54.0	-44.23	AV	146.00	100	Vertical	N/A
3	2974.800	49.14	-10.87	74.0	24.86	Peak	290.00	100	Vertical	Pass
3**	2974.800	40.32	-10.87	54.0	13.68	AV	290.00	100	Vertical	Pass
4	4849.400	45.83	-6.37	74.0	28.17	Peak	77.00	400	Vertical	Pass
4**	4849.400	36.98	-6.37	54.0	17.02	AV	77.00	400	Vertical	Pass
5	6861.000	51.75	-0.74	74.0	22.25	Peak	202.00	200	Vertical	Pass
5**	6861.000	43.14	-0.74	54.0	10.86	AV	202.00	200	Vertical	Pass
6	16810.350	51.72	6.08	74.0	22.28	Peak	0.00	100	Vertical	Pass
6**	16810.350	41.54	6.08	54.0	12.46	AV	0.00	100	Vertical	Pass

8DPSK HIGH CHANNEL 1 GHz to 18 GHz, ANT H



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1531.400	41.79	-18.74	74.0	32.21	Peak	360.00	300	Horizontal	Pass
1**	1531.400	31.27	-18.74	54.0	22.73	AV	360.00	300	Horizontal	Pass
2	2480.400	105.77	-13.56	74.0	-31.77	Peak	19.00	200	Horizontal	N/A
2**	2480.400	102.60	-13.56	54.0	-48.60	AV	19.00	200	Horizontal	N/A
3	2895.500	49.69	-11.10	74.0	24.31	Peak	0.00	200	Horizontal	Pass
3**	2895.500	40.14	-11.10	54.0	13.86	AV	0.00	200	Horizontal	Pass
4	4960.000	43.62	-6.62	74.0	30.38	Peak	0.00	150	Horizontal	Pass
4**	4960.000	38.94	-6.62	54.0	15.06	AV	0.00	150	Horizontal	Pass
5	6857.800	51.68	-0.85	74.0	22.32	Peak	0.00	100	Horizontal	Pass
5**	6857.800	42.50	-0.85	54.0	11.50	AV	0.00	100	Horizontal	Pass
6	17458.463	51.46	8.13	74.0	22.54	Peak	5.00	100	Horizontal	Pass
6**	17458.463	42.79	8.13	54.0	11.21	AV	5.00	100	Horizontal	Pass


8DPSK HIGH CHANNEL 1 GHz to 18 GHz, ANT V



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1328.600	46.32	-17.43	74.0	27.68	Peak	116.00	400	Vertical	Pass
1**	1328.600	33.16	-17.43	54.0	20.84	AV	116.00	400	Vertical	Pass
2	2479.500	101.84	-13.52	74.0	-27.84	Peak	147.00	200	Vertical	N/A
2**	2479.500	98.67	-13.52	54.0	-44.67	AV	147.00	200	Vertical	N/A
3	2988.600	49.81	-11.13	74.0	24.19	Peak	360.00	100	Vertical	Pass
3**	2988.600	39.86	-11.13	54.0	14.14	AV	360.00	100	Vertical	Pass
4	4842.600	45.95	-6.56	74.0	28.05	Peak	118.00	100	Vertical	Pass
4**	4842.600	37.67	-6.56	54.0	16.33	AV	118.00	100	Vertical	Pass
5	6864.200	51.56	-0.74	74.0	22.44	Peak	0.00	300	Vertical	Pass
5**	6864.200	42.56	-0.74	54.0	11.44	AV	0.00	300	Vertical	Pass
6	16860.489	51.67	6.65	74.0	22.33	Peak	221.00	100	Vertical	Pass
6**	16860.489	42.02	6.65	54.0	11.98	AV	221.00	100	Vertical	Pass


Right earphone

GFSK LOW CHANNEL 1 GHz to 18 GHz, ANT H




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1241.100	41.81	-17.08	74.0	32.19	Peak	280.00	200	Horizontal	Pass
1**	1241.100	33.09	-17.08	54.0	20.91	AV	280.00	200	Horizontal	Pass
2	2401.800	103.95	-13.91	74.0	-29.95	Peak	236.00	100	Horizontal	N/A
2**	2401.800	102.95	-13.91	54.0	-48.95	AV	236.00	100	Horizontal	N/A
3	2995.800	49.32	-11.18	74.0	24.68	Peak	80.00	200	Horizontal	Pass
3**	2995.800	40.20	-11.18	54.0	13.80	AV	80.00	200	Horizontal	Pass
4	4780.000	45.90	-6.66	74.0	28.10	Peak	361.00	100	Horizontal	Pass
4**	4780.000	35.97	-6.66	54.0	18.03	AV	361.00	100	Horizontal	Pass
5	6997.000	51.23	-1.43	74.0	22.77	Peak	0.00	300	Horizontal	Pass
5**	6997.000	42.62	-1.43	54.0	11.38	AV	0.00	300	Horizontal	Pass
6	16719.787	51.51	6.88	74.0	22.49	Peak	335.00	100	Horizontal	Pass
6**	16719.787	42.02	6.88	54.0	11.98	AV	335.00	100	Horizontal	Pass

GFSK LOW CHANNEL 1 GHz to 18 GHz, ANT V




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1329.500	43.91	-17.61	74.0	30.09	Peak	140.00	100	Vertical	Pass
1**	1329.500	33.30	-17.61	54.0	20.70	AV	140.00	100	Vertical	Pass
2	2401.800	98.31	-13.91	74.0	-24.31	Peak	261.00	200	Vertical	N/A
2**	2401.800	97.32	-13.91	54.0	-43.32	AV	261.00	200	Vertical	N/A
3	2911.500	49.27	-11.62	74.0	24.73	Peak	313.00	200	Vertical	Pass
3**	2911.500	39.33	-11.62	54.0	14.67	AV	313.00	200	Vertical	Pass
4	4845.000	46.66	-6.28	74.0	27.34	Peak	143.00	300	Vertical	Pass
4**	4845.000	38.00	-6.28	54.0	16.00	AV	143.00	300	Vertical	Pass
5	6971.000	52.61	-1.16	74.0	21.39	Peak	83.00	400	Vertical	Pass
5**	6971.000	41.86	-1.16	54.0	12.14	AV	83.00	400	Vertical	Pass
6	16728.974	51.59	6.68	74.0	22.41	Peak	190.00	100	Vertical	Pass
6**	16728.974	42.16	6.68	54.0	11.84	AV	190.00	100	Vertical	Pass

GFSK MIDDLE CHANNEL 1 GHz to 18 GHz, ANT H




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1332.600	41.62	-17.69	74.0	32.38	Peak	52.00	300	Horizontal	Pass
1**	1332.600	32.85	-17.69	54.0	21.15	AV	52.00	300	Horizontal	Pass
2	2441.200	107.16	-13.31	74.0	-33.16	Peak	176.00	100	Horizontal	N/A
2**	2441.200	106.97	-13.31	54.0	-52.97	AV	176.00	100	Horizontal	N/A
3	2927.000	49.15	-11.43	74.0	24.85	Peak	259.00	200	Horizontal	Pass
3**	2927.000	39.81	-11.43	54.0	14.19	AV	259.00	200	Horizontal	Pass
4	4882.000	46.21	-7.10	74.0	27.79	Peak	183.00	100	Horizontal	Pass
4**	4882.000	42.75	-7.10	54.0	11.25	AV	183.00	100	Horizontal	Pass
5	7322.862	46.14	-1.93	74.0	27.86	Peak	97.00	200	Horizontal	Pass
5**	7322.862	41.21	-1.93	54.0	12.79	AV	97.00	200	Horizontal	Pass
6	17460.300	52.16	8.10	74.0	21.84	Peak	341.00	100	Horizontal	Pass
6**	17460.300	42.18	8.10	54.0	11.82	AV	341.00	100	Horizontal	Pass

GFSK MIDDLE CHANNEL 1 GHz to 18 GHz, ANT V




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1328.400	44.59	-17.50	74.0	29.41	Peak	141.00	100	Vertical	Pass
1**	1328.400	36.36	-17.50	54.0	17.64	AV	141.00	100	Vertical	Pass
2	2441.200	97.80	-13.31	74.0	-23.80	Peak	171.00	100	Vertical	N/A
2**	2441.200	97.44	-13.31	54.0	-43.44	AV	171.00	100	Vertical	N/A
3	2939.900	49.12	-11.40	74.0	24.88	Peak	232.00	200	Vertical	Pass
3**	2939.900	39.84	-11.40	54.0	14.16	AV	232.00	200	Vertical	Pass
4	4882.400	47.98	-7.09	74.0	26.02	Peak	131.00	100	Vertical	Pass
4**	4882.400	44.22	-7.09	54.0	9.78	AV	131.00	100	Vertical	Pass
5	6948.800	51.94	-0.81	74.0	22.06	Peak	0.00	100	Vertical	Pass
5**	6948.800	42.44	-0.81	54.0	11.56	AV	0.00	100	Vertical	Pass
6	16694.062	51.59	6.70	74.0	22.41	Peak	68.00	100	Vertical	Pass
6**	16694.062	42.22	6.70	54.0	11.78	AV	68.00	100	Vertical	Pass

GFSK HIGH CHANNEL 1 GHz to 18 GHz, ANT H




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1208.800	41.66	-17.67	74.0	32.34	Peak	88.00	200	Horizontal	Pass
1**	1208.800	32.52	-17.67	54.0	21.48	AV	88.00	200	Horizontal	Pass
2	2480.100	106.95	-13.55	74.0	-32.95	Peak	48.00	200	Horizontal	N/A
2**	2480.100	106.68	-13.55	54.0	-52.68	AV	48.00	200	Horizontal	N/A
3	2912.300	49.38	-11.37	74.0	24.62	Peak	360.00	200	Horizontal	Pass
3**	2912.300	39.53	-11.37	54.0	14.47	AV	360.00	200	Horizontal	Pass
4	4960.000	47.41	-6.62	74.0	26.59	Peak	74.00	100	Horizontal	Pass
4**	4960.000	45.27	-6.62	54.0	8.73	AV	74.00	100	Horizontal	Pass
5	6991.800	51.78	-1.46	74.0	22.22	Peak	260.00	100	Horizontal	Pass
5**	6991.800	42.36	-1.46	54.0	11.64	AV	260.00	100	Horizontal	Pass
6	17469.225	52.14	8.59	74.0	21.86	Peak	174.00	100	Horizontal	Pass
6**	17469.225	42.25	8.59	54.0	11.75	AV	174.00	100	Horizontal	Pass

GFSK HIGH CHANNEL 1 GHz to 18 GHz, ANT V




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1331.700	45.57	-17.78	74.0	28.43	Peak	130.00	200	Vertical	Pass
1**	1331.700	35.19	-17.78	54.0	18.81	AV	130.00	200	Vertical	Pass
2	2479.800	100.36	-13.54	74.0	-26.36	Peak	312.00	100	Vertical	N/A
2**	2479.800	99.44	-13.54	54.0	-45.44	AV	312.00	100	Vertical	N/A
3	2941.600	49.18	-11.44	74.0	24.82	Peak	120.00	100	Vertical	Pass
3**	2941.600	39.80	-11.44	54.0	14.20	AV	120.00	100	Vertical	Pass
4	4960.200	51.07	-6.71	74.0	22.93	Peak	119.00	100	Vertical	Pass
4**	4960.200	50.04	-6.71	54.0	3.96	AV	119.00	100	Vertical	Pass
5	6864.000	51.82	-0.64	74.0	22.18	Peak	18.00	100	Vertical	Pass
5**	6864.000	42.99	-0.64	54.0	11.01	AV	18.00	100	Vertical	Pass
6	16655.738	51.63	6.04	74.0	22.37	Peak	41.00	100	Vertical	Pass
6**	16655.738	42.43	6.04	54.0	11.57	AV	41.00	100	Vertical	Pass

8DPSK LOW CHANNEL 1 GHz to 18 GHz, ANT H




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1151.600	42.00	-18.15	74.0	32.00	Peak	160.00	400	Horizontal	Pass
1**	1151.600	32.01	-18.15	54.0	21.99	AV	160.00	400	Horizontal	Pass
2	2401.400	101.95	-13.67	74.0	-27.95	Peak	68.00	200	Horizontal	N/A
2**	2401.400	98.57	-13.67	54.0	-44.57	AV	68.00	200	Horizontal	N/A
3	2913.200	49.30	-11.41	74.0	24.70	Peak	17.00	200	Horizontal	Pass
3**	2913.200	40.66	-11.41	54.0	13.34	AV	17.00	200	Horizontal	Pass
4	4849.200	46.40	-6.37	74.0	27.60	Peak	58.00	100	Horizontal	Pass
4**	4849.200	36.97	-6.37	54.0	17.03	AV	58.00	100	Horizontal	Pass
5	6999.600	52.47	-1.18	74.0	21.53	Peak	140.00	200	Horizontal	Pass
5**	6999.600	42.60	-1.18	54.0	11.40	AV	140.00	200	Horizontal	Pass
6	14107.912	51.81	5.52	74.0	22.19	Peak	21.00	400	Horizontal	Pass
6**	14107.912	41.24	5.52	54.0	12.76	AV	21.00	400	Horizontal	Pass

8DPSK LOW CHANNEL 1 GHz to 18 GHz, ANT V




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1414.600	42.24	-17.42	74.0	31.76	Peak	279.00	400	Vertical	Pass
1**	1414.600	32.35	-17.42	54.0	21.65	AV	279.00	400	Vertical	Pass
2	2401.600	98.69	-13.79	74.0	-24.69	Peak	360.00	200	Vertical	N/A
2**	2401.600	95.58	-13.79	54.0	-41.58	AV	360.00	200	Vertical	N/A
3	3431.600	43.20	-11.30	74.0	30.80	Peak	324.00	100	Vertical	Pass
3**	3431.600	39.50	-11.30	54.0	14.50	AV	324.00	100	Vertical	Pass
4	4846.800	46.55	-6.51	74.0	27.45	Peak	163.00	300	Vertical	Pass
4**	4846.800	37.20	-6.51	54.0	16.80	AV	163.00	300	Vertical	Pass
5	6975.800	51.16	-1.17	74.0	22.84	Peak	204.00	400	Vertical	Pass
5**	6975.800	42.34	-1.17	54.0	11.66	AV	204.00	400	Vertical	Pass
6	16898.288	51.49	7.05	74.0	22.51	Peak	104.00	400	Vertical	Pass
6**	16898.288	42.54	7.05	54.0	11.46	AV	104.00	400	Vertical	Pass

8DPSK MIDDLE CHANNEL 1 GHz to 18 GHz, ANT H




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1324.300	42.17	-17.86	74.0	31.83	Peak	57.00	400	Horizontal	Pass
1**	1324.300	32.04	-17.86	54.0	21.96	AV	57.00	400	Horizontal	Pass
2	2441.400	102.65	-13.34	74.0	-28.65	Peak	192.00	100	Horizontal	N/A
2**	2441.400	101.58	-13.34	54.0	-47.58	AV	192.00	100	Horizontal	N/A
3	2993.800	49.16	-10.99	74.0	24.84	Peak	336.00	100	Horizontal	Pass
3**	2993.800	40.16	-10.99	54.0	13.84	AV	336.00	100	Horizontal	Pass
4	4882.200	47.07	-7.10	74.0	26.93	Peak	1.00	100	Horizontal	Pass
4**	4882.200	41.17	-7.10	54.0	12.83	AV	1.00	100	Horizontal	Pass
5	6989.000	51.25	-1.49	74.0	22.75	Peak	242.00	400	Horizontal	Pass
5**	6989.000	43.29	-1.49	54.0	10.71	AV	242.00	400	Horizontal	Pass
6	16912.988	51.16	6.96	74.0	22.84	Peak	162.00	100	Horizontal	Pass
6**	16912.988	42.86	6.96	54.0	11.14	AV	162.00	100	Horizontal	Pass

8DPSK MIDDLE CHANNEL 1 GHz to 18 GHz, ANT V




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1398.500	41.77	-17.50	74.0	32.23	Peak	188.00	200	Vertical	Pass
1**	1398.500	31.86	-17.50	54.0	22.14	AV	188.00	200	Vertical	Pass
2	2441.300	99.68	-13.27	74.0	-25.68	Peak	145.00	300	Vertical	N/A
2**	2441.300	96.31	-13.27	54.0	-42.31	AV	145.00	300	Vertical	N/A
3	2873.500	49.41	-11.56	74.0	24.59	Peak	281.00	100	Vertical	Pass
3**	2873.500	39.82	-11.56	54.0	14.18	AV	281.00	100	Vertical	Pass
4	4851.800	46.43	-6.25	74.0	27.57	Peak	262.00	200	Vertical	Pass
4**	4851.800	38.80	-6.25	54.0	15.20	AV	262.00	200	Vertical	Pass
5	6961.800	51.23	-1.45	74.0	22.77	Peak	262.00	300	Vertical	Pass
5**	6961.800	41.73	-1.45	54.0	12.27	AV	262.00	300	Vertical	Pass
6	16915.088	51.45	6.89	74.0	22.55	Peak	334.00	300	Vertical	Pass
6**	16915.088	42.28	6.89	54.0	11.72	AV	334.00	300	Vertical	Pass

8DPSK HIGH CHANNEL 1 GHz to 18 GHz, ANT H



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1177.500	42.16	-17.79	74.0	31.84	Peak	30.00	300	Horizontal	Pass
1**	1177.500	32.21	-17.79	54.0	21.79	AV	30.00	300	Horizontal	Pass
2	2480.600	103.53	-13.47	74.0	-29.53	Peak	63.00	100	Horizontal	N/A
2**	2480.600	100.26	-13.47	54.0	-46.26	AV	63.00	100	Horizontal	N/A
3	2998.600	48.88	-11.39	74.0	25.12	Peak	273.00	100	Horizontal	Pass
3**	2998.600	39.76	-11.39	54.0	14.24	AV	273.00	100	Horizontal	Pass
4	5376.600	46.93	-5.28	74.0	27.07	Peak	282.00	100	Horizontal	Pass
4**	5376.600	37.85	-5.28	54.0	16.15	AV	282.00	100	Horizontal	Pass
5	6859.400	51.92	-0.60	74.0	22.08	Peak	98.00	100	Horizontal	Pass
5**	6859.400	42.46	-0.60	54.0	11.54	AV	98.00	100	Horizontal	Pass
6	14009.213	51.47	5.71	74.0	22.53	Peak	272.00	100	Horizontal	Pass
6**	14009.213	42.10	5.71	54.0	11.90	AV	272.00	100	Horizontal	Pass

8DPSK HIGH CHANNEL 1 GHz to 18 GHz, ANT V



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1687.600	42.27	-18.92	74.0	31.73	Peak	160.00	100	Vertical	Pass
1**	1687.600	37.04	-18.92	54.0	16.96	AV	160.00	100	Vertical	Pass
2	2480.400	100.44	-13.56	74.0	-26.44	Peak	109.00	100	Vertical	N/A
2**	2480.400	97.89	-13.56	54.0	-43.89	AV	109.00	100	Vertical	N/A
3	2947.000	49.03	-11.65	74.0	24.97	Peak	119.00	300	Vertical	Pass
3**	2947.000	39.10	-11.65	54.0	14.90	AV	119.00	300	Vertical	Pass
4	5156.800	46.41	-6.51	74.0	27.59	Peak	104.00	300	Vertical	Pass
4**	5156.800	36.76	-6.51	54.0	17.24	AV	104.00	300	Vertical	Pass
5	6835.200	51.47	-1.76	74.0	22.53	Peak	202.00	100	Vertical	Pass
5**	6835.200	42.83	-1.76	54.0	11.17	AV	202.00	100	Vertical	Pass
6	16901.175	51.56	7.09	74.0	22.44	Peak	68.00	300	Vertical	Pass
6**	16901.175	42.28	7.09	54.0	11.72	AV	68.00	300	Vertical	Pass

A.9 Band Edge (Restricted-band band-edge)

Note ¹: The lowest and highest channels are tested to verify the band edge emissions. Please refer to the following the plots for emissions values.

Note ²: The test data all are tested in the vertical and horizontal antenna which the trace is max hold. So these plots have shown the worst case.

Note ³: According the ANSI C63.10-2020 + Cor. 1-2023 + C63.10a-2024 + Errata to C63.10a-2024, where limits are specified for both average and peak (or quasi-peak) detector functions, if the peak (or quasi-peak) measured value complies with the average limit, it is unnecessary to perform an average measurement.


Note ⁴: The Level (dBuV/m) has been corrected by factor.

Note ⁵: Both horizontal and vertical directions were pre tested, only the worst configuration has been reported in this report.

Test Data and Plots


Left earphone

GFSK LOW CHANNEL




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2325.333	56.82	-2.05	74.0	17.18	Peak	291.00	400	Horizontal	Pass
1**	2325.333	40.90	-2.05	54.0	13.10	AV	291.00	400	Horizontal	Pass
2	2390.000	50.98	-2.16	74.0	23.02	Peak	100.00	100	Horizontal	Pass
2**	2390.000	40.85	-2.16	54.0	13.15	AV	100.00	100	Horizontal	Pass

GFSK HIGH CHANNEL




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	57.39	-1.03	74.0	16.61	Peak	269.00	400	Horizontal	Pass
1**	2483.500	43.88	-1.03	54.0	10.12	AV	269.00	400	Horizontal	Pass
2	2484.100	58.08	-1.04	74.0	15.92	Peak	140.00	400	Horizontal	Pass
2**	2484.100	42.52	-1.04	54.0	11.48	AV	140.00	400	Horizontal	Pass

8DPSK LOW CHANNEL



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2325.333	56.38	-2.05	74.0	17.62	Peak	292.00	300	Horizontal	Pass
1**	2325.333	41.30	-2.05	54.0	12.70	AV	292.00	300	Horizontal	Pass
2	2390.000	52.17	-2.16	74.0	21.83	Peak	359.00	100	Horizontal	Pass
2**	2390.000	40.94	-2.16	54.0	13.06	AV	359.00	100	Horizontal	Pass

8DPSK HIGH CHANNEL



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	57.59	-1.03	74.0	16.41	Peak	87.00	100	Horizontal	Pass
1**	2483.500	44.85	-1.03	54.0	9.15	AV	87.00	100	Horizontal	Pass
2	2483.800	58.12	-0.99	74.0	15.88	Peak	65.00	200	Horizontal	Pass
2**	2483.800	44.06	-0.99	54.0	9.94	AV	65.00	200	Horizontal	Pass


Right earphone

GFSK LOW CHANNEL




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2345.500	53.82	-1.95	74.0	20.18	Peak	14.00	100	Horizontal	Pass
1**	2345.500	41.44	-1.95	54.0	12.56	AV	14.00	100	Horizontal	Pass
2	2390.000	51.68	-2.16	74.0	22.32	Peak	360.00	100	Horizontal	Pass
2**	2390.000	41.22	-2.16	54.0	12.78	AV	360.00	100	Horizontal	Pass
3	2387.167	52.09	-1.66	74.0	21.91	Peak	137.00	100	Horizontal	Pass
3**	2387.167	41.85	-1.66	54.0	12.15	AV	137.00	100	Horizontal	Pass

GFSK HIGH CHANNEL




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	52.92	-1.04	74.0	21.08	Peak	67.00	300	Horizontal	Pass
1**	2483.500	42.42	-1.04	54.0	11.58	AV	67.00	300	Horizontal	Pass
2	2493.250	54.60	-1.18	74.0	19.40	Peak	196.00	100	Horizontal	Pass
2**	2493.250	41.86	-1.18	54.0	12.14	AV	196.00	100	Horizontal	Pass
3	2488.600	52.96	-0.71	74.0	21.04	Peak	154.00	100	Horizontal	Pass
3**	2488.600	42.47	-0.71	54.0	11.53	AV	154.00	100	Horizontal	Pass

8DPSK LOW CHANNEL



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2357.000	53.59	-1.97	74.0	20.41	Peak	319.00	100	Horizontal	Pass
1**	2357.000	41.31	-1.97	54.0	12.69	AV	319.00	100	Horizontal	Pass
2	2390.000	51.22	-2.16	74.0	22.78	Peak	99.00	100	Horizontal	Pass
2**	2390.000	41.31	-2.16	54.0	12.69	AV	99.00	100	Horizontal	Pass
3	2381.833	53.24	-1.52	74.0	20.76	Peak	195.00	100	Horizontal	Pass
3**	2381.833	41.97	-1.52	54.0	12.03	AV	195.00	100	Horizontal	Pass

8DPSK HIGH CHANNEL



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	53.18	-1.03	74.0	20.82	Peak	236.00	300	Horizontal	Pass
1**	2483.500	43.07	-1.03	54.0	10.93	AV	236.00	300	Horizontal	Pass
2	2496.250	53.81	-1.31	74.0	20.19	Peak	248.00	300	Horizontal	Pass
2**	2496.250	41.90	-1.31	54.0	12.10	AV	248.00	300	Horizontal	Pass

ANNEX B TEST SETUP PHOTOS

Please refer the document “Ti-CC26060230-AR.PDF”.

ANNEX C EUT EXTERNAL PHOTOS

Please refer the document “Ti-CC26060230-AW.PDF”.

ANNEX D EUT INTERNAL PHOTOS

Please refer the document “Ti-CC26060230-AI.PDF”.

Statement

1. The laboratory guarantees the scientificity, accuracy and impartiality of the test, and is responsible for all the information in the report, except the information provided by the customer. The customer is responsible for the impact of the information provided on the validity of the results.
2. The report without China inspection body and laboratory Mandatory Approval (CMA) mark has no effect of proving to the society.
3. For the report with CNAS mark or A2LA mark, the items marked with "☆" are not within the accredited scope.
4. This report is invalid if it is altered, without the signature of the testing and approval personnel, or without the "inspection and testing dedicated stamp" or test report stamp.
5. The test data and results are only valid for the tested samples provided by the customer.
6. This report shall not be partially reproduced without the written permission of the laboratory.
7. Any objection shall be raised to the laboratory within 30 days after receiving the report.

--END OF REPORT--