

Appendix RF Test Data for 2.4G WIFI

Company: : Shenzhen Qiyuan Technology Co., Ltd.

EUT : Mobile Selife Screen

FCC ID: : 2BUG9-QY-S50NL

Model Number : QY-S50NL

Report No. : HTT2025121190F01

Reviewed By : Heber He

1. Duty Cycle


1.1 Test Result

1.1.1 Ant1


Ant1							
Mode	Tx Type	Frequency (MHz)	T_on (ms)	Period (ms)	Duty Cycle (%)	Duty Cycle Correction Factor (dB)	Max. DC Variation (%)
802.11b	SISO	2412	8.480	9.190	92.27	0.35	3.76
		2437	8.480	10.773	78.72	1.04	17.33
		2462	8.480	9.076	93.43	0.29	2.50
802.11g	SISO	2412	1.409	4.117	34.22	4.66	59.60
		2437	1.409	1.751	80.47	0.94	13.33
		2462	1.408	1.628	86.49	0.63	6.16
802.11n (HT20)	SISO	2412	1.317	1.492	88.27	0.54	5.11
		2437	1.316	1.536	85.68	0.67	7.66
		2462	1.316	1.894	69.48	1.58	22.72
802.11n (HT40)	SISO	2422	0.653	1.345	48.55	3.14	11.45
		2437	0.652	3.627	17.98	7.45	61.87
		2452	0.652	0.992	65.73	1.82	8.10

1.2 Test Graph


1.2.1 Ant1




802.11b_HCH_2462MHz_Ant1 (SISO)_NTNV




802.11g_LCH_2412MHz_Ant1 (SISO)_NTNV




802.11g_MCH_2437MHz_Ant1 (SISO)_NTNV




802.11g_HCH_2462MHz_Ant1 (SISO)_NTNV




802.11n(HT20)_LCH_2412MHz_Ant1 (SISO)_NTNV




802.11n(HT20)_MCH_2437MHz_Ant1 (SISO)_NTNV




802.11n(HT20)_HCH_2462MHz_Ant1 (SISO)_NTNV




802.11n(HT40)_LCH_2422MHz_Ant1 (SISO)_NTNV



802.11n(HT40)_MCH_2437MHz_Ant1 (SISO)_NTNV



802.11n(HT40)_HCH_2452MHz_Ant1 (SISO)_NTNV



2. Bandwidth

2.1 Test Result

2.1.1 OBW


Mode	TX Type	Frequency (MHz)	ANT	99% Occupied Bandwidth (MHz)		Verdict
				Result	Limit	
802.11b	SISO	2412	1	13.902	/	Pass
		2437	1	14.066	/	Pass
		2462	1	13.899	/	Pass
802.11g	SISO	2412	1	16.944	/	Pass
		2437	1	17.026	/	Pass
		2462	1	16.934	/	Pass
802.11n (HT20)	SISO	2412	1	17.897	/	Pass
		2437	1	18.021	/	Pass
		2462	1	17.818	/	Pass
802.11n (HT40)	SISO	2422	1	35.210	/	Pass
		2437	1	35.346	/	Pass
		2452	1	35.333	/	Pass

2.1.2 6dB BW


Mode	TX Type	Frequency (MHz)	ANT	6dB Bandwidth (MHz)		Verdict
				Result	Limit	
802.11b	SISO	2412	1	10.125	≥ 0.5	Pass
		2437	1	10.161	≥ 0.5	Pass
		2462	1	10.124	≥ 0.5	Pass
802.11g	SISO	2412	1	15.270	≥ 0.5	Pass
		2437	1	15.629	≥ 0.5	Pass
		2462	1	15.258	≥ 0.5	Pass
802.11n (HT20)	SISO	2412	1	15.921	≥ 0.5	Pass
		2437	1	16.223	≥ 0.5	Pass
		2462	1	15.554	≥ 0.5	Pass
802.11n (HT40)	SISO	2422	1	31.767	≥ 0.5	Pass
		2437	1	33.620	≥ 0.5	Pass
		2452	1	33.480	≥ 0.5	Pass

2.2 Test Graph


2.2.1 OBW




802.11b_HCH_2462MHz_Ant1 (SISO)_NTNV




802.11g_LCH_2412MHz_Ant1 (SISO)_NTNV




802.11g_MCH_2437MHz_Ant1 (SISO)_NTNV




802.11g_HCH_2462MHz_Ant1 (SISO)_NTNV




802.11n(HT20)_LCH_2412MHz_Ant1 (SISO)_NTNV




802.11n(HT20)_MCH_2437MHz_Ant1 (SISO)_NTNV




802.11n(HT20)_HCH_2462MHz_Ant1 (SISO)_NTNV




802.11n(HT40)_LCH_2422MHz_Ant1 (SISO)_NTNV




802.11n(HT40)_MCH_2437MHz_Ant1 (SISO)_NTNV




802.11n(HT40)_HCH_2452MHz_Ant1 (SISO)_NTNV




2.2.2 6dB BW




802.11b_HCH_2462MHz_Ant1 (SISO)_NTNV




802.11g_LCH_2412MHz_Ant1 (SISO)_NTNV




802.11g_MCH_2437MHz_Ant1 (SISO)_NTNV




802.11g_HCH_2462MHz_Ant1 (SISO)_NTNV




802.11n(HT20)_LCH_2412MHz_Ant1 (SISO)_NTNV




802.11n(HT20)_MCH_2437MHz_Ant1 (SISO)_NTNV




802.11n(HT20)_HCH_2462MHz_Ant1 (SISO)_NTNV




802.11n(HT40)_LCH_2422MHz_Ant1 (SISO)_NTNV



802.11n(HT40)_MCH_2437MHz_Ant1 (SISO)_NTNV



802.11n(HT40)_HCH_2452MHz_Ant1 (SISO)_NTNV



3. Maximum Conducted Output Power

3.1 Test Result

3.1.1 Power

Mode	TX Type	Frequency (MHz)	Maximum Peak Conducted Output Power (dBm)		Verdict
			ANT1	Limit	
802.11b	SISO	2412	1.28	<=30	Pass
		2437	0.52	<=30	Pass
		2462	1.15	<=30	Pass
802.11g	SISO	2412	6.77	<=30	Pass
		2437	6.55	<=30	Pass
		2462	6.99	<=30	Pass
802.11n (HT20)	SISO	2412	4.53	<=30	Pass
		2437	6.25	<=30	Pass
		2462	5.69	<=30	Pass
802.11n (HT40)	SISO	2422	4.49	<=30	Pass
		2437	6.42	<=30	Pass
		2452	4.69	<=30	Pass

4. Maximum Power Spectral Density


4.1 Test Result

4.1.1 PSD


Mode	TX Type	Frequency (MHz)	Maximum PSD (dBm)		Verdict
			ANT1	Limit	
802.11b	SISO	2412	-10.51	<=8	Pass
		2437	-11.25	<=8	Pass
		2462	-10.53	<=8	Pass
802.11g	SISO	2412	-10.35	<=8	Pass
		2437	-10.70	<=8	Pass
		2462	-11.27	<=8	Pass
802.11n (HT20)	SISO	2412	-12.75	<=8	Pass
		2437	-11.14	<=8	Pass
		2462	-11.54	<=8	Pass
802.11n (HT40)	SISO	2422	-15.50	<=8	Pass
		2437	-13.56	<=8	Pass
		2452	-15.75	<=8	Pass

4.2 Test Graph


4.2.1 PSD




802.11b_HCH_2462MHz_Ant1 (SISO)_NTNV




802.11g_LCH_2412MHz_Ant1 (SISO)_NTNV




802.11g_MCH_2437MHz_Ant1 (SISO)_NTNV




802.11g_HCH_2462MHz_Ant1 (SISO)_NTNV




802.11n(HT20)_LCH_2412MHz_Ant1 (SISO)_NTNV




802.11n(HT20)_MCH_2437MHz_Ant1 (SISO)_NTNV




802.11n(HT20)_HCH_2462MHz_Ant1 (SISO)_NTNV




802.11n(HT40)_LCH_2422MHz_Ant1 (SISO)_NTNV



802.11n(HT40)_MCH_2437MHz_Ant1 (SISO)_NTNV



802.11n(HT40)_HCH_2452MHz_Ant1 (SISO)_NTNV



5. Unwanted Emissions In Non-restricted Frequency Bands

5.1 Test Result

5.1.1 Ref

Mode	TX Type	Frequency (MHz)	ANT	Level of Reference (dBm)
802.11b	SISO	2412	1	-10.37
		2437	1	-11.14
		2462	1	-10.52
802.11g	SISO	2412	1	-10.64
		2437	1	-11.51
		2462	1	-10.63
802.11n (HT20)	SISO	2412	1	-13.20
		2437	1	-11.05
		2462	1	-11.46
802.11n (HT40)	SISO	2422	1	-15.56
		2437	1	-13.91
		2452	1	-15.47

Note1: Refer to FCC Part 15.247 (d) and ANSI C63.10-2020, the channel contains the maximum PSD level was used to establish the reference level.


5.1.2 CSE

Mode	TX Type	Frequency (MHz)	ANT	Level of Reference (dBm)	Limit (dBm)	Verdict
802.11b	SISO	2412	1	-10.37	-30.37	Pass
		2437	1	-11.14	-31.14	Pass
		2462	1	-10.52	-30.52	Pass
802.11g	SISO	2412	1	-10.64	-30.64	Pass
		2437	1	-11.51	-31.51	Pass
		2462	1	-10.63	-30.63	Pass
802.11n (HT20)	SISO	2412	1	-13.20	-33.20	Pass
		2437	1	-11.05	-31.05	Pass
		2462	1	-11.46	-31.46	Pass
802.11n (HT40)	SISO	2422	1	-15.56	-35.56	Pass
		2437	1	-13.91	-33.91	Pass
		2452	1	-15.47	-35.47	Pass


Note1: Refer to FCC Part 15.247 (d) and ANSI C63.10-2020, the channel contains the maximum PSD level was used to establish the reference level.

5.2 Test Graph


5.2.1 Ref




802.11b_HCH_2462MHz_Ant1 (SISO)_NTNV




802.11g_LCH_2412MHz_Ant1 (SISO)_NTNV




802.11g_MCH_2437MHz_Ant1 (SISO)_NTNV




802.11g_HCH_2462MHz_Ant1 (SISO)_NTNV




802.11n(HT20)_LCH_2412MHz_Ant1 (SISO)_NTNV




802.11n(HT20)_MCH_2437MHz_Ant1 (SISO)_NTNV




802.11n(HT20)_HCH_2462MHz_Ant1 (SISO)_NTNV




802.11n(HT40)_LCH_2422MHz_Ant1 (SISO)_NTNV




802.11n(HT40)_MCH_2437MHz_Ant1 (SISO)_NTNV




802.11n(HT40)_HCH_2452MHz_Ant1 (SISO)_NTNV




5.2.2 CSE




802.11b_MCH_2437MHz_Ant1 (SISO)_NTNV




802.11b_HCH_2462MHz_Ant1 (SISO)_NTNV




802.11b_HCH_2462MHz_Ant1 (SISO)_NTNV




802.11g_LCH_2412MHz_Ant1 (SISO)_NTNV




802.11g_LCH_2412MHz_Ant1 (SISO)_NTNV




802.11g_MCH_2437MHz_Ant1 (SISO)_NTNV




802.11g_HCH_2462MHz_Ant1 (SISO)_NTNV




802.11g_HCH_2462MHz_Ant1 (SISO)_NTNV




802.11n(HT20)_LCH_2412MHz_Ant1 (SISO)_NTNV




802.11n(HT20)_LCH_2412MHz_Ant1 (SISO)_NTNV




802.11n(HT20)_MCH_2437MHz_Ant1 (SISO)_NTNV




802.11n(HT20)_HCH_2462MHz_Ant1 (SISO)_NTNV




802.11n(HT20)_HCH_2462MHz_Ant1 (SISO)_NTNV




802.11n(HT40)_LCH_2422MHz_Ant1 (SISO)_NTNV




802.11n(HT40)_LCH_2422MHz_Ant1 (SISO)_NTNV




802.11n(HT40)_MCH_2437MHz_Ant1 (SISO)_NTNV



802.11n(HT40)_HCH_2452MHz_Ant1 (SISO)_NTNV



802.11n(HT40)_HCH_2452MHz_Ant1 (SISO)_NTNV



6. Form731

6.1 Test Result

6.1.1 Form731

Lower Freq (MHz)	High Freq (MHz)	MAX Power (W)	MAX Power (dBm)
2412	2462	0.0050	6.99
2422	2452	0.0044	6.42