





LINBER-PP5

Instruction For Use



Product Introduction



Remote Control Manual

1. Power Button

Toggle the switch on the back of the remote control (ON ON/OFF), the remote control indicator light will flash automatically.

2. Bluetooth Connection Steps

Open the cell phone "Settings">"Bluetooth" to open the Bluetooth search for "TNW-PP5", click on the device name. When it shows "Connected" and the indicator light stops blinking, the connection is successful (the remote control is on). The indicator light will stop blinking, then the connection is successful (the remote control is on).

3. Shutter Button

After the Bluetooth connection is successfully established, open the camera app on your phone. Press the remote shutter button to take photos or start video recording.


4. Zoom Button

When using the camera function, press and hold the "+" button to zoom in, and press and hold the "-" button to zoom out.


5. Switch Button

Single-click the "🔄" button to switch between the front and rear cameras. Double-click to switch the shooting mode to the left, and triple-click to switch the shooting mode to the right.


Note: Some phone models and operating systems may not support certain functions of this remote control. For more details, please contact customer service.




Product Procedure




Extend the telescopic pole and the auxiliary handle to the desired length




Pull open the auxiliary handle extension part and insert the remote control into the handle slot




Hand on the telescopic pole vertically off the ground 10-15cm vertical free fall open the bracket



Expanding the tripod outwards




Pull up and rotate the phone holder to achieve shooting from all angles



The phone holder angle can be freely adjusted

Open Tripod

The legs can be automatically extended and stored



Product Parameters

Product Parameters

Product Model : LINBER-PP5

Maximum Bearing Capacity : 800g

Main Material : Aluminum alloy& ABS plastic

Support System : Android,iOS, HarmonyOS

Maximum Stretching Distance : 92mm

Folding Size : 283*40*48.5mm

Working Voltage : 3.6~4.2V

Operating Temperature : -10°~50°

Charging Voltage : DC5V

Remote Control Battery Capacity : 55mAh

Standby Time Of Remote Control : 30 days

Warning:

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

NOTE: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to Part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation.

If this equipment does cause harmful interference to radio or television reception which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help

NOTE: This device and its antenna(s) must not be co-located or operation in conjunction with any other antenna or transmitter

The device has been evaluated to meet general RF exposure requirement. The device can be used in portable exposure condition without restriction.

Warm Tip

For iOS systems, please follow the steps below in advance to enable all functions of the remote control.

1. Open Settings, find and select Accessibility.
2. Tap Zoom, turn it on, and then follow the on-screen instructions — double-tap the screen with three fingers to restore it to its normal size.



MADE IN CHINA