


Inverted F Antenna Specification

Summary

ITEM	ANT SPEC					
Model Name	2.4G ANT					
Center Frequency	Horizontal			Vertical		
	2400MHz	2450MHz	2500MH	2400MHz	2450MHz	2500MH
	-1.20	- 0.75	-0.68	-5.20	-2.40	-1.85
MAX. Gain	-0.68dB					
Polarization	Horizontal and Vertical					
Horizontal and Vertical	Omni-directional					
Impedance	0 Ohm					
Antenna Length	27.8mm					
Manufacture	Huizhou huiqi electronics CO.,LTD					
Address	4th Floor, Building 3, Jianshi industrial ParkPu Shang Village, Longxi Town, Bo Luo County, Huizhou City.					
Tester	Aaron		Aaron			


Antenna Photo & Length (mm)



Horizontal: 2400 MHz 2450 MHz 2500 MHz


Power (dBm)

Max: 0 Min: -40 Scale: 5/div



Frequency (MHz)	Gain(dB)		
	Max	Min	Avg
2400	-1.73178	-30.0815	-8.48713
2450	-0.845801	-38.5605	-7.88012
2500	-0.685586	-24.0318	-6.79139

Vertical: 2400 MHz 2450 MHz 2500 MHz
 Power (dBm)
 Max: 0 Min: -30 Scale: 5/div



Frequency (MHz)	Gain(dB)		
	Max	Min	Avg
2400	-6.1530	-24.1420	-13.0295
2450	-3.7054	-26.5836	-10.6700
2500	-2.32122	-30.4301	-9.70536

ANT Test Labs: Attestation of Global Compliance Co., Ltd.