


Inverted F Antenna Specification

Summary

ITEM	ANT SPEC					
Model Name	2.4G ANT					
Center Frequency	Horizontal			Vertical		
	2400MHz	2450MHz	2500MHz	2400MHz	2450MHz	2500MHz
	-1.01	-0.56	-0.37	-5.15	-2.26	-1.66
MAX. Gain	-0.37dB					
Polarization	Horizontal and Vertical					
Azimuth Beam Pattern	Omni-directional					
Impedance	50 Ohm					
Antenna Length	38.20mm					
Manufacture	ZHUHAI JIELI TECHNOLOGY CO.,LTD					

Antenna Photo & Length (mm)



Horizontal: 2400 MHz 2450 MHz 2500 MHz

Power (dBm)

Max: 0 Min: -40 Scale: 5/div



Frequency (MHz)	Gain(dB)		
	Max	Min	Avg
2400	-1.01174	-30.2874	-7.27364
2450	-0.565802	-32.8732	-7.26534
2500	-0.367202	-21.2617	-6.53625

Vertical: 2400 MHz 2450 MHz 2500 MHz

Power (dBm)

Max: 0 Min: -30 Scale: 5/div



Frequency (MHz)	Gain(dB)		
	Max	Min	Avg
2400	-5.1537	-22.1424	-12.4294
2450	-2.2652	-24.5837	-10.4702
2500	-1.66120	-29.5214	-9.20432

ANT Test Labs: Attestation of Global Compliance Co., Ltd.