





PWB3011-黑色外壳丝印文件



外壳黑色/ Black Panel
丝印颜色-Silkscreen Printing PANTONE:
Cool Gray 11C

备注(remarks)	1. Printing/laser carving words not short-term or ambiguous 印刷/镭雕文字不可断线或模糊不清 2. Printing color do not have chromatism, stain, leaky white 印刷色不可有色偏, 脏点, 漏白 3. Printing surface Can't wear 印刷表面不可有磨损 4. Performance need to wear 印刷表面需耐磨耗磨损 5. print and laser Offset tolerance range around 0.25 mm up and down 印刷/镭雕偏移公差范围上下左右各0.25mm	业务员 (Salesman)		日期 (Date)	2025.10.14	Senerport	
		客户名称 (Customer Name)		类别名称 (Class name)	Charger	Senerport Tech (Shenzhen) Co.,Ltd	
						印刷稿(Printing)	
		产品型号 (ModelNo)		公差 (Tolerance)	±0.5	检查员 (checker)	
		产品颜色 (Product Color)		比例 (scale)	1:1	审核员 (Assessor)	
				单位 (Unit)	mm		

PWB3011-白色外壳丝印文件



外壳白色/ White Panel
丝印颜色-Silkscreen Printing PANTONE:
Cool Gray 3C

备注(remarks)	1. Printing/laser carving words not short-term or ambiguous 印刷/镭雕文字不可断线或模糊不清 2. Printing color do not have chromatism, stain, leaky white 印刷色不可有色偏, 脏点, 漏白 3. Printing surface Can't wear 印刷表面不可有磨损 4. Performance need to wear 印刷表面需耐磨耗磨损 5. print and laser Offset tolerance range around 0.25 mm up and down 印刷/镭雕偏移公差范围上下左右各0.25mm	业务员 (Salesman)		日期 (Date)	2025.10.14	Senerport	
		客户名称 (Customer Name)		类别名称 (Class name)	Charger	Senerport Tech (Shenzhen) Co.,Ltd	
						印刷稿(Printing)	
		产品型号 (ModelNo)		公差 (Tolerance)	±0.5	检查员 (checker)	
		产品颜色 (Product Color)		比例 (scale)	1:1	审核员 (Assessor)	
				单位 (Unit)	mm		

PWB3011-紫色外壳丝印文件

Technical drawing of the PWB3011 purple case showing dimensions and specifications. The case is rectangular with rounded corners. The top width is 12.68mm and the bottom width is 9.76mm. The front face features a circular logo with the text "VELVET CAVIAR", "SLIM", a lightning bolt, and "MAGNETIC WIRELESS POWER PACK". Below the logo, the FCC ID is 2BUK3VC-5KNANO. The bottom of the case has a USB-C port and a battery cover latch.

Dimensions: 12.68mm (top width), 9.76mm (bottom width).

Specifications:

- PO: Model No: SP015
- VC-5K Nano
- 5V=3A 9V=2A
- 5V3A9V2.2A12V1.67A
- 5W/7.5W/10W/15W
- 3.85V/5000mAh
- Made in China

FCC ID: 2BUK3VC-5KNANO

Technical drawing of the PWB3011 purple case showing dimensions and specifications. The case is rectangular with rounded corners. The top width is 49.18mm and the right height is 87.54mm. The front face features a circular logo with the text "VELVET CAVIAR", "SLIM", a lightning bolt, and "MAGNETIC WIRELESS POWER PACK". Below the logo, the FCC ID is 2BUK3VC-5KNANO. The bottom of the case has a USB-C port and a battery cover latch.

Dimensions: 49.18mm (top width), 87.54mm (right height).

Specifications:

- PO: Model No: SP015
- VC-5K Nano
- 5V=3A 9V=2A
- 5V3A9V2.2A12V1.67A
- 5W/7.5W/10W/15W
- 3.85V/5000mAh
- Made in China

FCC ID: 2BUK3VC-5KNANO

Technical drawing of the PWB3011 purple case showing dimensions and specifications. The case is rectangular with rounded corners. The front face features a circular logo with the text "VELVET CAVIAR", "SLIM", a lightning bolt, and "MAGNETIC WIRELESS POWER PACK". Below the logo, the FCC ID is 2BUK3VC-5KNANO. The bottom of the case has a USB-C port and a battery cover latch.

Specifications:

- PO: Model No: SP015
- VC-5K Nano
- 5V=3A 9V=2A
- 5V3A9V2.2A12V1.67A
- 5W/7.5W/10W/15W
- 3.85V/5000mAh
- Made in China

FCC ID: 2BUK3VC-5KNANO

外壳紫色/ Purple Panel
丝印颜色-Silkscreen Printing PANTONE:
4121C

备注(remarks)	1. Printing/laser carving words not short-term or ambiguous 印刷/镭雕文字不可断线或模糊不清 2. Printing color do not have chromatism, stain, leaky white 印刷色不可有色偏, 脏点, 漏白 3. Printing surface Can't wear 印刷表面不可有磨损 4. Performance need to wear 印刷表面需耐磨耗磨损 5. print and laser Offset tolerance range around 0.25 mm up and down 印刷/镭雕偏移公差范围上下左右各0.25mm	业务员 (Salesman)	日期 (Date)	2025.10.14	Senerport	
		客户名称 (Customer Name)	类别名称 (Class name)	Charger	Senerport Tech (Shenzhen) Co.,Ltd	
					印刷稿(Printing)	
		产品型号 (ModelNo)	公差 (Tolerance)	±0.5	检查员 (checker)	
		产品颜色 (Product Color)	比例 (scale)	1:1	审核员 (Assessor)	
			单位 (Unit)	mm		

PWB3011-蓝色外壳丝印文件

Technical drawing of the PWB3011 power bank showing dimensions and specifications. The drawing includes a top view and a side view. The top view shows a rectangular shape with rounded corners. The side view shows the thickness of the device. The specifications are listed below the drawing:

Dimensions: 12.68mm (width), 9.76mm (height).

Specifications:

- PO: SP015
- Model No: VC-5K Nano
- USB-C Input: 5V=3A 9V=2A
- USB-C Output: 5V3A9V2.2A12V1.67A
- Wireless Output: 5W/7.5W/10W/15W
- Battery Capacity: 3.85V/5000mAh
- CE, RoHS, Recycle symbols
- Made in China

Technical drawing of the PWB3011 power bank showing dimensions and specifications. The drawing includes a top view and a side view. The top view shows a rectangular shape with rounded corners. The side view shows the thickness of the device. The specifications are listed below the drawing:

Dimensions: 49.18mm (width), 87.54mm (height).

Specifications:

- PO: SP015
- Model No: VC-5K Nano
- USB-C Input: 5V=3A 9V=2A
- USB-C Output: 5V3A9V2.2A12V1.67A
- Wireless Output: 5W/7.5W/10W/15W
- Battery Capacity: 3.85V/5000mAh
- CE, RoHS, Recycle symbols
- Made in China

Technical drawing of the PWB3011 power bank showing dimensions and specifications. The drawing includes a top view and a side view. The top view shows a rectangular shape with rounded corners. The side view shows the thickness of the device. The specifications are listed below the drawing:

Dimensions: 49.18mm (width), 87.54mm (height).

Specifications:

- PO: SP015
- Model No: VC-5K Nano
- USB-C Input: 5V=3A 9V=2A
- USB-C Output: 5V3A9V2.2A12V1.67A
- Wireless Output: 5W/7.5W/10W/15W
- Battery Capacity: 3.85V/5000mAh
- CE, RoHS, Recycle symbols
- Made in China

外壳蓝色/ Blue Panel
丝印颜色-Silkscreen Printing PANTONE:
2381C

备注(remarks)	1. Printing/laser carving words not short-term or ambiguous 印刷/镭雕文字不可断线或模糊不清 2. Printing color do not have chromatism, stain, leaky white 印刷色不可有色偏, 脏点, 漏白 3. Printing surface Can't wear 印刷表面不可有磨损 4. Performance need to wear 印刷表面需耐磨耗磨损 5. print and laser Offset tolerance range around 0.25 mm up and down 印刷/镭雕偏移公差范围上下左右各0.25mm	业务员 (Salesman)	日期 (Date)	2025.10.14	Senerport	
		客户名称 (Customer Name)	类别名称 (Class name)	Charger	Senerport Tech (Shenzhen) Co.,Ltd	
					印刷稿(Printing)	
		产品型号 (ModelNo)	公差 (Tolerance)	±0.5	检查员 (checker)	
		产品颜色 (Product Color)	比例 (scale)	1:1	审核员 (Assessor)	
			单位 (Unit)	mm		

PWB3011-粉色外壳丝印文件

Technical drawing of the PWB3011 pink case showing dimensions and specifications. The case is rectangular with rounded corners. The top view shows a width of 49.18mm and a height of 87.54mm. The side view shows a thickness of 12.68mm. The front view shows a width of 49.18mm and a height of 87.54mm. The case features a central circular logo with the text "VELVET CAVIAR SLIM" and a lightning bolt symbol. Below the logo, it says "MAGNETIC WIRELESS POWER PACK". At the bottom, there is a USB-C port and a battery cover latch. The specifications listed are:

- PO: SP015
- Model No: VC-5K Nano
- USB-C Input: 5V=3A 9V=2A
- USB-C Output: 5V3A9V2.2A12V1.67A
- Wireless Output: 5W/7.5W/10W/15W
- Battery Capacity: 3.85V/5000mAh
- Made in China
- FCC ID: 2BUK3VC-5KNANO
- CE, RoHS, and other regulatory marks.

Technical drawing of the PWB3011 pink case showing dimensions and specifications. The case is rectangular with rounded corners. The top view shows a width of 49.18mm and a height of 87.54mm. The side view shows a thickness of 12.68mm. The front view shows a width of 49.18mm and a height of 87.54mm. The case features a central circular logo with the text "VELVET CAVIAR SLIM" and a lightning bolt symbol. Below the logo, it says "MAGNETIC WIRELESS POWER PACK". At the bottom, there is a USB-C port and a battery cover latch. The specifications listed are:

- PO: SP015
- Model No: VC-5K Nano
- USB-C Input: 5V=3A 9V=2A
- USB-C Output: 5V3A9V2.2A12V1.67A
- Wireless Output: 5W/7.5W/10W/15W
- Battery Capacity: 3.85V/5000mAh
- Made in China
- FCC ID: 2BUK3VC-5KNANO
- CE, RoHS, and other regulatory marks.

Technical drawing of the PWB3011 pink case showing dimensions and specifications. The case is rectangular with rounded corners. The top view shows a width of 49.18mm and a height of 87.54mm. The side view shows a thickness of 12.68mm. The front view shows a width of 49.18mm and a height of 87.54mm. The case features a central circular logo with the text "VELVET CAVIAR SLIM" and a lightning bolt symbol. Below the logo, it says "MAGNETIC WIRELESS POWER PACK". At the bottom, there is a USB-C port and a battery cover latch. The specifications listed are:


- PO: SP015
- Model No: VC-5K Nano
- USB-C Input: 5V=3A 9V=2A
- USB-C Output: 5V3A9V2.2A12V1.67A
- Wireless Output: 5W/7.5W/10W/15W
- Battery Capacity: 3.85V/5000mAh
- Made in China
- FCC ID: 2BUK3VC-5KNANO
- CE, RoHS, and other regulatory marks.

外壳粉色/ Pink Panel

丝印颜色-Silkscreen Printing PANTONE:
7431C

备注(remarks)	1. Printing/laser carving words not short-term or ambiguous 印刷/镭雕文字不可断线或模糊不清 2. Printing color do not have chromatism, stain, leaky white 印刷色不可有色偏, 脏点, 漏白 3. Printing surface Can't wear 印刷表面不可有磨损 4. Performance need to wear 印刷表面需耐磨耗磨损 5. print and laser Offset tolerance range around 0.25 mm up and down 印刷/镭雕偏移公差范围上下左右各0.25mm	业务员 (Salesman)	日期 (Date)	2025.10.14	Senerport	
		客户名称 (Customer Name)	类别名称 (Class name)	Charger	Senerport Tech (Shenzhen) Co.,Ltd	
					印刷稿(Printing)	
		产品型号 (ModelNo)	公差 (Tolerance)	±0.5	检查员 (checker)	
		产品颜色 (Product Color)	比例 (scale)	1:1	审核员 (Assessor)	
			单位 (Unit)	mm		

PWB3011-棕色外壳丝印文件



外壳棕色/ Brown Panel
丝印颜色-Silkscreen Printing PANTONE: 7532C

备注(remarks)	1. Printing/laser carving words not short-term or ambiguous 印刷/镭雕文字不可断线或模糊不清 2. Printing color do not have chromatism, stain, leaky white 印刷色不可有色偏, 脏点, 漏白 3. Printing surface Can't wear 印刷表面不可有磨损 4. Performance need to wear 印刷表面需耐磨耗磨损 5. print and laser Offset tolerance range around 0.25 mm up and down 印刷/镭雕偏移公差范围上下左右各0.25mm	业务员 (Salesman)		日期 (Date)	2025.10.14	Senerport	
		客户名称 (Customer Name)		类别名称 (Class name)	Charger	Senerport Tech (Shenzhen) Co.,Ltd	
						印刷稿(Printing)	
		产品型号 (ModelNo)		公差 (Tolerance)	±0.5	检查员 (checker)	
		产品颜色 (Product Color)		比例 (scale)	1:1	审核员 (Assessor)	
				单位 (Unit)	mm		