



深圳瑞宁无线技术有限公司

Shenzhen Runicc Wireless Technology Co.,LTD

2nd floor, Yongjiale Factory Building, Xiaoweiyan Industrial Zone, Guifu Community, Xixiang Street, Bao'an District, Shenzhen City

天线测试报告 Antenna Test Report

Model: HC-PM02F\D-T1

Name: 868 Ant

RF : 蒋先至

2026/03/28

3/28/2026

1


1.墙壁开关

1.1 实物图



团结 严谨 自律 进取

1. 2. S11参数



团结 严谨 自律 进取

1.3 Gain&Efficiency

chNo	Freq	TRP	PeakEIRP	Directivity	Gain	Efficiency_dB	Efficiency_Percent
1	858	-21.20	-17.50	3.69	-17.50	-21.20	0.76
2	859	-21.16	-17.38	3.78	-17.38	-21.16	0.77
3	860	-21.12	-17.33	3.79	-17.33	-21.12	0.77
4	861	-21.07	-17.29	3.78	-17.29	-21.07	0.78
5	862	-21.02	-17.18	3.85	-17.18	-21.02	0.79
6	863	-20.99	-17.07	3.92	-17.07	-20.99	0.80
7	864	-20.95	-17.02	3.94	-17.02	-20.95	0.80
8	865	-20.90	-16.95	3.96	-16.95	-20.90	0.81
9	866	-20.85	-16.82	4.03	-16.82	-20.85	0.82
10	867	-20.80	-16.71	4.10	-16.71	-20.80	0.83
11	868	-20.74	-16.62	4.13	-16.62	-20.74	0.84
12	869	-20.69	-16.61	4.08	-16.61	-20.69	0.85
13	870	-20.63	-16.43	4.20	-16.43	-20.63	0.87
14	871	-20.58	-16.44	4.14	-16.44	-20.58	0.88
15	872	-20.51	-16.39	4.12	-16.39	-20.51	0.89
16	873	-20.46	-16.30	4.16	-16.30	-20.46	0.90
17	874	-20.39	-16.34	4.05	-16.34	-20.39	0.91
18	875	-20.35	-16.26	4.10	-16.26	-20.35	0.92
19	876	-20.31	-16.28	4.03	-16.28	-20.31	0.93
20	877	-20.25	-16.18	4.07	-16.18	-20.25	0.94
21	878	-20.21	-16.16	4.05	-16.16	-20.21	0.95

团结 严谨 自律 进取