

auli

Instruction manual



FCC Warning

This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Any Changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

Note: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

The device has been evaluated to meet general RF exposure requirement. The device can be used in portable exposure condition without restriction.

Contents

Contents.....	3
What's in the box	4
Specifications.....	4
Installation.....	5
Lamp set up.....	6
Digital screen display	7
Remote control.....	7
App	8
Air purifier.....	9
Lamp	10
Filter care	11
Safety information.....	12
Warranty.....	16
Product support	18

What's in the box

- auli 2.0
- Filter
- Remote
- Two bulbs
- Lamp rod
- Lamp shade
- Power adapter
- Manual


Specifications

- Product name: auli 2.0
- Model: auli-002
- Size: 278mm dia x 1330mm
- Weight: 6.3kg or 13.9lb
- CADR: 425m³/h or 250ft³/min
- Particle purification efficiency: High
- Formaldehyde purification efficiency: High
- Noise: <=61db(A)
- HEPA: H13
- Light modes: Warm, Natural, Cool
- Power: 65W
- Rated Voltage: 24V DC
- Rated Current: 2.7A

Dimmable Bulb

- Model: auli-002B
- Rated voltage: 24V DC
- Rated power: 12W
- Color temperature: 3000K~6000K
- Luminous Flux: 1200lm
- Luminous Efficacy: 100 lm/W
- Lifespan: 20,000 hours
- DO NOT USE IN 120V
- ONLY FOR USE WITH AULI

Installation



1. Attach the bottom ring to the pole. Ensure the ring's flared opening faces downwards.

2. Connect the terminals and screw the bottom pole into the base.


3. Screw the top short pole into the long pole.

4. Attach the top ring onto the pole. Ensure the ring's flared opening faces upward.

Note:

- Remove the plastic bag from the filter before operating
- You'll find the power adapter inside the filter

Lamp set up




1. Screw in the bulbs.
2. Insert the cap.
3. Wrap the lampshade around the ring and snap the buckles to the ring.
4. Connect one end of the power adapter to auli and the other end into an outlet. Step on the foot-switch to power on.
5. When switching on for the first time, press and hold the "A" (auto mode) button on the remote for 3 seconds to pair with the unit. If pairing fails, power it off and try again immediately after restarting.


Tip: We recommend closing your doors and windows when using the air purifier for maximum efficiency.


Standby mode: After connecting to a power source, step on the foot switch to switch your auli on. It enters a self-test procedure, before moving to the Standby mode. The air quality indicator will turn a dim white light on while auli is in standby, while all of the other lights are off.

Digital screen display



Remote control





- Only use 1.5V batteries in this remote control
- Do not mix old and new batteries
- Please ensure poles are aligned as you put in the batteries
- For long-term non-use, remove batteries to prevent leakage or corrosion.

App


How to connect the auli app

After powering on the air purifier with the left knob, double-click the left knob to enable Wi-Fi. It flashes when trying to find a new network, stays on when connected to a network, and automatically goes out after 3 minutes if it fails to connect.

Double-click the left knob again to disable Wi-Fi and triple-click the left knob to reset Wi-Fi.

Note: Use 2.4GHz Wi-Fi network to connect your auli to your phone. Your auli unit, phone, and router must be on the same network when setting up

1. Download the auli app on your phone.
2. Take out your auli, connect to the power outlet, and turn the air purifier on.
3. Double-click the left knob to start Wi-Fi pairing. The Wi-Fi icon will start flashing when it is in pairing mode.
4. Open auli app to connect.
5. Set up and operate from anywhere!



Scan this QR code
to download
the auli app

auli is compatible with **Amazon Alexa** and can be integrated into a smart home ecosystem for control via voice commands.

Air purifier

ON/OFF

Long press the left (air purifier) knob to power on (defaults to Auto mode) or off.

Auto mode

The machine defaults to Auto mode when switched on, with the panel icon  lighting up white. The PM2.5 air quality value is displayed continuously.

Manual mode

Short press the left knob to cycle through Auto Mode, Manual Mode, and Sleep Mode. Rotate the knob to directly enter Manual Mode and cycle through all speeds (1, 2, 3, 4, 5, 1); the panel's  icon will light up, and the digital screen will display the speed. Turn clockwise to increase and counter clockwise to decrease the speed. After settling on one, screen will show the speed for 3 seconds, then switch to the current air quality.

Sleep mode

Short press left knob to cycle through Auto Mode, Manual Mode, and Sleep Mode, with the corresponding icon lighting up. When Sleep Mode is activated, the  icon lights up, and the digital screen displays the PM2.5 value for 3 seconds. After that, both the display and the indicator light will turn off. To wake up from Sleep Mode, press or rotate the left knob. The corresponding icon will light up. After 1 second, press or rotate the knob again to enter Auto Mode or Manual Mode.

Timer

Use the auli app to set timer. The selected duration (2h, 4h, or 8h) will be displayed on the screen. For example: If 2H is selected, the "2H" icon on the panel lights up. If 4H is selected, the "4H" icon on the panel lights up. After the timer is set, the display will show the remaining time for 3 seconds, then return to the PM2.5 reading after a 3-second delay.

Child lock

- **Lock:** Press and hold both rotary knobs for 3 seconds to activate child lock. All panel buttons will be locked, and the machine will not respond to touch inputs.
- **Unlock:** Press and hold both rotary knobs for 3 seconds again to restore all panel button functions. Alternatively, the child lock can also be released by powering off the machine and restarting it.

Lamp

Lamp rotary knob (right):

- Long press to turn on, default brightness is 100% at start up
- Digital screen shows brightness (10-100) for 3 seconds, then switches to PM2.5
- Short press right knob to cycle through different light modes
- Rotate clockwise to increase brightness, and counter clockwise to decrease it

Light modes

1. Warm

Default light colour is a 3000K warm white at startup. Corresponding icon  lights up.

2. Natural

Short press the right knob to change to 4500K natural white. Corresponding icon  lights up.

3. Cool

Short press the right knob to change again to 6000K cool white. Corresponding icon  lights up.

4. Night Light:

Double-click the right knob to turn on/off the night light led ring.

Light mode	Color temperature	Brightness range
Warm	3000K	10-100%
Natural	4500K	10-100%
Cool	6000K	10-100%

Filter care

Filter replacement

When the filter service life reaches the set time (approximately 3-6 months, depending on usage), the icon  will highlight in red, reminding you to replace the filter. Please refer to the diagram on the right. First, unplug the power adaptor and open the front grill by pulling the pull-tag. Then pull out the old filter directly, insert the new filter, and put the front grill back in place.



Reset filter


1. Panel reminder: When the filter usage reaches the set time (2200h), the  icon turns red to remind you to replace the filter. After replacement, the icon will disappear automatically.
2. App settings: After selecting "Filter Reset," the  icon flashes 3 times before disappearing, restarting the filter lifespan timer.

Air quality indicator

The AQI indicator changes colors according to the real-time air quality.

Indicator light	Air quality	PM2.5
Green	Good	0-35 ug/m3
Yellow	Average	36-75 ug/m3
Red	Bad	≥76 ug/m3

Time to replace your filter? Scan the QR code and place your order.



Safety information

Warning! Please observe the following to reduce the risk of fire, electric shock, or injury.

Air purifier:

- Turn off and unplug auli before moving it
 - Install the grille and filter properly before use
 - Maintain a distance of at least 10cm between the air inlets and walls or other objects for optimum performance
 - Frequently remove dust, hair, and other particles from the outer mesh screen of the filter, to prevent air inlet reduction and any chance of bacterial growth
- If leaving the purifier unused for a long time, cover the air outlet to prevent dust, hair, and other particles from falling in the clean air vent

Lamp:

- Please do not let the lamp shade come into contact with dirty water to avoid stains
- Use a dry cloth to wipe dust off from the lampshade if needed

Bulbs:

- Do not use auli bulbs in other appliances, they are designed for use with auli only
- Do not install bulbs from other brands in auli as it may cause malfunctioning, especially of lighting components

To avoid fire, electric shocks, or other damage, use the power cord and electrical outlet as instructed below:

- Do not excessively pull, twist, or bend the power adaptor, as this may expose or break the adaptor's core
- The power adaptor must be plugged into a suitable electrical outlet
- Please use the auli power adaptor for use with auli 2.0, do not use any third party power adaptors
- Do not use the purifier near an open window as rain may cause an electric shock hazard
- When unplugging the power supply, first unplug the adaptor from the socket and then pull out the power cord if needed. We recommend not using an extension power cord for use with auli
- When not in use for a long time, unplug the power cord from the socket
- To prevent tripping, please coil and store the power cord appropriately
- Always unplug auli before carrying out maintenance or moving it
- When the power adaptor is damaged, it must be replaced with a power adaptor from auliair.com specifically designed for use with it

- Immediately stop using the purifier when it makes unusual sounds, gives off unusual odors, overheats, or its fan rotates irregularly
- Do not stick foreign objects into the protective parts, movable parts, air inlets, or air outlets
- Keep objects such as hair or fabrics away from the purifier to avoid blocking the air inlets or air outlets
- Please ventilate sufficiently when using in conjunction with gas-fueled appliances (such as gas stoves, gas heaters) to avoid carbon monoxide poisoning
- Do not pour liquids or throw powders or other small substances into the purifier's air outlet
- Do not use the purifier in the following circumstances, as it may result in electric shocks, fire, or other damage: a) near open flames, such as candles, incense burners, stoves, fireplaces, cigarettes, firecrackers, lighters, multipurpose torches, candle lighters, or fire pans; b) near appliances that generate high temperatures, such as electric heaters, fan heaters, electric foot warmers, electric stoves, electric irons
- Make sure no inflammable objects get into the purifier
- Do not run cord under carpeting
- Do not cover cord with throw rugs, runners, or similar coverings
- Do not route cord under furniture or appliances
- Arrange cord away from traffic area and where it will not be tripped over
- This appliance is intended for floor use only. Do not mount on ceilings or walls

Warning: Risk of electric shock! Service and repair of auli needs to be done by qualified personnel only. Please do not perform any repairs other than that contained in the manual unless you are qualified to do so to reduce the risk of electric shock and/or injury.

Informations de sécurité

Avertissement! Veuillez respecter les instructions suivantes pour réduire le risque d'incendie, de choc électrique ou de blessure.

Purificateur d'air :

- Éteignez et débranchez le purificateur avant de le déplacer.
- Installez correctement la grille et le filtre avant utilisation.
- Maintenez une distance d'au moins 10 cm entre les entrées d'air et les murs ou autres objets pour garantir des performances optimales.
- Retirez régulièrement la poussière, les cheveux et autres particules de la grille externe du filtre afin d'éviter la réduction du débit d'air et tout risque de développement bactérien.
- Si vous n'utilisez pas le purificateur pendant une longue période, couvrez la sortie d'air pour empêcher la poussière, les cheveux et autres particules de pénétrer dans la sortie d'air.

Lampe :

- Ne laissez pas l'abat-jour entrer en contact avec de l'eau afin d'éviter les taches.
- Utilisez un chiffon sec pour essuyer la poussière de l'abat-jour si nécessaire.

Ampoules :

- N'utilisez pas les ampoules auli auli dans d'autres appareils ; elles sont conçues exclusivement pour les produits auli.
- N'installez pas d'ampoules d'autres marques dans les produits Auli, cela pourrait provoquer un dysfonctionnement.

Pour éviter tout incendie, choc électrique ou autre dommage, utilisez le cordon d'alimentation et la prise électrique conformément aux instructions suivantes :

- Ne tirez pas excessivement sur le cordon d'alimentation et ne le tordez pas ou pliez pas, cela pourrait endommager le câble?
- L'adaptateur secteur doit être branché sur une prise électrique appropriée.
- Veuillez utiliser l'adaptateur secteur auli spécifique pour le modèle auli 2.0 ; n'utilisez aucun adaptateur tiers.
- N'utilisez pas le purificateur près d'une fenêtre ouverte, car la pluie pourrait présenter un risque de choc électrique.
- Lors du débranchement de l'alimentation, débranchez d'abord l'adaptateur de la prise, puis retirez le cordon d'alimentation si nécessaire. Nous recommandons de ne pas utiliser de rallonge électrique avec le produit auli.
- Si vous ne l'utilisez pas pendant une longue période, débranchez le cordon d'alimentation de la prise.

- Pour éviter tout trébuchement, enroulez et rangez le cordon d'alimentation de manière appropriée.
- Débranchez toujours le produit auli avant d'effectuer des entretiens ou de le déplacer.
- Si l'adaptateur secteur est endommagé, il doit être remplacé par un adaptateur secteur spécifiquement conçu pour ce produit, disponible sur auliair.com.
- Arrêtez immédiatement d'utiliser le purificateur si il émet des bruits inhabituels, des odeurs étranges, si il surchauffe ou si son ventilateur tourne de manière irrégulière.
- N'introduisez aucun objet dans les parties protégées, les éléments mobiles, les entrées d'air ou les sorties d'air. · Maintenez les cheveux, tissus et autres objets éloignés des entrées et sorties d'air pour éviter toute obstruction.
- Assurez une ventilation adéquate lorsque vous utilisez le purificateur en même temps que des appareils à gaz (cuisinières, chauffages, etc.) afin de prévenir tout risque d'empoisonnement au monoxyde de carbone.
- Ne versez aucun liquide, poudre ou autre substance dans la sortie d'air de l'appareil.
- N'utilisez pas le purificateur dans les circonstances suivantes, car cela pourrait entraîner des chocs électriques, un incendie ou autre dommage :
 - a) à proximité de flammes nues (bougies, encens, cuisinières, cheminées, cigarettes, briquets, feux d'artifice, torches, allume-bougies, réchauds) ;
 - b) à proximité d'appareils dégageant une chaleur élevée (radiateurs électriques, chauffages soufflants, chauffons chauffants, cuisinières électriques, fers à repasser).
- Veillez à ce qu'aucun objet inflammable n'entre dans le purificateur.
- Ne passez pas le cordon sous un tapis.
- Ne couvrez pas le cordon avec des tapis décoratifs, des runners ou des revêtements similaires.
- Ne faites pas passer le cordon sous des meubles ou des appareils.
- Disposez le cordon à l'écart des zones de passage pour éviter tout risque de chute.
- Cet appareil est conçu exclusivement pour être utilisé au sol. Ne l'installez pas au plafond ou sur les murs.

Avertissement : Risque de choc électrique ! L'entretien et la réparation du produit auli doivent être effectués uniquement par du personnel qualifié. Veuillez ne pas effectuer de réparations autres que celles décrites dans le manuel, à moins d'être qualifié pour le faire, afin de réduire le risque de choc électrique et/ou de blessure.

Warranty

Coverage & duration

Five Rivers Brands LLC ("We") warrant that this product will be free from defects in materials and workmanship under normal use for 1 year from the date of original retail purchase ("Warranty Period"). Proof of purchase (e.g., receipt) is required.

- **Electronic components:** 1 Year
- **Other parts:** Not covered

What we will do

If a defect arises during the Warranty Period:

- **Inspection Required:** Our authorized technicians will inspect the product to confirm the defect occurred under normal use
- **Our Solution:** We will, at our option either repair the product using new or refurbished parts, or replace it with the same or a comparable model
- **Timeframe:** Repairs/replacements will be completed within a reasonable time after we receive your product

Exclusions

A. This limited Warranty does not cover damage caused by:

1. Accident, misuse, abuse, or lack of reasonable care or normal maintenance
2. Installation or operation under conditions other than those recommended by us
3. Subjecting the product to any but the specified voltage
4. Servicing or disassembly by unauthorized personnel
5. Removing or defacing the serial number
6. Modifying the original factory-assembled unit in any way

B. This limited warranty does not apply to shipping charges for product shipped to or from manufacturer or designated service center in connection with warranty claims nor does it apply to any damage occurring during each shipment.

C. This Limited Warranty does not apply to installation, removal, re-installation, and/or related expenses. This Limited Warranty does not apply to replaceable filters.

Consumer responsibilities

To obtain warranty service, you must:

7. Contact our customer experience team at hello@auliair.com for a return confirmation.
8. Please ship the product prepaid to our designated facility (you pay return shipping).
9. Please include proof of purchase and a description of the defect.

Limitations:

No liability for consequential damages: We are not responsible for lost profits, data, or other indirect damages. We shall not be liable for personal injury resulting from malfunctions, defects, misuse, improper operation or installation, or alteration of our product or any part thereof.

Maximum liability: Our maximum aggregate liability under this Limited Warranty is limited to the actual purchase price paid for the product. If this product fails to conform to this Limited Warranty during the warranty period, your sole and exclusive remedy shall be, at our option, (a) repair of the product using new or refurbished parts, or (b) replacement with a functionally equivalent product.

Legal rights: This warranty gives you specific legal rights, and you may also have other rights which vary by state.

Product Support

Help and assistance: If you require any technical guidance or find that your auli is not operating as intended, a simple solution can often be found in these instructions or online at www.auli.ir.com.

If you require further assistance, please do not hesitate to reach our experts at hello@auli.ir.com. To help us give you a fast and efficient service, please have the following information ready:

Model Ref	auli-002
Serial number	You can find it on the rating plate – a small information panel (usually a sticker or metal plate) at the rear of your product
Date of purchase	This will be shown on your receipt

auli