



802.11ac(VHT40) HCH 5230MHz Ant1 NTN




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	5385.750	-58.24	-21.20	37.04	Pass	Peak	7	5385.750	-61.13	-41.20	19.93	Pass	AVG
2	5401.410	-58.89	-21.20	37.69	Pass	Peak	8	5401.410	-61.03	-41.20	19.83	Pass	AVG
3	5413.020	-58.66	-21.20	37.46	Pass	Peak	9	5413.020	-60.94	-41.20	19.74	Pass	AVG
4	5436.240	-57.68	-21.20	36.48	Pass	Peak	10	5436.240	-60.86	-41.20	19.66	Pass	AVG
5	5445.690	-59.33	-21.20	38.13	Pass	Peak	11	5445.690	-61.17	-41.20	19.97	Pass	AVG
6	5457.300	-58.50	-21.20	37.30	Pass	Peak	12	5457.300	-60.86	-41.20	19.66	Pass	AVG

802.11ac(VHT40)_LCH_5755MHz_Ant1_NTN




802.11ac(VHT40)_LCH_5755MHz_Ant1_NTNV




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	2435.65	-49.65	-27.00	22.65	Pass	Peak	7	2435.65	/	-27.00	/	/	AVG
2	21425.5	-48.46	-27.00	21.46	Pass	Peak	8	21425.5	/	-27.00	/	/	AVG
3	22194.75	-50.58	-21.20	29.38	Pass	Peak	9	22194.75	-55.35	-41.20	14.15	Pass	AVG
4	23170.55	-50.19	-27.00	23.19	Pass	Peak	10	23170.55	/	-27.00	/	/	AVG
5	24294.25	-46.46	-27.00	19.46	Pass	Peak	11	24294.25	/	-27.00	/	/	AVG
6	25822.55	-44.36	-27.00	17.36	Pass	Peak	12	25822.55	/	-27.00	/	/	AVG

802.11ac(VHT40)_LCH_5755MHz_Ant1_NTNV




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	5650.000	-62.67	-27.00	35.67	Pass	Peak	2	5725.000	-45.56	27.00	72.56	Pass	Peak

802.11ac(VHT40) HCH 5795MHz Ant1 NTN




802.11ac(VHT40)_HCH_5795MHz_Ant1_NTN




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	20840.7	-47.95	-21.20	26.75	Pass	Peak	7	20840.7	-54.36	-41.20	13.16	Pass	AVG
2	21953.35	-48.82	-27.00	21.82	Pass	Peak	8	21953.35	/	-27.00	/	/	AVG
3	23177.35	-49.53	-27.00	22.53	Pass	Peak	9	23177.35	/	-27.00	/	/	AVG
4	24344.4	-44.57	-27.00	17.57	Pass	Peak	10	24344.4	/	-27.00	/	/	AVG
5	25142.55	-47.07	-27.00	20.07	Pass	Peak	11	25142.55	/	-27.00	/	/	AVG
6	25908.4	-43.77	-27.00	16.77	Pass	Peak	12	25908.4	/	-27.00	/	/	AVG


802.11ac(VHT40) HCH 5795MHz Ant1 NTN



802.11ax(HEW20) LCH 5180MHz SU / Ant1 NTN




802.11ax(HEW20) LCH 5180MHz SU / Ant1 NTN




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	4731.500	-57.44	-21.20	36.24	Pass	Peak	7	4731.500	-59.65	-41.20	18.45	Pass	AVG
2	5021.500	-57.44	-21.20	36.24	Pass	Peak	8	5021.500	-59.22	-41.20	18.02	Pass	AVG
3	5046.000	-57.46	-21.20	36.26	Pass	Peak	9	5046.000	-59.44	-41.20	18.24	Pass	AVG
4	5067.500	-58.50	-21.20	37.30	Pass	Peak	10	5067.500	-59.27	-41.20	18.07	Pass	AVG
5	5089.500	-58.24	-21.20	37.04	Pass	Peak	11	5089.500	-59.29	-41.20	18.09	Pass	AVG
6	5121.500	-57.87	-21.20	36.67	Pass	Peak	12	5121.500	-59.66	-41.20	18.46	Pass	AVG

802.11ax(HEW20) MCH 5200MHz SU / Ant1 NTN




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	18979.2	-46.60	-21.20	25.40	Pass	Peak	7	18979.2	-51.76	-41.20	10.56	Pass	AVG
2	21379.6	-44.28	-21.20	23.08	Pass	Peak	8	21379.6	-48.59	-41.20	7.39	Pass	AVG
3	23163.75	-46.20	-27.00	19.20	Pass	Peak	9	23163.75	/	-27.00	/	/	AVG
4	24264.5	-42.53	-27.00	15.53	Pass	Peak	10	24264.5	/	-27.00	/	/	AVG
5	25082.2	-42.16	-27.00	15.16	Pass	Peak	11	25082.2	/	-27.00	/	/	AVG
6	25899.9	-39.34	-27.00	12.34	Pass	Peak	12	25899.9	/	-27.00	/	/	AVG

802.11ax(HEW20) HCH 5240MHz SU / Ant1 NTN




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	21359.2	-44.58	-21.20	23.38	Pass	Peak	7	21359.2	-48.63	-41.20	7.43	Pass	AVG
2	22137.8	-47.00	-21.20	25.80	Pass	Peak	8	22137.8	-50.66	-41.20	9.46	Pass	AVG
3	23310.8	-45.93	-27.00	18.93	Pass	Peak	9	23310.8	/	-27.00	/	/	AVG
4	24302.75	-41.96	-27.00	14.96	Pass	Peak	10	24302.75	/	-27.00	/	/	AVG
5	25480	-40.87	-27.00	13.87	Pass	Peak	11	25480	/	-27.00	/	/	AVG
6	26395.45	-42.19	-27.00	15.19	Pass	Peak	12	26395.45	/	-27.00	/	/	AVG

802.11ax(HEW20) HCH 5240MHz SU / Ant1 NTN




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	5352.240	-58.35	-21.20	37.15	Pass	Peak	7	5352.240	-60.40	-41.20	19.20	Pass	AVG
2	5369.520	-58.14	-21.20	36.94	Pass	Peak	8	5369.520	-60.38	-41.20	19.18	Pass	AVG
3	5383.200	-60.57	-21.20	39.37	Pass	Peak	9	5383.200	-60.39	-41.20	19.19	Pass	AVG
4	5392.080	-58.94	-21.20	37.74	Pass	Peak	10	5392.080	-60.44	-41.20	19.24	Pass	AVG
5	5440.800	-57.32	-21.20	36.12	Pass	Peak	11	5440.800	-60.33	-41.20	19.13	Pass	AVG
6	5460.000	-57.68	-21.20	36.48	Pass	Peak	12	5460.000	-60.30	-41.20	19.10	Pass	AVG

802.11ax(HEW20) LCH 5745MHz SU / Ant1 NTN




802.11ax(HEW20) LCH 5745MHz SU / Ant1 NTN




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	18976.65	-46.32	-21.20	25.12	Pass	Peak	7	18976.65	-51.50	-41.20	10.30	Pass	AVG
2	20899.35	-44.09	-21.20	22.89	Pass	Peak	8	20899.35	-49.37	-41.20	8.17	Pass	AVG
3	21697.5	-44.81	-27.00	17.81	Pass	Peak	9	21697.5	/	-27.00	/	/	AVG
4	24302.75	-40.03	-27.00	13.03	Pass	Peak	10	24302.75	/	-27.00	/	/	AVG
5	25521.65	-39.97	-27.00	12.97	Pass	Peak	11	25521.65	/	-27.00	/	/	AVG
6	26296.85	-42.38	-27.00	15.38	Pass	Peak	12	26296.85	/	-27.00	/	/	AVG


802.11ax(HEW20) LCH 5745MHz SU / Ant1 NTN



802.11ax(HEW20) MCH 5785MHz SU / Ant1 NTN




802.11ax(HEW20) MCH 5785MHz SU / Ant1 NTN




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	21334.55	-43.65	-21.20	22.45	Pass	Peak	7	21334.55	-48.14	-41.20	6.94	Pass	AVG
2	22129.3	-46.10	-21.20	24.90	Pass	Peak	8	22129.3	-50.37	-41.20	9.17	Pass	AVG
3	23161.2	-45.38	-27.00	18.38	Pass	Peak	9	23161.2	/	-27.00	/	/	AVG
4	24286.6	-41.85	-27.00	14.85	Pass	Peak	10	24286.6	/	-27.00	/	/	AVG
5	25065.2	-42.89	-27.00	15.89	Pass	Peak	11	25065.2	/	-27.00	/	/	AVG
6	25876.1	-39.41	-27.00	12.41	Pass	Peak	12	25876.1	/	-27.00	/	/	AVG

802.11ax(HEW20) HCH 5825MHz SU / Ant1 NTN




2026-01-15 20:05:13

802.11ax(HEW20) HCH 5825MHz SU / Ant1 NTN




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	21326.05	-43.82	-21.20	22.62	Pass	Peak	7	21326.05	-48.08	-41.20	6.88	Pass	AVG
2	22357.1	-46.73	-21.20	25.53	Pass	Peak	8	22357.1	-50.39	-41.20	9.19	Pass	AVG
3	23209.65	-45.83	-27.00	18.83	Pass	Peak	9	23209.65	/	-27.00	/	/	AVG
4	24332.5	-42.08	-27.00	15.08	Pass	Peak	10	24332.5	/	-27.00	/	/	AVG
5	25108.55	-42.27	-27.00	15.27	Pass	Peak	11	25108.55	/	-27.00	/	/	AVG
6	25960.25	-39.83	-27.00	12.83	Pass	Peak	12	25960.25	/	-27.00	/	/	AVG

802.11ax(HEW20) HCH 5825MHz SU / Ant1 NTN




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	5850.000	-51.40	27.00	78.40	Pass	Peak	3	5925.000	-59.51	-27.00	32.51	Pass	Peak
2	5850.360	-49.81	26.18	75.99	Pass	Peak							

802.11ax(HEW40) LCH 5190MHz SU / Ant1 NTN




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	21309.9	-44.48	-21.20	23.28	Pass	Peak	7	21309.9	-48.42	-41.20	7.22	Pass	AVG
2	22254.25	-45.73	-21.20	24.53	Pass	Peak	8	22254.25	-50.85	-41.20	9.65	Pass	AVG
3	23801.25	-44.54	-21.20	23.34	Pass	Peak	9	23801.25	-48.96	-41.20	7.76	Pass	AVG
4	24675.9	-42.16	-27.00	15.16	Pass	Peak	10	24675.9	/	-27.00	/	/	AVG
5	25504.65	-40.62	-27.00	13.62	Pass	Peak	11	25504.65	/	-27.00	/	/	AVG
6	26437.1	-42.64	-27.00	15.64	Pass	Peak	12	26437.1	/	-27.00	/	/	AVG

802.11ax(HEW40) LCH 5190MHz SU / Ant1 NTN




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	4735.500	-57.66	-21.20	36.46	Pass	Peak	7	4735.500	-60.08	-41.20	18.88	Pass	AVG
2	5012.500	-58.47	-21.20	37.27	Pass	Peak	8	5012.500	-59.74	-41.20	18.54	Pass	AVG
3	5051.500	-56.80	-21.20	35.60	Pass	Peak	9	5051.500	-59.29	-41.20	18.09	Pass	AVG
4	5082.000	-58.39	-21.20	37.19	Pass	Peak	10	5082.000	-59.57	-41.20	18.37	Pass	AVG
5	5104.500	-57.46	-21.20	36.26	Pass	Peak	11	5104.500	-60.05	-41.20	18.85	Pass	AVG
6	5127.500	-58.24	-21.20	37.04	Pass	Peak	12	5127.500	-59.86	-41.20	18.66	Pass	AVG

802.11ax(HEW40) HCH 5230MHz SU / Ant1 NTN




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	20608.65	-46.84	-21.20	25.64	Pass	Peak	7	20608.65	-51.16	-41.20	9.96	Pass	AVG
2	21463.75	-44.19	-27.00	17.19	Pass	Peak	8	21463.75	/	-27.00	/	/	AVG
3	23519.05	-46.30	-27.00	19.30	Pass	Peak	9	23519.05	/	-27.00	/	/	AVG
4	24293.4	-41.87	-27.00	14.87	Pass	Peak	10	24293.4	/	-27.00	/	/	AVG
5	25117.05	-42.58	-27.00	15.58	Pass	Peak	11	25117.05	/	-27.00	/	/	AVG
6	25894.8	-41.04	-27.00	14.04	Pass	Peak	12	25894.8	/	-27.00	/	/	AVG

802.11ax(HEW40) HCH 5230MHz SU / Ant1 NTN




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	5375.760	-58.53	-21.20	37.33	Pass	Peak	7	5375.760	-60.61	-41.20	19.41	Pass	AVG
2	5389.800	-57.98	-21.20	36.78	Pass	Peak	8	5389.800	-60.19	-41.20	18.99	Pass	AVG
3	5409.240	-57.88	-21.20	36.68	Pass	Peak	9	5409.240	-60.46	-41.20	19.26	Pass	AVG
4	5424.090	-58.19	-21.20	36.99	Pass	Peak	10	5424.090	-60.36	-41.20	19.16	Pass	AVG
5	5433.810	-58.86	-21.20	37.66	Pass	Peak	11	5433.810	-60.29	-41.20	19.09	Pass	AVG
6	5451.630	-56.36	-21.20	35.16	Pass	Peak	12	5451.630	-60.41	-41.20	19.21	Pass	AVG

802.11ax(HEW40) LCH_5755MHz_SU / Ant1_NTNV




802.11ax(HEW40) LCH_5755MHz_SU / Ant1_NTNV




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	18969	-50.09	-21.20	28.89	Pass	Peak	7	18969	-55.47	-41.20	14.27	Pass	AVG
2	21380.45	-47.88	-21.20	26.68	Pass	Peak	8	21380.45	-52.08	-41.20	10.88	Pass	AVG
3	23507.15	-49.22	-27.00	22.22	Pass	Peak	9	23507.15	/	-27.00	/	/	AVG
4	24285.75	-45.57	-27.00	18.57	Pass	Peak	10	24285.75	/	-27.00	/	/	AVG
5	25055.85	-46.84	-27.00	19.84	Pass	Peak	11	25055.85	/	-27.00	/	/	AVG
6	25915.2	-43.92	-27.00	16.92	Pass	Peak	12	25915.2	/	-27.00	/	/	AVG


802.11ax(HEW40) LCH 5755MHz SU / Ant1 NTN



802.11ax(HEW40) HCH 5795MHz SU / Ant1 NTN




802.11ax(HEW40) HCH 5795MHz SU / Ant1 NTN



No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	16838.9	-51.20	-27.00	24.20	Pass	Peak	7	16838.9	/	-27.00	/	/	AVG
2	21295.45	-48.05	-21.20	26.85	Pass	Peak	8	21295.45	-52.21	-41.20	11.01	Pass	AVG
3	22061.3	-50.32	-21.20	29.12	Pass	Peak	9	22061.3	-54.10	-41.20	12.90	Pass	AVG
4	23481.65	-49.52	-27.00	22.52	Pass	Peak	10	23481.65	/	-27.00	/	/	AVG
5	24335.05	-45.47	-27.00	18.47	Pass	Peak	11	24335.05	/	-27.00	/	/	AVG
6	25855.7	-43.92	-27.00	16.92	Pass	Peak	12	25855.7	/	-27.00	/	/	AVG

802.11ax(HEW40) HCH 5795MHz SU / Ant1 NTN



No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	5850.000	-57.41	27.00	84.41	Pass	Peak	3	5925.000	-62.86	-27.00	35.86	Pass	Peak
2	5863.630	-56.25	13.18	69.43	Pass	Peak							

6. Frequency Stability

6.1 Test Result

6.1.1 Ant1

Ant1									
Mode	TX Type	Frequency (MHz)	RU	RU Pos	Temperature (°C)	Voltage (VDC)	Measured Frequency (MHz)	Limit (MHz)	Verdict
802.11a	SISO	5180	/	/	20	3.33	5180.000	5150 to 5250	Pass
						3.70	5180.060	5150 to 5250	Pass
						4.01	5180.000	5150 to 5250	Pass
					-30	3.70	5180.060	5150 to 5250	Pass
					-20	3.70	5180.040	5150 to 5250	Pass
					-10	3.70	5179.900	5150 to 5250	Pass
					0	3.70	5180.040	5150 to 5250	Pass
					10	3.70	5180.060	5150 to 5250	Pass
					30	3.70	5180.000	5150 to 5250	Pass
					40	3.70	5180.060	5150 to 5250	Pass
					50	3.70	5180.040	5150 to 5250	Pass
		5200	/	/	20	3.70	5200.000	5150 to 5250	Pass
						3.70	5200.100	5150 to 5250	Pass
						3.70	5200.100	5150 to 5250	Pass
					-30	3.70	5200.000	5150 to 5250	Pass
					-20	3.70	5200.040	5150 to 5250	Pass
					-10	3.70	5200.060	5150 to 5250	Pass
					0	3.70	5200.000	5150 to 5250	Pass
					10	3.70	5200.040	5150 to 5250	Pass
					30	3.70	5200.000	5150 to 5250	Pass
					40	3.70	5200.060	5150 to 5250	Pass
					50	3.70	5200.040	5150 to 5250	Pass
		5240	/	/	20	3.33	5240.000	5150 to 5250	Pass
						3.70	5239.980	5150 to 5250	Pass
						4.01	5240.100	5150 to 5250	Pass
					-30	3.70	5240.080	5150 to 5250	Pass
					-20	3.70	5240.080	5150 to 5250	Pass
					-10	3.70	5240.060	5150 to 5250	Pass
					0	3.70	5240.120	5150 to 5250	Pass
					10	3.70	5239.960	5150 to 5250	Pass
					30	3.70	5240.000	5150 to 5250	Pass
					40	3.70	5240.120	5150 to 5250	Pass
					50	3.70	5240.080	5150 to 5250	Pass
		5745	/	/	20	3.70	5745.100	5725 to 5850	Pass
						3.70	5745.000	5725 to 5850	Pass
						3.70	5745.060	5725 to 5850	Pass
					-30	3.70	5745.020	5725 to 5850	Pass
					-20	3.70	5745.020	5725 to 5850	Pass
					-10	3.70	5745.040	5725 to 5850	Pass
					0	3.70	5745.060	5725 to 5850	Pass
					10	3.70	5745.020	5725 to 5850	Pass
					30	3.70	5745.100	5725 to 5850	Pass
					40	3.70	5745.120	5725 to 5850	Pass
					50	3.70	5745.080	5725 to 5850	Pass
		5785	/	/	20	3.33	5785.080	5725 to 5850	Pass
						3.70	5785.000	5725 to 5850	Pass

						4.01	5784.940	5725 to 5850	Pass
					-30	3.70	5785.080	5725 to 5850	Pass
					-20	3.70	5785.060	5725 to 5850	Pass
					-10	3.70	5785.020	5725 to 5850	Pass
					0	3.70	5784.960	5725 to 5850	Pass
					10	3.70	5785.160	5725 to 5850	Pass
					30	3.70	5785.120	5725 to 5850	Pass
					40	3.70	5785.120	5725 to 5850	Pass
					50	3.70	5785.000	5725 to 5850	Pass
		5825	/	/	20	3.33	5825.080	5725 to 5850	Pass
						3.70	5825.100	5725 to 5850	Pass
						4.01	5825.000	5725 to 5850	Pass
					-30	3.70	5824.980	5725 to 5850	Pass
					-20	3.70	5825.080	5725 to 5850	Pass
					-10	3.70	5824.980	5725 to 5850	Pass
					0	3.70	5825.040	5725 to 5850	Pass
					10	3.70	5824.980	5725 to 5850	Pass
					30	3.70	5825.100	5725 to 5850	Pass
					40	3.70	5825.100	5725 to 5850	Pass
					50	3.70	5825.120	5725 to 5850	Pass
		5180	/	/	20	3.33	5180.100	5150 to 5250	Pass
						3.70	5180.040	5150 to 5250	Pass
						4.01	5180.040	5150 to 5250	Pass
					-30	3.70	5179.980	5150 to 5250	Pass
					-20	3.70	5180.000	5150 to 5250	Pass
					-10	3.70	5180.060	5150 to 5250	Pass
					0	3.70	5180.100	5150 to 5250	Pass
					10	3.70	5180.100	5150 to 5250	Pass
					30	3.70	5180.020	5150 to 5250	Pass
					40	3.70	5180.040	5150 to 5250	Pass
					50	3.70	5179.960	5150 to 5250	Pass
		5200	/	/	20	3.33	5200.020	5150 to 5250	Pass
						3.70	5200.040	5150 to 5250	Pass
						4.01	5200.040	5150 to 5250	Pass
					-30	3.70	5200.040	5150 to 5250	Pass
					-20	3.70	5200.020	5150 to 5250	Pass
					-10	3.70	5200.100	5150 to 5250	Pass
					0	3.70	5200.120	5150 to 5250	Pass
					10	3.70	5200.020	5150 to 5250	Pass
					30	3.70	5200.080	5150 to 5250	Pass
					40	3.70	5200.080	5150 to 5250	Pass
					50	3.70	5200.020	5150 to 5250	Pass
		5240	/	/	20	3.33	5240.020	5150 to 5250	Pass
						3.70	5240.140	5150 to 5250	Pass
						4.01	5240.020	5150 to 5250	Pass
					-30	3.70	5239.960	5150 to 5250	Pass
					-20	3.70	5240.040	5150 to 5250	Pass
					-10	3.70	5240.100	5150 to 5250	Pass
					0	3.70	5240.100	5150 to 5250	Pass
					10	3.70	5240.060	5150 to 5250	Pass
					30	3.70	5240.100	5150 to 5250	Pass
					40	3.70	5240.020	5150 to 5250	Pass
					50	3.70	5240.040	5150 to 5250	Pass
		5745	/	/	20	3.33	5744.960	5725 to 5850	Pass
						3.70	5745.020	5725 to 5850	Pass
						4.01	5745.080	5725 to 5850	Pass
					-30	3.70	5745.040	5725 to 5850	Pass
					-20	3.70	5745.000	5725 to 5850	Pass
					-10	3.70	5745.040	5725 to 5850	Pass

					0	3.70	5745.060	5725 to 5850	Pass
					10	3.70	5745.020	5725 to 5850	Pass
					30	3.70	5745.020	5725 to 5850	Pass
					40	3.70	5745.060	5725 to 5850	Pass
					50	3.70	5745.100	5725 to 5850	Pass
		5785	/	/	20	3.33	5785.060	5725 to 5850	Pass
						3.70	5785.080	5725 to 5850	Pass
						4.01	5785.040	5725 to 5850	Pass
					-30	3.70	5785.000	5725 to 5850	Pass
					-20	3.70	5785.020	5725 to 5850	Pass
					-10	3.70	5785.060	5725 to 5850	Pass
					0	3.70	5785.080	5725 to 5850	Pass
					10	3.70	5784.980	5725 to 5850	Pass
					30	3.70	5785.040	5725 to 5850	Pass
					40	3.70	5785.000	5725 to 5850	Pass
					50	3.70	5785.100	5725 to 5850	Pass
		5825	/	/	20	3.33	5825.060	5725 to 5850	Pass
						3.70	5825.000	5725 to 5850	Pass
						4.01	5825.000	5725 to 5850	Pass
					-30	3.70	5825.040	5725 to 5850	Pass
					-20	3.70	5825.020	5725 to 5850	Pass
					-10	3.70	5825.060	5725 to 5850	Pass
					0	3.70	5825.020	5725 to 5850	Pass
					10	3.70	5825.020	5725 to 5850	Pass
					30	3.70	5825.060	5725 to 5850	Pass
					40	3.70	5825.000	5725 to 5850	Pass
					50	3.70	5825.000	5725 to 5850	Pass
802.11n (HT40)	SISO	5190	/	/	20	3.33	5190.080	5150 to 5250	Pass
						3.70	5190.120	5150 to 5250	Pass
						4.01	5190.080	5150 to 5250	Pass
					-30	3.70	5190.200	5150 to 5250	Pass
					-20	3.70	5190.080	5150 to 5250	Pass
					-10	3.70	5190.040	5150 to 5250	Pass
					0	3.70	5190.080	5150 to 5250	Pass
					10	3.70	5190.160	5150 to 5250	Pass
					30	3.70	5190.120	5150 to 5250	Pass
					40	3.70	5190.120	5150 to 5250	Pass
					50	3.70	5190.080	5150 to 5250	Pass
		5230	/	/	20	3.33	5230.120	5150 to 5250	Pass
						3.70	5230.120	5150 to 5250	Pass
						4.01	5230.160	5150 to 5250	Pass
					-30	3.70	5230.040	5150 to 5250	Pass
					-20	3.70	5230.120	5150 to 5250	Pass
					-10	3.70	5230.160	5150 to 5250	Pass
					0	3.70	5230.160	5150 to 5250	Pass
					10	3.70	5230.160	5150 to 5250	Pass
					30	3.70	5230.040	5150 to 5250	Pass
					40	3.70	5230.160	5150 to 5250	Pass
					50	3.70	5230.040	5150 to 5250	Pass
		5755	/	/	20	3.33	5755.080	5725 to 5850	Pass
						3.70	5755.080	5725 to 5850	Pass
						4.01	5755.080	5725 to 5850	Pass
					-30	3.70	5755.080	5725 to 5850	Pass
					-20	3.70	5755.040	5725 to 5850	Pass
					-10	3.70	5755.120	5725 to 5850	Pass
					0	3.70	5755.120	5725 to 5850	Pass
					10	3.70	5755.080	5725 to 5850	Pass
					30	3.70	5755.000	5725 to 5850	Pass
					40	3.70	5755.120	5725 to 5850	Pass

		5795	/	/	50	3.70	5755.040	5725 to 5850	Pass
					20	3.33	5795.160	5725 to 5850	Pass
						3.70	5795.080	5725 to 5850	Pass
						4.01	5795.000	5725 to 5850	Pass
					-30	3.70	5795.160	5725 to 5850	Pass
					-20	3.70	5795.120	5725 to 5850	Pass
					-10	3.70	5795.080	5725 to 5850	Pass
					0	3.70	5795.120	5725 to 5850	Pass
					10	3.70	5795.000	5725 to 5850	Pass
					30	3.70	5795.120	5725 to 5850	Pass
					40	3.70	5795.000	5725 to 5850	Pass
					50	3.70	5795.120	5725 to 5850	Pass
802.11ac (VHT20)	SISO	5180	/	/	20	3.33	5180.080	5150 to 5250	Pass
						3.70	5180.040	5150 to 5250	Pass
						4.01	5180.060	5150 to 5250	Pass
						3.70	5180.040	5150 to 5250	Pass
					-30	3.70	5180.040	5150 to 5250	Pass
					-20	3.70	5180.080	5150 to 5250	Pass
					-10	3.70	5180.040	5150 to 5250	Pass
					0	3.70	5180.000	5150 to 5250	Pass
					10	3.70	5180.080	5150 to 5250	Pass
					30	3.70	5180.020	5150 to 5250	Pass
					40	3.70	5180.100	5150 to 5250	Pass
					50	3.70	5180.040	5150 to 5250	Pass
		5200	/	/	20	3.33	5200.040	5150 to 5250	Pass
						3.70	5200.040	5150 to 5250	Pass
						4.01	5200.080	5150 to 5250	Pass
						3.70	5200.060	5150 to 5250	Pass
					-30	3.70	5200.060	5150 to 5250	Pass
					-20	3.70	5200.100	5150 to 5250	Pass
					-10	3.70	5200.080	5150 to 5250	Pass
					0	3.70	5199.960	5150 to 5250	Pass
					10	3.70	5200.100	5150 to 5250	Pass
					30	3.70	5200.000	5150 to 5250	Pass
					40	3.70	5200.060	5150 to 5250	Pass
					50	3.70	5200.100	5150 to 5250	Pass
		5240	/	/	20	3.33	5240.080	5150 to 5250	Pass
						3.70	5240.080	5150 to 5250	Pass
						4.01	5240.100	5150 to 5250	Pass
						3.70	5240.020	5150 to 5250	Pass
					-30	3.70	5240.020	5150 to 5250	Pass
					-20	3.70	5240.040	5150 to 5250	Pass
					-10	3.70	5239.980	5150 to 5250	Pass
					0	3.70	5240.020	5150 to 5250	Pass
					10	3.70	5240.100	5150 to 5250	Pass
					30	3.70	5240.020	5150 to 5250	Pass
					40	3.70	5240.040	5150 to 5250	Pass
					50	3.70	5240.080	5150 to 5250	Pass
		5745	/	/	20	3.33	5745.000	5725 to 5850	Pass
						3.70	5745.060	5725 to 5850	Pass
						4.01	5745.000	5725 to 5850	Pass
						3.70	5745.040	5725 to 5850	Pass
					-30	3.70	5745.040	5725 to 5850	Pass
					-20	3.70	5745.060	5725 to 5850	Pass
					-10	3.70	5745.000	5725 to 5850	Pass
					0	3.70	5745.020	5725 to 5850	Pass
					10	3.70	5745.080	5725 to 5850	Pass
					30	3.70	5745.020	5725 to 5850	Pass
					40	3.70	5745.060	5725 to 5850	Pass
					50	3.70	5745.020	5725 to 5850	Pass
		5785	/	/	20	3.33	5785.040	5725 to 5850	Pass
						3.70	5785.040	5725 to 5850	Pass
						4.01	5785.040	5725 to 5850	Pass

					-30	3.70	5785.040	5725 to 5850	Pass
					-20	3.70	5785.000	5725 to 5850	Pass
					-10	3.70	5785.020	5725 to 5850	Pass
					0	3.70	5785.080	5725 to 5850	Pass
					10	3.70	5785.060	5725 to 5850	Pass
					30	3.70	5785.000	5725 to 5850	Pass
					40	3.70	5785.060	5725 to 5850	Pass
					50	3.70	5785.080	5725 to 5850	Pass
		5825	/	/	20	3.33	5825.060	5725 to 5850	Pass
						3.70	5824.980	5725 to 5850	Pass
						4.01	5825.020	5725 to 5850	Pass
					-30	3.70	5825.040	5725 to 5850	Pass
					-20	3.70	5825.020	5725 to 5850	Pass
					-10	3.70	5825.020	5725 to 5850	Pass
					0	3.70	5825.000	5725 to 5850	Pass
					10	3.70	5825.020	5725 to 5850	Pass
					30	3.70	5825.060	5725 to 5850	Pass
					40	3.70	5824.980	5725 to 5850	Pass
					50	3.70	5825.000	5725 to 5850	Pass
802.11ac (VHT40)	SISO	5190	/	/	20	3.33	5190.080	5150 to 5250	Pass
						3.70	5190.120	5150 to 5250	Pass
						4.01	5190.120	5150 to 5250	Pass
					-30	3.70	5190.040	5150 to 5250	Pass
					-20	3.70	5190.080	5150 to 5250	Pass
					-10	3.70	5190.080	5150 to 5250	Pass
					0	3.70	5190.120	5150 to 5250	Pass
					10	3.70	5190.120	5150 to 5250	Pass
					30	3.70	5190.200	5150 to 5250	Pass
					40	3.70	5190.080	5150 to 5250	Pass
					50	3.70	5190.080	5150 to 5250	Pass
		5230	/	/	20	3.33	5230.080	5150 to 5250	Pass
						3.70	5230.040	5150 to 5250	Pass
						4.01	5230.160	5150 to 5250	Pass
					-30	3.70	5230.160	5150 to 5250	Pass
					-20	3.70	5230.120	5150 to 5250	Pass
					-10	3.70	5230.120	5150 to 5250	Pass
					0	3.70	5230.160	5150 to 5250	Pass
					10	3.70	5230.120	5150 to 5250	Pass
					30	3.70	5230.080	5150 to 5250	Pass
					40	3.70	5230.120	5150 to 5250	Pass
					50	3.70	5230.080	5150 to 5250	Pass
		5755	/	/	20	3.33	5755.080	5725 to 5850	Pass
						3.70	5755.040	5725 to 5850	Pass
						4.01	5755.120	5725 to 5850	Pass
					-30	3.70	5755.040	5725 to 5850	Pass
					-20	3.70	5755.080	5725 to 5850	Pass
					-10	3.70	5755.080	5725 to 5850	Pass
					0	3.70	5755.120	5725 to 5850	Pass
					10	3.70	5755.120	5725 to 5850	Pass
					30	3.70	5755.080	5725 to 5850	Pass
					40	3.70	5754.960	5725 to 5850	Pass
					50	3.70	5755.080	5725 to 5850	Pass
		5795	/	/	20	3.33	5795.040	5725 to 5850	Pass
						3.70	5795.000	5725 to 5850	Pass
						4.01	5795.120	5725 to 5850	Pass
					-30	3.70	5795.080	5725 to 5850	Pass
					-20	3.70	5795.080	5725 to 5850	Pass
					-10	3.70	5795.120	5725 to 5850	Pass
					0	3.70	5795.120	5725 to 5850	Pass

					10	3.70	5795.000	5725 to 5850	Pass
					30	3.70	5795.080	5725 to 5850	Pass
					40	3.70	5795.080	5725 to 5850	Pass
					50	3.70	5795.040	5725 to 5850	Pass
802.11ax (HEW20)	SISO	5180	SU	/	20	3.33	5179.960	5150 to 5250	Pass
						3.70	5180.020	5150 to 5250	Pass
						4.01	5180.040	5150 to 5250	Pass
					-30	3.70	5180.060	5150 to 5250	Pass
					-20	3.70	5179.980	5150 to 5250	Pass
					-10	3.70	5180.060	5150 to 5250	Pass
					0	3.70	5180.140	5150 to 5250	Pass
					10	3.70	5180.060	5150 to 5250	Pass
					30	3.70	5180.020	5150 to 5250	Pass
					40	3.70	5180.040	5150 to 5250	Pass
					50	3.70	5180.140	5150 to 5250	Pass
		5200	SU	/	20	3.33	5200.060	5150 to 5250	Pass
						3.70	5200.020	5150 to 5250	Pass
						4.01	5200.000	5150 to 5250	Pass
					-30	3.70	5200.000	5150 to 5250	Pass
					-20	3.70	5200.020	5150 to 5250	Pass
					-10	3.70	5199.960	5150 to 5250	Pass
					0	3.70	5200.100	5150 to 5250	Pass
					10	3.70	5200.100	5150 to 5250	Pass
					30	3.70	5200.060	5150 to 5250	Pass
					40	3.70	5200.040	5150 to 5250	Pass
					50	3.70	5200.040	5150 to 5250	Pass
		5240	SU	/	20	3.33	5240.060	5150 to 5250	Pass
						3.70	5240.160	5150 to 5250	Pass
						4.01	5240.020	5150 to 5250	Pass
					-30	3.70	5240.120	5150 to 5250	Pass
					-20	3.70	5240.100	5150 to 5250	Pass
					-10	3.70	5240.060	5150 to 5250	Pass
					0	3.70	5240.000	5150 to 5250	Pass
					10	3.70	5240.100	5150 to 5250	Pass
					30	3.70	5240.040	5150 to 5250	Pass
					40	3.70	5240.020	5150 to 5250	Pass
					50	3.70	5240.040	5150 to 5250	Pass
		5745	SU	/	20	3.33	5745.020	5725 to 5850	Pass
						3.70	5745.100	5725 to 5850	Pass
						4.01	5745.060	5725 to 5850	Pass
					-30	3.70	5745.000	5725 to 5850	Pass
					-20	3.70	5745.040	5725 to 5850	Pass
					-10	3.70	5745.080	5725 to 5850	Pass
					0	3.70	5745.020	5725 to 5850	Pass
					10	3.70	5745.020	5725 to 5850	Pass
					30	3.70	5745.000	5725 to 5850	Pass
					40	3.70	5745.040	5725 to 5850	Pass
					50	3.70	5745.040	5725 to 5850	Pass
		5785	SU	/	20	3.33	5785.040	5725 to 5850	Pass
						3.70	5784.940	5725 to 5850	Pass
						4.01	5785.000	5725 to 5850	Pass
					-30	3.70	5785.100	5725 to 5850	Pass
					-20	3.70	5785.080	5725 to 5850	Pass
					-10	3.70	5785.040	5725 to 5850	Pass
					0	3.70	5785.060	5725 to 5850	Pass
					10	3.70	5785.000	5725 to 5850	Pass
					30	3.70	5785.080	5725 to 5850	Pass
					40	3.70	5784.960	5725 to 5850	Pass
					50	3.70	5785.000	5725 to 5850	Pass

		5825	SU	/	20	3.33	5825.040	5725 to 5850	Pass
						3.70	5825.040	5725 to 5850	Pass
						4.01	5825.060	5725 to 5850	Pass
					-30	3.70	5825.060	5725 to 5850	Pass
					-20	3.70	5825.040	5725 to 5850	Pass
					-10	3.70	5825.000	5725 to 5850	Pass
					0	3.70	5825.120	5725 to 5850	Pass
					10	3.70	5825.100	5725 to 5850	Pass
					30	3.70	5825.000	5725 to 5850	Pass
					40	3.70	5825.060	5725 to 5850	Pass
					50	3.70	5824.980	5725 to 5850	Pass
802.11ax (HEW40)	SISO	5190	SU	/	20	3.33	5190.160	5150 to 5250	Pass
						3.70	5190.120	5150 to 5250	Pass
						4.01	5190.240	5150 to 5250	Pass
					-30	3.70	5190.080	5150 to 5250	Pass
					-20	3.70	5190.120	5150 to 5250	Pass
					-10	3.70	5190.160	5150 to 5250	Pass
					0	3.70	5190.120	5150 to 5250	Pass
					10	3.70	5190.120	5150 to 5250	Pass
					30	3.70	5190.080	5150 to 5250	Pass
					40	3.70	5190.080	5150 to 5250	Pass
					50	3.70	5190.120	5150 to 5250	Pass
		5230	SU	/	20	3.33	5230.120	5150 to 5250	Pass
						3.70	5230.120	5150 to 5250	Pass
						4.01	5230.120	5150 to 5250	Pass
					-30	3.70	5230.080	5150 to 5250	Pass
					-20	3.70	5230.120	5150 to 5250	Pass
					-10	3.70	5230.160	5150 to 5250	Pass
					0	3.70	5230.120	5150 to 5250	Pass
					10	3.70	5230.040	5150 to 5250	Pass
					30	3.70	5230.080	5150 to 5250	Pass
					40	3.70	5230.120	5150 to 5250	Pass
					50	3.70	5230.000	5150 to 5250	Pass
		5755	SU	/	20	3.33	5755.120	5725 to 5850	Pass
						3.70	5755.080	5725 to 5850	Pass
						4.01	5755.120	5725 to 5850	Pass
					-30	3.70	5755.040	5725 to 5850	Pass
					-20	3.70	5755.000	5725 to 5850	Pass
					-10	3.70	5755.080	5725 to 5850	Pass
					0	3.70	5755.040	5725 to 5850	Pass
					10	3.70	5755.040	5725 to 5850	Pass
					30	3.70	5755.120	5725 to 5850	Pass
					40	3.70	5755.080	5725 to 5850	Pass
					50	3.70	5755.080	5725 to 5850	Pass
		5795	SU	/	20	3.33	5794.960	5725 to 5850	Pass
						3.70	5795.200	5725 to 5850	Pass
						4.01	5795.040	5725 to 5850	Pass
					-30	3.70	5795.080	5725 to 5850	Pass
					-20	3.70	5795.080	5725 to 5850	Pass
					-10	3.70	5795.040	5725 to 5850	Pass
					0	3.70	5795.120	5725 to 5850	Pass
					10	3.70	5795.160	5725 to 5850	Pass
					30	3.70	5795.080	5725 to 5850	Pass
					40	3.70	5795.120	5725 to 5850	Pass
					50	3.70	5795.080	5725 to 5850	Pass