

Mode	802.11ac(VHT20) - Emission	Channel	149
------	----------------------------	---------	-----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal		11490	41.07	21.49	62.56	74	-11.44	PK
		11490	30.91	21.49	52.4	54	-1.6	AVG
		14470	28.69	27.97	56.66	68.2	-11.54	PK
		14470	20.42	27.97	48.39	54	-5.61	AVG
		15505	29.25	25.9	55.15	74	-18.85	PK
		15505	20.42	25.9	46.32	54	-7.68	AVG
	*	17235	45.99	5.15	51.14	68.2	-17.06	PK
	*	22980	31.35	8.46	39.81	74	-34.19	PK
	*	28725	31.2	11.41	42.61	68.2	-25.59	PK
	*	34470	33.84	12.02	45.86	68.2	-22.34	PK
		39664	38.31	17.53	55.84	74	-18.16	PK
		39664	28.47	17.53	46	54	-8	AVG
Vertical		11490	42.9	21.49	64.39	74	-9.61	PK
		11490	31.92	21.49	53.41	54	-0.59	AVG
		14500	29.24	28	57.24	68.2	-10.96	PK
		14500	20.97	28	48.97	54	-5.03	AVG
		15370	29.56	26.29	55.85	74	-18.15	PK
		15370	20.73	26.29	47.02	54	-6.98	AVG
	*	17235	52.05	5.15	57.2	68.2	-11	PK
	*	22980	31.55	8.46	40.01	74	-33.99	PK
	*	28725	32.96	11.41	44.37	68.2	-23.83	PK
	*	34470	35.51	12.02	47.53	68.2	-20.67	PK
		39880	38.4	17.9	56.3	74	-17.7	PK
		39880	28.56	17.9	46.46	54	-7.54	AVG

Underwriters Laboratories Taiwan Co., Ltd.


Building A, B and E, No. 372-7, Sec. 4, Zhongxing Rd., Zhudong Township, Hsinchu County, Taiwan

Telephone : +886-2-7737-3000


Facsimile (FAX) : +886-3-583-7948

Doc No: Form-ULID-004739 (DCS:17-EM-F0878) / 6.1


TX, 802.11ac(VHT20) - Emission (Ch 149)
Radiated Spurious Emission, Horizontal




TX, 802.11ac(VHT20) - Emission (Ch 149)
Radiated Spurious Emission, Vertical



TX, 802.11ac(VHT20) - Emission (Ch 149)
Radiated Spurious Emission, Horizontal



TX, 802.11ac(VHT20) - Emission (Ch 149)
Radiated Spurious Emission, Vertical



Mode	802.11ac(VHT20) - Emission	Channel	157
------	----------------------------	---------	-----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal		11570	41.7	21.26	62.96	74	-11.04	PK
		11570	32.29	21.26	53.55	54	-0.45	AVG
		14500	28.55	28	56.55	68.2	-11.65	PK
		14500	20.28	28	48.28	54	-5.72	AVG
		15310	28.95	26.6	55.55	68.2	-12.65	PK
		15310	20.12	26.6	46.72	54	-7.28	AVG
	*	17355	37.01	4.91	41.92	68.2	-26.28	PK
	*	23140	30.47	8.82	39.29	68.2	-28.91	PK
	*	28925	31.21	11.63	42.84	68.2	-25.36	PK
	*	34710	34.51	12.17	46.68	68.2	-21.52	PK
		39808	37.05	17.77	54.82	74	-19.18	PK
		39808	27.21	17.77	44.98	54	-9.02	AVG
Vertical		11570	38.35	21.26	59.61	74	-14.39	PK
		11570	28.13	21.26	49.39	54	-4.61	AVG
		14485	27.77	27.98	55.75	74	-18.25	PK
		14485	19.5	27.98	47.48	54	-6.52	AVG
		15400	29.28	26.14	55.42	74	-18.58	PK
		15400	20.45	26.14	46.59	54	-7.41	AVG
	*	17355	45.17	4.91	50.08	68.2	-18.12	PK
	*	23140	32.72	8.82	41.54	68.2	-26.66	PK
	*	28925	32.55	11.63	44.18	68.2	-24.02	PK
	*	34710	35.39	12.17	47.56	68.2	-20.64	PK
		39568	38	17.38	55.38	74	-18.62	PK
		39568	28.16	17.38	45.54	54	-8.46	AVG

Underwriters Laboratories Taiwan Co., Ltd.


Building A, B and E, No. 372-7, Sec. 4, Zhongxing Rd., Zhudong Township, Hsinchu County, Taiwan

Telephone :+886-2-7737-3000


Facsimile (FAX) :+886-3-583-7948

Doc No: Form-ULID-004739 (DCS:17-EM-F0878) / 6.1


TX, 802.11ac(VHT20) - Emission (Ch 157)
Radiated Spurious Emission, Horizontal




TX, 802.11ac(VHT20) - Emission (Ch 157)
Radiated Spurious Emission, Vertical



TX, 802.11ac(VHT20) - Emission (Ch 157)
Radiated Spurious Emission, Horizontal



TX, 802.11ac(VHT20) - Emission (Ch 157)
Radiated Spurious Emission, Vertical



Mode	802.11ac(VHT20) - Emission	Channel	165
------	----------------------------	---------	-----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal		11650	42.18	20.98	63.16	74	-10.84	PK
		11650	32.72	20.98	53.7	54	-0.3	AVG
		14500	28.86	28	56.86	68.2	-11.34	PK
		14500	20.59	28	48.59	54	-5.41	AVG
		15475	29.14	25.98	55.12	74	-18.88	PK
		15475	20.31	25.98	46.29	54	-7.71	AVG
	*	17475	39.9	4.66	44.56	68.2	-23.64	PK
	*	23300	30.89	9.16	40.05	68.2	-28.15	PK
	*	29125	32.04	11.97	44.01	68.2	-24.19	PK
	*	34950	34.88	12.05	46.93	68.2	-21.27	PK
		39328	38.4	17.3	55.7	74	-18.3	PK
		39328	28.56	17.3	45.86	54	-8.14	AVG
Vertical		11650	39.14	20.98	60.12	74	-13.88	PK
		11650	29.03	20.98	50.01	54	-3.99	AVG
		14470	28.71	27.97	56.68	68.2	-11.52	PK
		14470	20.44	27.97	48.41	54	-5.59	AVG
		15415	29.32	26.1	55.42	74	-18.58	PK
		15415	20.49	26.1	46.59	54	-7.41	AVG
	*	17475	46.05	4.66	50.71	68.2	-17.49	PK
	*	23300	31.87	9.16	41.03	68.2	-27.17	PK
	*	29125	32.21	11.97	44.18	68.2	-24.02	PK
	*	34950	35.13	12.05	47.18	68.2	-21.02	PK
		39448	38.34	17.28	55.62	74	-18.38	PK
		39448	28.5	17.28	45.78	54	-8.22	AVG

Underwriters Laboratories Taiwan Co., Ltd.


Building A, B and E, No. 372-7, Sec. 4, Zhongxing Rd., Zhudong Township, Hsinchu County, Taiwan

Telephone : +886-2-7737-3000


Facsimile (FAX) : +886-3-583-7948

Doc No: Form-ULID-004739 (DCS:17-EM-F0878) / 6.1


TX, 802.11ac(VHT20) - Emission (Ch 165)
Radiated Spurious Emission, Horizontal




TX, 802.11ac(VHT20) - Emission (Ch 165)
Radiated Spurious Emission, Vertical



TX, 802.11ac(VHT20) - Emission (Ch 165)
Radiated Spurious Emission, Horizontal



TX, 802.11ac(VHT20) - Emission (Ch 165)
Radiated Spurious Emission, Vertical



Mode	802.11ac(VHT40)	Channel	38
------	-----------------	---------	----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal		5145.95	43.74	18.53	62.27	74	-11.73	PK
		5149.8	34.97	18.52	53.49	54	-0.51	AVG
	@	5190	91.9	18.24	110.14	N/A	N/A	PK
	@	5190	83.64	18.24	101.88	N/A	N/A	AVG
Vertical		5085.75	42.38	18.54	60.92	74	-13.08	PK
		5149.8	32.52	18.52	51.04	54	-2.96	AVG
	@	5190	89.43	18.24	107.67	N/A	N/A	PK
	@	5190	80.8	18.24	99.04	N/A	N/A	AVG

Underwriters Laboratories Taiwan Co., Ltd.


Building A, B and E, No. 372-7, Sec. 4, Zhongxing Rd., Zhudong Township, Hsinchu County, Taiwan

Telephone :+886-2-7737-3000


Facsimile (FAX) :+886-3-583-7948

Doc No: Form-ULID-004739 (DCS:17-EM-F0878) / 6.1


TX, 802.11ac(VHT40) (Ch 38)
Band Edge (Average), Horizontal




TX, 802.11ac(VHT40) (Ch 38)
Band Edge (Average), Vertical



TX, 802.11ac(VHT40) (Ch 38)
Band Edge (Peak), Horizontal



TX, 802.11ac(VHT40) (Ch 38)
Band Edge (Peak), Vertical



Mode	802.11ac(VHT40)	Channel	46
------	-----------------	---------	----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal		5146.65	44.27	18.53	62.8	74	-11.2	PK
		5148.4	34.55	18.53	53.08	54	-0.92	AVG
	@	5230	96.98	18.15	115.13	N/A	N/A	PK
	@	5230	89.44	18.15	107.59	N/A	N/A	AVG
Vertical		5142.45	43.29	18.54	61.83	74	-12.17	PK
		5149.8	33.02	18.52	51.54	54	-2.46	AVG
	@	5230	94.49	18.15	112.64	N/A	N/A	PK
	@	5230	86.55	18.15	104.7	N/A	N/A	AVG

Underwriters Laboratories Taiwan Co., Ltd.


Building A, B and E, No. 372-7, Sec. 4, Zhongxing Rd., Zhudong Township, Hsinchu County, Taiwan

Telephone : +886-2-7737-3000


Facsimile (FAX) : +886-3-583-7948

Doc No: Form-ULID-004739 (DCS:17-EM-F0878) / 6.1


TX, 802.11ac(VHT40) (Ch 46)
Band Edge (Average), Horizontal




TX, 802.11ac(VHT40) (Ch 46)
Band Edge (Average), Vertical



TX, 802.11ac(VHT40) (Ch 46)
Band Edge (Peak), Horizontal



TX, 802.11ac(VHT40) (Ch 46)
Band Edge (Peak), Vertical



Mode	802.11ac(VHT40)	Channel	54
------	-----------------	---------	----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal	@	5270	98.02	18.06	116.08	N/A	N/A	PK
	@	5270	89.69	18.06	107.75	N/A	N/A	AVG
		5351.7	35.52	17.84	53.36	54	-0.64	AVG
		5352.9	44.56	17.85	62.41	74	-11.59	PK
Vertical	@	5270	95.12	18.06	113.18	N/A	N/A	PK
	@	5270	86.69	18.06	104.75	N/A	N/A	AVG
		5350.2	44.04	17.82	61.86	74	-12.14	PK
		5350.5	33.65	17.82	51.47	54	-2.53	AVG

Underwriters Laboratories Taiwan Co., Ltd.


Building A, B and E, No. 372-7, Sec. 4, Zhongxing Rd., Zhudong Township, Hsinchu County, Taiwan

Telephone :+886-2-7737-3000


Facsimile (FAX) :+886-3-583-7948

Doc No: Form-ULID-004739 (DCS:17-EM-F0878) / 6.1


TX, 802.11ac(VHT40) (Ch 54)
Band Edge (Average), Horizontal




TX, 802.11ac(VHT40) (Ch 54)
Band Edge (Average), Vertical



TX, 802.11ac(VHT40) (Ch 54)
Band Edge (Peak), Horizontal



TX, 802.11ac(VHT40) (Ch 54)
Band Edge (Peak), Vertical



Mode	802.11ac(VHT40)	Channel	62
------	-----------------	---------	----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal	@	5310	93.33	17.95	111.28	N/A	N/A	PK
	@	5310	85.62	17.95	103.57	N/A	N/A	AVG
		5350.5	42.81	17.82	60.63	74	-13.37	PK
		5350.8	34.18	17.83	52.01	54	-1.99	AVG
Vertical	@	5310	89.89	17.95	107.84	N/A	N/A	PK
	@	5310	82.28	17.95	100.23	N/A	N/A	AVG
		5350.2	32.28	17.82	50.1	54	-3.9	AVG
		5350.8	41.82	17.83	59.65	74	-14.35	PK

Underwriters Laboratories Taiwan Co., Ltd.


Building A, B and E, No. 372-7, Sec. 4, Zhongxing Rd., Zhudong Township, Hsinchu County, Taiwan

Telephone :+886-2-7737-3000


Facsimile (FAX) :+886-3-583-7948

Doc No: Form-ULID-004739 (DCS:17-EM-F0878) / 6.1


TX, 802.11ac(VHT40) (Ch 62)
Band Edge (Average), Horizontal




TX, 802.11ac(VHT40) (Ch 62)
Band Edge (Average), Vertical



TX, 802.11ac(VHT40) (Ch 62)
Band Edge (Peak), Horizontal



TX, 802.11ac(VHT40) (Ch 62)
Band Edge (Peak), Vertical



Mode	802.11ac(VHT40)	Channel	102
------	-----------------	---------	-----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal		5456.7	45.53	18.68	64.21	74	-9.79	PK
		5459.15	32.76	18.68	51.44	54	-2.56	AVG
		5466.5	45.2	18.74	63.94	68.2	-4.26	PK
	@	5510	93.17	18.95	112.12	N/A	N/A	PK
	@	5510	85.52	18.95	104.47	N/A	N/A	AVG
Vertical		5454.6	43.95	18.67	62.62	74	-11.38	PK
		5458.1	31.27	18.69	49.96	54	-4.04	AVG
		5467.9	43.49	18.76	62.25	68.2	-5.95	PK
	@	5510	92.33	18.95	111.28	N/A	N/A	PK
	@	5510	84.43	18.95	103.38	N/A	N/A	AVG

Underwriters Laboratories Taiwan Co., Ltd.


Building A, B and E, No. 372-7, Sec. 4, Zhongxing Rd., Zhudong Township, Hsinchu County, Taiwan

Telephone :+886-2-7737-3000


Facsimile (FAX) :+886-3-583-7948

Doc No: Form-ULID-004739 (DCS:17-EM-F0878) / 6.1


TX, 802.11ac(VHT40) (Ch 102)
Band Edge (Average), Horizontal




TX, 802.11ac(VHT40) (Ch 102)
Band Edge (Average), Vertical



TX, 802.11ac(VHT40) (Ch 102)
Band Edge (Peak), Horizontal



TX, 802.11ac(VHT40) (Ch 102)
Band Edge (Peak), Vertical



Mode	802.11ac(VHT40)	Channel	110
------	-----------------	---------	-----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal		5434.3	40.26	18.48	58.74	74	-15.26	PK
		5459.5	30.7	18.69	49.39	54	-4.61	AVG
		5464.05	40.65	18.72	59.37	68.2	-8.83	PK
	@	5550	92.23	18.83	111.06	N/A	N/A	PK
	@	5550	85.91	18.83	104.74	N/A	N/A	AVG
		5750	40.51	19.02	59.53	68.2	-8.67	PK
Vertical		5450.75	40.27	18.63	58.9	74	-15.1	PK
		5459.15	29.89	18.68	48.57	54	-5.43	AVG
		5464.75	39.34	18.73	58.07	68.2	-10.13	PK
	@	5550	92.65	18.83	111.48	N/A	N/A	PK
	@	5550	84.71	18.83	103.54	N/A	N/A	AVG
		5744.05	39.95	18.97	58.92	68.2	-9.28	PK

Underwriters Laboratories Taiwan Co., Ltd.


Building A, B and E, No. 372-7, Sec. 4, Zhongxing Rd., Zhudong Township, Hsinchu County, Taiwan

Telephone :+886-2-7737-3000


Facsimile (FAX) :+886-3-583-7948

Doc No: Form-ULID-004739 (DCS:17-EM-F0878) / 6.1


TX, 802.11ac(VHT40) (Ch 110)
Band Edge (Average), Horizontal




TX, 802.11ac(VHT40) (Ch 110)
Band Edge (Average), Vertical



TX, 802.11ac(VHT40) (Ch 110)
Band Edge (Peak), Horizontal



TX, 802.11ac(VHT40) (Ch 110)
Band Edge (Peak), Vertical



Mode	802.11ac(VHT40)	Channel	134
------	-----------------	---------	-----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal		5450.4	40.43	18.63	59.06	74	-14.94	PK
		5458.8	29.09	18.68	47.77	54	-6.23	AVG
		5460.55	39.48	18.7	58.18	68.2	-10.02	PK
	@	5670	94.61	18.65	113.26	N/A	N/A	PK
	@	5670	86.88	18.65	105.53	N/A	N/A	AVG
		5725	46.41	18.85	65.26	68.2	-2.94	PK
Vertical		5436.05	39.68	18.5	58.18	74	-15.82	PK
		5459.5	29.4	18.69	48.09	54	-5.91	AVG
		5460.55	38.67	18.7	57.37	68.2	-10.83	PK
	@	5670	94.23	18.65	112.88	N/A	N/A	PK
	@	5670	85.28	18.65	103.93	N/A	N/A	AVG
		5725.15	48.55	18.85	67.4	68.2	-0.8	PK

Underwriters Laboratories Taiwan Co., Ltd.


Building A, B and E, No. 372-7, Sec. 4, Zhongxing Rd., Zhudong Township, Hsinchu County, Taiwan

Telephone : +886-2-7737-3000


Facsimile (FAX) : +886-3-583-7948

Doc No: Form-ULID-004739 (DCS:17-EM-F0878) / 6.1


TX, 802.11ac(VHT40) (Ch 134)
Band Edge (Average), Horizontal




TX, 802.11ac(VHT40) (Ch 134)
Band Edge (Average), Vertical



TX, 802.11ac(VHT40) (Ch 134)
Band Edge (Peak), Horizontal



TX, 802.11ac(VHT40) (Ch 134)
Band Edge (Peak), Vertical



Mode	802.11ac(VHT40)	Channel	151
------	-----------------	---------	-----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal		5648.5	42.2	18.62	60.82	68.2	-7.38	PK
		5695.5	51.45	18.67	70.12	101.88	-31.76	PK
	@	5755	95.2	19.05	114.25	N/A	N/A	PK
Vertical		5602	42.09	18.68	60.77	68.2	-7.43	PK
		5699	53.1	18.67	71.77	104.46	-32.69	PK
	@	5755	93.84	19.05	112.89	N/A	N/A	PK

Underwriters Laboratories Taiwan Co., Ltd.


Building A, B and E, No. 372-7, Sec. 4, Zhongxing Rd., Zhudong Township, Hsinchu County, Taiwan

Telephone :+886-2-7737-3000


Facsimile (FAX) :+886-3-583-7948

Doc No: Form-ULID-004739 (DCS:17-EM-F0878) / 6.1

TX, 802.11ac(VHT40) (Ch 151)
Band Edge (Peak), Horizontal



TX, 802.11ac(VHT40) (Ch 151)
Band Edge (Peak), Vertical



Underwriters Laboratories Taiwan Co., Ltd.

Building A, B and E, No. 372-7, Sec. 4, Zhongxing Rd., Zhudong Township, Hsinchu County, Taiwan

Telephone : +886-2-7737-3000

Facsimile (FAX) : +886-3-583-7948

Doc No: Form-ULID-004739 (DCS:17-EM-F0878) / 6.1

Mode	802.11ac(VHT40)	Channel	159
------	-----------------	---------	-----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal	@	5795	95.04	19.24	114.28	N/A	N/A	PK
		5879.5	47.53	19.76	67.29	101.86	-34.57	PK
		5979	40.94	19.8	60.74	68.2	-7.46	PK
Vertical	@	5795	92.49	19.24	111.73	N/A	N/A	PK
		5881	42.93	19.76	62.69	100.74	-38.05	PK
		5926.5	39.75	19.78	59.53	68.2	-8.67	PK

Underwriters Laboratories Taiwan Co., Ltd.


Building A, B and E, No. 372-7, Sec. 4, Zhongxing Rd., Zhudong Township, Hsinchu County, Taiwan

Telephone :+886-2-7737-3000


Facsimile (FAX) :+886-3-583-7948

Doc No: Form-ULID-004739 (DCS:17-EM-F0878) / 6.1

TX, 802.11ac(VHT40) (Ch 159)
Band Edge (Peak), Horizontal



TX, 802.11ac(VHT40) (Ch 159)
Band Edge (Peak), Vertical



Underwriters Laboratories Taiwan Co., Ltd.

Building A, B and E, No. 372-7, Sec. 4, Zhongxing Rd., Zhudong Township, Hsinchu County, Taiwan

Telephone : +886-2-7737-3000

Facsimile (FAX) : +886-3-583-7948

Doc No: Form-ULID-004739 (DCS:17-EM-F0878) / 6.1

Mode	802.11ac(VHT40) - Emission	Channel	38
------	----------------------------	---------	----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal	*	10380	32.17	20.07	52.24	68.2	-15.96	PK
		14485	27.93	27.98	55.91	74	-18.09	PK
		14485	19.66	27.98	47.64	54	-6.36	AVG
		15910	29.52	24.99	54.51	74	-19.49	PK
		15910	20.69	24.99	45.68	54	-8.32	AVG
	*	20760	31.93	5.04	36.97	74	-37.03	PK
	*	25950	32.95	10.67	43.62	68.2	-24.58	PK
	*	31140	32.23	13.73	45.96	68.2	-22.24	PK
	*	36330	35.39	13.17	48.56	68.2	-19.64	PK
		39904	37.66	17.95	55.61	74	-18.39	PK
		39904	27.82	17.95	45.77	54	-8.23	AVG
Vertical	*	10380	32.82	20.07	52.89	68.2	-15.31	PK
		14470	27.75	27.97	55.72	68.2	-12.48	PK
		14470	19.48	27.97	47.45	54	-6.55	AVG
		15415	28.59	26.1	54.69	74	-19.31	PK
		15415	19.76	26.1	45.86	54	-8.14	AVG
	*	20760	34.63	5.04	39.67	74	-34.33	PK
	*	25950	32.96	10.67	43.63	68.2	-24.57	PK
	*	31140	32.34	13.73	46.07	68.2	-22.13	PK
	*	36330	35.99	13.17	49.16	68.2	-19.04	PK
		39040	38.43	16.78	55.21	74	-18.79	PK
		39040	28.59	16.78	45.37	54	-8.63	AVG

Underwriters Laboratories Taiwan Co., Ltd.


Building A, B and E, No. 372-7, Sec. 4, Zhongxing Rd., Zhudong Township, Hsinchu County, Taiwan

Telephone :+886-2-7737-3000


Facsimile (FAX) :+886-3-583-7948

Doc No: Form-ULID-004739 (DCS:17-EM-F0878) / 6.1


TX, 802.11ac(VHT40) - Emission (Ch 38)
Radiated Spurious Emission, Horizontal




TX, 802.11ac(VHT40) - Emission (Ch 38)
Radiated Spurious Emission, Vertical



TX, 802.11ac(VHT40) - Emission (Ch 38)
Radiated Spurious Emission, Horizontal



TX, 802.11ac(VHT40) - Emission (Ch 38)
Radiated Spurious Emission, Vertical



Mode	802.11ac(VHT40) - Emission	Channel	46
------	----------------------------	---------	----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal	*	10460	39.77	20.33	60.1	68.2	-8.1	PK
		14470	29.25	27.97	57.22	68.2	-10.98	PK
		14470	20.98	27.97	48.95	54	-5.05	AVG
		15460	29.04	26.02	55.06	74	-18.94	PK
		15460	20.21	26.02	46.23	54	-7.77	AVG
	*	20920	31.04	5.25	36.29	74	-37.71	PK
	*	26150	34.22	10.72	44.94	68.2	-23.26	PK
	*	31380	32.1	13.95	46.05	74	-27.95	PK
	*	36610	36.37	12.7	49.07	68.2	-19.13	PK
		39448	37.94	17.28	55.22	74	-18.78	PK
		39448	28.1	17.28	45.38	54	-8.62	AVG
Vertical	*	10460	39.4	20.33	59.73	68.2	-8.47	PK
		14500	27.97	28	55.97	68.2	-12.23	PK
		14500	19.7	28	47.7	54	-6.3	AVG
		15370	28.46	26.29	54.75	74	-19.25	PK
		15370	19.63	26.29	45.92	54	-8.08	AVG
	*	20920	32.11	5.25	37.36	74	-36.64	PK
	*	26150	34.79	10.72	45.51	68.2	-22.69	PK
	*	31380	33.88	13.95	47.83	74	-26.17	PK
	*	36610	36.73	12.7	49.43	68.2	-18.77	PK
		39304	38.37	17.31	55.68	74	-18.32	PK
		39304	28.53	17.31	45.84	54	-8.16	AVG

Underwriters Laboratories Taiwan Co., Ltd.


Building A, B and E, No. 372-7, Sec. 4, Zhongxing Rd., Zhudong Township, Hsinchu County, Taiwan

Telephone :+886-2-7737-3000


Facsimile (FAX) :+886-3-583-7948

Doc No: Form-ULID-004739 (DCS:17-EM-F0878) / 6.1


TX, 802.11ac(VHT40) - Emission (Ch 46)
Radiated Spurious Emission, Horizontal




TX, 802.11ac(VHT40) - Emission (Ch 46)
Radiated Spurious Emission, Vertical



TX, 802.11ac(VHT40) - Emission (Ch 46)
Radiated Spurious Emission, Horizontal



TX, 802.11ac(VHT40) - Emission (Ch 46)
Radiated Spurious Emission, Vertical



Mode	802.11ac(VHT40) - Emission	Channel	54
------	----------------------------	---------	----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal	*	10540	38.22	20.39	58.61	68.2	-9.59	PK
		14500	28.22	28	56.22	68.2	-11.98	PK
		14500	19.95	28	47.95	54	-6.05	AVG
		15430	29.95	26.08	56.03	74	-17.97	PK
		15430	21.12	26.08	47.2	54	-6.8	AVG
	*	21080	29.71	5.48	35.19	74	-38.81	PK
	*	26350	32.87	10.93	43.8	68.2	-24.4	PK
	*	31620	32.56	13.19	45.75	74	-28.25	PK
	*	36890	36.38	13.3	49.68	68.2	-18.52	PK
		39064	38.27	16.84	55.11	74	-18.89	PK
		39064	28.43	16.84	45.27	54	-8.73	AVG
Vertical	*	10540	40.14	20.39	60.53	68.2	-7.67	PK
		14470	28.86	27.97	56.83	68.2	-11.37	PK
		14470	20.59	27.97	48.56	54	-5.44	AVG
		15820	31.44	25.21	56.65	74	-17.35	PK
		15820	22.61	25.21	47.82	54	-6.18	AVG
	*	21080	34.34	5.48	39.82	74	-34.18	PK
	*	26350	33.59	10.93	44.52	68.2	-23.68	PK
	*	31620	33.07	13.19	46.26	74	-27.74	PK
	*	36890	38.36	13.3	51.66	68.2	-16.54	PK
		39736	37.95	17.63	55.58	74	-18.42	PK
		39736	28.11	17.63	45.74	54	-8.26	AVG

Underwriters Laboratories Taiwan Co., Ltd.


Building A, B and E, No. 372-7, Sec. 4, Zhongxing Rd., Zhudong Township, Hsinchu County, Taiwan

Telephone :+886-2-7737-3000


Facsimile (FAX) :+886-3-583-7948

Doc No: Form-ULID-004739 (DCS:17-EM-F0878) / 6.1


TX, 802.11ac(VHT40) - Emission (Ch 54)
Radiated Spurious Emission, Horizontal




TX, 802.11ac(VHT40) - Emission (Ch 54)
Radiated Spurious Emission, Vertical



TX, 802.11ac(VHT40) - Emission (Ch 54)
Radiated Spurious Emission, Horizontal



TX, 802.11ac(VHT40) - Emission (Ch 54)
Radiated Spurious Emission, Vertical



Mode	802.11ac(VHT40) - Emission	Channel	62
------	----------------------------	---------	----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal	*	10620	31.03	20.28	51.31	74	-22.69	PK
		14500	29.3	28	57.3	68.2	-10.9	PK
		14500	21.03	28	49.03	54	-4.97	AVG
		15700	29.09	25.42	54.51	74	-19.49	PK
		15700	20.26	25.42	45.68	54	-8.32	AVG
	*	21240	29.37	5.77	35.14	74	-38.86	PK
	*	26550	32.43	11.15	43.58	68.2	-24.62	PK
	*	31860	32.79	12.77	45.56	68.2	-22.64	PK
	*	37170	37.47	13.62	51.09	68.2	-17.11	PK
		39832	37.48	17.82	55.3	74	-18.7	PK
		39832	27.64	17.82	45.46	54	-8.54	AVG
Vertical		10620	35.46	20.28	55.74	74	-18.26	PK
		10620	25.37	20.28	45.65	54	-8.35	AVG
		14500	29.08	28	57.08	68.2	-11.12	PK
		14500	20.81	28	48.81	54	-5.19	AVG
		15355	29.45	26.36	55.81	74	-18.19	PK
		15355	20.62	26.36	46.98	54	-7.02	AVG
	*	21240	33.03	5.77	38.8	74	-35.2	PK
	*	26550	33.04	11.15	44.19	68.2	-24.01	PK
	*	31860	33.61	12.77	46.38	68.2	-21.82	PK
	*	37170	36.43	13.62	50.05	68.2	-18.15	PK
		39616	37.43	17.46	54.89	74	-19.11	PK
		39616	27.59	17.46	45.05	54	-8.95	AVG

Underwriters Laboratories Taiwan Co., Ltd.


Building A, B and E, No. 372-7, Sec. 4, Zhongxing Rd., Zhudong Township, Hsinchu County, Taiwan

Telephone : +886-2-7737-3000


Facsimile (FAX) : +886-3-583-7948

Doc No: Form-ULID-004739 (DCS:17-EM-F0878) / 6.1


TX, 802.11ac(VHT40) - Emission (Ch 62)
Radiated Spurious Emission, Horizontal




TX, 802.11ac(VHT40) - Emission (Ch 62)
Radiated Spurious Emission, Vertical



TX, 802.11ac(VHT40) - Emission (Ch 62)
Radiated Spurious Emission, Horizontal



TX, 802.11ac(VHT40) - Emission (Ch 62)
Radiated Spurious Emission, Vertical



Mode	802.11ac(VHT40) - Emission	Channel	102
------	----------------------------	---------	-----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal		11020	34.44	20.49	54.93	74	-19.07	PK
		11020	24.34	20.49	44.83	54	-9.17	AVG
		14485	29.37	27.98	57.35	74	-16.65	PK
		14485	21.1	27.98	49.08	54	-4.92	AVG
		15310	29.09	26.6	55.69	68.2	-12.51	PK
		15310	20.26	26.6	46.86	54	-7.14	AVG
	*	16530	41.41	5.29	46.7	68.2	-21.5	PK
	*	22040	31.98	6.34	38.32	74	-35.68	PK
	*	27550	31.41	10.64	42.05	68.2	-26.15	PK
	*	33060	33.72	12.62	46.34	68.2	-21.86	PK
	*	38570	36.75	15.48	52.23	68.2	-15.97	PK
		39976	36.79	18.09	54.88	74	-19.12	PK
		39976	26.95	18.09	45.04	54	-8.96	AVG
Vertical		11020	36.31	20.49	56.8	74	-17.2	PK
		11020	26.28	20.49	46.77	54	-7.23	AVG
		14485	29.91	27.98	57.89	74	-16.11	PK
		14485	21.64	27.98	49.62	54	-4.38	AVG
		15340	28.92	26.45	55.37	68.2	-12.83	PK
		15340	20.09	26.45	46.54	54	-7.46	AVG
	*	16530	49.51	5.29	54.8	68.2	-13.4	PK
	*	22040	32.24	6.34	38.58	74	-35.42	PK
	*	27550	32.68	10.64	43.32	68.2	-24.88	PK
	*	33060	35.2	12.62	47.82	68.2	-20.38	PK
	*	38570	37.61	15.48	53.09	68.2	-15.11	PK
		39904	37.32	17.95	55.27	74	-18.73	PK
		39904	27.48	17.95	45.43	54	-8.57	AVG

Underwriters Laboratories Taiwan Co., Ltd.


Building A, B and E, No. 372-7, Sec. 4, Zhongxing Rd., Zhudong Township, Hsinchu County, Taiwan

Telephone : +886-2-7737-3000


Facsimile (FAX) : +886-3-583-7948

Doc No: Form-ULID-004739 (DCS:17-EM-F0878) / 6.1


TX, 802.11ac(VHT40) - Emission (Ch 102)
Radiated Spurious Emission, Horizontal




TX, 802.11ac(VHT40) - Emission (Ch 102)
Radiated Spurious Emission, Vertical



TX, 802.11ac(VHT40) - Emission (Ch 102)
Radiated Spurious Emission, Horizontal



TX, 802.11ac(VHT40) - Emission (Ch 102)
Radiated Spurious Emission, Vertical



Mode	802.11ac(VHT40) - Emission	Channel	110
------	----------------------------	---------	-----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal		11100	35.16	20.65	55.81	74	-18.19	PK
		11100	25.06	20.65	45.71	54	-8.29	AVG
		14470	29.17	27.97	57.14	68.2	-11.06	PK
		14470	20.9	27.97	48.87	54	-5.13	AVG
		15325	28.54	26.53	55.07	68.2	-13.13	PK
		15325	19.71	26.53	46.24	54	-7.76	AVG
	*	16650	43.66	5.2	48.86	68.2	-19.34	PK
	*	22200	34.98	6.68	41.66	74	-32.34	PK
	*	27750	31.45	10.79	42.24	68.2	-25.96	PK
	*	33300	35.03	12.57	47.6	68.2	-20.6	PK
		39160	37.44	17.09	54.53	74	-19.47	PK
		39160	27.6	17.09	44.69	54	-9.31	AVG
Vertical		11100	41.31	20.65	61.96	74	-12.04	PK
		11100	31.29	20.65	51.94	54	-2.06	AVG
		14500	28.69	28	56.69	68.2	-11.51	PK
		14500	20.42	28	48.42	54	-5.58	AVG
		15490	29.05	25.95	55	74	-19	PK
		15490	20.22	25.95	46.17	54	-7.83	AVG
	*	16650	42.83	5.2	48.03	68.2	-20.17	PK
	*	22200	35.84	6.68	42.52	74	-31.48	PK
	*	27750	32.09	10.79	42.88	68.2	-25.32	PK
	*	33300	35.84	12.57	48.41	68.2	-19.79	PK
		39760	37.45	17.67	55.12	74	-18.88	PK
		39760	27.61	17.67	45.28	54	-8.72	AVG

Underwriters Laboratories Taiwan Co., Ltd.


Building A, B and E, No. 372-7, Sec. 4, Zhongxing Rd., Zhudong Township, Hsinchu County, Taiwan

Telephone :+886-2-7737-3000


Facsimile (FAX) :+886-3-583-7948

Doc No: Form-ULID-004739 (DCS:17-EM-F0878) / 6.1


TX, 802.11ac(VHT40) - Emission (Ch 110)
Radiated Spurious Emission, Horizontal




TX, 802.11ac(VHT40) - Emission (Ch 110)
Radiated Spurious Emission, Vertical



TX, 802.11ac(VHT40) - Emission (Ch 110)
Radiated Spurious Emission, Horizontal



TX, 802.11ac(VHT40) - Emission (Ch 110)
Radiated Spurious Emission, Vertical



Mode	802.11ac(VHT40) - Emission	Channel	134
------	----------------------------	---------	-----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal		11340	34.12	20.71	54.83	74	-19.17	PK
		11340	23.95	20.71	44.66	54	-9.34	AVG
		14500	29.47	28	57.47	68.2	-10.73	PK
		14500	21.2	28	49.2	54	-4.8	AVG
		15400	29.45	26.14	55.59	74	-18.41	PK
		15400	20.62	26.14	46.76	54	-7.24	AVG
	*	17010	52.96	5.26	58.22	68.2	-9.98	PK
	*	22680	39.36	7.7	47.06	74	-26.94	PK
	*	28350	32.75	11.15	43.9	68.2	-24.3	PK
	*	34020	33.86	12.59	46.45	68.2	-21.75	PK
		39760	37.87	17.67	55.54	74	-18.46	PK
		39760	28.03	17.67	45.7	54	-8.3	AVG
Vertical		11340	37.51	20.71	58.22	74	-15.78	PK
		11340	27.42	20.71	48.13	54	-5.87	AVG
		14485	29.53	27.98	57.51	74	-16.49	PK
		14485	21.26	27.98	49.24	54	-4.76	AVG
		15685	29.46	25.44	54.9	74	-19.1	PK
		15685	20.63	25.44	46.07	54	-7.93	AVG
	*	17010	55.28	5.26	60.54	68.2	-7.66	PK
	*	22680	31.95	7.7	39.65	74	-34.35	PK
	*	28350	33.21	11.15	44.36	68.2	-23.84	PK
	*	34020	33.83	12.59	46.42	68.2	-21.78	PK
		39616	38.5	17.46	55.96	74	-18.04	PK
		39616	28.66	17.46	46.12	54	-7.88	AVG

Underwriters Laboratories Taiwan Co., Ltd.


Building A, B and E, No. 372-7, Sec. 4, Zhongxing Rd., Zhudong Township, Hsinchu County, Taiwan

Telephone :+886-2-7737-3000


Facsimile (FAX) :+886-3-583-7948

Doc No: Form-ULID-004739 (DCS:17-EM-F0878) / 6.1


TX, 802.11ac(VHT40) - Emission (Ch 134)
Radiated Spurious Emission, Horizontal




TX, 802.11ac(VHT40) - Emission (Ch 134)
Radiated Spurious Emission, Vertical



TX, 802.11ac(VHT40) - Emission (Ch 134)
Radiated Spurious Emission, Horizontal



TX, 802.11ac(VHT40) - Emission (Ch 134)
Radiated Spurious Emission, Vertical



Mode	802.11ac(VHT40) - Emission	Channel	151
------	----------------------------	---------	-----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal		11510	37.53	21.5	59.03	74	-14.97	PK
		11510	31.83	21.5	53.33	54	-0.67	AVG
		14485	28.63	27.98	56.61	74	-17.39	PK
		14485	20.36	27.98	48.34	54	-5.66	AVG
		15505	29.9	25.9	55.8	74	-18.2	PK
		15505	21.07	25.9	46.97	54	-7.03	AVG
	*	17265	45.28	5.09	50.37	68.2	-17.83	PK
	*	23020	38.99	8.56	47.55	74	-26.45	PK
	*	28775	32.11	11.46	43.57	68.2	-24.63	PK
	*	34530	34.3	12.01	46.31	68.2	-21.89	PK
		39712	38.03	17.59	55.62	74	-18.38	PK
		39712	28.19	17.59	45.78	54	-8.22	AVG
Vertical		11510	37.39	21.5	58.89	74	-15.11	PK
		11510	31.63	21.5	53.13	54	-0.87	AVG
		14500	28.75	28	56.75	68.2	-11.45	PK
		14500	20.48	28	48.48	54	-5.52	AVG
		15415	28.7	26.1	54.8	74	-19.2	PK
		15415	19.87	26.1	45.97	54	-8.03	AVG
	*	17265	50.69	5.09	55.78	68.2	-12.42	PK
	*	23020	33.75	8.56	42.31	74	-31.69	PK
	*	28775	32.5	11.46	43.96	68.2	-24.24	PK
	*	34530	34.46	12.01	46.47	68.2	-21.73	PK
		39280	37.9	17.31	55.21	74	-18.79	PK
		39280	28.06	17.31	45.37	54	-8.63	AVG

Underwriters Laboratories Taiwan Co., Ltd.


Building A, B and E, No. 372-7, Sec. 4, Zhongxing Rd., Zhudong Township, Hsinchu County, Taiwan

Telephone : +886-2-7737-3000


Facsimile (FAX) : +886-3-583-7948

Doc No: Form-ULID-004739 (DCS:17-EM-F0878) / 6.1


TX, 802.11ac(VHT40) - Emission (Ch 151)
Radiated Spurious Emission, Horizontal




TX, 802.11ac(VHT40) - Emission (Ch 151)
Radiated Spurious Emission, Vertical



TX, 802.11ac(VHT40) - Emission (Ch 151)
Radiated Spurious Emission, Horizontal



TX, 802.11ac(VHT40) - Emission (Ch 151)
Radiated Spurious Emission, Vertical



Mode	802.11ac(VHT40) - Emission	Channel	159
------	----------------------------	---------	-----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal		11590	41.54	21.17	62.71	74	-11.29	PK
		11590	32.21	21.17	53.38	54	-0.62	AVG
		14500	28.96	28	56.96	68.2	-11.24	PK
		14500	20.69	28	48.69	54	-5.31	AVG
		15355	29.01	26.36	55.37	74	-18.63	PK
		15355	20.18	26.36	46.54	54	-7.46	AVG
	*	17385	51.83	4.83	56.66	68.2	-11.54	PK
	*	23180	37.99	8.9	46.89	68.2	-21.31	PK
	*	28975	32.3	11.69	43.99	68.2	-24.21	PK
	*	34770	34.04	12.18	46.22	68.2	-21.98	PK
		39616	37.62	17.46	55.08	74	-18.92	PK
		39616	27.78	17.46	45.24	54	-8.76	AVG
Vertical		11590	37.43	21.17	58.6	74	-15.4	PK
		11590	27.56	21.17	48.73	54	-5.27	AVG
		14485	29.22	27.98	57.2	74	-16.8	PK
		14485	20.95	27.98	48.93	54	-5.07	AVG
		15340	29.61	26.45	56.06	68.2	-12.14	PK
		15340	20.78	26.45	47.23	54	-6.77	AVG
	*	17385	53.74	4.83	58.57	68.2	-9.63	PK
	*	23180	35.57	8.9	44.47	68.2	-23.73	PK
	*	28975	33.46	11.69	45.15	68.2	-23.05	PK
	*	34770	35.31	12.18	47.49	68.2	-20.71	PK
		39784	37.43	17.72	55.15	74	-18.85	PK
		39784	27.59	17.72	45.31	54	-8.69	AVG

Underwriters Laboratories Taiwan Co., Ltd.


Building A, B and E, No. 372-7, Sec. 4, Zhongxing Rd., Zhudong Township, Hsinchu County, Taiwan

Telephone :+886-2-7737-3000


Facsimile (FAX) :+886-3-583-7948

Doc No: Form-ULID-004739 (DCS:17-EM-F0878) / 6.1


TX, 802.11ac(VHT40) - Emission (Ch 159)
Radiated Spurious Emission, Horizontal




TX, 802.11ac(VHT40) - Emission (Ch 159)
Radiated Spurious Emission, Vertical



TX, 802.11ac(VHT40) - Emission (Ch 159)
Radiated Spurious Emission, Horizontal



TX, 802.11ac(VHT40) - Emission (Ch 159)
Radiated Spurious Emission, Vertical



Mode	802.11ac(VHT80)	Channel	42
------	-----------------	---------	----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal		5149.1	34.71	18.52	53.23	54	-0.77	AVG
		5149.8	44.23	18.52	62.75	74	-11.25	PK
	@	5210	85.49	18.16	103.65	N/A	N/A	PK
	@	5210	77.83	18.16	95.99	N/A	N/A	AVG
Vertical		5141.05	42.72	18.55	61.27	74	-12.73	PK
		5145.25	32.98	18.53	51.51	54	-2.49	AVG
	@	5210	85.5	18.16	103.66	N/A	N/A	PK
	@	5210	75.27	18.16	93.43	N/A	N/A	AVG

Underwriters Laboratories Taiwan Co., Ltd.


Building A, B and E, No. 372-7, Sec. 4, Zhongxing Rd., Zhudong Township, Hsinchu County, Taiwan

Telephone :+886-2-7737-3000


Facsimile (FAX) :+886-3-583-7948

Doc No: Form-ULID-004739 (DCS:17-EM-F0878) / 6.1


TX, 802.11ac(VHT80) (Ch 42)
Band Edge (Average), Horizontal




TX, 802.11ac(VHT80) (Ch 42)
Band Edge (Average), Vertical



TX, 802.11ac(VHT80) (Ch 42)
Band Edge (Peak), Horizontal



TX, 802.11ac(VHT80) (Ch 42)
Band Edge (Peak), Vertical



Mode	802.11ac(VHT80)	Channel	58
------	-----------------	---------	----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal	@	5290	87.71	18.01	105.72	N/A	N/A	PK
	@	5290	79.98	18.01	97.99	N/A	N/A	AVG
		5350.2	35.9	17.82	53.72	54	-0.28	AVG
		5350.8	42.79	17.83	60.62	74	-13.38	PK
Vertical	@	5290	85.02	18.01	103.03	N/A	N/A	PK
	@	5290	76.83	18.01	94.84	N/A	N/A	AVG
		5350.2	33.9	17.82	51.72	54	-2.28	AVG
		5397.6	40.41	18.17	58.58	74	-15.42	PK

Underwriters Laboratories Taiwan Co., Ltd.


Building A, B and E, No. 372-7, Sec. 4, Zhongxing Rd., Zhudong Township, Hsinchu County, Taiwan

Telephone :+886-2-7737-3000


Facsimile (FAX) :+886-3-583-7948

Doc No: Form-ULID-004739 (DCS:17-EM-F0878) / 6.1


TX, 802.11ac(VHT80) (Ch 58)
Band Edge (Average), Horizontal




TX, 802.11ac(VHT80) (Ch 58)
Band Edge (Average), Vertical



TX, 802.11ac(VHT80) (Ch 58)
Band Edge (Peak), Horizontal



TX, 802.11ac(VHT80) (Ch 58)
Band Edge (Peak), Vertical



Mode	802.11ac(VHT80)	Channel	106
------	-----------------	---------	-----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal		5456.35	43.35	18.68	62.03	74	-11.97	PK
		5458.45	35.12	18.68	53.8	54	-0.2	AVG
		5466.15	43.05	18.74	61.79	68.2	-6.41	PK
	@	5530	88.45	18.89	107.34	N/A	N/A	PK
	@	5530	79.26	18.89	98.15	N/A	N/A	AVG
Vertical		5458.1	33.29	18.69	51.98	54	-2.02	AVG
		5458.8	42.4	18.68	61.08	74	-12.92	PK
		5468.95	42.45	18.76	61.21	68.2	-6.99	PK
	@	5530	86.81	18.89	105.7	N/A	N/A	PK
	@	5530	78.85	18.89	97.74	N/A	N/A	AVG

Underwriters Laboratories Taiwan Co., Ltd.


Building A, B and E, No. 372-7, Sec. 4, Zhongxing Rd., Zhudong Township, Hsinchu County, Taiwan

Telephone : +886-2-7737-3000


Facsimile (FAX) : +886-3-583-7948

Doc No: Form-ULID-004739 (DCS:17-EM-F0878) / 6.1


TX, 802.11ac(VHT80) (Ch 106)
Band Edge (Average), Horizontal




TX, 802.11ac(VHT80) (Ch 106)
Band Edge (Average), Vertical



TX, 802.11ac(VHT80) (Ch 106)
Band Edge (Peak), Horizontal



TX, 802.11ac(VHT80) (Ch 106)
Band Edge (Peak), Vertical



Mode	802.11ac(VHT80)	Channel	122
------	-----------------	---------	-----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal		5453.55	34.61	18.66	53.27	54	-0.73	AVG
		5459.85	42.12	18.7	60.82	74	-13.18	PK
		5464.05	46.26	18.72	64.98	68.2	-3.22	PK
	@	5610	92.66	18.66	111.32	N/A	N/A	PK
	@	5610	85.59	18.66	104.25	N/A	N/A	AVG
		5730.4	48.59	18.88	67.47	68.2	-0.73	PK
Vertical		5455.65	42.53	18.67	61.2	74	-12.8	PK
		5459.15	33.75	18.68	52.43	54	-1.57	AVG
		5469.65	45.26	18.77	64.03	68.2	-4.17	PK
	@	5610	91.54	18.66	110.2	N/A	N/A	PK
	@	5610	82.4	18.66	101.06	N/A	N/A	AVG
		5725.5	47.95	18.85	66.8	68.2	-1.4	PK

Underwriters Laboratories Taiwan Co., Ltd.


Building A, B and E, No. 372-7, Sec. 4, Zhongxing Rd., Zhudong Township, Hsinchu County, Taiwan

Telephone :+886-2-7737-3000


Facsimile (FAX) :+886-3-583-7948

Doc No: Form-ULID-004739 (DCS:17-EM-F0878) / 6.1


TX, 802.11ac(VHT80) (Ch 122)
Band Edge (Average), Horizontal



TX, 802.11ac(VHT80) (Ch 122)
Band Edge (Average), Vertical



TX, 802.11ac(VHT80) (Ch 122)
Band Edge (Peak), Horizontal



TX, 802.11ac(VHT80) (Ch 122)
Band Edge (Peak), Vertical

