

Warning:

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation. Changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment. NOTE: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to Part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation.


If this equipment does cause harmful interference to radio or television reception which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help

RF Exposure Statement

To maintain compliance with FCC's RF Exposure guidelines, This equipment should be installed and operated with minimum distance of 20cm the radiator your body. This device and its antenna(s) must not be co-located or operation in conjunction with any other antenna or transmitter.

RGB LED MIRROR WITH BLUETOOTH



Notes Before Installation:

Please Note Before Installation:


1. Please read all instructions carefully before assembling the item.
2. After opening the package, inspect the product immediately upon receipt for transit damage or missing parts.
3. Please power the mirror with plug to test all of the functions of the mirror before wall mount.
4. Please place the mirror horizontally before installation.
5. Pull up the bracket and align the holes according to your required angle.
6. Press the extensible-button on both sides of the bracket, align with the holes and release to complete the installation.

Notes:

1. Please pay attention to the sharp part of the bracket avoiding hit and break the mirror when pull up the bracket!



Package Contents:

Mirror Accessories




Floor Standing

1. Press this button briefly to switch between three dynamic modes: Meteor, Breath, and Color, and seven static modes: red, green, blue, white light, Warm Light, Color, Pink, and purple.
2. Press and hold this button to adjust the brightness of the light.
3. If there is no operation for 10 seconds in the lighting mode, press and hold the button briefly to turn off the current light.
4. After plugging in the power supply, the BS model can be paired by searching for the Bluetooth name, but it cannot use buttons to control volume adjustment or track navigation. Bluetooth name: Bluetooth.




Model
KM009-RGB5R240100UL-FLH/FLB-BS
KM009-RGB5A14140UL-FLH/FLB-U
KM009-RGB5A14140UL-FLH/FLB-U-BS
KM009-RGB5A17560UL-FLH/FLB-BS
KM009-RGB5A18060UL-FLH/FLB-BS
KM009-RGB5A18080UL-FLH/FLB-BS
KM009-RGB5A19070UL-FLH/FLB-BS
KM009-RGB5A19575UL-FLH/FLB-BS
KM009-RGB5A20080UL-FLH/FLB-BS
KM009-RGB5A20090UL-FLH/FLB-BS
KM009-RGB5A20585UL-FLH/FLB-BS
KM009-RGB5A21090UL-FLH/FLB-BS
KM009-RGB5A240100UL-FLH/FLB-BS

Product Display




Installation Instruction

Wall Mount



Backside

· Please check the connection status of the two power cables before use



Specification and Parameter:

Model
KM009-RGB5R14140UL-FLH/FLB-U
KM009-RGB5R14140UL-FLH/FLB-U-BS
KM009-RGB5R14645UL-FLH/FLB-BS
KM009-RGB5R15040UL-FLH/FLB-BS
KM009-RGB5R16060UL-FLH/FLB-BS
KM009-RGB5R16253UL-FLH/FLB-BS
KM009-RGB5R16555UL-FLH/FLB-BS
KM009-RGB5R16560UL-FLH/FLB-BS
KM009-RGB5R17050UL-FLH/FLB-BS
KM009-RGB5R17055UL-FLH/FLB-BS
KM009-RGB5R17060UL-FLH/FLB-BS
KM009-RGB5R18060UL-FLH/FLB-BS
KM009-RGB5R18070UL-FLH/FLB-BS
KM009-RGB5R18080UL-FLH/FLB-BS
KM009-RGB5R19070UL-FLH/FLB-BS
KM009-RGB5R20080UL-FLH/FLB-BS
KM009-RGB5R20090UL-FLH/FLB-BS
KM009-RGB5R20585UL-FLH/FLB-BS
KM009-RGB5R21090UL-FLH/FLB-BS