



Duty Cycle


Condition	Mode	Frequency (MHz)	On Time (ms)	Period (ms)	Duty Cycle (%)	Correction Factor (dB)	1/T (kHz)	Max Variation (%)
NVNT	a	5260	1.396	1.437	97.15	0.13	0.72	0.24
NVNT	a	5300	1.397	1.438	97.15	0.13	0.72	0.22
NVNT	a	5320	1.397	1.438	97.15	0.13	0.72	0.27
NVNT	n20	5260	1.309	1.35	96.96	0.13	0.76	0.27
NVNT	n20	5300	1.31	1.35	97.04	0.13	0.76	0.27
NVNT	n20	5320	1.309	1.349	97.03	0.13	0.76	0.20
NVNT	n40	5270	0.65	0.689	94.34	0.25	1.54	0.26
NVNT	n40	5310	0.649	0.689	94.19	0.26	1.54	0.27
NVNT	ac20	5260	1.317	1.358	96.98	0.13	0.76	0.18
NVNT	ac20	5300	1.317	1.357	97.05	0.13	0.76	0.20
NVNT	ac20	5320	1.317	1.357	97.05	0.13	0.76	0.20
NVNT	ac40	5270	0.658	0.698	94.27	0.26	1.52	0.22
NVNT	ac40	5310	0.658	0.698	94.27	0.26	1.52	0.20
NVNT	ac80	5290	0.326	0.365	89.32	0.49	3.07	0.22



Duty Cycle NVNT a 5320MHz



Duty Cycle NVNT n20 5260MHz



Duty Cycle NVNT n20 5300MHz

Duty Cycle NVNT n40 5270MHz

Duty Cycle NVNT ac20 5260MHz

Duty Cycle NVNT ac20 5320MHz


Duty Cycle NVNT ac40 5310MHz

Maximum Conducted Output Power


Condition	Mode	Frequency (MHz)	Conducted Power (dBm)	Duty Factor (dB)	Total Power (dBm)	Limit (dBm)	Verdict
NVNT	a	5260	12	0.13	12.13	<=24	Pass
NVNT	a	5300	12.7	0.13	12.83	<=24	Pass
NVNT	a	5320	13.01	0.13	13.14	<=24	Pass
NVNT	n20	5260	13.36	0.13	13.49	<=24	Pass
NVNT	n20	5300	14.04	0.13	14.17	<=24	Pass
NVNT	n20	5320	14.4	0.13	14.53	<=24	Pass
NVNT	n40	5270	12.26	0.25	12.51	<=24	Pass
NVNT	n40	5310	13.2	0.26	13.46	<=24	Pass
NVNT	ac20	5260	12.52	0.13	12.65	<=24	Pass
NVNT	ac20	5300	13.13	0.13	13.26	<=24	Pass
NVNT	ac20	5320	13.35	0.13	13.48	<=24	Pass
NVNT	ac40	5270	12.48	0.26	12.74	<=24	Pass
NVNT	ac40	5310	13.28	0.26	13.54	<=24	Pass
NVNT	ac80	5290	12.2	0.49	12.69	<=24	Pass

Test Graphs


Power NVNT a 5260MHz




Power NVNT a 5300MHz




Power NVNT a 5320MHz




Power NVNT n20 5260MHz




Power NVNT n20 5300MHz




Power NVNT n20 5320MHz




Power NVNT n40 5270MHz




Power NVNT n40 5310MHz




Power NVNT ac20 5260MHz




Power NVNT ac20 5300MHz




Power NVNT ac20 5320MHz




Power NVNT ac40 5270MHz



Power NVNT ac40 5310MHz



Power NVNT ac80 5290MHz




-26dB Bandwidth


Condition	Mode	Frequency (MHz)	-26 dB Bandwidth (MHz)	Verdict
NVNT	a	5260	21.12	Pass
NVNT	a	5300	21.21	Pass
NVNT	a	5320	21.18	Pass
NVNT	n20	5260	24.46	Pass
NVNT	n20	5300	22.65	Pass
NVNT	n20	5320	21.88	Pass
NVNT	n40	5270	45.28	Pass
NVNT	n40	5310	48.08	Pass
NVNT	ac20	5260	21.42	Pass
NVNT	ac20	5300	21.48	Pass
NVNT	ac20	5320	21.5	Pass
NVNT	ac40	5270	49.56	Pass
NVNT	ac40	5310	41.54	Pass
NVNT	ac80	5290	89.12	Pass

Test Graphs


-26dB Bandwidth NVNT a 5260MHz




-26dB Bandwidth NVNT a 5300MHz




-26dB Bandwidth NVNT a 5320MHz




-26dB Bandwidth NVNT n20 5260MHz




-26dB Bandwidth NVNT n20 5300MHz




-26dB Bandwidth NVNT n20 5320MHz




-26dB Bandwidth NVNT n40 5270MHz




-26dB Bandwidth NVNT n40 5310MHz




-26dB Bandwidth NVNT ac20 5260MHz




-26dB Bandwidth NVNT ac20 5300MHz




-26dB Bandwidth NVNT ac20 5320MHz




-26dB Bandwidth NVNT ac40 5270MHz



-26dB Bandwidth NVNT ac40 5310MHz



-26dB Bandwidth NVNT ac80 5290MHz




Occupied Channel Bandwidth


Condition	Mode	Frequency (MHz)	99% OBW (MHz)
NVNT	a	5260	16.497
NVNT	a	5300	16.485
NVNT	a	5320	16.475
NVNT	n20	5260	17.73
NVNT	n20	5300	17.697
NVNT	n20	5320	17.683
NVNT	n40	5270	36.083
NVNT	n40	5310	36.061
NVNT	ac20	5260	17.703
NVNT	ac20	5300	17.664
NVNT	ac20	5320	17.64
NVNT	ac40	5270	36.125
NVNT	ac40	5310	36.064
NVNT	ac80	5290	75.25

Test Graphs


OBW NVNT a 5260MHz




OBW NVNT a 5300MHz




OBW NVNT a 5320MHz




OBW NVNT n20 5260MHz




OBW NVNT n20 5300MHz




OBW NVNT n20 5320MHz




OBW NVNT n40 5270MHz




OBW NVNT n40 5310MHz




OBW NVNT ac20 5260MHz




OBW NVNT ac20 5300MHz




OBW NVNT ac20 5320MHz




OBW NVNT ac40 5270MHz



OBW NVNT ac40 5310MHz



OBW NVNT ac80 5290MHz




Maximum Power Spectral Density Level


Condition	Mode	Frequency (MHz)	Conducted PSD (dBm)	Duty Factor (dB)	Total PSD (dBm)	Limit (dBm)	Verdict
NVNT	a	5260	3.021	0.13	3.151	<=11	Pass
NVNT	a	5300	3.786	0.13	3.916	<=11	Pass
NVNT	a	5320	4.438	0.13	4.568	<=11	Pass
NVNT	n20	5260	4.569	0.13	4.699	<=11	Pass
NVNT	n20	5300	5.044	0.13	5.174	<=11	Pass
NVNT	n20	5320	5.763	0.13	5.893	<=11	Pass
NVNT	n40	5270	0.425	0.25	0.675	<=11	Pass
NVNT	n40	5310	1.122	0.26	1.382	<=11	Pass
NVNT	ac20	5260	3.571	0.13	3.701	<=11	Pass
NVNT	ac20	5300	4.077	0.13	4.207	<=11	Pass
NVNT	ac20	5320	4.228	0.13	4.358	<=11	Pass
NVNT	ac40	5270	0.522	0.26	0.782	<=11	Pass
NVNT	ac40	5310	1.1	0.26	1.36	<=11	Pass
NVNT	ac80	5290	-2.453	0.49	-1.963	<=11	Pass

Test Graphs


PSD NVNT a 5260MHz




PSD NVNT a 5300MHz




PSD NVNT a 5320MHz




PSD NVNT n20 5260MHz




PSD NVNT n20 5300MHz




PSD NVNT n20 5320MHz




PSD NVNT n40 5270MHz




PSD NVNT n40 5310MHz




PSD NVNT ac20 5260MHz




PSD NVNT ac20 5300MHz




PSD NVNT ac20 5320MHz



PSD NVNT ac40 5270MHz



PSD NVNT ac40 5310MHz



PSD NVNT ac80 5290MHz

