

1. Effective (Isotropic) Radiated Power Output Data

1.1 B2_1.4MHz

Band: 2 / Bandwidth: 1.4MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1850.7	1	0	23.14	4.20	27.34	<=33.01	Pass
			2	23.16	4.20	27.36	<=33.01	Pass
			5	23.29	4.20	27.49	<=33.01	Pass
		3	0	23.16	4.20	27.36	<=33.01	Pass
			2	23.15	4.20	27.35	<=33.01	Pass
			3	23.17	4.20	27.37	<=33.01	Pass
		6	0	22.19	4.20	26.39	<=33.01	Pass
	1880	1	0	23.07	4.20	27.27	<=33.01	Pass
			2	23.07	4.20	27.27	<=33.01	Pass
			5	23.14	4.20	27.34	<=33.01	Pass
		3	0	23.09	4.20	27.29	<=33.01	Pass
			2	23.08	4.20	27.28	<=33.01	Pass
			3	23.09	4.20	27.29	<=33.01	Pass
		6	0	21.85	4.20	26.05	<=33.01	Pass
	1909.3	1	0	23.07	4.20	27.27	<=33.01	Pass
			2	23.05	4.20	27.25	<=33.01	Pass
			5	23.06	4.20	27.26	<=33.01	Pass
		3	0	23.06	4.20	27.26	<=33.01	Pass
			2	23.05	4.20	27.25	<=33.01	Pass
			3	23.03	4.20	27.23	<=33.01	Pass
		6	0	22.06	4.20	26.26	<=33.01	Pass
16QAM	1850.7	1	0	22.75	4.20	26.95	<=33.01	Pass
			2	22.34	4.20	26.54	<=33.01	Pass
			5	22.46	4.20	26.66	<=33.01	Pass
		3	0	22.22	4.20	26.42	<=33.01	Pass
			2	22.31	4.20	26.51	<=33.01	Pass
			3	22.20	4.20	26.40	<=33.01	Pass
		6	0	21.35	4.20	25.55	<=33.01	Pass
	1880	1	0	22.40	4.20	26.60	<=33.01	Pass
			2	22.26	4.20	26.46	<=33.01	Pass
			5	22.37	4.20	26.57	<=33.01	Pass
		3	0	22.12	4.20	26.32	<=33.01	Pass
			2	22.15	4.20	26.35	<=33.01	Pass
			3	22.12	4.20	26.32	<=33.01	Pass
		6	0	21.32	4.20	25.52	<=33.01	Pass
	1909.3	1	0	22.23	4.20	26.43	<=33.01	Pass

			2	22.36	4.20	26.56	<=33.01	Pass
			5	22.32	4.20	26.52	<=33.01	Pass
		3	0	22.05	4.20	26.25	<=33.01	Pass
			2	22.03	4.20	26.23	<=33.01	Pass
			3	21.98	4.20	26.18	<=33.01	Pass
		6	0	21.17	4.20	25.37	<=33.01	Pass
		Note1: EIRP=Conducted Power+Antenna Gain						

1.2 B2_3MHz

Band: 2 / Bandwidth: 3MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1851.5	1	0	23.11	4.20	27.31	<=33.01	Pass
			7	23.15	4.20	27.35	<=33.01	Pass
			14	23.12	4.20	27.32	<=33.01	Pass
		8	0	22.19	4.20	26.39	<=33.01	Pass
			4	22.18	4.20	26.38	<=33.01	Pass
			7	22.20	4.20	26.40	<=33.01	Pass
		15	0	22.11	4.20	26.31	<=33.01	Pass
	1880	1	0	23.06	4.20	27.26	<=33.01	Pass
			7	23.09	4.20	27.29	<=33.01	Pass
			14	23.11	4.20	27.31	<=33.01	Pass
		8	0	22.07	4.20	26.27	<=33.01	Pass
			4	21.89	4.20	26.09	<=33.01	Pass
			7	22.14	4.20	26.34	<=33.01	Pass
		15	0	22.15	4.20	26.35	<=33.01	Pass
	1908.5	1	0	23.21	4.20	27.41	<=33.01	Pass
			7	23.07	4.20	27.27	<=33.01	Pass
			14	23.04	4.20	27.24	<=33.01	Pass
		8	0	22.17	4.20	26.37	<=33.01	Pass
			4	22.11	4.20	26.31	<=33.01	Pass
			7	22.07	4.20	26.27	<=33.01	Pass
		15	0	22.12	4.20	26.32	<=33.01	Pass
16QAM	1851.5	1	0	22.42	4.20	26.62	<=33.01	Pass
			7	22.39	4.20	26.59	<=33.01	Pass
			14	22.52	4.20	26.72	<=33.01	Pass
		8	0	21.29	4.20	25.49	<=33.01	Pass
			4	21.28	4.20	25.48	<=33.01	Pass
			7	21.28	4.20	25.48	<=33.01	Pass
		15	0	21.16	4.20	25.36	<=33.01	Pass
	1880	1	0	22.29	4.20	26.49	<=33.01	Pass
			7	22.29	4.20	26.49	<=33.01	Pass

			14	22.46	4.20	26.66	<=33.01	Pass
		8	0	21.21	4.20	25.41	<=33.01	Pass
			4	21.20	4.20	25.40	<=33.01	Pass
			7	21.20	4.20	25.40	<=33.01	Pass
		15	0	21.15	4.20	25.35	<=33.01	Pass
	1908.5	1	0	22.61	4.20	26.81	<=33.01	Pass
			7	22.62	4.20	26.82	<=33.01	Pass
			14	22.53	4.20	26.73	<=33.01	Pass
		8	0	21.18	4.20	25.38	<=33.01	Pass
			4	21.21	4.20	25.41	<=33.01	Pass
			7	21.19	4.20	25.39	<=33.01	Pass
		15	0	21.14	4.20	25.34	<=33.01	Pass
	Note1: EIRP=Conducted Power+Antenna Gain							

1.3 B2_5MHz

Band: 2 / Bandwidth: 5MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1852.5	1	0	23.17	4.20	27.37	<=33.01	Pass
			13	23.19	4.20	27.39	<=33.01	Pass
			24	23.25	4.20	27.45	<=33.01	Pass
		12	0	22.25	4.20	26.45	<=33.01	Pass
			6	22.24	4.20	26.44	<=33.01	Pass
			13	22.23	4.20	26.43	<=33.01	Pass
		25	0	22.26	4.20	26.46	<=33.01	Pass
	1880	1	0	23.17	4.20	27.37	<=33.01	Pass
			13	23.16	4.20	27.36	<=33.01	Pass
			24	23.16	4.20	27.36	<=33.01	Pass
		12	0	22.13	4.20	26.33	<=33.01	Pass
			6	22.16	4.20	26.36	<=33.01	Pass
			13	22.19	4.20	26.39	<=33.01	Pass
		25	0	22.20	4.20	26.40	<=33.01	Pass
	1907.5	1	0	23.08	4.20	27.28	<=33.01	Pass
			13	23.23	4.20	27.43	<=33.01	Pass
			24	23.04	4.20	27.24	<=33.01	Pass
		12	0	22.18	4.20	26.38	<=33.01	Pass
			6	22.11	4.20	26.31	<=33.01	Pass
			13	22.08	4.20	26.28	<=33.01	Pass
		25	0	22.32	4.20	26.52	<=33.01	Pass
16QAM	1852.5	1	0	22.39	4.20	26.59	<=33.01	Pass
			13	22.30	4.20	26.50	<=33.01	Pass
			24	22.29	4.20	26.49	<=33.01	Pass

		12	0	21.26	4.20	25.46	<=33.01	Pass
			6	21.26	4.20	25.46	<=33.01	Pass
			13	21.26	4.20	25.46	<=33.01	Pass
		25	0	21.26	4.20	25.46	<=33.01	Pass
	1880	1	0	22.34	4.20	26.54	<=33.01	Pass
			13	22.24	4.20	26.44	<=33.01	Pass
			24	22.33	4.20	26.53	<=33.01	Pass
		12	0	21.13	4.20	25.33	<=33.01	Pass
			6	21.22	4.20	25.42	<=33.01	Pass
			13	21.17	4.20	25.37	<=33.01	Pass
		25	0	21.18	4.20	25.38	<=33.01	Pass
	1907.5	1	0	22.37	4.20	26.57	<=33.01	Pass
			13	22.30	4.20	26.50	<=33.01	Pass
			24	22.30	4.20	26.50	<=33.01	Pass
		12	0	21.14	4.20	25.34	<=33.01	Pass
			6	21.10	4.20	25.30	<=33.01	Pass
			13	21.09	4.20	25.29	<=33.01	Pass
		25	0	21.14	4.20	25.34	<=33.01	Pass
	Note1: EIRP=Conducted Power+Antenna Gain							

1.4 B2_10MHz

Band: 2 / Bandwidth: 10MHz / NTVN								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1855	1	0	23.09	4.20	27.29	<=33.01	Pass
			25	23.10	4.20	27.30	<=33.01	Pass
			49	23.32	4.20	27.52	<=33.01	Pass
		25	0	22.21	4.20	26.41	<=33.01	Pass
			13	22.21	4.20	26.41	<=33.01	Pass
			25	22.22	4.20	26.42	<=33.01	Pass
		50	0	22.23	4.20	26.43	<=33.01	Pass
	1880	1	0	23.13	4.20	27.33	<=33.01	Pass
			25	23.11	4.20	27.31	<=33.01	Pass
			49	23.32	4.20	27.52	<=33.01	Pass
		25	0	22.14	4.20	26.34	<=33.01	Pass
			13	22.17	4.20	26.37	<=33.01	Pass
			25	22.19	4.20	26.39	<=33.01	Pass
		50	0	22.14	4.20	26.34	<=33.01	Pass
	1905	1	0	23.18	4.20	27.38	<=33.01	Pass
			25	23.15	4.20	27.35	<=33.01	Pass
			49	23.12	4.20	27.32	<=33.01	Pass
		25	0	22.15	4.20	26.35	<=33.01	Pass

			13	22.14	4.20	26.34	<=33.01	Pass		
			25	22.13	4.20	26.33	<=33.01	Pass		
		50	0	22.10	4.20	26.30	<=33.01	Pass		
16QAM	1855	1	0	22.62	4.20	26.82	<=33.01	Pass		
			25	22.37	4.20	26.57	<=33.01	Pass		
			49	22.21	4.20	26.41	<=33.01	Pass		
		25	0	21.21	4.20	25.41	<=33.01	Pass		
			13	21.20	4.20	25.40	<=33.01	Pass		
			25	21.20	4.20	25.40	<=33.01	Pass		
		50	0	21.20	4.20	25.40	<=33.01	Pass		
		1880	1	0	22.31	4.20	26.51	<=33.01	Pass	
				25	22.39	4.20	26.59	<=33.01	Pass	
	49			22.46	4.20	26.66	<=33.01	Pass		
	25		0	21.09	4.20	25.29	<=33.01	Pass		
			13	21.14	4.20	25.34	<=33.01	Pass		
			25	21.18	4.20	25.38	<=33.01	Pass		
	50		0	21.12	4.20	25.32	<=33.01	Pass		
	1905		1	0	22.44	4.20	26.64	<=33.01	Pass	
				25	22.20	4.20	26.40	<=33.01	Pass	
		49		22.35	4.20	26.55	<=33.01	Pass		
		25	0	21.15	4.20	25.35	<=33.01	Pass		
			13	21.14	4.20	25.34	<=33.01	Pass		
			25	21.09	4.20	25.29	<=33.01	Pass		
		50	0	21.10	4.20	25.30	<=33.01	Pass		
		Note1: EIRP=Conducted Power+Antenna Gain								

1.5 B2_15MHz

Band: 2 / Bandwidth: 15MHz / NTV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1857.5	1	0	23.20	4.20	27.40	<=33.01	Pass
			38	23.17	4.20	27.37	<=33.01	Pass
			74	23.17	4.20	27.37	<=33.01	Pass
		36	0	22.22	4.20	26.42	<=33.01	Pass
			18	22.21	4.20	26.41	<=33.01	Pass
			39	22.21	4.20	26.41	<=33.01	Pass
		75	0	22.22	4.20	26.42	<=33.01	Pass
	1880	1	0	23.11	4.20	27.31	<=33.01	Pass
			38	23.24	4.20	27.44	<=33.01	Pass
			74	23.21	4.20	27.41	<=33.01	Pass
		36	0	22.12	4.20	26.32	<=33.01	Pass
			18	22.10	4.20	26.30	<=33.01	Pass

			39	22.15	4.20	26.35	<=33.01	Pass
		75	0	22.14	4.20	26.34	<=33.01	Pass
	1902.5	1	0	23.13	4.20	27.33	<=33.01	Pass
			38	23.23	4.20	27.43	<=33.01	Pass
			74	23.31	4.20	27.51	<=33.01	Pass
		36	0	22.12	4.20	26.32	<=33.01	Pass
			18	22.14	4.20	26.34	<=33.01	Pass
			39	22.12	4.20	26.32	<=33.01	Pass
75		0	22.14	4.20	26.34	<=33.01	Pass	
16QAM	1857.5	1	0	22.41	4.20	26.61	<=33.01	Pass
			38	22.27	4.20	26.47	<=33.01	Pass
			74	22.51	4.20	26.71	<=33.01	Pass
		36	0	21.18	4.20	25.38	<=33.01	Pass
			18	21.21	4.20	25.41	<=33.01	Pass
			39	21.21	4.20	25.41	<=33.01	Pass
		75	0	21.36	4.20	25.56	<=33.01	Pass
	1880	1	0	22.46	4.20	26.66	<=33.01	Pass
			38	22.35	4.20	26.55	<=33.01	Pass
			74	22.33	4.20	26.53	<=33.01	Pass
		36	0	21.11	4.20	25.31	<=33.01	Pass
			18	21.11	4.20	25.31	<=33.01	Pass
			39	21.17	4.20	25.37	<=33.01	Pass
		75	0	21.33	4.20	25.53	<=33.01	Pass
	1902.5	1	0	22.41	4.20	26.61	<=33.01	Pass
			38	22.37	4.20	26.57	<=33.01	Pass
			74	22.42	4.20	26.62	<=33.01	Pass
		36	0	21.12	4.20	25.32	<=33.01	Pass
			18	21.13	4.20	25.33	<=33.01	Pass
			39	21.11	4.20	25.31	<=33.01	Pass
		75	0	21.13	4.20	25.33	<=33.01	Pass
	Note1: EIRP=Conducted Power+Antenna Gain							

1.6 B2_20MHz

Band: 2 / Bandwidth: 20MHz / NTN								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1860	1	0	23.17	4.20	27.37	<=33.01	Pass
			50	23.13	4.20	27.33	<=33.01	Pass
			99	23.15	4.20	27.35	<=33.01	Pass
		50	0	22.21	4.20	26.41	<=33.01	Pass
			25	22.22	4.20	26.42	<=33.01	Pass
			50	22.30	4.20	26.50	<=33.01	Pass

		100	0	22.33	4.20	26.53	<=33.01	Pass	
	1880	1	0	23.03	4.20	27.23	<=33.01	Pass	
			50	23.10	4.20	27.30	<=33.01	Pass	
			99	23.14	4.20	27.34	<=33.01	Pass	
			0	22.04	4.20	26.24	<=33.01	Pass	
		50	25	22.08	4.20	26.28	<=33.01	Pass	
			50	22.15	4.20	26.35	<=33.01	Pass	
			100	0	22.10	4.20	26.30	<=33.01	Pass
	1900	1	0	23.05	4.20	27.25	<=33.01	Pass	
			50	23.19	4.20	27.39	<=33.01	Pass	
			99	23.14	4.20	27.34	<=33.01	Pass	
			0	22.11	4.20	26.31	<=33.01	Pass	
		50	25	22.06	4.20	26.26	<=33.01	Pass	
			50	22.07	4.20	26.27	<=33.01	Pass	
			100	0	22.10	4.20	26.30	<=33.01	Pass
	16QAM	1860	1	0	22.41	4.20	26.61	<=33.01	Pass
				50	22.38	4.20	26.58	<=33.01	Pass
				99	22.42	4.20	26.62	<=33.01	Pass
			50	0	21.18	4.20	25.38	<=33.01	Pass
25				21.19	4.20	25.39	<=33.01	Pass	
50				21.16	4.20	25.36	<=33.01	Pass	
100			0	21.19	4.20	25.39	<=33.01	Pass	
1880		1	0	22.27	4.20	26.47	<=33.01	Pass	
			50	22.47	4.20	26.67	<=33.01	Pass	
			99	22.53	4.20	26.73	<=33.01	Pass	
		50	0	21.09	4.20	25.29	<=33.01	Pass	
			25	21.18	4.20	25.38	<=33.01	Pass	
			50	21.20	4.20	25.40	<=33.01	Pass	
		100	0	21.11	4.20	25.31	<=33.01	Pass	
1900		1	0	22.39	4.20	26.59	<=33.01	Pass	
			50	22.36	4.20	26.56	<=33.01	Pass	
			99	22.45	4.20	26.65	<=33.01	Pass	
		50	0	21.15	4.20	25.35	<=33.01	Pass	
			25	21.12	4.20	25.32	<=33.01	Pass	
	50		21.13	4.20	25.33	<=33.01	Pass		
	100	0	21.13	4.20	25.33	<=33.01	Pass		
Note1: EIRP=Conducted Power+Antenna Gain									

1.7 B4_1.4MHz

Band: 4 / Bandwidth: 1.4MHz / NTN								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1710.7	1	0	23.27	4.20	27.47	<=30	Pass
			2	23.48	4.20	27.68	<=30	Pass
			5	23.31	4.20	27.51	<=30	Pass
		3	0	23.36	4.20	27.56	<=30	Pass
			2	23.36	4.20	27.56	<=30	Pass
			3	23.35	4.20	27.55	<=30	Pass
		6	0	22.32	4.20	26.52	<=30	Pass
	1732.5	1	0	23.28	4.20	27.48	<=30	Pass
			2	23.18	4.20	27.38	<=30	Pass
			5	23.20	4.20	27.40	<=30	Pass
		3	0	23.21	4.20	27.41	<=30	Pass
			2	23.14	4.20	27.34	<=30	Pass
			3	23.13	4.20	27.33	<=30	Pass
		6	0	22.21	4.20	26.41	<=30	Pass
	1754.3	1	0	23.04	4.20	27.24	<=30	Pass
			2	23.09	4.20	27.29	<=30	Pass
			5	23.14	4.20	27.34	<=30	Pass
		3	0	23.07	4.20	27.27	<=30	Pass
			2	23.07	4.20	27.27	<=30	Pass
			3	23.06	4.20	27.26	<=30	Pass
		6	0	22.11	4.20	26.31	<=30	Pass
16QAM	1710.7	1	0	22.53	4.20	26.73	<=30	Pass
			2	22.71	4.20	26.91	<=30	Pass
			5	22.29	4.20	26.49	<=30	Pass
		3	0	22.32	4.20	26.52	<=30	Pass
			2	22.29	4.20	26.49	<=30	Pass
			3	22.30	4.20	26.50	<=30	Pass
		6	0	21.42	4.20	25.62	<=30	Pass
	1732.5	1	0	22.39	4.20	26.59	<=30	Pass
			2	22.41	4.20	26.61	<=30	Pass
			5	22.50	4.20	26.70	<=30	Pass
		3	0	22.06	4.20	26.26	<=30	Pass
			2	22.21	4.20	26.41	<=30	Pass
			3	22.13	4.20	26.33	<=30	Pass
		6	0	21.25	4.20	25.45	<=30	Pass
	1754.3	1	0	22.32	4.20	26.52	<=30	Pass
			2	22.43	4.20	26.63	<=30	Pass
			5	22.33	4.20	26.53	<=30	Pass
		3	0	22.14	4.20	26.34	<=30	Pass

			2	22.06	4.20	26.26	<=30	Pass
			3	22.05	4.20	26.25	<=30	Pass
		6	0	21.22	4.20	25.42	<=30	Pass
Note1: EIRP=Conducted Power+Antenna Gain								

1.8 B4_3MHz

Band: 4 / Bandwidth: 3MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1711.5	1	0	23.35	4.20	27.55	<=30	Pass
			7	23.31	4.20	27.51	<=30	Pass
			14	23.28	4.20	27.48	<=30	Pass
		8	0	22.36	4.20	26.56	<=30	Pass
			4	22.31	4.20	26.51	<=30	Pass
			7	22.35	4.20	26.55	<=30	Pass
		15	0	22.34	4.20	26.54	<=30	Pass
	1732.5	1	0	23.20	4.20	27.40	<=30	Pass
			7	23.16	4.20	27.36	<=30	Pass
			14	23.20	4.20	27.40	<=30	Pass
		8	0	22.25	4.20	26.45	<=30	Pass
			4	22.23	4.20	26.43	<=30	Pass
			7	22.25	4.20	26.45	<=30	Pass
		15	0	22.21	4.20	26.41	<=30	Pass
	1753.5	1	0	23.06	4.20	27.26	<=30	Pass
			7	23.09	4.20	27.29	<=30	Pass
			14	23.08	4.20	27.28	<=30	Pass
		8	0	21.97	4.20	26.17	<=30	Pass
			4	22.03	4.20	26.23	<=30	Pass
			7	22.02	4.20	26.22	<=30	Pass
		15	0	22.16	4.20	26.36	<=30	Pass
16QAM	1711.5	1	0	22.51	4.20	26.71	<=30	Pass
			7	22.42	4.20	26.62	<=30	Pass
			14	22.55	4.20	26.75	<=30	Pass
		8	0	21.41	4.20	25.61	<=30	Pass
			4	21.29	4.20	25.49	<=30	Pass
			7	21.46	4.20	25.66	<=30	Pass
		15	0	21.37	4.20	25.57	<=30	Pass
	1732.5	1	0	22.47	4.20	26.67	<=30	Pass
			7	22.48	4.20	26.68	<=30	Pass
			14	22.72	4.20	26.92	<=30	Pass
		8	0	21.29	4.20	25.49	<=30	Pass
			4	21.27	4.20	25.47	<=30	Pass

			7	21.29	4.20	25.49	<=30	Pass
		15	0	21.19	4.20	25.39	<=30	Pass
	1753.5	1	0	22.30	4.20	26.50	<=30	Pass
			7	22.37	4.20	26.57	<=30	Pass
			14	22.40	4.20	26.60	<=30	Pass
		8	0	21.21	4.20	25.41	<=30	Pass
			4	21.20	4.20	25.40	<=30	Pass
			7	21.20	4.20	25.40	<=30	Pass
		15	0	21.13	4.20	25.33	<=30	Pass
Note1: EIRP=Conducted Power+Antenna Gain								

1.9 B4_5MHz

Band: 4 / Bandwidth: 5MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1712.5	1	0	23.40	4.20	27.60	<=30	Pass
			13	23.38	4.20	27.58	<=30	Pass
			24	23.27	4.20	27.47	<=30	Pass
		12	0	22.35	4.20	26.55	<=30	Pass
			6	22.35	4.20	26.55	<=30	Pass
			13	22.31	4.20	26.51	<=30	Pass
		25	0	22.39	4.20	26.59	<=30	Pass
	1732.5	1	0	23.30	4.20	27.50	<=30	Pass
			13	23.30	4.20	27.50	<=30	Pass
			24	23.31	4.20	27.51	<=30	Pass
		12	0	22.10	4.20	26.30	<=30	Pass
			6	22.14	4.20	26.34	<=30	Pass
			13	22.13	4.20	26.33	<=30	Pass
		25	0	22.21	4.20	26.41	<=30	Pass
	1752.5	1	0	23.16	4.20	27.36	<=30	Pass
			13	23.19	4.20	27.39	<=30	Pass
			24	23.12	4.20	27.32	<=30	Pass
		12	0	22.17	4.20	26.37	<=30	Pass
			6	22.18	4.20	26.38	<=30	Pass
			13	22.16	4.20	26.36	<=30	Pass
		25	0	22.18	4.20	26.38	<=30	Pass
16QAM	1712.5	1	0	22.38	4.20	26.58	<=30	Pass
			13	22.59	4.20	26.79	<=30	Pass
			24	22.37	4.20	26.57	<=30	Pass
		12	0	21.33	4.20	25.53	<=30	Pass
			6	21.34	4.20	25.54	<=30	Pass
			13	21.34	4.20	25.54	<=30	Pass

		25	0	21.40	4.20	25.60	<=30	Pass	
	1732.5	1	0	22.41	4.20	26.61	<=30	Pass	
			13	22.52	4.20	26.72	<=30	Pass	
			24	22.41	4.20	26.61	<=30	Pass	
			0	21.14	4.20	25.34	<=30	Pass	
		12	6	21.22	4.20	25.42	<=30	Pass	
			13	21.18	4.20	25.38	<=30	Pass	
			25	0	21.22	4.20	25.42	<=30	Pass
		1752.5	1	0	22.40	4.20	26.60	<=30	Pass
				13	22.49	4.20	26.69	<=30	Pass
				24	22.35	4.20	26.55	<=30	Pass
	12		0	21.20	4.20	25.40	<=30	Pass	
			6	21.18	4.20	25.38	<=30	Pass	
			13	21.19	4.20	25.39	<=30	Pass	
	25		0	21.18	4.20	25.38	<=30	Pass	

Note1: EIRP=Conducted Power+Antenna Gain

1.10 B4_10MHz

Band: 4 / Bandwidth: 10MHz / NTV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1715	1	0	23.36	4.20	27.56	<=30	Pass
			25	23.27	4.20	27.47	<=30	Pass
			49	23.2	4.20	27.40	<=30	Pass
		25	0	22.28	4.20	26.48	<=30	Pass
			13	22.06	4.20	26.26	<=30	Pass
			25	22.31	4.20	26.51	<=30	Pass
		50	0	22.3	4.20	26.50	<=30	Pass
	1732.5	1	0	23.17	4.20	27.37	<=30	Pass
			25	23.19	4.20	27.39	<=30	Pass
			49	23.34	4.20	27.54	<=30	Pass
		25	0	22.22	4.20	26.42	<=30	Pass
			13	22.22	4.20	26.42	<=30	Pass
			25	22.25	4.20	26.45	<=30	Pass
		50	0	22.25	4.20	26.45	<=30	Pass
	1750	1	0	23.15	4.20	27.35	<=30	Pass
			25	23.18	4.20	27.38	<=30	Pass
			49	23.3	4.20	27.50	<=30	Pass
		25	0	22.19	4.20	26.39	<=30	Pass
			13	22.16	4.20	26.36	<=30	Pass
			25	22.14	4.20	26.34	<=30	Pass
		50	0	22.18	4.20	26.38	<=30	Pass

16QAM	1715	1	0	22.8	4.20	27.00	<=30	Pass
			25	22.62	4.20	26.82	<=30	Pass
			49	22.73	4.20	26.93	<=30	Pass
		25	0	21.3	4.20	25.50	<=30	Pass
			13	21.27	4.20	25.47	<=30	Pass
			25	21.18	4.20	25.38	<=30	Pass
		50	0	21.23	4.20	25.43	<=30	Pass
	1732.5	1	0	22.4	4.20	26.60	<=30	Pass
			25	22.6	4.20	26.80	<=30	Pass
			49	22.53	4.20	26.73	<=30	Pass
		25	0	21.25	4.20	25.45	<=30	Pass
			13	21.2	4.20	25.40	<=30	Pass
			25	21.21	4.20	25.41	<=30	Pass
		50	0	21.24	4.20	25.44	<=30	Pass
	1750	1	0	22.5	4.20	26.70	<=30	Pass
			25	22.37	4.20	26.57	<=30	Pass
			49	22.51	4.20	26.71	<=30	Pass
		25	0	21.15	4.20	25.35	<=30	Pass
			13	21.13	4.20	25.33	<=30	Pass
			25	21.14	4.20	25.34	<=30	Pass
		50	0	21.14	4.20	25.34	<=30	Pass

Note1: EIRP=Conducted Power+Antenna Gain

1.11 B4_15MHz

Band: 4 / Bandwidth: 15MHz / NTVN								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1717.5	1	0	23.33	4.20	27.53	<=30	Pass
			38	23.35	4.20	27.55	<=30	Pass
			74	23.29	4.20	27.49	<=30	Pass
		36	0	22.29	4.20	26.49	<=30	Pass
			18	22.26	4.20	26.46	<=30	Pass
			39	22.29	4.20	26.49	<=30	Pass
		75	0	22.31	4.20	26.51	<=30	Pass
	1732.5	1	0	23.19	4.20	27.39	<=30	Pass
			38	23.20	4.20	27.40	<=30	Pass
			74	23.20	4.20	27.40	<=30	Pass
		36	0	22.21	4.20	26.41	<=30	Pass
			18	22.23	4.20	26.43	<=30	Pass
			39	22.23	4.20	26.43	<=30	Pass
		75	0	22.25	4.20	26.45	<=30	Pass
	1747.5	1	0	23.19	4.20	27.39	<=30	Pass

			38	23.10	4.20	27.30	<=30	Pass		
			74	23.27	4.20	27.47	<=30	Pass		
		36	0	22.15	4.20	26.35	<=30	Pass		
			18	22.17	4.20	26.37	<=30	Pass		
			39	22.19	4.20	26.39	<=30	Pass		
		75	0	22.17	4.20	26.37	<=30	Pass		
		16QAM	1717.5	1	0	22.52	4.20	26.72	<=30	Pass
					38	22.47	4.20	26.67	<=30	Pass
					74	22.58	4.20	26.78	<=30	Pass
36	0			21.25	4.20	25.45	<=30	Pass		
	18			21.24	4.20	25.44	<=30	Pass		
	39			21.26	4.20	25.46	<=30	Pass		
75	0			21.25	4.20	25.45	<=30	Pass		
1732.5	1			0	22.47	4.20	26.67	<=30	Pass	
				38	22.54	4.20	26.74	<=30	Pass	
			74	22.39	4.20	26.59	<=30	Pass		
	36		0	21.21	4.20	25.41	<=30	Pass		
			18	21.22	4.20	25.42	<=30	Pass		
			39	21.22	4.20	25.42	<=30	Pass		
	75		0	21.26	4.20	25.46	<=30	Pass		
	1747.5		1	0	22.52	4.20	26.72	<=30	Pass	
				38	22.37	4.20	26.57	<=30	Pass	
74				22.51	4.20	26.71	<=30	Pass		
36			0	21.17	4.20	25.37	<=30	Pass		
			18	21.18	4.20	25.38	<=30	Pass		
			39	21.17	4.20	25.37	<=30	Pass		
75			0	21.16	4.20	25.36	<=30	Pass		
Note1: EIRP=Conducted Power+Antenna Gain										

1.12 B4_20MHz

Band: 4 / Bandwidth: 20MHz / NTVN								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1720	1	0	23.25	4.20	27.45	<=30	Pass
			50	23.28	4.20	27.48	<=30	Pass
			99	23.25	4.20	27.45	<=30	Pass
		50	0	22.27	4.20	26.47	<=30	Pass
			25	22.28	4.20	26.48	<=30	Pass
			50	22.28	4.20	26.48	<=30	Pass
		100	0	22.30	4.20	26.50	<=30	Pass
	1732.5	1	0	23.12	4.20	27.32	<=30	Pass
			50	23.16	4.20	27.36	<=30	Pass

			99	23.22	4.20	27.42	<=30	Pass	
		50	0	22.12	4.20	26.32	<=30	Pass	
			25	22.19	4.20	26.39	<=30	Pass	
			50	22.22	4.20	26.42	<=30	Pass	
		100	0	22.26	4.20	26.46	<=30	Pass	
	1745	1	0	23.10	4.20	27.30	<=30	Pass	
			50	23.11	4.20	27.31	<=30	Pass	
			99	23.20	4.20	27.40	<=30	Pass	
		50	0	22.13	4.20	26.33	<=30	Pass	
			25	22.16	4.20	26.36	<=30	Pass	
			50	22.18	4.20	26.38	<=30	Pass	
		100	0	22.19	4.20	26.39	<=30	Pass	
16QAM	1720	1	0	22.41	4.20	26.61	<=30	Pass	
			50	22.31	4.20	26.51	<=30	Pass	
			99	22.47	4.20	26.67	<=30	Pass	
		50	0	21.28	4.20	25.48	<=30	Pass	
			25	21.30	4.20	25.50	<=30	Pass	
			50	21.32	4.20	25.52	<=30	Pass	
		100	0	21.28	4.20	25.48	<=30	Pass	
	1732.5	1	0	22.39	4.20	26.59	<=30	Pass	
			50	22.51	4.20	26.71	<=30	Pass	
			99	22.47	4.20	26.67	<=30	Pass	
		50	0	21.23	4.20	25.43	<=30	Pass	
			25	21.18	4.20	25.38	<=30	Pass	
			50	21.26	4.20	25.46	<=30	Pass	
		100	0	21.26	4.20	25.46	<=30	Pass	
	1745	1	0	22.51	4.20	26.71	<=30	Pass	
			50	22.38	4.20	26.58	<=30	Pass	
			99	22.58	4.20	26.78	<=30	Pass	
		50	0	21.21	4.20	25.41	<=30	Pass	
			25	21.21	4.20	25.41	<=30	Pass	
			50	21.25	4.20	25.45	<=30	Pass	
		100	0	21.20	4.20	25.40	<=30	Pass	
	Note1: EIRP=Conducted Power+Antenna Gain								

1.13 B5_1.4MHz

Band: 5 / Bandwidth: 1.4MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	ERP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	824.7	1	0	23.75	1.70	23.30	<=38.45	Pass
			2	23.70	1.70	23.25	<=38.45	Pass
			5	23.75	1.70	23.30	<=38.45	Pass
		3	0	23.65	1.70	23.20	<=38.45	Pass
			2	23.68	1.70	23.23	<=38.45	Pass
			3	23.70	1.70	23.25	<=38.45	Pass
		6	0	22.65	1.70	22.20	<=38.45	Pass
	836.5	1	0	23.70	1.70	23.25	<=38.45	Pass
			2	23.72	1.70	23.27	<=38.45	Pass
			5	23.73	1.70	23.28	<=38.45	Pass
		3	0	23.73	1.70	23.28	<=38.45	Pass
			2	23.74	1.70	23.29	<=38.45	Pass
			3	23.75	1.70	23.30	<=38.45	Pass
		6	0	22.74	1.70	22.29	<=38.45	Pass
	848.3	1	0	23.65	1.70	23.20	<=38.45	Pass
			2	23.81	1.70	23.36	<=38.45	Pass
			5	23.68	1.70	23.23	<=38.45	Pass
		3	0	23.55	1.70	23.10	<=38.45	Pass
			2	23.71	1.70	23.26	<=38.45	Pass
			3	23.70	1.70	23.25	<=38.45	Pass
		6	0	22.66	1.70	22.21	<=38.45	Pass
16QAM	824.7	1	0	22.76	1.70	22.31	<=38.45	Pass
			2	22.92	1.70	22.47	<=38.45	Pass
			5	22.87	1.70	22.42	<=38.45	Pass
		3	0	22.62	1.70	22.17	<=38.45	Pass
			2	22.55	1.70	22.10	<=38.45	Pass
			3	22.66	1.70	22.21	<=38.45	Pass
		6	0	21.82	1.70	21.37	<=38.45	Pass
	836.5	1	0	22.92	1.70	22.47	<=38.45	Pass
			2	23.04	1.70	22.59	<=38.45	Pass
			5	23.00	1.70	22.55	<=38.45	Pass
		3	0	22.51	1.70	22.06	<=38.45	Pass
			2	22.86	1.70	22.41	<=38.45	Pass
			3	22.65	1.70	22.20	<=38.45	Pass
		6	0	21.87	1.70	21.42	<=38.45	Pass
	848.3	1	0	22.89	1.70	22.44	<=38.45	Pass
			2	22.89	1.70	22.44	<=38.45	Pass
			5	22.86	1.70	22.41	<=38.45	Pass
		3	0	22.73	1.70	22.28	<=38.45	Pass

			2	22.75	1.70	22.30	<=38.45	Pass
			3	22.76	1.70	22.31	<=38.45	Pass
		6	0	21.95	1.70	21.50	<=38.45	Pass
Note1: ERP=Conducted Power+Antenna Gain-2.15								

1.14 B5_3MHz

Band: 5 / Bandwidth: 3MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	ERP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	825.5	1	0	23.67	1.70	23.22	<=38.45	Pass
			7	23.50	1.70	23.05	<=38.45	Pass
			14	23.65	1.70	23.20	<=38.45	Pass
		8	0	22.70	1.70	22.25	<=38.45	Pass
			4	22.53	1.70	22.08	<=38.45	Pass
			7	22.69	1.70	22.24	<=38.45	Pass
		15	0	22.69	1.70	22.24	<=38.45	Pass
	836.5	1	0	23.74	1.70	23.29	<=38.45	Pass
			7	23.89	1.70	23.44	<=38.45	Pass
			14	23.76	1.70	23.31	<=38.45	Pass
		8	0	22.79	1.70	22.34	<=38.45	Pass
			4	22.83	1.70	22.38	<=38.45	Pass
			7	22.81	1.70	22.36	<=38.45	Pass
		15	0	22.82	1.70	22.37	<=38.45	Pass
	847.5	1	0	23.65	1.70	23.20	<=38.45	Pass
			7	23.66	1.70	23.21	<=38.45	Pass
			14	23.74	1.70	23.29	<=38.45	Pass
		8	0	22.87	1.70	22.42	<=38.45	Pass
			4	22.88	1.70	22.43	<=38.45	Pass
			7	22.75	1.70	22.30	<=38.45	Pass
		15	0	22.81	1.70	22.36	<=38.45	Pass
16QAM	825.5	1	0	22.76	1.70	22.31	<=38.45	Pass
			7	22.78	1.70	22.33	<=38.45	Pass
			14	22.79	1.70	22.34	<=38.45	Pass
		8	0	21.88	1.70	21.43	<=38.45	Pass
			4	21.82	1.70	21.37	<=38.45	Pass
			7	21.76	1.70	21.31	<=38.45	Pass
		15	0	21.80	1.70	21.35	<=38.45	Pass
	836.5	1	0	22.98	1.70	22.53	<=38.45	Pass
			7	22.99	1.70	22.54	<=38.45	Pass
			14	22.87	1.70	22.42	<=38.45	Pass
		8	0	21.96	1.70	21.51	<=38.45	Pass
			4	21.88	1.70	21.43	<=38.45	Pass

			7	21.91	1.70	21.46	<=38.45	Pass
		15	0	21.88	1.70	21.43	<=38.45	Pass
	847.5	1	0	22.92	1.70	22.47	<=38.45	Pass
			7	22.97	1.70	22.52	<=38.45	Pass
			14	22.94	1.70	22.49	<=38.45	Pass
		8	0	21.93	1.70	21.48	<=38.45	Pass
			4	21.99	1.70	21.54	<=38.45	Pass
			7	21.90	1.70	21.45	<=38.45	Pass
		15	0	21.98	1.70	21.53	<=38.45	Pass
Note1: ERP=Conducted Power+Antenna Gain-2.15								

1.15 B5_5MHz

Band: 5 / Bandwidth: 5MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	ERP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	826.5	1	0	23.64	1.70	23.19	<=38.45	Pass
			13	23.42	1.70	22.97	<=38.45	Pass
			24	23.72	1.70	23.27	<=38.45	Pass
		12	0	22.74	1.70	22.29	<=38.45	Pass
			6	22.75	1.70	22.30	<=38.45	Pass
			13	22.77	1.70	22.32	<=38.45	Pass
		25	0	22.77	1.70	22.32	<=38.45	Pass
	836.5	1	0	23.81	1.70	23.36	<=38.45	Pass
			13	23.78	1.70	23.33	<=38.45	Pass
			24	23.79	1.70	23.34	<=38.45	Pass
		12	0	22.84	1.70	22.39	<=38.45	Pass
			6	22.81	1.70	22.36	<=38.45	Pass
			13	22.81	1.70	22.36	<=38.45	Pass
		25	0	22.83	1.70	22.38	<=38.45	Pass
	846.5	1	0	23.73	1.70	23.28	<=38.45	Pass
			13	23.49	1.70	23.04	<=38.45	Pass
			24	23.69	1.70	23.24	<=38.45	Pass
		12	0	22.84	1.70	22.39	<=38.45	Pass
			6	22.78	1.70	22.33	<=38.45	Pass
			13	22.58	1.70	22.13	<=38.45	Pass
		25	0	22.77	1.70	22.32	<=38.45	Pass
16QAM	826.5	1	0	22.87	1.70	22.42	<=38.45	Pass
			13	22.95	1.70	22.50	<=38.45	Pass
			24	23.00	1.70	22.55	<=38.45	Pass
		12	0	21.86	1.70	21.41	<=38.45	Pass
			6	21.83	1.70	21.38	<=38.45	Pass
			13	21.83	1.70	21.38	<=38.45	Pass

		25	0	21.92	1.70	21.47	<=38.45	Pass
	836.5	1	0	23.08	1.70	22.63	<=38.45	Pass
			13	23.06	1.70	22.61	<=38.45	Pass
			24	23.01	1.70	22.56	<=38.45	Pass
			0	21.90	1.70	21.45	<=38.45	Pass
		12	6	21.88	1.70	21.43	<=38.45	Pass
			13	21.88	1.70	21.43	<=38.45	Pass
			25	0	21.89	1.70	21.44	<=38.45
		846.5	1	0	22.93	1.70	22.48	<=38.45
	13			22.88	1.70	22.43	<=38.45	Pass
	24			22.91	1.70	22.46	<=38.45	Pass
	12		0	22.00	1.70	21.55	<=38.45	Pass
			6	21.98	1.70	21.53	<=38.45	Pass
			13	21.86	1.70	21.41	<=38.45	Pass
	25		0	21.90	1.70	21.45	<=38.45	Pass

Note1: ERP=Conducted Power+Antenna Gain-2.15

1.16 B5_10MHz

Band: 5 / Bandwidth: 10MHz / NTV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	ERP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	829	1	0	23.75	1.70	23.30	<=38.45	Pass
			25	23.60	1.70	23.15	<=38.45	Pass
			49	23.71	1.70	23.26	<=38.45	Pass
		25	0	22.73	1.70	22.28	<=38.45	Pass
			13	22.73	1.70	22.28	<=38.45	Pass
			25	22.82	1.70	22.37	<=38.45	Pass
		50	0	22.77	1.70	22.32	<=38.45	Pass
	836.5	1	0	23.80	1.70	23.35	<=38.45	Pass
			25	23.76	1.70	23.31	<=38.45	Pass
			49	23.86	1.70	23.41	<=38.45	Pass
		25	0	22.76	1.70	22.31	<=38.45	Pass
			13	22.78	1.70	22.33	<=38.45	Pass
			25	22.70	1.70	22.25	<=38.45	Pass
		50	0	22.76	1.70	22.31	<=38.45	Pass
	844	1	0	23.85	1.70	23.40	<=38.45	Pass
			25	23.65	1.70	23.20	<=38.45	Pass
			49	23.77	1.70	23.32	<=38.45	Pass
		25	0	22.78	1.70	22.33	<=38.45	Pass
			13	22.76	1.70	22.31	<=38.45	Pass
			25	22.67	1.70	22.22	<=38.45	Pass
		50	0	22.75	1.70	22.30	<=38.45	Pass

16QAM	829	1	0	22.80	1.70	22.35	<=38.45	Pass
			25	22.87	1.70	22.42	<=38.45	Pass
			49	23.11	1.70	22.66	<=38.45	Pass
		25	0	21.88	1.70	21.43	<=38.45	Pass
			13	21.87	1.70	21.42	<=38.45	Pass
			25	21.95	1.70	21.50	<=38.45	Pass
		50	0	21.89	1.70	21.44	<=38.45	Pass
	836.5	1	0	23.12	1.70	22.67	<=38.45	Pass
			25	23.10	1.70	22.65	<=38.45	Pass
			49	22.97	1.70	22.52	<=38.45	Pass
		25	0	21.85	1.70	21.40	<=38.45	Pass
			13	21.88	1.70	21.43	<=38.45	Pass
			25	21.84	1.70	21.39	<=38.45	Pass
		50	0	21.84	1.70	21.39	<=38.45	Pass
	844	1	0	23.09	1.70	22.64	<=38.45	Pass
			25	23.01	1.70	22.56	<=38.45	Pass
			49	23.06	1.70	22.61	<=38.45	Pass
		25	0	21.90	1.70	21.45	<=38.45	Pass
			13	21.91	1.70	21.46	<=38.45	Pass
			25	21.83	1.70	21.38	<=38.45	Pass
		50	0	21.87	1.70	21.42	<=38.45	Pass
Note1: ERP=Conducted Power+Antenna Gain-2.15								

1.17 B7_5MHz

Band: 7 / Bandwidth: 5MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	2502.5	1	0	23.29	2.10	25.39	<=33.01	Pass
			13	23.10	2.10	25.20	<=33.01	Pass
			24	23.31	2.10	25.41	<=33.01	Pass
		12	0	22.26	2.10	24.36	<=33.01	Pass
			6	22.24	2.10	24.34	<=33.01	Pass
			13	22.23	2.10	24.33	<=33.01	Pass
		25	0	22.33	2.10	24.43	<=33.01	Pass
	2535	1	0	23.33	2.10	25.43	<=33.01	Pass
			13	23.28	2.10	25.38	<=33.01	Pass
			24	23.25	2.10	25.35	<=33.01	Pass
		12	0	22.37	2.10	24.47	<=33.01	Pass
			6	22.34	2.10	24.44	<=33.01	Pass
			13	22.35	2.10	24.45	<=33.01	Pass
		25	0	22.38	2.10	24.48	<=33.01	Pass
	2567.5	1	0	23.37	2.10	25.47	<=33.01	Pass
			13	23.31	2.10	25.41	<=33.01	Pass
			24	23.31	2.10	25.41	<=33.01	Pass
		12	0	22.33	2.10	24.43	<=33.01	Pass
			6	22.35	2.10	24.45	<=33.01	Pass
			13	22.37	2.10	24.47	<=33.01	Pass
		25	0	22.38	2.10	24.48	<=33.01	Pass
16QAM	2502.5	1	0	22.43	2.10	24.53	<=33.01	Pass
			13	22.35	2.10	24.45	<=33.01	Pass
			24	22.38	2.10	24.48	<=33.01	Pass
		12	0	21.29	2.10	23.39	<=33.01	Pass
			6	21.26	2.10	23.36	<=33.01	Pass
			13	21.21	2.10	23.31	<=33.01	Pass
		25	0	21.30	2.10	23.40	<=33.01	Pass
	2535	1	0	22.54	2.10	24.64	<=33.01	Pass
			13	22.57	2.10	24.67	<=33.01	Pass
			24	22.53	2.10	24.63	<=33.01	Pass
		12	0	21.36	2.10	23.46	<=33.01	Pass
			6	21.32	2.10	23.42	<=33.01	Pass
			13	21.36	2.10	23.46	<=33.01	Pass
		25	0	21.36	2.10	23.46	<=33.01	Pass
	2567.5	1	0	22.49	2.10	24.59	<=33.01	Pass
			13	22.45	2.10	24.55	<=33.01	Pass
			24	22.60	2.10	24.70	<=33.01	Pass
		12	0	21.39	2.10	23.49	<=33.01	Pass

			6	21.30	2.10	23.40	<=33.01	Pass
			13	21.36	2.10	23.46	<=33.01	Pass
		25	0	21.39	2.10	23.49	<=33.01	Pass
Note1: EIRP=Conducted Power+Antenna Gain								

1.18 B7_10MHz

Band: 7 / Bandwidth: 10MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	2505	1	0	23.27	2.10	25.37	<=33.01	Pass
			25	23.08	2.10	25.18	<=33.01	Pass
			49	23.24	2.10	25.34	<=33.01	Pass
		25	0	22.27	2.10	24.37	<=33.01	Pass
			13	22.24	2.10	24.34	<=33.01	Pass
			25	22.26	2.10	24.36	<=33.01	Pass
		50	0	22.28	2.10	24.38	<=33.01	Pass
	2535	1	0	23.41	2.10	25.51	<=33.01	Pass
			25	23.37	2.10	25.47	<=33.01	Pass
			49	23.46	2.10	25.56	<=33.01	Pass
		25	0	22.36	2.10	24.46	<=33.01	Pass
			13	22.32	2.10	24.42	<=33.01	Pass
			25	22.37	2.10	24.47	<=33.01	Pass
		50	0	22.36	2.10	24.46	<=33.01	Pass
	2565	1	0	23.34	2.10	25.44	<=33.01	Pass
			25	23.26	2.10	25.36	<=33.01	Pass
			49	23.34	2.10	25.44	<=33.01	Pass
		25	0	22.35	2.10	24.45	<=33.01	Pass
			13	22.33	2.10	24.43	<=33.01	Pass
			25	22.37	2.10	24.47	<=33.01	Pass
		50	0	22.36	2.10	24.46	<=33.01	Pass
16QAM	2505	1	0	22.27	2.10	24.37	<=33.01	Pass
			25	22.48	2.10	24.58	<=33.01	Pass
			49	22.41	2.10	24.51	<=33.01	Pass
		25	0	21.29	2.10	23.39	<=33.01	Pass
			13	21.24	2.10	23.34	<=33.01	Pass
			25	21.28	2.10	23.38	<=33.01	Pass
		50	0	21.27	2.10	23.37	<=33.01	Pass
	2535	1	0	22.61	2.10	24.71	<=33.01	Pass
			25	22.49	2.10	24.59	<=33.01	Pass
			49	22.64	2.10	24.74	<=33.01	Pass
		25	0	21.36	2.10	23.46	<=33.01	Pass
			13	21.36	2.10	23.46	<=33.01	Pass

			25	21.35	2.10	23.45	<=33.01	Pass
		50	0	21.36	2.10	23.46	<=33.01	Pass
	2565	1	0	22.52	2.10	24.62	<=33.01	Pass
			25	22.55	2.10	24.65	<=33.01	Pass
			49	22.56	2.10	24.66	<=33.01	Pass
		25	0	21.35	2.10	23.45	<=33.01	Pass
			13	21.32	2.10	23.42	<=33.01	Pass
			25	21.34	2.10	23.44	<=33.01	Pass
		50	0	21.36	2.10	23.46	<=33.01	Pass
Note1: EIRP=Conducted Power+Antenna Gain								

1.19 B7_15MHz

Band: 7 / Bandwidth: 15MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	2507.5	1	0	23.12	2.10	25.22	<=33.01	Pass
			38	23.20	2.10	25.30	<=33.01	Pass
			74	23.22	2.10	25.32	<=33.01	Pass
		36	0	22.26	2.10	24.36	<=33.01	Pass
			18	22.27	2.10	24.37	<=33.01	Pass
			39	22.30	2.10	24.40	<=33.01	Pass
		75	0	22.31	2.10	24.41	<=33.01	Pass
	2535	1	0	23.29	2.10	25.39	<=33.01	Pass
			38	23.43	2.10	25.53	<=33.01	Pass
			74	23.46	2.10	25.56	<=33.01	Pass
		36	0	22.33	2.10	24.43	<=33.01	Pass
			18	22.36	2.10	24.46	<=33.01	Pass
			39	22.33	2.10	24.43	<=33.01	Pass
		75	0	22.38	2.10	24.48	<=33.01	Pass
	2562.5	1	0	23.33	2.10	25.43	<=33.01	Pass
			38	23.45	2.10	25.55	<=33.01	Pass
			74	23.36	2.10	25.46	<=33.01	Pass
		36	0	22.36	2.10	24.46	<=33.01	Pass
			18	22.34	2.10	24.44	<=33.01	Pass
			39	22.32	2.10	24.42	<=33.01	Pass
		75	0	22.37	2.10	24.47	<=33.01	Pass
16QAM	2507.5	1	0	22.13	2.10	24.23	<=33.01	Pass
			38	22.44	2.10	24.54	<=33.01	Pass
			74	22.38	2.10	24.48	<=33.01	Pass
		36	0	21.27	2.10	23.37	<=33.01	Pass
			18	21.27	2.10	23.37	<=33.01	Pass
			39	21.33	2.10	23.43	<=33.01	Pass

		75	0	21.29	2.10	23.39	<=33.01	Pass
	2535	1	0	22.57	2.10	24.67	<=33.01	Pass
			38	22.47	2.10	24.57	<=33.01	Pass
			74	22.53	2.10	24.63	<=33.01	Pass
			0	21.32	2.10	23.42	<=33.01	Pass
		36	18	21.37	2.10	23.47	<=33.01	Pass
			39	21.38	2.10	23.48	<=33.01	Pass
			75	0	21.35	2.10	23.45	<=33.01
		2562.5	1	0	22.53	2.10	24.63	<=33.01
	38			22.52	2.10	24.62	<=33.01	Pass
	74			22.54	2.10	24.64	<=33.01	Pass
	36		0	21.36	2.10	23.46	<=33.01	Pass
			18	21.35	2.10	23.45	<=33.01	Pass
			39	21.36	2.10	23.46	<=33.01	Pass
	75		0	21.37	2.10	23.47	<=33.01	Pass
Note1: EIRP=Conducted Power+Antenna Gain								

1.20 B7_20MHz

Band: 7 / Bandwidth: 20MHz / NTVN								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	2510	1	0	23.17	2.10	25.27	<=33.01	Pass
			50	23.26	2.10	25.36	<=33.01	Pass
			99	23.22	2.10	25.32	<=33.01	Pass
		50	0	22.30	2.10	24.40	<=33.01	Pass
			25	22.32	2.10	24.42	<=33.01	Pass
			50	22.33	2.10	24.43	<=33.01	Pass
		100	0	22.32	2.10	24.42	<=33.01	Pass
	2535	1	0	23.25	2.10	25.35	<=33.01	Pass
			50	23.30	2.10	25.40	<=33.01	Pass
			99	23.31	2.10	25.41	<=33.01	Pass
		50	0	22.31	2.10	24.41	<=33.01	Pass
			25	22.42	2.10	24.52	<=33.01	Pass
			50	22.39	2.10	24.49	<=33.01	Pass
		100	0	22.38	2.10	24.48	<=33.01	Pass
	2560	1	0	23.28	2.10	25.38	<=33.01	Pass
			50	23.35	2.10	25.45	<=33.01	Pass
			99	23.31	2.10	25.41	<=33.01	Pass
		50	0	22.38	2.10	24.48	<=33.01	Pass
			25	22.40	2.10	24.50	<=33.01	Pass
			50	22.36	2.10	24.46	<=33.01	Pass
		100	0	22.39	2.10	24.49	<=33.01	Pass

16QAM	2510	1	0	22.26	2.10	24.36	<=33.01	Pass		
			50	22.47	2.10	24.57	<=33.01	Pass		
			99	22.58	2.10	24.68	<=33.01	Pass		
		50	0	21.31	2.10	23.41	<=33.01	Pass		
			25	21.37	2.10	23.47	<=33.01	Pass		
			50	21.38	2.10	23.48	<=33.01	Pass		
		100	0	21.31	2.10	23.41	<=33.01	Pass		
		2535	1	0	22.49	2.10	24.59	<=33.01	Pass	
				50	22.63	2.10	24.73	<=33.01	Pass	
	99			22.66	2.10	24.76	<=33.01	Pass		
	50		0	21.32	2.10	23.42	<=33.01	Pass		
			25	21.39	2.10	23.49	<=33.01	Pass		
			50	21.40	2.10	23.50	<=33.01	Pass		
	100		0	21.37	2.10	23.47	<=33.01	Pass		
	2560		1	0	22.57	2.10	24.67	<=33.01	Pass	
				50	22.58	2.10	24.68	<=33.01	Pass	
		99		22.58	2.10	24.68	<=33.01	Pass		
		50	0	21.42	2.10	23.52	<=33.01	Pass		
			25	21.42	2.10	23.52	<=33.01	Pass		
			50	21.40	2.10	23.50	<=33.01	Pass		
		100	0	21.37	2.10	23.47	<=33.01	Pass		
		Note1: EIRP=Conducted Power+Antenna Gain								

1.21 B12_1.4MHz

Band: 12 / Bandwidth: 1.4MHz / NTN								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	ERP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	699.7	1	0	23.59	1.80	23.24	<=34.77	Pass
			2	23.52	1.80	23.17	<=34.77	Pass
			5	23.61	1.80	23.26	<=34.77	Pass
		3	0	23.56	1.80	23.21	<=34.77	Pass
			2	23.64	1.80	23.29	<=34.77	Pass
			3	23.62	1.80	23.27	<=34.77	Pass
		6	0	22.73	1.80	22.38	<=34.77	Pass
	707.5	1	0	23.72	1.80	23.37	<=34.77	Pass
			2	23.61	1.80	23.26	<=34.77	Pass
			5	23.72	1.80	23.37	<=34.77	Pass
		3	0	23.66	1.80	23.31	<=34.77	Pass
			2	23.53	1.80	23.18	<=34.77	Pass
			3	23.66	1.80	23.31	<=34.77	Pass
		6	0	22.78	1.80	22.43	<=34.77	Pass
	715.3	1	0	23.62	1.80	23.27	<=34.77	Pass
			2	23.55	1.80	23.20	<=34.77	Pass
			5	23.56	1.80	23.21	<=34.77	Pass
		3	0	23.74	1.80	23.39	<=34.77	Pass
			2	23.64	1.80	23.29	<=34.77	Pass
			3	23.73	1.80	23.38	<=34.77	Pass
		6	0	22.87	1.80	22.52	<=34.77	Pass
16QAM	699.7	1	0	23.04	1.80	22.69	<=34.77	Pass
			2	23.01	1.80	22.66	<=34.77	Pass
			5	22.95	1.80	22.60	<=34.77	Pass
		3	0	22.78	1.80	22.43	<=34.77	Pass
			2	22.72	1.80	22.37	<=34.77	Pass
			3	22.73	1.80	22.38	<=34.77	Pass
		6	0	21.81	1.80	21.46	<=34.77	Pass
	707.5	1	0	22.96	1.80	22.61	<=34.77	Pass
			2	23.03	1.80	22.68	<=34.77	Pass
			5	22.91	1.80	22.56	<=34.77	Pass
		3	0	22.83	1.80	22.48	<=34.77	Pass
			2	22.73	1.80	22.38	<=34.77	Pass
			3	22.81	1.80	22.46	<=34.77	Pass
		6	0	21.81	1.80	21.46	<=34.77	Pass
	715.3	1	0	22.91	1.80	22.56	<=34.77	Pass
			2	22.91	1.80	22.56	<=34.77	Pass
			5	22.85	1.80	22.50	<=34.77	Pass
		3	0	22.75	1.80	22.40	<=34.77	Pass

			2	22.80	1.80	22.45	<=34.77	Pass
			3	22.81	1.80	22.46	<=34.77	Pass
		6	0	21.88	1.80	21.53	<=34.77	Pass
Note1: ERP=Conducted Power+Antenna Gain-2.15								

1.22 B12_3MHz

Band: 12 / Bandwidth: 3MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	ERP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	700.5	1	0	23.57	1.80	23.22	<=34.77	Pass
			7	23.66	1.80	23.31	<=34.77	Pass
			14	23.61	1.80	23.26	<=34.77	Pass
		8	0	22.77	1.80	22.42	<=34.77	Pass
			4	22.77	1.80	22.42	<=34.77	Pass
			7	22.77	1.80	22.42	<=34.77	Pass
		15	0	22.77	1.80	22.42	<=34.77	Pass
	707.5	1	0	23.68	1.80	23.33	<=34.77	Pass
			7	23.49	1.80	23.14	<=34.77	Pass
			14	23.71	1.80	23.36	<=34.77	Pass
		8	0	22.78	1.80	22.43	<=34.77	Pass
			4	22.77	1.80	22.42	<=34.77	Pass
			7	22.81	1.80	22.46	<=34.77	Pass
		15	0	22.81	1.80	22.46	<=34.77	Pass
	714.5	1	0	23.61	1.80	23.26	<=34.77	Pass
			7	23.67	1.80	23.32	<=34.77	Pass
			14	23.69	1.80	23.34	<=34.77	Pass
		8	0	22.97	1.80	22.62	<=34.77	Pass
			4	22.92	1.80	22.57	<=34.77	Pass
			7	22.86	1.80	22.51	<=34.77	Pass
		15	0	22.90	1.80	22.55	<=34.77	Pass
16QAM	700.5	1	0	22.96	1.80	22.61	<=34.77	Pass
			7	22.82	1.80	22.47	<=34.77	Pass
			14	22.87	1.80	22.52	<=34.77	Pass
		8	0	21.81	1.80	21.46	<=34.77	Pass
			4	21.86	1.80	21.51	<=34.77	Pass
			7	21.84	1.80	21.49	<=34.77	Pass
		15	0	21.83	1.80	21.48	<=34.77	Pass
	707.5	1	0	22.99	1.80	22.64	<=34.77	Pass
			7	22.89	1.80	22.54	<=34.77	Pass
			14	22.87	1.80	22.52	<=34.77	Pass
		8	0	21.76	1.80	21.41	<=34.77	Pass
			4	21.87	1.80	21.52	<=34.77	Pass

			7	21.80	1.80	21.45	<=34.77	Pass
		15	0	21.85	1.80	21.50	<=34.77	Pass
	714.5	1	0	23.11	1.80	22.76	<=34.77	Pass
			7	23.07	1.80	22.72	<=34.77	Pass
			14	22.98	1.80	22.63	<=34.77	Pass
		8	0	22.01	1.80	21.66	<=34.77	Pass
			4	21.97	1.80	21.62	<=34.77	Pass
			7	21.97	1.80	21.62	<=34.77	Pass
		15	0	21.93	1.80	21.58	<=34.77	Pass
Note1: ERP=Conducted Power+Antenna Gain-2.15								

1.23 B12_5MHz

Band: 12 / Bandwidth: 5MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	ERP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	701.5	1	0	23.76	1.80	23.41	<=34.77	Pass
			13	23.73	1.80	23.38	<=34.77	Pass
			24	23.64	1.80	23.29	<=34.77	Pass
		12	0	22.81	1.80	22.46	<=34.77	Pass
			6	22.79	1.80	22.44	<=34.77	Pass
			13	22.80	1.80	22.45	<=34.77	Pass
		25	0	22.83	1.80	22.48	<=34.77	Pass
	707.5	1	0	23.84	1.80	23.49	<=34.77	Pass
			13	23.82	1.80	23.47	<=34.77	Pass
			24	23.81	1.80	23.46	<=34.77	Pass
		12	0	22.82	1.80	22.47	<=34.77	Pass
			6	22.82	1.80	22.47	<=34.77	Pass
			13	22.83	1.80	22.48	<=34.77	Pass
		25	0	22.84	1.80	22.49	<=34.77	Pass
	713.5	1	0	23.77	1.80	23.42	<=34.77	Pass
			13	23.57	1.80	23.22	<=34.77	Pass
			24	23.74	1.80	23.39	<=34.77	Pass
		12	0	23.01	1.80	22.66	<=34.77	Pass
			6	22.93	1.80	22.58	<=34.77	Pass
			13	22.91	1.80	22.56	<=34.77	Pass
		25	0	22.94	1.80	22.59	<=34.77	Pass
16QAM	701.5	1	0	22.96	1.80	22.61	<=34.77	Pass
			13	22.84	1.80	22.49	<=34.77	Pass
			24	23.02	1.80	22.67	<=34.77	Pass
		12	0	21.79	1.80	21.44	<=34.77	Pass
			6	21.85	1.80	21.50	<=34.77	Pass
			13	21.79	1.80	21.44	<=34.77	Pass

		25	0	21.83	1.80	21.48	<=34.77	Pass	
	707.5	1	0	23.04	1.80	22.69	<=34.77	Pass	
			13	23.01	1.80	22.66	<=34.77	Pass	
			24	22.82	1.80	22.47	<=34.77	Pass	
			0	21.81	1.80	21.46	<=34.77	Pass	
		12	6	21.78	1.80	21.43	<=34.77	Pass	
			13	21.81	1.80	21.46	<=34.77	Pass	
			25	0	21.90	1.80	21.55	<=34.77	Pass
		713.5	1	0	23.10	1.80	22.75	<=34.77	Pass
				13	23.22	1.80	22.87	<=34.77	Pass
	24			22.87	1.80	22.52	<=34.77	Pass	
	12		0	21.97	1.80	21.62	<=34.77	Pass	
			6	21.95	1.80	21.60	<=34.77	Pass	
			13	21.93	1.80	21.58	<=34.77	Pass	
	25		0	21.97	1.80	21.62	<=34.77	Pass	

Note1: ERP=Conducted Power+Antenna Gain-2.15

1.24 B12_10MHz

Band: 12 / Bandwidth: 10MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	ERP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	704	1	0	23.73	1.80	23.38	<=34.77	Pass
			25	23.58	1.80	23.23	<=34.77	Pass
			49	23.62	1.80	23.27	<=34.77	Pass
		25	0	22.88	1.80	22.53	<=34.77	Pass
			13	22.82	1.80	22.47	<=34.77	Pass
			25	22.87	1.80	22.52	<=34.77	Pass
		50	0	22.88	1.80	22.53	<=34.77	Pass
	707.5	1	0	23.65	1.80	23.30	<=34.77	Pass
			25	23.74	1.80	23.39	<=34.77	Pass
			49	23.48	1.80	23.13	<=34.77	Pass
		25	0	22.81	1.80	22.46	<=34.77	Pass
			13	22.83	1.80	22.48	<=34.77	Pass
			25	22.75	1.80	22.40	<=34.77	Pass
		50	0	22.81	1.80	22.46	<=34.77	Pass
	711	1	0	23.75	1.80	23.40	<=34.77	Pass
			25	23.59	1.80	23.24	<=34.77	Pass
			49	23.73	1.80	23.38	<=34.77	Pass
		25	0	22.79	1.80	22.44	<=34.77	Pass
			13	22.83	1.80	22.48	<=34.77	Pass
			25	22.82	1.80	22.47	<=34.77	Pass
		50	0	22.81	1.80	22.46	<=34.77	Pass

1.25 B13_5MHz

Band: 13 / Bandwidth: 5MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	ERP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	779.5	1	0	24.32	1.80	23.97	<=34.77	Pass
			13	24.37	1.80	24.02	<=34.77	Pass
			24	24.33	1.80	23.98	<=34.77	Pass
		12	0	23.47	1.80	23.12	<=34.77	Pass
			6	23.39	1.80	23.04	<=34.77	Pass
			13	23.27	1.80	22.92	<=34.77	Pass
		25	0	23.37	1.80	23.02	<=34.77	Pass
	782	1	0	24.18	1.80	23.83	<=34.77	Pass
			13	24.33	1.80	23.98	<=34.77	Pass
			24	24.31	1.80	23.96	<=34.77	Pass
		12	0	23.32	1.80	22.97	<=34.77	Pass
			6	23.43	1.80	23.08	<=34.77	Pass
			13	23.32	1.80	22.97	<=34.77	Pass
		25	0	23.29	1.80	22.94	<=34.77	Pass
	784.5	1	0	24.33	1.80	23.98	<=34.77	Pass
			13	24.37	1.80	24.02	<=34.77	Pass
			24	24.20	1.80	23.85	<=34.77	Pass
		12	0	23.24	1.80	22.89	<=34.77	Pass
			6	23.33	1.80	22.98	<=34.77	Pass
			13	23.26	1.80	22.91	<=34.77	Pass
		25	0	23.29	1.80	22.94	<=34.77	Pass
16QAM	779.5	1	0	23.53	1.80	23.18	<=34.77	Pass
			13	23.10	1.80	22.75	<=34.77	Pass
			24	23.49	1.80	23.14	<=34.77	Pass
		12	0	22.41	1.80	22.06	<=34.77	Pass
			6	22.44	1.80	22.09	<=34.77	Pass
			13	22.39	1.80	22.04	<=34.77	Pass
		25	0	22.33	1.80	21.98	<=34.77	Pass
	782	1	0	23.78	1.80	23.43	<=34.77	Pass
			13	23.54	1.80	23.19	<=34.77	Pass
			24	23.57	1.80	23.22	<=34.77	Pass
		12	0	22.35	1.80	22.00	<=34.77	Pass
			6	22.23	1.80	21.88	<=34.77	Pass
			13	22.31	1.80	21.96	<=34.77	Pass
		25	0	22.35	1.80	22.00	<=34.77	Pass
	784.5	1	0	23.76	1.80	23.41	<=34.77	Pass
			13	23.65	1.80	23.30	<=34.77	Pass
			24	23.61	1.80	23.26	<=34.77	Pass
		12	0	22.43	1.80	22.08	<=34.77	Pass

			6	22.27	1.80	21.92	<=34.77	Pass
			13	22.22	1.80	21.87	<=34.77	Pass
		25	0	22.24	1.80	21.89	<=34.77	Pass
Note1: ERP=Conducted Power+Antenna Gain-2.15								

1.26 B13_10MHz

Band: 13 / Bandwidth: 10MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	ERP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	782	1	0	24.29	1.80	23.94	<=34.77	Pass
			25	24.47	1.80	24.12	<=34.77	Pass
			49	24.32	1.80	23.97	<=34.77	Pass
		25	0	23.35	1.80	23.00	<=34.77	Pass
			13	23.38	1.80	23.03	<=34.77	Pass
			25	23.34	1.80	22.99	<=34.77	Pass
		50	0	23.49	1.80	23.14	<=34.77	Pass
16QAM	782	1	0	23.75	1.80	23.40	<=34.77	Pass
			25	23.55	1.80	23.20	<=34.77	Pass
			49	23.28	1.80	22.93	<=34.77	Pass
		25	0	22.27	1.80	21.92	<=34.77	Pass
			13	22.36	1.80	22.01	<=34.77	Pass
			25	22.33	1.80	21.98	<=34.77	Pass
		50	0	22.40	1.80	22.05	<=34.77	Pass
Note1: ERP=Conducted Power+Antenna Gain-2.15								

1.27 B25_1.4MHz

Band: 25 / Bandwidth: 1.4MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1850.7	1	0	23.64	4.20	27.84	<=33.01	Pass
			2	23.85	4.20	28.05	<=33.01	Pass
			5	23.78	4.20	27.98	<=33.01	Pass
		3	0	23.73	4.20	27.93	<=33.01	Pass
			2	23.67	4.20	27.87	<=33.01	Pass
			3	23.59	4.20	27.79	<=33.01	Pass
		6	0	22.74	4.20	26.94	<=33.01	Pass
	1882.5	1	0	23.64	4.20	27.84	<=33.01	Pass
			2	23.62	4.20	27.82	<=33.01	Pass
			5	23.80	4.20	28.00	<=33.01	Pass
		3	0	23.72	4.20	27.92	<=33.01	Pass
			2	23.64	4.20	27.84	<=33.01	Pass
			3	23.63	4.20	27.83	<=33.01	Pass
		6	0	22.58	4.20	26.78	<=33.01	Pass
	1914.3	1	0	23.70	4.20	27.90	<=33.01	Pass
			2	24.15	4.20	28.35	<=33.01	Pass
			5	23.75	4.20	27.95	<=33.01	Pass
		3	0	23.87	4.20	28.07	<=33.01	Pass
			2	23.90	4.20	28.10	<=33.01	Pass
			3	23.67	4.20	27.87	<=33.01	Pass
		6	0	22.91	4.20	27.11	<=33.01	Pass
16QAM	1850.7	1	0	23.20	4.20	27.40	<=33.01	Pass
			2	23.07	4.20	27.27	<=33.01	Pass
			5	23.14	4.20	27.34	<=33.01	Pass
		3	0	22.68	4.20	26.88	<=33.01	Pass
			2	22.72	4.20	26.92	<=33.01	Pass
			3	22.88	4.20	27.08	<=33.01	Pass
		6	0	21.74	4.20	25.94	<=33.01	Pass
	1882.5	1	0	22.74	4.20	26.94	<=33.01	Pass
			2	23.14	4.20	27.34	<=33.01	Pass
			5	22.78	4.20	26.98	<=33.01	Pass
		3	0	22.75	4.20	26.95	<=33.01	Pass
			2	22.84	4.20	27.04	<=33.01	Pass
			3	22.95	4.20	27.15	<=33.01	Pass
		6	0	21.77	4.20	25.97	<=33.01	Pass
	1914.3	1	0	23.12	4.20	27.32	<=33.01	Pass
			2	23.42	4.20	27.62	<=33.01	Pass
			5	23.24	4.20	27.44	<=33.01	Pass
		3	0	23.10	4.20	27.30	<=33.01	Pass

			2	23.10	4.20	27.30	<=33.01	Pass
			3	23.07	4.20	27.27	<=33.01	Pass
		6	0	22.16	4.20	26.36	<=33.01	Pass
Note1: EIRP=Conducted Power+Antenna Gain								

1.28 B25_3MHz

Band: 25 / Bandwidth: 3MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1851.5	1	0	23.66	4.20	27.86	<=33.01	Pass
			7	23.80	4.20	28.00	<=33.01	Pass
			14	23.89	4.20	28.09	<=33.01	Pass
		8	0	22.74	4.20	26.94	<=33.01	Pass
			4	22.83	4.20	27.03	<=33.01	Pass
			7	22.75	4.20	26.95	<=33.01	Pass
		15	0	22.70	4.20	26.90	<=33.01	Pass
	1882.5	1	0	23.69	4.20	27.89	<=33.01	Pass
			7	23.91	4.20	28.11	<=33.01	Pass
			14	23.79	4.20	27.99	<=33.01	Pass
		8	0	22.81	4.20	27.01	<=33.01	Pass
			4	22.78	4.20	26.98	<=33.01	Pass
			7	22.71	4.20	26.91	<=33.01	Pass
		15	0	22.76	4.20	26.96	<=33.01	Pass
	1913.5	1	0	23.81	4.20	28.01	<=33.01	Pass
			7	24.12	4.20	28.32	<=33.01	Pass
			14	24.05	4.20	28.25	<=33.01	Pass
		8	0	22.91	4.20	27.11	<=33.01	Pass
			4	23.01	4.20	27.21	<=33.01	Pass
			7	22.92	4.20	27.12	<=33.01	Pass
		15	0	22.86	4.20	27.06	<=33.01	Pass
16QAM	1851.5	1	0	22.92	4.20	27.12	<=33.01	Pass
			7	23.48	4.20	27.68	<=33.01	Pass
			14	22.86	4.20	27.06	<=33.01	Pass
		8	0	21.89	4.20	26.09	<=33.01	Pass
			4	21.73	4.20	25.93	<=33.01	Pass
			7	21.85	4.20	26.05	<=33.01	Pass
		15	0	21.76	4.20	25.96	<=33.01	Pass
	1882.5	1	0	22.82	4.20	27.02	<=33.01	Pass
			7	23.15	4.20	27.35	<=33.01	Pass
			14	23.07	4.20	27.27	<=33.01	Pass
		8	0	21.78	4.20	25.98	<=33.01	Pass
			4	21.88	4.20	26.08	<=33.01	Pass

			7	21.77	4.20	25.97	<=33.01	Pass
		15	0	21.73	4.20	25.93	<=33.01	Pass
	1913.5	1	0	23.01	4.20	27.21	<=33.01	Pass
			7	22.97	4.20	27.17	<=33.01	Pass
			14	23.14	4.20	27.34	<=33.01	Pass
		8	0	22.00	4.20	26.20	<=33.01	Pass
			4	21.99	4.20	26.19	<=33.01	Pass
			7	22.05	4.20	26.25	<=33.01	Pass
		15	0	21.96	4.20	26.16	<=33.01	Pass
Note1: EIRP=Conducted Power+Antenna Gain								

1.29 B25_5MHz

Band: 25 / Bandwidth: 5MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1852.5	1	0	23.67	4.20	27.87	<=33.01	Pass
			13	24.03	4.20	28.23	<=33.01	Pass
			24	23.63	4.20	27.83	<=33.01	Pass
		12	0	22.82	4.20	27.02	<=33.01	Pass
			6	22.81	4.20	27.01	<=33.01	Pass
			13	22.75	4.20	26.95	<=33.01	Pass
		25	0	22.79	4.20	26.99	<=33.01	Pass
	1882.5	1	0	23.60	4.20	27.80	<=33.01	Pass
			13	23.67	4.20	27.87	<=33.01	Pass
			24	23.68	4.20	27.88	<=33.01	Pass
		12	0	22.80	4.20	27.00	<=33.01	Pass
			6	22.73	4.20	26.93	<=33.01	Pass
			13	22.81	4.20	27.01	<=33.01	Pass
		25	0	22.70	4.20	26.90	<=33.01	Pass
	1912.5	1	0	23.86	4.20	28.06	<=33.01	Pass
			13	23.94	4.20	28.14	<=33.01	Pass
			24	24.06	4.20	28.26	<=33.01	Pass
		12	0	22.89	4.20	27.09	<=33.01	Pass
			6	22.91	4.20	27.11	<=33.01	Pass
			13	22.99	4.20	27.19	<=33.01	Pass
		25	0	22.99	4.20	27.19	<=33.01	Pass
16QAM	1852.5	1	0	22.88	4.20	27.08	<=33.01	Pass
			13	23.12	4.20	27.32	<=33.01	Pass
			24	23.16	4.20	27.36	<=33.01	Pass
		12	0	21.71	4.20	25.91	<=33.01	Pass
			6	21.87	4.20	26.07	<=33.01	Pass
			13	21.79	4.20	25.99	<=33.01	Pass

		25	0	21.86	4.20	26.06	<=33.01	Pass
		1	0	23.07	4.20	27.27	<=33.01	Pass
			13	23.08	4.20	27.28	<=33.01	Pass
			24	22.99	4.20	27.19	<=33.01	Pass
		12	0	21.71	4.20	25.91	<=33.01	Pass
			6	21.77	4.20	25.97	<=33.01	Pass
			13	21.78	4.20	25.98	<=33.01	Pass
		25	0	21.77	4.20	25.97	<=33.01	Pass
		1	0	23.20	4.20	27.40	<=33.01	Pass
			13	23.29	4.20	27.49	<=33.01	Pass
			24	23.30	4.20	27.50	<=33.01	Pass
		12	0	21.92	4.20	26.12	<=33.01	Pass
			6	21.98	4.20	26.18	<=33.01	Pass
			13	22.02	4.20	26.22	<=33.01	Pass
		25	0	21.94	4.20	26.14	<=33.01	Pass
		Note1: EIRP=Conducted Power+Antenna Gain						

1.30 B25_10MHz

Band: 25 / Bandwidth: 10MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1855	1	0	23.61	4.20	27.81	<=33.01	Pass
			25	23.81	4.20	28.01	<=33.01	Pass
			49	23.83	4.20	28.03	<=33.01	Pass
		25	0	22.82	4.20	27.02	<=33.01	Pass
			13	22.80	4.20	27.00	<=33.01	Pass
			25	22.78	4.20	26.98	<=33.01	Pass
		50	0	22.79	4.20	26.99	<=33.01	Pass
	1882.5	1	0	23.74	4.20	27.94	<=33.01	Pass
			25	23.91	4.20	28.11	<=33.01	Pass
			49	23.94	4.20	28.14	<=33.01	Pass
		25	0	22.84	4.20	27.04	<=33.01	Pass
			13	22.80	4.20	27.00	<=33.01	Pass
			25	22.67	4.20	26.87	<=33.01	Pass
		50	0	22.74	4.20	26.94	<=33.01	Pass
	1910	1	0	23.80	4.20	28.00	<=33.01	Pass
			25	23.74	4.20	27.94	<=33.01	Pass
			49	23.93	4.20	28.13	<=33.01	Pass
		25	0	22.97	4.20	27.17	<=33.01	Pass
			13	23.00	4.20	27.20	<=33.01	Pass
			25	22.95	4.20	27.15	<=33.01	Pass
		50	0	22.97	4.20	27.17	<=33.01	Pass

16QAM	1855	1	0	23.00	4.20	27.20	<=33.01	Pass
			25	23.35	4.20	27.55	<=33.01	Pass
			49	23.07	4.20	27.27	<=33.01	Pass
		25	0	21.87	4.20	26.07	<=33.01	Pass
			13	21.87	4.20	26.07	<=33.01	Pass
			25	21.81	4.20	26.01	<=33.01	Pass
		50	0	21.84	4.20	26.04	<=33.01	Pass
	1882.5	1	0	23.03	4.20	27.23	<=33.01	Pass
			25	22.92	4.20	27.12	<=33.01	Pass
			49	22.95	4.20	27.15	<=33.01	Pass
		25	0	21.87	4.20	26.07	<=33.01	Pass
			13	21.77	4.20	25.97	<=33.01	Pass
			25	21.50	4.20	25.70	<=33.01	Pass
		50	0	21.70	4.20	25.90	<=33.01	Pass
	1910	1	0	22.71	4.20	26.91	<=33.01	Pass
			25	23.08	4.20	27.28	<=33.01	Pass
			49	23.31	4.20	27.51	<=33.01	Pass
		25	0	22.00	4.20	26.20	<=33.01	Pass
			13	22.06	4.20	26.26	<=33.01	Pass
			25	21.98	4.20	26.18	<=33.01	Pass
		50	0	22.03	4.20	26.23	<=33.01	Pass
Note1: EIRP=Conducted Power+Antenna Gain								

1.31 B25_15MHz

Band: 25 / Bandwidth: 15MHz / NTN								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1857.5	1	0	23.90	4.20	28.10	<=33.01	Pass
			38	23.70	4.20	27.90	<=33.01	Pass
			74	23.67	4.20	27.87	<=33.01	Pass
		36	0	22.76	4.20	26.96	<=33.01	Pass
			18	22.70	4.20	26.90	<=33.01	Pass
			39	22.65	4.20	26.85	<=33.01	Pass
		75	0	22.71	4.20	26.91	<=33.01	Pass
	1882.5	1	0	23.65	4.20	27.85	<=33.01	Pass
			38	23.74	4.20	27.94	<=33.01	Pass
			74	24.11	4.20	28.31	<=33.01	Pass
		36	0	22.66	4.20	26.86	<=33.01	Pass
			18	22.74	4.20	26.94	<=33.01	Pass
			39	22.64	4.20	26.84	<=33.01	Pass
		75	0	22.63	4.20	26.83	<=33.01	Pass
	1907.5	1	0	23.73	4.20	27.93	<=33.01	Pass

16QAM			38	23.78	4.20	27.98	<=33.01	Pass
			74	24.03	4.20	28.23	<=33.01	Pass
		36	0	22.82	4.20	27.02	<=33.01	Pass
			18	22.95	4.20	27.15	<=33.01	Pass
			39	22.90	4.20	27.10	<=33.01	Pass
		75	0	23.00	4.20	27.20	<=33.01	Pass
	1857.5	1	0	22.76	4.20	26.96	<=33.01	Pass
			38	23.06	4.20	27.26	<=33.01	Pass
			74	22.92	4.20	27.12	<=33.01	Pass
		36	0	21.83	4.20	26.03	<=33.01	Pass
			18	21.67	4.20	25.87	<=33.01	Pass
			39	21.72	4.20	25.92	<=33.01	Pass
		75	0	21.76	4.20	25.96	<=33.01	Pass
	1882.5	1	0	22.82	4.20	27.02	<=33.01	Pass
			38	23.13	4.20	27.33	<=33.01	Pass
			74	23.04	4.20	27.24	<=33.01	Pass
		36	0	21.71	4.20	25.91	<=33.01	Pass
			18	21.78	4.20	25.98	<=33.01	Pass
			39	21.68	4.20	25.88	<=33.01	Pass
		75	0	21.75	4.20	25.95	<=33.01	Pass
	1907.5	1	0	23.05	4.20	27.25	<=33.01	Pass
			38	23.16	4.20	27.36	<=33.01	Pass
			74	23.19	4.20	27.39	<=33.01	Pass
		36	0	21.88	4.20	26.08	<=33.01	Pass
			18	21.94	4.20	26.14	<=33.01	Pass
			39	21.92	4.20	26.12	<=33.01	Pass
		75	0	21.92	4.20	26.12	<=33.01	Pass

Note1: EIRP=Conducted Power+Antenna Gain

1.32 B25_20MHz

Band: 25 / Bandwidth: 20MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1860	1	0	23.83	4.20	28.03	<=33.01	Pass
			50	23.74	4.20	27.94	<=33.01	Pass
			99	24.20	4.20	28.40	<=33.01	Pass
		50	0	22.77	4.20	26.97	<=33.01	Pass
			25	22.78	4.20	26.98	<=33.01	Pass
			50	22.75	4.20	26.95	<=33.01	Pass
		100	0	22.76	4.20	26.96	<=33.01	Pass
	1882.5	1	0	23.39	4.20	27.59	<=33.01	Pass
			50	23.72	4.20	27.92	<=33.01	Pass

			99	23.91	4.20	28.11	<=33.01	Pass
		50	0	22.71	4.20	26.91	<=33.01	Pass
			25	22.66	4.20	26.86	<=33.01	Pass
			50	22.64	4.20	26.84	<=33.01	Pass
		100	0	22.69	4.20	26.89	<=33.01	Pass
	1905	1	0	23.83	4.20	28.03	<=33.01	Pass
			50	24.44	4.20	28.64	<=33.01	Pass
			99	24.04	4.20	28.24	<=33.01	Pass
		50	0	22.82	4.20	27.02	<=33.01	Pass
			25	22.94	4.20	27.14	<=33.01	Pass
			50	22.94	4.20	27.14	<=33.01	Pass
		100	0	22.96	4.20	27.16	<=33.01	Pass
	16QAM	1860	1	0	22.99	4.20	27.19	<=33.01
50				23.13	4.20	27.33	<=33.01	Pass
99				23.09	4.20	27.29	<=33.01	Pass
50			0	21.81	4.20	26.01	<=33.01	Pass
			25	21.83	4.20	26.03	<=33.01	Pass
			50	21.75	4.20	25.95	<=33.01	Pass
100			0	21.82	4.20	26.02	<=33.01	Pass
1882.5		1	0	22.62	4.20	26.82	<=33.01	Pass
			50	22.98	4.20	27.18	<=33.01	Pass
			99	23.04	4.20	27.24	<=33.01	Pass
		50	0	21.76	4.20	25.96	<=33.01	Pass
			25	21.70	4.20	25.90	<=33.01	Pass
			50	21.60	4.20	25.80	<=33.01	Pass
		100	0	21.73	4.20	25.93	<=33.01	Pass
1905		1	0	23.05	4.20	27.25	<=33.01	Pass
			50	23.41	4.20	27.61	<=33.01	Pass
			99	23.34	4.20	27.54	<=33.01	Pass
		50	0	21.94	4.20	26.14	<=33.01	Pass
			25	21.96	4.20	26.16	<=33.01	Pass
			50	21.96	4.20	26.16	<=33.01	Pass
		100	0	21.89	4.20	26.09	<=33.01	Pass
Note1: EIRP=Conducted Power+Antenna Gain								

1.33 B26a_1.4MHz

Band: 26a / Bandwidth: 1.4MHz / NTNv						
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)		Verdict
		Size	Offset	Result	Limit	
QPSK	814.7	1	0	23.51	<=50	Pass
			2	23.48	<=50	Pass
			5	23.65	<=50	Pass
		3	0	23.59	<=50	Pass
			2	23.57	<=50	Pass
			3	23.58	<=50	Pass
		6	0	22.53	<=50	Pass
	819	1	0	23.53	<=50	Pass
			2	23.50	<=50	Pass
			5	23.47	<=50	Pass
		3	0	23.52	<=50	Pass
			2	23.48	<=50	Pass
			3	23.52	<=50	Pass
		6	0	22.59	<=50	Pass
	823.3	1	0	23.60	<=50	Pass
			2	23.39	<=50	Pass
			5	23.71	<=50	Pass
		3	0	23.60	<=50	Pass
			2	23.65	<=50	Pass
			3	23.52	<=50	Pass
		6	0	22.60	<=50	Pass
16QAM	814.7	1	0	22.76	<=50	Pass
			2	22.69	<=50	Pass
			5	22.77	<=50	Pass
		3	0	22.53	<=50	Pass
			2	22.56	<=50	Pass
			3	22.64	<=50	Pass
		6	0	21.68	<=50	Pass
	819	1	0	22.82	<=50	Pass
			2	22.76	<=50	Pass
			5	22.85	<=50	Pass
		3	0	22.54	<=50	Pass
			2	22.49	<=50	Pass
			3	22.53	<=50	Pass
		6	0	21.81	<=50	Pass
	823.3	1	0	22.87	<=50	Pass
			2	22.85	<=50	Pass
			5	22.79	<=50	Pass
		3	0	22.63	<=50	Pass

			2	22.51	<=50	Pass
			3	22.55	<=50	Pass
		6	0	21.78	<=50	Pass

1.34 B26a_3MHz

Band: 26a / Bandwidth: 3MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)		Verdict
		Size	Offset	Result	Limit	
QPSK	815.5	1	0	23.44	<=50	Pass
			7	23.48	<=50	Pass
			14	23.42	<=50	Pass
		8	0	22.54	<=50	Pass
			4	22.53	<=50	Pass
			7	22.57	<=50	Pass
		15	0	22.58	<=50	Pass
	819	1	0	23.47	<=50	Pass
			7	23.50	<=50	Pass
			14	23.52	<=50	Pass
		8	0	22.56	<=50	Pass
			4	22.58	<=50	Pass
			7	22.57	<=50	Pass
		15	0	22.58	<=50	Pass
	822.5	1	0	23.54	<=50	Pass
			7	23.56	<=50	Pass
			14	23.65	<=50	Pass
		8	0	22.64	<=50	Pass
			4	22.66	<=50	Pass
			7	22.63	<=50	Pass
		15	0	22.64	<=50	Pass
16QAM	815.5	1	0	22.63	<=50	Pass
			7	22.84	<=50	Pass
			14	22.78	<=50	Pass
		8	0	21.62	<=50	Pass
			4	21.66	<=50	Pass
			7	21.76	<=50	Pass
		15	0	21.67	<=50	Pass
	819	1	0	22.80	<=50	Pass
			7	22.74	<=50	Pass
			14	22.71	<=50	Pass
		8	0	21.75	<=50	Pass
			4	21.76	<=50	Pass
			7	21.73	<=50	Pass

	822.5	15	0	21.75	<=50	Pass
		1	0	22.75	<=50	Pass
			7	22.81	<=50	Pass
			14	22.88	<=50	Pass
		8	0	21.82	<=50	Pass
			4	21.80	<=50	Pass
			7	21.76	<=50	Pass
		15	0	21.81	<=50	Pass

1.35 B26a_5MHz

Band: 26a / Bandwidth: 5MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)		Verdict
		Size	Offset	Result	Limit	
QPSK	816.5	1	0	23.47	<=50	Pass
			13	23.60	<=50	Pass
			24	23.58	<=50	Pass
		12	0	22.60	<=50	Pass
			6	22.58	<=50	Pass
			13	22.62	<=50	Pass
		25	0	22.65	<=50	Pass
	819	1	0	23.54	<=50	Pass
			13	23.69	<=50	Pass
			24	23.57	<=50	Pass
		12	0	22.58	<=50	Pass
			6	22.61	<=50	Pass
			13	22.60	<=50	Pass
		25	0	22.63	<=50	Pass
	821.5	1	0	23.67	<=50	Pass
			13	23.72	<=50	Pass
			24	23.64	<=50	Pass
		12	0	22.71	<=50	Pass
			6	22.69	<=50	Pass
			13	22.66	<=50	Pass
		25	0	22.65	<=50	Pass
16QAM	816.5	1	0	22.71	<=50	Pass
			13	22.79	<=50	Pass
			24	22.69	<=50	Pass
		12	0	21.67	<=50	Pass
			6	21.67	<=50	Pass
			13	21.70	<=50	Pass
		25	0	21.73	<=50	Pass
	819	1	0	22.81	<=50	Pass

			13	22.68	<=50	Pass
			24	22.79	<=50	Pass
		12	0	21.69	<=50	Pass
			6	21.70	<=50	Pass
			13	21.68	<=50	Pass
		25	0	21.69	<=50	Pass
	821.5	1	0	22.88	<=50	Pass
			13	22.80	<=50	Pass
			24	22.85	<=50	Pass
		12	0	21.75	<=50	Pass
			6	21.77	<=50	Pass
			13	21.75	<=50	Pass
		25	0	21.74	<=50	Pass

1.36 B26a_10MHz

Band: 26a / Bandwidth: 10MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)		Verdict
		Size	Offset	Result	Limit	
QPSK	819	1	0	23.47	<=50	Pass
			25	23.42	<=50	Pass
			49	23.63	<=50	Pass
		25	0	22.44	<=50	Pass
			13	22.50	<=50	Pass
			25	22.61	<=50	Pass
		50	0	22.55	<=50	Pass
16QAM	819	1	0	22.86	<=50	Pass
			25	22.81	<=50	Pass
			49	22.86	<=50	Pass
		25	0	21.64	<=50	Pass
			13	21.64	<=50	Pass
			25	21.65	<=50	Pass
		50	0	21.63	<=50	Pass

1.37 B26b_1.4MHz

Band: 26b / Bandwidth: 1.4MHz / NTNv								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	ERP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	824.7	1	0	23.66	1.70	23.21	<=38.45	Pass
			2	23.64	1.70	23.19	<=38.45	Pass
			5	23.61	1.70	23.16	<=38.45	Pass
		3	0	23.65	1.70	23.20	<=38.45	Pass
			2	23.65	1.70	23.20	<=38.45	Pass
			3	23.65	1.70	23.20	<=38.45	Pass
		6	0	22.65	1.70	22.20	<=38.45	Pass
	836.5	1	0	23.54	1.70	23.09	<=38.45	Pass
			2	23.49	1.70	23.04	<=38.45	Pass
			5	23.48	1.70	23.03	<=38.45	Pass
		3	0	23.68	1.70	23.23	<=38.45	Pass
			2	23.66	1.70	23.21	<=38.45	Pass
			3	23.60	1.70	23.15	<=38.45	Pass
		6	0	22.69	1.70	22.24	<=38.45	Pass
	848.3	1	0	23.81	1.70	23.36	<=38.45	Pass
			2	23.75	1.70	23.30	<=38.45	Pass
			5	23.69	1.70	23.24	<=38.45	Pass
		3	0	23.79	1.70	23.34	<=38.45	Pass
			2	23.73	1.70	23.28	<=38.45	Pass
			3	23.74	1.70	23.29	<=38.45	Pass
		6	0	22.68	1.70	22.23	<=38.45	Pass
16QAM	824.7	1	0	22.78	1.70	22.33	<=38.45	Pass
			2	22.82	1.70	22.37	<=38.45	Pass
			5	22.77	1.70	22.32	<=38.45	Pass
		3	0	22.52	1.70	22.07	<=38.45	Pass
			2	22.55	1.70	22.10	<=38.45	Pass
			3	22.49	1.70	22.04	<=38.45	Pass
		6	0	21.88	1.70	21.43	<=38.45	Pass
	836.5	1	0	23.06	1.70	22.61	<=38.45	Pass
			2	22.97	1.70	22.52	<=38.45	Pass
			5	22.93	1.70	22.48	<=38.45	Pass
		3	0	22.67	1.70	22.22	<=38.45	Pass
			2	22.62	1.70	22.17	<=38.45	Pass
			3	22.64	1.70	22.19	<=38.45	Pass
		6	0	21.82	1.70	21.37	<=38.45	Pass
	848.3	1	0	22.89	1.70	22.44	<=38.45	Pass
			2	23.05	1.70	22.60	<=38.45	Pass
			5	22.91	1.70	22.46	<=38.45	Pass
		3	0	22.81	1.70	22.36	<=38.45	Pass

			2	22.81	1.70	22.36	<=38.45	Pass
			3	22.74	1.70	22.29	<=38.45	Pass
		6	0	21.90	1.70	21.45	<=38.45	Pass
Note1: ERP=Conducted Power+Antenna Gain-2.15								

1.38 B26b_3MHz

Band: 26b / Bandwidth: 3MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	ERP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	825.5	1	0	23.48	1.70	23.03	<=38.45	Pass
			7	23.54	1.70	23.09	<=38.45	Pass
			14	23.73	1.70	23.28	<=38.45	Pass
		8	0	22.71	1.70	22.26	<=38.45	Pass
			4	22.69	1.70	22.24	<=38.45	Pass
			7	22.62	1.70	22.17	<=38.45	Pass
		15	0	22.67	1.70	22.22	<=38.45	Pass
	836.5	1	0	23.79	1.70	23.34	<=38.45	Pass
			7	23.66	1.70	23.21	<=38.45	Pass
			14	23.77	1.70	23.32	<=38.45	Pass
		8	0	22.75	1.70	22.30	<=38.45	Pass
			4	22.75	1.70	22.30	<=38.45	Pass
			7	22.77	1.70	22.32	<=38.45	Pass
		15	0	22.77	1.70	22.32	<=38.45	Pass
	847.5	1	0	23.70	1.70	23.25	<=38.45	Pass
			7	23.67	1.70	23.22	<=38.45	Pass
			14	23.73	1.70	23.28	<=38.45	Pass
		8	0	22.82	1.70	22.37	<=38.45	Pass
			4	22.74	1.70	22.29	<=38.45	Pass
			7	22.78	1.70	22.33	<=38.45	Pass
		15	0	22.74	1.70	22.29	<=38.45	Pass
16QAM	825.5	1	0	22.72	1.70	22.27	<=38.45	Pass
			7	22.76	1.70	22.31	<=38.45	Pass
			14	22.92	1.70	22.47	<=38.45	Pass
		8	0	21.84	1.70	21.39	<=38.45	Pass
			4	21.85	1.70	21.40	<=38.45	Pass
			7	21.86	1.70	21.41	<=38.45	Pass
		15	0	21.88	1.70	21.43	<=38.45	Pass
	836.5	1	0	22.84	1.70	22.39	<=38.45	Pass
			7	22.89	1.70	22.44	<=38.45	Pass
			14	23.08	1.70	22.63	<=38.45	Pass
		8	0	21.83	1.70	21.38	<=38.45	Pass
			4	21.91	1.70	21.46	<=38.45	Pass

			7	21.86	1.70	21.41	<=38.45	Pass
		15	0	21.84	1.70	21.39	<=38.45	Pass
	847.5	1	0	22.91	1.70	22.46	<=38.45	Pass
			7	22.94	1.70	22.49	<=38.45	Pass
			14	22.96	1.70	22.51	<=38.45	Pass
		8	0	22.00	1.70	21.55	<=38.45	Pass
			4	21.84	1.70	21.39	<=38.45	Pass
			7	21.80	1.70	21.35	<=38.45	Pass
		15	0	21.86	1.70	21.41	<=38.45	Pass
Note1: ERP=Conducted Power+Antenna Gain-2.15								

1.39 B26b_5MHz

Band: 26b / Bandwidth: 5MHz / NTV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	ERP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	826.5	1	0	23.71	1.70	23.26	<=38.45	Pass
			13	23.63	1.70	23.18	<=38.45	Pass
			24	23.77	1.70	23.32	<=38.45	Pass
		12	0	22.75	1.70	22.30	<=38.45	Pass
			6	22.68	1.70	22.23	<=38.45	Pass
			13	22.71	1.70	22.26	<=38.45	Pass
		25	0	22.75	1.70	22.30	<=38.45	Pass
	836.5	1	0	23.79	1.70	23.34	<=38.45	Pass
			13	23.76	1.70	23.31	<=38.45	Pass
			24	23.80	1.70	23.35	<=38.45	Pass
		12	0	22.77	1.70	22.32	<=38.45	Pass
			6	22.77	1.70	22.32	<=38.45	Pass
			13	22.76	1.70	22.31	<=38.45	Pass
		25	0	22.82	1.70	22.37	<=38.45	Pass
	846.5	1	0	23.79	1.70	23.34	<=38.45	Pass
			13	23.55	1.70	23.10	<=38.45	Pass
			24	23.91	1.70	23.46	<=38.45	Pass
		12	0	22.86	1.70	22.41	<=38.45	Pass
			6	22.85	1.70	22.40	<=38.45	Pass
			13	22.69	1.70	22.24	<=38.45	Pass
		25	0	22.86	1.70	22.41	<=38.45	Pass
16QAM	826.5	1	0	22.90	1.70	22.45	<=38.45	Pass
			13	22.92	1.70	22.47	<=38.45	Pass
			24	22.93	1.70	22.48	<=38.45	Pass
		12	0	21.76	1.70	21.31	<=38.45	Pass
			6	21.70	1.70	21.25	<=38.45	Pass
			13	21.83	1.70	21.38	<=38.45	Pass

		25	0	21.87	1.70	21.42	<=38.45	Pass
	836.5	1	0	23.06	1.70	22.61	<=38.45	Pass
			13	22.87	1.70	22.42	<=38.45	Pass
			24	22.94	1.70	22.49	<=38.45	Pass
			0	21.82	1.70	21.37	<=38.45	Pass
		12	6	21.89	1.70	21.44	<=38.45	Pass
			13	21.82	1.70	21.37	<=38.45	Pass
			25	0	21.87	1.70	21.42	<=38.45
		846.5	1	0	22.99	1.70	22.54	<=38.45
	13			22.93	1.70	22.48	<=38.45	Pass
	24			22.98	1.70	22.53	<=38.45	Pass
	12		0	21.87	1.70	21.42	<=38.45	Pass
			6	21.90	1.70	21.45	<=38.45	Pass
			13	21.81	1.70	21.36	<=38.45	Pass
	25		0	21.92	1.70	21.47	<=38.45	Pass

Note1: ERP=Conducted Power+Antenna Gain-2.15

1.40 B26b_10MHz

Band: 26b / Bandwidth: 10MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	ERP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	829	1	0	23.64	1.70	23.19	<=38.45	Pass
			25	23.52	1.70	23.07	<=38.45	Pass
			49	23.80	1.70	23.35	<=38.45	Pass
		25	0	22.61	1.70	22.16	<=38.45	Pass
			13	22.65	1.70	22.20	<=38.45	Pass
			25	22.73	1.70	22.28	<=38.45	Pass
		50	0	22.78	1.70	22.33	<=38.45	Pass
	836.5	1	0	23.85	1.70	23.40	<=38.45	Pass
			25	23.66	1.70	23.21	<=38.45	Pass
			49	23.82	1.70	23.37	<=38.45	Pass
		25	0	22.71	1.70	22.26	<=38.45	Pass
			13	22.77	1.70	22.32	<=38.45	Pass
			25	22.73	1.70	22.28	<=38.45	Pass
		50	0	22.69	1.70	22.24	<=38.45	Pass
	844	1	0	23.73	1.70	23.28	<=38.45	Pass
			25	23.67	1.70	23.22	<=38.45	Pass
			49	23.73	1.70	23.28	<=38.45	Pass
		25	0	22.77	1.70	22.32	<=38.45	Pass
			13	22.79	1.70	22.34	<=38.45	Pass
			25	22.71	1.70	22.26	<=38.45	Pass
		50	0	22.76	1.70	22.31	<=38.45	Pass

16QAM	829	1	0	22.91	1.70	22.46	<=38.45	Pass
			25	22.65	1.70	22.20	<=38.45	Pass
			49	22.87	1.70	22.42	<=38.45	Pass
		25	0	21.86	1.70	21.41	<=38.45	Pass
			13	21.83	1.70	21.38	<=38.45	Pass
			25	21.81	1.70	21.36	<=38.45	Pass
		50	0	21.85	1.70	21.40	<=38.45	Pass
	836.5	1	0	23.06	1.70	22.61	<=38.45	Pass
			25	22.94	1.70	22.49	<=38.45	Pass
			49	23.03	1.70	22.58	<=38.45	Pass
		25	0	21.77	1.70	21.32	<=38.45	Pass
			13	21.82	1.70	21.37	<=38.45	Pass
			25	21.83	1.70	21.38	<=38.45	Pass
		50	0	21.76	1.70	21.31	<=38.45	Pass
	844	1	0	23.13	1.70	22.68	<=38.45	Pass
			25	22.93	1.70	22.48	<=38.45	Pass
			49	23.12	1.70	22.67	<=38.45	Pass
		25	0	21.90	1.70	21.45	<=38.45	Pass
			13	21.82	1.70	21.37	<=38.45	Pass
			25	21.75	1.70	21.30	<=38.45	Pass
		50	0	21.83	1.70	21.38	<=38.45	Pass

Note1: ERP=Conducted Power+Antenna Gain-2.15

1.41 B26b_15MHz

Band: 26b / Bandwidth: 15MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	ERP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	831.5	1	0	23.63	1.70	23.18	<=38.45	Pass
			38	23.69	1.70	23.24	<=38.45	Pass
			74	23.74	1.70	23.29	<=38.45	Pass
		36	0	22.75	1.70	22.30	<=38.45	Pass
			18	22.80	1.70	22.35	<=38.45	Pass
			39	22.83	1.70	22.38	<=38.45	Pass
		75	0	22.82	1.70	22.37	<=38.45	Pass
	836.5	1	0	23.66	1.70	23.21	<=38.45	Pass
			38	23.66	1.70	23.21	<=38.45	Pass
			74	23.40	1.70	22.95	<=38.45	Pass
		36	0	22.76	1.70	22.31	<=38.45	Pass
			18	22.82	1.70	22.37	<=38.45	Pass
			39	22.76	1.70	22.31	<=38.45	Pass
		75	0	22.80	1.70	22.35	<=38.45	Pass
	841.5	1	0	23.86	1.70	23.41	<=38.45	Pass

			38	23.77	1.70	23.32	<=38.45	Pass		
			74	23.80	1.70	23.35	<=38.45	Pass		
			36	0	22.83	1.70	22.38	<=38.45	Pass	
		18		22.84	1.70	22.39	<=38.45	Pass		
		39		22.80	1.70	22.35	<=38.45	Pass		
		75	0	22.86	1.70	22.41	<=38.45	Pass		
		16QAM	831.5	1	0	22.79	1.70	22.34	<=38.45	Pass
					38	23.04	1.70	22.59	<=38.45	Pass
					74	23.00	1.70	22.55	<=38.45	Pass
36	0			21.84	1.70	21.39	<=38.45	Pass		
	18			21.87	1.70	21.42	<=38.45	Pass		
	39			21.88	1.70	21.43	<=38.45	Pass		
75	0			21.87	1.70	21.42	<=38.45	Pass		
836.5	1			0	22.92	1.70	22.47	<=38.45	Pass	
				38	22.98	1.70	22.53	<=38.45	Pass	
			74	22.98	1.70	22.53	<=38.45	Pass		
	36		0	21.82	1.70	21.37	<=38.45	Pass		
			18	21.89	1.70	21.44	<=38.45	Pass		
			39	21.86	1.70	21.41	<=38.45	Pass		
	75		0	21.84	1.70	21.39	<=38.45	Pass		
	841.5		1	0	23.01	1.70	22.56	<=38.45	Pass	
				38	23.12	1.70	22.67	<=38.45	Pass	
74				23.08	1.70	22.63	<=38.45	Pass		
36			0	21.76	1.70	21.31	<=38.45	Pass		
			18	21.77	1.70	21.32	<=38.45	Pass		
			39	21.76	1.70	21.31	<=38.45	Pass		
75			0	21.83	1.70	21.38	<=38.45	Pass		
Note1: ERP=Conducted Power+Antenna Gain-2.15										

1.42 B38_5MHz

Band: 38 / Bandwidth: 5MHz / NTNv								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	2572.5	1	0	23.24	2.10	25.34	<=33.01	Pass
			13	23.19	2.10	25.29	<=33.01	Pass
			24	23.25	2.10	25.35	<=33.01	Pass
		12	0	22.25	2.10	24.35	<=33.01	Pass
			6	22.25	2.10	24.35	<=33.01	Pass
			13	22.26	2.10	24.36	<=33.01	Pass
		25	0	22.28	2.10	24.38	<=33.01	Pass
	2595	1	0	23.37	2.10	25.47	<=33.01	Pass
			13	23.33	2.10	25.43	<=33.01	Pass
			24	23.34	2.10	25.44	<=33.01	Pass
		12	0	22.35	2.10	24.45	<=33.01	Pass
			6	22.32	2.10	24.42	<=33.01	Pass
			13	22.32	2.10	24.42	<=33.01	Pass
		25	0	22.36	2.10	24.46	<=33.01	Pass
	2617.5	1	0	23.29	2.10	25.39	<=33.01	Pass
			13	23.27	2.10	25.37	<=33.01	Pass
			24	23.30	2.10	25.40	<=33.01	Pass
		12	0	22.31	2.10	24.41	<=33.01	Pass
			6	22.30	2.10	24.40	<=33.01	Pass
			13	22.29	2.10	24.39	<=33.01	Pass
		25	0	22.33	2.10	24.43	<=33.01	Pass
16QAM	2572.5	1	0	22.45	2.10	24.55	<=33.01	Pass
			13	22.44	2.10	24.54	<=33.01	Pass
			24	22.44	2.10	24.54	<=33.01	Pass
		12	0	21.32	2.10	23.42	<=33.01	Pass
			6	21.27	2.10	23.37	<=33.01	Pass
			13	21.29	2.10	23.39	<=33.01	Pass
		25	0	21.33	2.10	23.43	<=33.01	Pass
	2595	1	0	22.56	2.10	24.66	<=33.01	Pass
			13	22.50	2.10	24.60	<=33.01	Pass
			24	22.53	2.10	24.63	<=33.01	Pass
		12	0	21.38	2.10	23.48	<=33.01	Pass
			6	21.35	2.10	23.45	<=33.01	Pass
			13	21.35	2.10	23.45	<=33.01	Pass
		25	0	21.39	2.10	23.49	<=33.01	Pass
	2617.5	1	0	22.47	2.10	24.57	<=33.01	Pass
			13	22.44	2.10	24.54	<=33.01	Pass
			24	22.48	2.10	24.58	<=33.01	Pass
		12	0	21.35	2.10	23.45	<=33.01	Pass

			6	21.31	2.10	23.41	<=33.01	Pass
			13	21.33	2.10	23.43	<=33.01	Pass
		25	0	21.37	2.10	23.47	<=33.01	Pass
Note1: EIRP=Conducted Power+Antenna Gain								

1.43 B38_10MHz

Band: 38 / Bandwidth: 10MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	2575	1	0	23.41	2.10	25.51	<=33.01	Pass
			25	23.33	2.10	25.43	<=33.01	Pass
			49	23.39	2.10	25.49	<=33.01	Pass
		25	0	22.38	2.10	24.48	<=33.01	Pass
			13	22.39	2.10	24.49	<=33.01	Pass
			25	22.37	2.10	24.47	<=33.01	Pass
		50	0	22.39	2.10	24.49	<=33.01	Pass
	2595	1	0	23.40	2.10	25.50	<=33.01	Pass
			25	23.34	2.10	25.44	<=33.01	Pass
			49	23.31	2.10	25.41	<=33.01	Pass
		25	0	22.35	2.10	24.45	<=33.01	Pass
			13	22.33	2.10	24.43	<=33.01	Pass
			25	22.35	2.10	24.45	<=33.01	Pass
		50	0	22.37	2.10	24.47	<=33.01	Pass
	2615	1	0	23.33	2.10	25.43	<=33.01	Pass
			25	23.25	2.10	25.35	<=33.01	Pass
			49	23.32	2.10	25.42	<=33.01	Pass
		25	0	22.31	2.10	24.41	<=33.01	Pass
			13	22.29	2.10	24.39	<=33.01	Pass
			25	22.31	2.10	24.41	<=33.01	Pass
		50	0	22.31	2.10	24.41	<=33.01	Pass
16QAM	2575	1	0	22.59	2.10	24.69	<=33.01	Pass
			25	22.53	2.10	24.63	<=33.01	Pass
			49	22.60	2.10	24.70	<=33.01	Pass
		25	0	21.42	2.10	23.52	<=33.01	Pass
			13	21.40	2.10	23.50	<=33.01	Pass
			25	21.41	2.10	23.51	<=33.01	Pass
		50	0	21.43	2.10	23.53	<=33.01	Pass
	2595	1	0	22.60	2.10	24.70	<=33.01	Pass
			25	22.51	2.10	24.61	<=33.01	Pass
			49	22.50	2.10	24.60	<=33.01	Pass
		25	0	21.37	2.10	23.47	<=33.01	Pass
			13	21.36	2.10	23.46	<=33.01	Pass

			25	21.37	2.10	23.47	<=33.01	Pass
		50	0	21.39	2.10	23.49	<=33.01	Pass
	2615	1	0	22.52	2.10	24.62	<=33.01	Pass
			25	22.45	2.10	24.55	<=33.01	Pass
			49	22.51	2.10	24.61	<=33.01	Pass
		25	0	21.34	2.10	23.44	<=33.01	Pass
			13	21.31	2.10	23.41	<=33.01	Pass
			25	21.33	2.10	23.43	<=33.01	Pass
		50	0	21.34	2.10	23.44	<=33.01	Pass
Note1: EIRP=Conducted Power+Antenna Gain								

1.44 B38_15MHz

Band: 38 / Bandwidth: 15MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	2577.5	1	0	23.32	2.10	25.42	<=33.01	Pass
			38	23.39	2.10	25.49	<=33.01	Pass
			74	23.34	2.10	25.44	<=33.01	Pass
		36	0	22.38	2.10	24.48	<=33.01	Pass
			18	22.39	2.10	24.49	<=33.01	Pass
			39	22.36	2.10	24.46	<=33.01	Pass
		75	0	22.39	2.10	24.49	<=33.01	Pass
	2595	1	0	23.33	2.10	25.43	<=33.01	Pass
			38	23.37	2.10	25.47	<=33.01	Pass
			74	23.24	2.10	25.34	<=33.01	Pass
		36	0	22.34	2.10	24.44	<=33.01	Pass
			18	22.33	2.10	24.43	<=33.01	Pass
			39	22.29	2.10	24.39	<=33.01	Pass
		75	0	22.36	2.10	24.46	<=33.01	Pass
	2612.5	1	0	23.22	2.10	25.32	<=33.01	Pass
			38	23.28	2.10	25.38	<=33.01	Pass
			74	23.28	2.10	25.38	<=33.01	Pass
		36	0	22.30	2.10	24.40	<=33.01	Pass
			18	22.32	2.10	24.42	<=33.01	Pass
			39	22.27	2.10	24.37	<=33.01	Pass
		75	0	22.33	2.10	24.43	<=33.01	Pass
16QAM	2577.5	1	0	22.52	2.10	24.62	<=33.01	Pass
			38	22.59	2.10	24.69	<=33.01	Pass
			74	22.52	2.10	24.62	<=33.01	Pass
		36	0	21.38	2.10	23.48	<=33.01	Pass
			18	21.39	2.10	23.49	<=33.01	Pass
			39	21.35	2.10	23.45	<=33.01	Pass

		75	0	21.41	2.10	23.51	<=33.01	Pass
	2595	1	0	22.52	2.10	24.62	<=33.01	Pass
			38	22.56	2.10	24.66	<=33.01	Pass
			74	22.44	2.10	24.54	<=33.01	Pass
			0	21.34	2.10	23.44	<=33.01	Pass
		36	18	21.35	2.10	23.45	<=33.01	Pass
			39	21.30	2.10	23.40	<=33.01	Pass
			75	0	21.36	2.10	23.46	<=33.01
		2612.5	1	0	22.42	2.10	24.52	<=33.01
	38			22.47	2.10	24.57	<=33.01	Pass
	74			22.46	2.10	24.56	<=33.01	Pass
	36		0	21.31	2.10	23.41	<=33.01	Pass
			18	21.34	2.10	23.44	<=33.01	Pass
			39	21.28	2.10	23.38	<=33.01	Pass
	75		0	21.35	2.10	23.45	<=33.01	Pass
	Note1: EIRP=Conducted Power+Antenna Gain							

1.45 B38_20MHz

Band: 38 / Bandwidth: 20MHz / NTNv								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	2580	1	0	23.30	2.10	25.40	<=33.01	Pass
			50	23.37	2.10	25.47	<=33.01	Pass
			99	23.29	2.10	25.39	<=33.01	Pass
		50	0	22.39	2.10	24.49	<=33.01	Pass
			25	22.42	2.10	24.52	<=33.01	Pass
			50	22.36	2.10	24.46	<=33.01	Pass
		100	0	22.36	2.10	24.46	<=33.01	Pass
	2595	1	0	23.30	2.10	25.40	<=33.01	Pass
			50	23.33	2.10	25.43	<=33.01	Pass
			99	23.20	2.10	25.30	<=33.01	Pass
		50	0	22.35	2.10	24.45	<=33.01	Pass
			25	22.37	2.10	24.47	<=33.01	Pass
			50	22.32	2.10	24.42	<=33.01	Pass
		100	0	22.32	2.10	24.42	<=33.01	Pass
	2610	1	0	23.21	2.10	25.31	<=33.01	Pass
			50	23.29	2.10	25.39	<=33.01	Pass
			99	23.24	2.10	25.34	<=33.01	Pass
		50	0	22.33	2.10	24.43	<=33.01	Pass
			25	22.37	2.10	24.47	<=33.01	Pass
			50	22.30	2.10	24.40	<=33.01	Pass
		100	0	22.31	2.10	24.41	<=33.01	Pass

16QAM	2580	1	0	22.51	2.10	24.61	<=33.01	Pass
			50	22.59	2.10	24.69	<=33.01	Pass
			99	22.53	2.10	24.63	<=33.01	Pass
		50	0	21.44	2.10	23.54	<=33.01	Pass
			25	21.47	2.10	23.57	<=33.01	Pass
			50	21.42	2.10	23.52	<=33.01	Pass
		100	0	21.40	2.10	23.50	<=33.01	Pass
	2595	1	0	22.52	2.10	24.62	<=33.01	Pass
			50	22.56	2.10	24.66	<=33.01	Pass
			99	22.44	2.10	24.54	<=33.01	Pass
		50	0	21.40	2.10	23.50	<=33.01	Pass
			25	21.42	2.10	23.52	<=33.01	Pass
			50	21.36	2.10	23.46	<=33.01	Pass
		100	0	21.39	2.10	23.49	<=33.01	Pass
	2610	1	0	22.43	2.10	24.53	<=33.01	Pass
			50	22.53	2.10	24.63	<=33.01	Pass
			99	22.48	2.10	24.58	<=33.01	Pass
		50	0	21.38	2.10	23.48	<=33.01	Pass
			25	21.41	2.10	23.51	<=33.01	Pass
			50	21.37	2.10	23.47	<=33.01	Pass
		100	0	21.35	2.10	23.45	<=33.01	Pass
Note1: EIRP=Conducted Power+Antenna Gain								

1.46 B41_5MHz

Band: 41 / Bandwidth: 5MHz / NTNv								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	2498.5	1	0	22.76	2.10	24.86	<=33.01	Pass
			13	22.75	2.10	24.85	<=33.01	Pass
			24	22.80	2.10	24.90	<=33.01	Pass
		12	0	21.73	2.10	23.83	<=33.01	Pass
			6	21.70	2.10	23.80	<=33.01	Pass
			13	21.70	2.10	23.80	<=33.01	Pass
		25	0	21.72	2.10	23.82	<=33.01	Pass
	2593	1	0	22.82	2.10	24.92	<=33.01	Pass
			13	22.79	2.10	24.89	<=33.01	Pass
			24	22.81	2.10	24.91	<=33.01	Pass
		12	0	21.80	2.10	23.90	<=33.01	Pass
			6	21.73	2.10	23.83	<=33.01	Pass
			13	21.74	2.10	23.84	<=33.01	Pass
		25	0	21.77	2.10	23.87	<=33.01	Pass
	2687.5	1	0	23.02	2.10	25.12	<=33.01	Pass
			13	23.01	2.10	25.11	<=33.01	Pass
			24	23.04	2.10	25.14	<=33.01	Pass
		12	0	21.99	2.10	24.09	<=33.01	Pass
			6	21.98	2.10	24.08	<=33.01	Pass
			13	21.98	2.10	24.08	<=33.01	Pass
		25	0	22.01	2.10	24.11	<=33.01	Pass
16QAM	2498.5	1	0	21.88	2.10	23.98	<=33.01	Pass
			13	21.87	2.10	23.97	<=33.01	Pass
			24	21.89	2.10	23.99	<=33.01	Pass
		12	0	20.78	2.10	22.88	<=33.01	Pass
			6	20.73	2.10	22.83	<=33.01	Pass
			13	20.77	2.10	22.87	<=33.01	Pass
		25	0	20.77	2.10	22.87	<=33.01	Pass
	2593	1	0	21.97	2.10	24.07	<=33.01	Pass
			13	21.93	2.10	24.03	<=33.01	Pass
			24	21.95	2.10	24.05	<=33.01	Pass
		12	0	20.80	2.10	22.90	<=33.01	Pass
			6	20.78	2.10	22.88	<=33.01	Pass
			13	20.78	2.10	22.88	<=33.01	Pass
		25	0	20.81	2.10	22.91	<=33.01	Pass
	2687.5	1	0	22.18	2.10	24.28	<=33.01	Pass
			13	22.14	2.10	24.24	<=33.01	Pass
			24	22.21	2.10	24.31	<=33.01	Pass
		12	0	21.05	2.10	23.15	<=33.01	Pass

			6	21.03	2.10	23.13	<=33.01	Pass
			13	21.03	2.10	23.13	<=33.01	Pass
		25	0	21.04	2.10	23.14	<=33.01	Pass
Note1: EIRP=Conducted Power+Antenna Gain								

1.47 B41_10MHz

Band: 41 / Bandwidth: 10MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	2501	1	0	22.72	2.10	24.82	<=33.01	Pass
			25	22.65	2.10	24.75	<=33.01	Pass
			49	22.72	2.10	24.82	<=33.01	Pass
		25	0	21.69	2.10	23.79	<=33.01	Pass
			13	21.67	2.10	23.77	<=33.01	Pass
			25	21.65	2.10	23.75	<=33.01	Pass
		50	0	21.67	2.10	23.77	<=33.01	Pass
	2593	1	0	22.83	2.10	24.93	<=33.01	Pass
			25	22.78	2.10	24.88	<=33.01	Pass
			49	22.75	2.10	24.85	<=33.01	Pass
		25	0	21.79	2.10	23.89	<=33.01	Pass
			13	21.76	2.10	23.86	<=33.01	Pass
			25	21.72	2.10	23.82	<=33.01	Pass
		50	0	21.77	2.10	23.87	<=33.01	Pass
	2685	1	0	22.97	2.10	25.07	<=33.01	Pass
			25	22.95	2.10	25.05	<=33.01	Pass
			49	23.07	2.10	25.17	<=33.01	Pass
		25	0	21.98	2.10	24.08	<=33.01	Pass
			13	21.95	2.10	24.05	<=33.01	Pass
			25	21.97	2.10	24.07	<=33.01	Pass
		50	0	21.95	2.10	24.05	<=33.01	Pass
16QAM	2501	1	0	21.91	2.10	24.01	<=33.01	Pass
			25	21.86	2.10	23.96	<=33.01	Pass
			49	21.92	2.10	24.02	<=33.01	Pass
		25	0	20.72	2.10	22.82	<=33.01	Pass
			13	20.70	2.10	22.80	<=33.01	Pass
			25	20.68	2.10	22.78	<=33.01	Pass
		50	0	20.73	2.10	22.83	<=33.01	Pass
	2593	1	0	22.04	2.10	24.14	<=33.01	Pass
			25	21.96	2.10	24.06	<=33.01	Pass
			49	21.94	2.10	24.04	<=33.01	Pass
		25	0	20.83	2.10	22.93	<=33.01	Pass
			13	20.79	2.10	22.89	<=33.01	Pass

			25	20.76	2.10	22.86	<=33.01	Pass
		50	0	20.81	2.10	22.91	<=33.01	Pass
	2685	1	0	22.16	2.10	24.26	<=33.01	Pass
			25	22.15	2.10	24.25	<=33.01	Pass
			49	22.24	2.10	24.34	<=33.01	Pass
		25	0	21.00	2.10	23.10	<=33.01	Pass
			13	20.97	2.10	23.07	<=33.01	Pass
			25	20.98	2.10	23.08	<=33.01	Pass
		50	0	20.99	2.10	23.09	<=33.01	Pass
Note1: EIRP=Conducted Power+Antenna Gain								

1.48 B41_15MHz

Band: 41 / Bandwidth: 15MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	2503.5	1	0	22.66	2.10	24.76	<=33.01	Pass
			38	22.72	2.10	24.82	<=33.01	Pass
			74	22.72	2.10	24.82	<=33.01	Pass
		36	0	21.71	2.10	23.81	<=33.01	Pass
			18	21.69	2.10	23.79	<=33.01	Pass
			39	21.68	2.10	23.78	<=33.01	Pass
		75	0	21.71	2.10	23.81	<=33.01	Pass
	2593	1	0	22.78	2.10	24.88	<=33.01	Pass
			38	22.83	2.10	24.93	<=33.01	Pass
			74	22.73	2.10	24.83	<=33.01	Pass
		36	0	21.80	2.10	23.90	<=33.01	Pass
			18	21.79	2.10	23.89	<=33.01	Pass
			39	21.73	2.10	23.83	<=33.01	Pass
		75	0	21.79	2.10	23.89	<=33.01	Pass
	2682.5	1	0	22.84	2.10	24.94	<=33.01	Pass
			38	22.99	2.10	25.09	<=33.01	Pass
			74	23.04	2.10	25.14	<=33.01	Pass
		36	0	21.91	2.10	24.01	<=33.01	Pass
			18	21.96	2.10	24.06	<=33.01	Pass
			39	21.94	2.10	24.04	<=33.01	Pass
		75	0	21.97	2.10	24.07	<=33.01	Pass
16QAM	2503.5	1	0	21.85	2.10	23.95	<=33.01	Pass
			38	21.91	2.10	24.01	<=33.01	Pass
			74	21.94	2.10	24.04	<=33.01	Pass
		36	0	20.69	2.10	22.79	<=33.01	Pass
			18	20.69	2.10	22.79	<=33.01	Pass
			39	20.67	2.10	22.77	<=33.01	Pass

		75	0	20.72	2.10	22.82	<=33.01	Pass
	2593	1	0	21.96	2.10	24.06	<=33.01	Pass
			38	22.01	2.10	24.11	<=33.01	Pass
			74	21.91	2.10	24.01	<=33.01	Pass
			0	20.79	2.10	22.89	<=33.01	Pass
		36	18	20.77	2.10	22.87	<=33.01	Pass
			39	20.73	2.10	22.83	<=33.01	Pass
			75	0	20.80	2.10	22.90	<=33.01
		2682.5	1	0	22.03	2.10	24.13	<=33.01
	38			22.18	2.10	24.28	<=33.01	Pass
	74			22.20	2.10	24.30	<=33.01	Pass
	36		0	20.88	2.10	22.98	<=33.01	Pass
			18	20.95	2.10	23.05	<=33.01	Pass
			39	20.93	2.10	23.03	<=33.01	Pass
	75		0	20.96	2.10	23.06	<=33.01	Pass
	Note1: EIRP=Conducted Power+Antenna Gain							

1.49 B41_20MHz

Band: 41 / Bandwidth: 20MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	2506	1	0	22.61	2.10	24.71	<=33.01	Pass
			50	22.70	2.10	24.80	<=33.01	Pass
			99	22.65	2.10	24.75	<=33.01	Pass
		50	0	21.69	2.10	23.79	<=33.01	Pass
			25	21.71	2.10	23.81	<=33.01	Pass
			50	21.67	2.10	23.77	<=33.01	Pass
		100	0	21.68	2.10	23.78	<=33.01	Pass
	2593	1	0	22.75	2.10	24.85	<=33.01	Pass
			50	22.80	2.10	24.90	<=33.01	Pass
			99	22.70	2.10	24.80	<=33.01	Pass
		50	0	21.82	2.10	23.92	<=33.01	Pass
			25	21.81	2.10	23.91	<=33.01	Pass
			50	21.75	2.10	23.85	<=33.01	Pass
		100	0	21.78	2.10	23.88	<=33.01	Pass
	2680	1	0	22.78	2.10	24.88	<=33.01	Pass
			50	22.94	2.10	25.04	<=33.01	Pass
			99	23.00	2.10	25.10	<=33.01	Pass
		50	0	21.89	2.10	23.99	<=33.01	Pass
			25	21.95	2.10	24.05	<=33.01	Pass
			50	21.95	2.10	24.05	<=33.01	Pass
		100	0	21.91	2.10	24.01	<=33.01	Pass

16QAM	2506	1	0	21.85	2.10	23.95	<=33.01	Pass
			50	21.96	2.10	24.06	<=33.01	Pass
			99	21.91	2.10	24.01	<=33.01	Pass
		50	0	20.75	2.10	22.85	<=33.01	Pass
			25	20.77	2.10	22.87	<=33.01	Pass
			50	20.72	2.10	22.82	<=33.01	Pass
		100	0	20.73	2.10	22.83	<=33.01	Pass
	2593	1	0	21.96	2.10	24.06	<=33.01	Pass
			50	22.00	2.10	24.10	<=33.01	Pass
			99	21.91	2.10	24.01	<=33.01	Pass
		50	0	20.85	2.10	22.95	<=33.01	Pass
			25	20.83	2.10	22.93	<=33.01	Pass
			50	20.80	2.10	22.90	<=33.01	Pass
		100	0	20.80	2.10	22.90	<=33.01	Pass
	2680	1	0	22.01	2.10	24.11	<=33.01	Pass
			50	22.14	2.10	24.24	<=33.01	Pass
			99	22.19	2.10	24.29	<=33.01	Pass
		50	0	20.91	2.10	23.01	<=33.01	Pass
			25	20.99	2.10	23.09	<=33.01	Pass
			50	20.99	2.10	23.09	<=33.01	Pass
		100	0	20.95	2.10	23.05	<=33.01	Pass
Note1: EIRP=Conducted Power+Antenna Gain								

1.50 B66_1.4MHz

Band: 66 / Bandwidth: 1.4MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1710.7	1	0	23.83	4.20	28.03	<=30	Pass
			2	23.81	4.20	28.01	<=30	Pass
			5	23.90	4.20	28.10	<=30	Pass
		3	0	23.85	4.20	28.05	<=30	Pass
			2	23.87	4.20	28.07	<=30	Pass
			3	23.90	4.20	28.10	<=30	Pass
		6	0	22.83	4.20	27.03	<=30	Pass
	1745	1	0	23.98	4.20	28.18	<=30	Pass
			2	23.85	4.20	28.05	<=30	Pass
			5	23.81	4.20	28.01	<=30	Pass
		3	0	23.84	4.20	28.04	<=30	Pass
			2	23.88	4.20	28.08	<=30	Pass
			3	23.87	4.20	28.07	<=30	Pass
		6	0	22.90	4.20	27.10	<=30	Pass
	1779.3	1	0	23.69	4.20	27.89	<=30	Pass
			2	23.78	4.20	27.98	<=30	Pass
			5	23.74	4.20	27.94	<=30	Pass
		3	0	23.66	4.20	27.86	<=30	Pass
			2	23.74	4.20	27.94	<=30	Pass
			3	23.69	4.20	27.89	<=30	Pass
		6	0	22.70	4.20	26.90	<=30	Pass
16QAM	1710.7	1	0	23.08	4.20	27.28	<=30	Pass
			2	23.19	4.20	27.39	<=30	Pass
			5	23.03	4.20	27.23	<=30	Pass
		3	0	22.92	4.20	27.12	<=30	Pass
			2	22.79	4.20	26.99	<=30	Pass
			3	22.95	4.20	27.15	<=30	Pass
		6	0	22.01	4.20	26.21	<=30	Pass
	1745	1	0	23.04	4.20	27.24	<=30	Pass
			2	23.02	4.20	27.22	<=30	Pass
			5	23.18	4.20	27.38	<=30	Pass
		3	0	22.97	4.20	27.17	<=30	Pass
			2	22.82	4.20	27.02	<=30	Pass
			3	22.85	4.20	27.05	<=30	Pass
		6	0	22.00	4.20	26.20	<=30	Pass
	1779.3	1	0	23.00	4.20	27.20	<=30	Pass
			2	22.96	4.20	27.16	<=30	Pass
			5	22.93	4.20	27.13	<=30	Pass
		3	0	22.67	4.20	26.87	<=30	Pass

			2	22.72	4.20	26.92	<=30	Pass
			3	22.73	4.20	26.93	<=30	Pass
		6	0	21.79	4.20	25.99	<=30	Pass
Note1: EIRP=Conducted Power+Antenna Gain								

1.51 B66_3MHz

Band: 66 / Bandwidth: 3MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1711.5	1	0	23.83	4.20	28.03	<=30	Pass
			7	23.87	4.20	28.07	<=30	Pass
			14	23.87	4.20	28.07	<=30	Pass
		8	0	22.93	4.20	27.13	<=30	Pass
			4	22.91	4.20	27.11	<=30	Pass
			7	22.93	4.20	27.13	<=30	Pass
		15	0	22.95	4.20	27.15	<=30	Pass
	1745	1	0	23.86	4.20	28.06	<=30	Pass
			7	24.00	4.20	28.20	<=30	Pass
			14	23.82	4.20	28.02	<=30	Pass
		8	0	22.91	4.20	27.11	<=30	Pass
			4	22.91	4.20	27.11	<=30	Pass
			7	22.88	4.20	27.08	<=30	Pass
		15	0	22.95	4.20	27.15	<=30	Pass
	1778.5	1	0	23.67	4.20	27.87	<=30	Pass
			7	23.71	4.20	27.91	<=30	Pass
			14	23.77	4.20	27.97	<=30	Pass
		8	0	22.75	4.20	26.95	<=30	Pass
			4	22.73	4.20	26.93	<=30	Pass
			7	22.77	4.20	26.97	<=30	Pass
		15	0	22.76	4.20	26.96	<=30	Pass
16QAM	1711.5	1	0	23.04	4.20	27.24	<=30	Pass
			7	23.16	4.20	27.36	<=30	Pass
			14	23.21	4.20	27.41	<=30	Pass
		8	0	22.14	4.20	26.34	<=30	Pass
			4	22.04	4.20	26.24	<=30	Pass
			7	22.09	4.20	26.29	<=30	Pass
		15	0	22.08	4.20	26.28	<=30	Pass
	1745	1	0	23.19	4.20	27.39	<=30	Pass
			7	23.02	4.20	27.22	<=30	Pass
			14	23.11	4.20	27.31	<=30	Pass
		8	0	22.02	4.20	26.22	<=30	Pass
			4	22.02	4.20	26.22	<=30	Pass

			7	21.98	4.20	26.18	<=30	Pass
		15	0	21.96	4.20	26.16	<=30	Pass
	1778.5	1	0	22.97	4.20	27.17	<=30	Pass
			7	23.06	4.20	27.26	<=30	Pass
			14	22.98	4.20	27.18	<=30	Pass
		8	0	21.84	4.20	26.04	<=30	Pass
			4	21.77	4.20	25.97	<=30	Pass
			7	21.83	4.20	26.03	<=30	Pass
		15	0	21.75	4.20	25.95	<=30	Pass
Note1: EIRP=Conducted Power+Antenna Gain								

1.52 B66_5MHz

Band: 66 / Bandwidth: 5MHz / NTV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1712.5	1	0	23.86	4.20	28.06	<=30	Pass
			13	24.03	4.20	28.23	<=30	Pass
			24	23.98	4.20	28.18	<=30	Pass
		12	0	22.97	4.20	27.17	<=30	Pass
			6	22.99	4.20	27.19	<=30	Pass
			13	23.03	4.20	27.23	<=30	Pass
		25	0	22.99	4.20	27.19	<=30	Pass
	1745	1	0	23.92	4.20	28.12	<=30	Pass
			13	23.90	4.20	28.10	<=30	Pass
			24	23.93	4.20	28.13	<=30	Pass
		12	0	22.98	4.20	27.18	<=30	Pass
			6	22.98	4.20	27.18	<=30	Pass
			13	22.97	4.20	27.17	<=30	Pass
		25	0	22.99	4.20	27.19	<=30	Pass
	1777.5	1	0	23.69	4.20	27.89	<=30	Pass
			13	23.71	4.20	27.91	<=30	Pass
			24	23.78	4.20	27.98	<=30	Pass
		12	0	22.77	4.20	26.97	<=30	Pass
			6	22.76	4.20	26.96	<=30	Pass
			13	22.78	4.20	26.98	<=30	Pass
		25	0	22.77	4.20	26.97	<=30	Pass
16QAM	1712.5	1	0	23.18	4.20	27.38	<=30	Pass
			13	23.21	4.20	27.41	<=30	Pass
			24	23.28	4.20	27.48	<=30	Pass
		12	0	22.02	4.20	26.22	<=30	Pass
			6	22.07	4.20	26.27	<=30	Pass
			13	22.06	4.20	26.26	<=30	Pass

		25	0	22.06	4.20	26.26	<=30	Pass
	1745	1	0	23.17	4.20	27.37	<=30	Pass
			13	23.09	4.20	27.29	<=30	Pass
			24	23.13	4.20	27.33	<=30	Pass
			0	21.97	4.20	26.17	<=30	Pass
		12	6	21.98	4.20	26.18	<=30	Pass
			13	21.95	4.20	26.15	<=30	Pass
			25	0	22.01	4.20	26.21	<=30
	1777.5	1	0	22.87	4.20	27.07	<=30	Pass
			13	23.00	4.20	27.20	<=30	Pass
			24	22.99	4.20	27.19	<=30	Pass
		12	0	21.81	4.20	26.01	<=30	Pass
			6	21.80	4.20	26.00	<=30	Pass
			13	21.71	4.20	25.91	<=30	Pass
		25	0	21.80	4.20	26.00	<=30	Pass
Note1: EIRP=Conducted Power+Antenna Gain								

1.53 B66_10MHz

Band: 66 / Bandwidth: 10MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1715	1	0	23.90	4.20	28.10	<=30	Pass
			25	24.00	4.20	28.20	<=30	Pass
			49	24.13	4.20	28.33	<=30	Pass
		25	0	22.99	4.20	27.19	<=30	Pass
			13	23.08	4.20	27.28	<=30	Pass
			25	23.10	4.20	27.30	<=30	Pass
		50	0	23.02	4.20	27.22	<=30	Pass
	1745	1	0	23.96	4.20	28.16	<=30	Pass
			25	23.99	4.20	28.19	<=30	Pass
			49	24.00	4.20	28.20	<=30	Pass
		25	0	22.98	4.20	27.18	<=30	Pass
			13	23.00	4.20	27.20	<=30	Pass
			25	23.00	4.20	27.20	<=30	Pass
		50	0	22.96	4.20	27.16	<=30	Pass
	1775	1	0	23.66	4.20	27.86	<=30	Pass
			25	23.71	4.20	27.91	<=30	Pass
			49	23.80	4.20	28.00	<=30	Pass
		25	0	22.77	4.20	26.97	<=30	Pass
			13	22.76	4.20	26.96	<=30	Pass
			25	22.70	4.20	26.90	<=30	Pass
		50	0	22.73	4.20	26.93	<=30	Pass

16QAM	1715	1	0	23.07	4.20	27.27	<=30	Pass
			25	23.27	4.20	27.47	<=30	Pass
			49	23.50	4.20	27.70	<=30	Pass
		25	0	22.01	4.20	26.21	<=30	Pass
			13	22.03	4.20	26.23	<=30	Pass
			25	22.05	4.20	26.25	<=30	Pass
		50	0	22.03	4.20	26.23	<=30	Pass
	1745	1	0	23.27	4.20	27.47	<=30	Pass
			25	23.27	4.20	27.47	<=30	Pass
			49	23.31	4.20	27.51	<=30	Pass
		25	0	21.97	4.20	26.17	<=30	Pass
			13	21.93	4.20	26.13	<=30	Pass
			25	21.94	4.20	26.14	<=30	Pass
		50	0	21.94	4.20	26.14	<=30	Pass
	1775	1	0	22.95	4.20	27.15	<=30	Pass
			25	23.01	4.20	27.21	<=30	Pass
			49	23.10	4.20	27.30	<=30	Pass
		25	0	21.77	4.20	25.97	<=30	Pass
			13	21.71	4.20	25.91	<=30	Pass
			25	21.71	4.20	25.91	<=30	Pass
		50	0	21.75	4.20	25.95	<=30	Pass
Note1: EIRP=Conducted Power+Antenna Gain								

1.54 B66_15MHz

Band: 66 / Bandwidth: 15MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1717.5	1	0	23.76	4.20	27.96	<=30	Pass
			38	24.06	4.20	28.26	<=30	Pass
			74	24.16	4.20	28.36	<=30	Pass
		36	0	22.93	4.20	27.13	<=30	Pass
			18	23.05	4.20	27.25	<=30	Pass
			39	23.11	4.20	27.31	<=30	Pass
		75	0	23.06	4.20	27.26	<=30	Pass
	1745	1	0	23.93	4.20	28.13	<=30	Pass
			38	23.93	4.20	28.13	<=30	Pass
			74	23.96	4.20	28.16	<=30	Pass
		36	0	22.93	4.20	27.13	<=30	Pass
			18	22.97	4.20	27.17	<=30	Pass
			39	22.99	4.20	27.19	<=30	Pass
		75	0	22.98	4.20	27.18	<=30	Pass
	1772.5	1	0	23.63	4.20	27.83	<=30	Pass

			38	23.69	4.20	27.89	<=30	Pass		
			74	23.82	4.20	28.02	<=30	Pass		
		36	0	22.69	4.20	26.89	<=30	Pass		
			18	22.72	4.20	26.92	<=30	Pass		
			39	22.71	4.20	26.91	<=30	Pass		
		75	0	22.71	4.20	26.91	<=30	Pass		
		16QAM	1717.5	1	0	23.04	4.20	27.24	<=30	Pass
					38	23.39	4.20	27.59	<=30	Pass
					74	23.41	4.20	27.61	<=30	Pass
36	0			22.00	4.20	26.20	<=30	Pass		
	18			22.03	4.20	26.23	<=30	Pass		
	39			22.05	4.20	26.25	<=30	Pass		
75	0			22.06	4.20	26.26	<=30	Pass		
1745	1			0	23.15	4.20	27.35	<=30	Pass	
				38	23.16	4.20	27.36	<=30	Pass	
			74	23.15	4.20	27.35	<=30	Pass		
	36		0	21.94	4.20	26.14	<=30	Pass		
			18	21.96	4.20	26.16	<=30	Pass		
			39	21.93	4.20	26.13	<=30	Pass		
	75		0	21.92	4.20	26.12	<=30	Pass		
	1772.5		1	0	22.87	4.20	27.07	<=30	Pass	
				38	22.92	4.20	27.12	<=30	Pass	
74				23.20	4.20	27.40	<=30	Pass		
36			0	21.75	4.20	25.95	<=30	Pass		
			18	21.71	4.20	25.91	<=30	Pass		
			39	21.73	4.20	25.93	<=30	Pass		
75			0	21.71	4.20	25.91	<=30	Pass		
Note1: EIRP=Conducted Power+Antenna Gain										

1.55 B66_20MHz

Band: 66 / Bandwidth: 20MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1720	1	0	23.74	4.20	27.94	<=30	Pass
			50	24.09	4.20	28.29	<=30	Pass
			99	24.05	4.20	28.25	<=30	Pass
		50	0	23.03	4.20	27.23	<=30	Pass
			25	23.12	4.20	27.32	<=30	Pass
			50	23.12	4.20	27.32	<=30	Pass
		100	0	23.09	4.20	27.29	<=30	Pass
	1745	1	0	23.88	4.20	28.08	<=30	Pass
			50	23.93	4.20	28.13	<=30	Pass

			99	23.93	4.20	28.13	<=30	Pass
		50	0	22.93	4.20	27.13	<=30	Pass
			25	22.98	4.20	27.18	<=30	Pass
			50	22.96	4.20	27.16	<=30	Pass
		100	0	22.99	4.20	27.19	<=30	Pass
	1770	1	0	23.66	4.20	27.86	<=30	Pass
			50	23.70	4.20	27.90	<=30	Pass
			99	23.80	4.20	28.00	<=30	Pass
		50	0	22.71	4.20	26.91	<=30	Pass
			25	22.73	4.20	26.93	<=30	Pass
			50	22.68	4.20	26.88	<=30	Pass
		100	0	22.71	4.20	26.91	<=30	Pass
16QAM	1720	1	0	23.00	4.20	27.20	<=30	Pass
			50	23.31	4.20	27.51	<=30	Pass
			99	23.36	4.20	27.56	<=30	Pass
		50	0	22.00	4.20	26.20	<=30	Pass
			25	22.10	4.20	26.30	<=30	Pass
			50	22.09	4.20	26.29	<=30	Pass
		100	0	22.01	4.20	26.21	<=30	Pass
	1745	1	0	23.18	4.20	27.38	<=30	Pass
			50	23.22	4.20	27.42	<=30	Pass
			99	23.28	4.20	27.48	<=30	Pass
		50	0	21.99	4.20	26.19	<=30	Pass
			25	22.00	4.20	26.20	<=30	Pass
			50	21.97	4.20	26.17	<=30	Pass
		100	0	21.94	4.20	26.14	<=30	Pass
	1770	1	0	23.00	4.20	27.20	<=30	Pass
			50	23.05	4.20	27.25	<=30	Pass
			99	23.23	4.20	27.43	<=30	Pass
		50	0	21.71	4.20	25.91	<=30	Pass
25			21.79	4.20	25.99	<=30	Pass	
50			21.75	4.20	25.95	<=30	Pass	
100		0	21.70	4.20	25.90	<=30	Pass	
Note1: EIRP=Conducted Power+Antenna Gain								

1.1. Test Band = LTE Band 2_ TM1**1.1.1. Test Channel = Low**

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3702	58.84	-48.50	28.82	-56.10	-13.00	43.10	Horizontal
2	5448	52.50	-47.67	32.45	-57.97	-13.00	44.97	Horizontal
3	8307.75	51.71	-44.52	36.64	-51.43	-13.00	38.43	Horizontal
4	11222.25	51.13	-40.37	39.48	-45.02	-13.00	32.02	Horizontal
5	13704.75	53.32	-38.02	39.86	-40.10	-13.00	27.10	Horizontal
6	17501.25	54.15	-36.85	41.81	-36.15	-13.00	23.15	Horizontal

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3702	68.17	-48.50	28.82	-46.77	-13.00	33.77	Vertical
2	5553.75	54.17	-47.66	32.62	-56.13	-13.00	43.13	Vertical
3	7791.75	51.97	-44.93	36.34	-51.88	-13.00	38.88	Vertical
4	10360.5	52.54	-41.20	39.05	-44.87	-13.00	31.87	Vertical
5	14889.75	54.20	-37.32	40.21	-38.17	-13.00	25.17	Vertical
6	17865	55.22	-38.16	43.99	-34.21	-13.00	21.21	Vertical

1.2. Test Band = LTE Band 2_ TM1**1.2.1. Test Channel = Mid**

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3741.75	62.49	-48.37	28.89	-52.26	-13.00	39.26	Horizontal
2	6419.25	51.58	-46.94	34.39	-56.23	-13.00	43.23	Horizontal
3	8832.75	52.22	-44.00	37.22	-49.83	-13.00	36.83	Horizontal
4	11373.75	51.62	-40.18	39.46	-44.36	-13.00	31.36	Horizontal
5	13752.75	53.48	-38.52	39.93	-40.37	-13.00	27.37	Horizontal
6	17866.5	54.90	-38.16	44.00	-34.52	-13.00	21.52	Horizontal

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3741.75	67.83	-48.37	28.89	-46.92	-13.00	33.92	Vertical
2	5613	53.74	-47.67	32.65	-56.55	-13.00	43.55	Vertical
3	7743.75	51.83	-45.08	36.35	-52.16	-13.00	39.16	Vertical
4	12014.25	52.15	-39.45	39.39	-43.17	-13.00	30.17	Vertical
5	14933.25	54.70	-37.58	40.21	-37.93	-13.00	24.93	Vertical
6	17972.25	55.00	-38.69	44.63	-34.32	-13.00	21.32	Vertical

1.3. Test Band = LTE Band 2_ TM1**1.3.1. Test Channel = High**

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3782.25	60.61	-48.24	28.95	-53.94	-13.00	40.94	Horizontal
2	6785.25	52.16	-46.84	35.16	-54.78	-13.00	41.78	Horizontal
3	9458.25	52.80	-42.65	38.04	-47.07	-13.00	34.07	Horizontal
4	11980.5	52.49	-39.53	39.40	-42.90	-13.00	29.90	Horizontal
5	14913.75	54.42	-37.46	40.21	-38.09	-13.00	25.09	Horizontal
6	17906.25	54.65	-38.20	44.24	-34.57	-13.00	21.57	Horizontal

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3782.25	67.21	-48.24	28.95	-47.34	-13.00	34.34	Vertical
2	4800	51.83	-48.01	30.76	-60.68	-13.00	47.68	Vertical
3	5673	53.14	-47.55	32.67	-57.00	-13.00	44.00	Vertical
4	8834.25	52.58	-44.00	37.22	-49.47	-13.00	36.47	Vertical
5	11967.75	52.14	-39.60	39.40	-43.32	-13.00	30.32	Vertical
6	15552.75	59.52	-36.89	39.21	-33.43	-13.00	20.43	Vertical
7	17929.5	54.78	-38.37	44.38	-34.47	-13.00	21.47	Vertical

1.4. Test Band = LTE Band 4_ TM1**1.4.1. Test Channel = Low**

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3422.25	58.05	-48.38	28.44	-57.16	-13.00	44.16	Horizontal
2	4799.625	48.47	-48.01	30.76	-64.04	-13.00	51.04	Horizontal
3	7180.125	46.97	-46.13	35.82	-58.59	-13.00	45.59	Horizontal
4	9352.5	44.49	-42.97	37.89	-55.85	-13.00	42.85	Horizontal
5	13412.25	41.56	-39.17	39.42	-53.45	-13.00	40.45	Horizontal
6	17796	37.82	-38.21	43.58	-52.07	-13.00	39.07	Horizontal

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3422.25	63.73	-48.38	28.44	-51.48	-13.00	38.48	Vertical
2	4800	50.35	-48.01	30.76	-62.16	-13.00	49.16	Vertical
3	6288	45.92	-47.35	33.89	-62.79	-13.00	49.79	Vertical
4	7185.375	47.51	-46.15	35.83	-58.06	-13.00	45.06	Vertical
5	10346.25	60.72	-41.19	39.04	-36.69	-13.00	23.69	Vertical
6	14236.5	38.78	-38.57	40.28	-54.78	-13.00	41.78	Vertical

1.5. Test Band = LTE Band 4_ TM1**1.5.1. Test Channel = Mid**

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3447	63.66	-48.35	28.46	-51.50	-13.00	38.50	Horizontal
2	5392.5	48.20	-47.72	32.30	-62.49	-13.00	49.49	Horizontal
3	7164.75	46.85	-46.07	35.80	-58.68	-13.00	45.68	Horizontal
4	9398.625	45.20	-43.05	37.96	-55.15	-13.00	42.15	Horizontal
5	11950.125	41.15	-39.70	39.40	-54.41	-13.00	41.41	Horizontal
6	15546.375	43.70	-36.85	39.22	-49.20	-13.00	36.20	Horizontal

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3447	67.96	-48.35	28.46	-47.20	-13.00	34.20	Vertical
2	5923.125	46.50	-47.23	32.77	-63.22	-13.00	50.22	Vertical
3	8300.25	44.78	-44.55	36.63	-58.40	-13.00	45.40	Vertical
4	10354.875	45.31	-41.20	39.05	-52.10	-13.00	39.10	Vertical
5	14228.25	39.27	-38.59	40.28	-54.31	-13.00	41.31	Vertical
6	17697.375	37.90	-38.60	42.98	-52.98	-13.00	39.98	Vertical

1.6. Test Band = LTE Band 4_ TM1**1.6.1. Test Channel = High**

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3472.5	62.66	-48.32	28.48	-52.45	-13.00	39.45	Horizontal
2	5208	48.98	-47.88	31.78	-62.38	-13.00	49.38	Horizontal
3	7794.375	46.26	-44.93	36.34	-57.59	-13.00	44.59	Horizontal
4	9391.875	45.28	-43.04	37.95	-55.07	-13.00	42.07	Horizontal
5	13258.125	40.46	-38.93	39.19	-54.54	-13.00	41.54	Horizontal
6	17814	37.55	-38.18	43.68	-52.21	-13.00	39.21	Horizontal

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3472.125	68.03	-48.32	28.48	-47.08	-13.00	34.08	Vertical
2	5208.375	49.88	-47.88	31.78	-61.48	-13.00	48.48	Vertical
3	7569.75	44.98	-45.05	36.39	-58.95	-13.00	45.95	Vertical
4	10346.625	55.73	-41.19	39.04	-41.68	-13.00	28.68	Vertical
5	15563.25	44.09	-36.96	39.19	-48.94	-13.00	35.94	Vertical
6	17878.875	37.54	-38.16	44.07	-51.81	-13.00	38.81	Vertical

1.7. Test Band = LTE Band 5_ TM1**1.7.1. Test Channel = Low**

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1473.3333	48.39	-49.88	24.61	-72.13	-13.00	59.13	Horizontal
2	2427.5556	62.69	-49.32	27.07	-54.82	-13.00	41.82	Horizontal
3	3591.5556	51.81	-48.48	28.65	-63.28	-13.00	50.28	Horizontal
4	6081.3333	52.28	-47.12	33.11	-56.99	-13.00	43.99	Horizontal
5	7439.1111	64.25	-46.10	36.29	-40.81	-13.00	27.81	Horizontal
6	8859.1111	52.44	-44.06	37.25	-49.64	-13.00	36.64	Horizontal

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1385.7778	50.94	-50.03	24.15	-70.20	-13.00	57.20	Vertical
2	2473.7778	58.59	-49.05	27.15	-58.57	-13.00	45.57	Vertical
3	3481.7778	51.06	-48.48	28.49	-64.19	-13.00	51.19	Vertical
4	4800	52.08	-48.02	30.76	-60.44	-13.00	47.44	Vertical
5	6792.8889	52.21	-46.92	35.17	-54.80	-13.00	41.80	Vertical
6	8400.4444	51.89	-43.97	36.74	-50.60	-13.00	37.60	Vertical

1.8. Test Band = LTE Band 5_ TM1**1.8.1. Test Channel = Mid**

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1491.1111	49.05	-49.85	24.74	-71.32	-13.00	58.32	Horizontal
2	2309.7778	50.58	-49.16	26.86	-66.99	-13.00	53.99	Horizontal
3	3183.5556	51.80	-48.67	28.25	-63.88	-13.00	50.88	Horizontal
4	4647.5556	50.65	-48.06	30.42	-62.24	-13.00	49.24	Horizontal
5	6353.3333	51.91	-47.31	34.14	-56.51	-13.00	43.51	Horizontal
6	7790.2222	52.11	-45.08	36.34	-51.89	-13.00	38.89	Horizontal

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1507.5556	49.10	-49.84	24.85	-71.14	-13.00	58.14	Vertical
2	2496	55.58	-48.92	27.19	-61.41	-13.00	48.41	Vertical
3	3274.6667	51.85	-48.63	28.32	-63.72	-13.00	50.72	Vertical
4	4800	52.43	-48.02	30.76	-60.09	-13.00	47.09	Vertical
5	6343.5556	51.87	-47.32	34.11	-56.60	-13.00	43.60	Vertical
6	8213.7778	51.07	-44.31	36.54	-51.96	-13.00	38.96	Vertical

1.9. Test Band = LTE Band 5_ TM1**1.9.1. Test Channel = High**

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1297.3333	49.95	-50.13	24.46	-70.98	-13.00	57.98	Horizontal
2	2093.7778	50.93	-49.47	26.47	-67.33	-13.00	54.33	Horizontal
3	3060	51.66	-48.67	28.15	-64.12	-13.00	51.12	Horizontal
4	4851.5556	52.02	-48.10	30.87	-60.46	-13.00	47.46	Horizontal
5	6856.4444	52.13	-46.68	35.27	-54.54	-13.00	41.54	Horizontal
6	8662.2222	51.82	-44.13	37.03	-50.55	-13.00	37.55	Horizontal

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1315.1111	49.67	-50.11	24.40	-71.30	-13.00	58.30	Vertical
2	2301.7778	50.99	-49.14	26.84	-66.56	-13.00	53.56	Vertical
3	3454.6667	51.10	-48.55	28.46	-64.24	-13.00	51.24	Vertical
4	4800	52.09	-48.02	30.76	-60.43	-13.00	47.43	Vertical
5	6458.2222	51.69	-47.15	34.54	-56.18	-13.00	43.18	Vertical
6	8393.7778	51.73	-44.02	36.73	-50.82	-13.00	37.82	Vertical

1.10. Test Band = LTE Band 7_ TM1**1.10.1. Test Channel = Low**

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3900.5	51.04	-48.29	29.14	-63.37	-25.00	38.37	Horizontal
2	6270	53.50	-47.39	33.83	-55.32	-25.00	30.32	Horizontal
3	9421	53.66	-42.91	37.99	-46.52	-25.00	21.52	Horizontal
4	11987	52.52	-39.49	39.40	-42.83	-25.00	17.83	Horizontal
5	14753	54.43	-36.77	40.22	-37.38	-25.00	12.38	Horizontal
6	17928	55.41	-38.36	44.37	-33.84	-25.00	8.84	Horizontal

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3600	53.95	-48.28	28.66	-60.93	-25.00	35.93	Vertical
2	5052	56.30	-47.91	31.35	-55.53	-25.00	30.53	Vertical
3	7789	52.31	-44.94	36.34	-51.55	-25.00	26.55	Vertical
4	11939.5	52.78	-39.76	39.41	-42.84	-25.00	17.84	Vertical
5	14846.5	54.55	-37.09	40.22	-37.59	-25.00	12.59	Vertical
6	17917.5	55.81	-38.28	44.31	-33.43	-25.00	8.43	Vertical

1.11. Test Band = LTE Band 7_ TM1**1.11.1. Test Channel = Mid**

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3599.5	54.29	-48.28	28.66	-60.59	-25.00	35.59	Horizontal
2	5052.5	55.69	-47.91	31.35	-56.13	-25.00	31.13	Horizontal
3	7578	53.25	-44.92	36.38	-50.55	-25.00	25.55	Horizontal
4	10899.5	51.12	-40.01	39.43	-44.72	-25.00	19.72	Horizontal
5	13726.5	53.96	-38.25	39.89	-39.66	-25.00	14.66	Horizontal
6	17869	55.53	-38.16	44.01	-33.88	-25.00	8.88	Horizontal

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3600	53.16	-48.28	28.66	-61.72	-25.00	36.72	Vertical
2	5052	57.93	-47.91	31.35	-53.90	-25.00	28.90	Vertical
3	7124.5	52.35	-45.92	35.72	-53.11	-25.00	28.11	Vertical
4	9437	54.02	-42.80	38.01	-46.03	-25.00	21.03	Vertical
5	12009.5	53.53	-39.44	39.39	-41.78	-25.00	16.78	Vertical
6	15534	59.50	-36.78	39.24	-33.30	-25.00	8.30	Vertical

1.12. Test Band = LTE Band 7_ TM1**1.12.1. Test Channel = High**

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3591.5	52.06	-48.28	28.65	-62.83	-25.00	37.83	Horizontal
2	5102.5	57.31	-47.82	31.49	-54.28	-25.00	29.28	Horizontal
3	6722.5	52.40	-46.63	35.06	-54.43	-25.00	29.43	Horizontal
4	9421.5	53.59	-42.90	37.99	-46.58	-25.00	21.58	Horizontal
5	12755.5	53.81	-39.29	38.95	-41.79	-25.00	16.79	Horizontal
6	16884	56.99	-36.90	38.75	-36.42	-25.00	11.42	Horizontal

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3599.5	53.43	-48.28	28.66	-61.45	-25.00	36.45	Vertical
2	5102	57.75	-47.82	31.49	-53.85	-25.00	28.85	Vertical
3	7156	52.82	-46.04	35.78	-52.70	-25.00	27.70	Vertical
4	10355.5	59.39	-41.20	39.05	-38.02	-25.00	13.02	Vertical
5	13708.5	53.71	-38.06	39.86	-39.75	-25.00	14.75	Vertical
6	17756.5	54.78	-38.37	43.34	-35.51	-25.00	10.51	Vertical

1.13. Test Band = LTE Band 12_ TM1**1.13.1. Test Channel = Low**

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1399	52.26	-50.01	24.10	-68.91	-13.00	55.91	Horizontal
2	1891	50.11	-49.76	26.03	-68.88	-13.00	55.88	Horizontal
3	2478.5	70.88	-49.02	27.16	-46.24	-13.00	33.24	Horizontal
4	3450	50.76	-48.56	28.46	-64.60	-13.00	51.60	Horizontal
5	4756	50.02	-48.05	30.66	-62.62	-13.00	49.62	Horizontal
6	7623.5	50.74	-44.81	36.38	-52.96	-13.00	39.96	Horizontal

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1412.5	51.76	-49.99	24.19	-69.30	-13.00	56.30	Vertical
2	1920	51.38	-49.73	26.10	-67.51	-13.00	54.51	Vertical
3	2407.5	52.88	-49.44	27.03	-64.78	-13.00	51.78	Vertical
4	3573	51.47	-48.47	28.62	-63.64	-13.00	50.64	Vertical
5	4315.5	49.80	-48.03	29.80	-63.69	-13.00	50.69	Vertical
6	8191	50.78	-44.28	36.51	-52.25	-13.00	39.25	Vertical

1.14. Test Band = LTE Band 12_ TM1**1.14.1. Test Channel = Mid**

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1406	50.63	-50.00	24.14	-70.49	-13.00	57.49	Horizontal
2	2249.5	52.15	-49.31	26.75	-65.67	-13.00	52.67	Horizontal
3	3600	51.82	-48.48	28.66	-63.26	-13.00	50.26	Horizontal
4	4599.5	50.13	-48.04	30.32	-62.85	-13.00	49.85	Horizontal
5	6121	52.17	-47.11	33.26	-56.94	-13.00	43.94	Horizontal
6	8399	51.58	-43.98	36.74	-50.92	-13.00	37.92	Horizontal

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1406	56.17	-50.00	24.14	-64.95	-13.00	51.95	Vertical
2	2109.5	52.24	-49.46	26.50	-65.99	-13.00	52.99	Vertical
3	2981.5	51.68	-48.38	28.07	-63.89	-13.00	50.89	Vertical
4	4437	50.68	-48.11	30.00	-62.69	-13.00	49.69	Vertical
5	6638.5	50.91	-46.96	34.92	-56.39	-13.00	43.39	Vertical
6	8276.5	51.60	-44.66	36.60	-51.71	-13.00	38.71	Vertical

1.15. Test Band = LTE Band 12_ TM1**1.15.1. Test Channel = High**

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1413.5	54.08	-49.99	24.19	-66.97	-13.00	53.97	Horizontal
2	2190.5	50.59	-49.49	26.64	-67.51	-13.00	54.51	Horizontal
3	3419.5	51.28	-48.64	28.44	-64.18	-13.00	51.18	Horizontal
4	4799.5	51.88	-48.02	30.76	-60.64	-13.00	47.64	Horizontal
5	6671.5	52.13	-46.82	34.97	-54.98	-13.00	41.98	Horizontal
6	8395.5	51.36	-44.01	36.74	-51.17	-13.00	38.17	Horizontal

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1413.5	60.14	-49.99	24.19	-60.91	-13.00	47.91	Vertical
2	2120	53.20	-49.47	26.52	-65.01	-13.00	52.01	Vertical
3	3167.5	52.03	-48.72	28.23	-63.71	-13.00	50.71	Vertical
4	4300	50.12	-48.03	29.78	-63.39	-13.00	50.39	Vertical
5	6135.5	52.21	-47.18	33.31	-56.92	-13.00	43.92	Vertical
6	7660	51.28	-45.04	36.37	-52.65	-13.00	39.65	Vertical

1.16. Test Band = LTE Band 13 10M_ TM1**1.16.1. Test Channel = Mid**

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1555	54.78	-49.89	25.19	-65.18	-13.00	52.18	Horizontal
2	2333	51.04	-49.25	26.90	-66.57	-13.00	53.57	Horizontal
3	3493	50.83	-48.45	28.49	-64.38	-13.00	51.38	Horizontal
4	4559.5	50.49	-48.11	30.23	-62.65	-13.00	49.65	Horizontal
5	6810.5	51.90	-46.89	35.20	-55.05	-13.00	42.05	Horizontal
6	8671	51.70	-44.18	37.04	-50.70	-13.00	37.70	Horizontal

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1555	53.95	-49.89	25.19	-66.01	-13.00	53.01	Vertical
2	2436.5	56.73	-49.27	27.09	-60.71	-13.00	47.71	Vertical
3	3266.5	51.57	-48.63	28.31	-64.00	-13.00	51.00	Vertical
4	4795	51.17	-48.02	30.75	-61.36	-13.00	48.36	Vertical
5	6886.5	51.55	-46.54	35.32	-54.93	-13.00	41.93	Vertical
6	8388	51.50	-44.07	36.73	-51.10	-13.00	38.10	Vertical

1.17. Test Band = LTE Band 13 5M_ TM1**1.17.1. Test Channel = Low**

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1554.5	53.83	-49.88	25.18	-66.13	-13.00	53.13	Horizontal
2	2172	50.59	-49.48	26.61	-67.54	-13.00	54.54	Horizontal
3	3418	50.97	-48.64	28.43	-64.50	-13.00	51.50	Horizontal
4	4909.5	50.99	-48.15	31.00	-61.42	-13.00	48.42	Horizontal
5	6766.5	52.28	-46.86	35.13	-54.71	-13.00	41.71	Horizontal
6	8389.5	51.40	-44.06	36.73	-51.19	-13.00	38.19	Horizontal

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1554.5	55.44	-49.88	25.18	-64.52	-13.00	51.52	Vertical
2	2201.5	51.08	-49.48	26.66	-67.00	-13.00	54.00	Vertical
3	3473.5	50.97	-48.50	28.48	-64.31	-13.00	51.31	Vertical
4	4800	51.53	-48.02	30.76	-60.99	-13.00	47.99	Vertical
5	6172	52.07	-47.36	33.45	-57.09	-13.00	44.09	Vertical
6	8653.5	51.18	-44.09	37.02	-51.15	-13.00	38.15	Vertical

1.18. Test Band = LTE Band 13 5M_ TM1**1.18.1. Test Channel = Mid**

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1559.5	50.82	-49.89	25.22	-69.11	-40.00	29.11	Horizontal
2	2296	50.85	-49.14	26.83	-66.72	-13.00	53.72	Horizontal
3	3449	51.06	-48.56	28.46	-64.30	-13.00	51.30	Horizontal
4	4804.5	53.70	-48.03	30.77	-58.82	-13.00	45.82	Horizontal
5	6637	51.05	-46.97	34.92	-56.26	-13.00	43.26	Horizontal
6	8355	51.90	-44.34	36.69	-51.01	-13.00	38.01	Horizontal

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1418.5	49.26	-49.98	24.23	-71.75	-13.00	58.75	Vertical
2	2093	50.75	-49.47	26.47	-67.52	-13.00	54.52	Vertical
3	3258	51.53	-48.63	28.31	-64.05	-13.00	51.05	Vertical
4	4800	51.89	-48.02	30.76	-60.63	-13.00	47.63	Vertical
5	6595.5	51.41	-47.13	34.85	-56.12	-13.00	43.12	Vertical
6	8366.5	51.79	-44.24	36.70	-51.01	-13.00	38.01	Vertical

1.19. Test Band = LTE Band 13 5M_ TM1**1.19.1. Test Channel = High**

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1564.5	55.86	-49.89	25.25	-64.04	-40.00	24.04	Horizontal
2	2419.5	58.84	-49.37	27.06	-58.73	-13.00	45.73	Horizontal
3	3293	51.65	-48.63	28.33	-63.90	-13.00	50.90	Horizontal
4	4708	50.33	-48.08	30.56	-62.45	-13.00	49.45	Horizontal
5	6109	51.72	-47.05	33.21	-57.38	-13.00	44.38	Horizontal
6	8251	51.17	-44.52	36.58	-52.03	-13.00	39.03	Horizontal

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1564.5	56.06	-49.89	25.25	-63.84	-40.00	23.84	Vertical
2	2429.5	57.19	-49.31	27.07	-60.31	-13.00	47.31	Vertical
3	3368.5	50.96	-48.67	28.39	-64.58	-13.00	51.58	Vertical
4	4800	53.16	-48.02	30.76	-59.36	-13.00	46.36	Vertical
5	6366	51.48	-47.29	34.19	-56.88	-13.00	43.88	Vertical
6	7778	51.67	-45.11	36.34	-52.35	-13.00	39.35	Vertical

1.20. Test Band = LTE Band 25_ TM1**1.20.1. Test Channel = Low**

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3702	65.86	-48.50	28.82	-49.08	-13.00	36.08	Horizontal
2	5168.25	63.40	-47.87	31.67	-48.06	-13.00	35.06	Horizontal
3	7775.25	51.65	-44.98	36.34	-52.25	-13.00	39.25	Horizontal
4	10467	50.56	-40.84	39.13	-46.42	-13.00	33.42	Horizontal
5	13680.75	53.29	-38.18	39.82	-40.33	-13.00	27.33	Horizontal
6	17861.25	55.05	-38.17	43.97	-34.41	-13.00	21.41	Horizontal

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3702	62.86	-48.50	28.82	-52.08	-13.00	39.08	Vertical
2	5161.5	66.72	-47.86	31.65	-44.75	-13.00	31.75	Vertical
3	7754.25	51.90	-45.05	36.35	-52.06	-13.00	39.06	Vertical
4	11370.75	52.17	-40.19	39.46	-43.82	-13.00	30.82	Vertical
5	13698.75	53.45	-37.98	39.85	-39.95	-13.00	26.95	Vertical
6	17919	55.04	-38.29	44.31	-34.20	-13.00	21.20	Vertical

1.21. Test Band = LTE Band 25_ TM1**1.21.1. Test Channel = Mid**

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3747	65.48	-48.35	28.90	-49.24	-13.00	36.24	Horizontal
2	5620.5	53.09	-47.66	32.65	-57.18	-13.00	44.18	Horizontal
3	7763.25	52.21	-45.02	36.35	-51.72	-13.00	38.72	Horizontal
4	10443.75	51.08	-40.98	39.11	-46.05	-13.00	33.05	Horizontal
5	14190	54.51	-38.64	40.28	-39.11	-13.00	26.11	Horizontal
6	17904	55.60	-38.18	44.22	-33.62	-13.00	20.62	Horizontal

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3747	64.11	-48.35	28.90	-50.61	-13.00	37.61	Vertical
2	4959.75	57.98	-48.02	31.11	-54.19	-13.00	41.19	Vertical
3	6687.75	52.34	-46.61	35.00	-54.53	-13.00	41.53	Vertical
4	9409.5	53.34	-42.99	37.97	-46.93	-13.00	33.93	Vertical
5	13720.5	53.68	-38.18	39.88	-39.88	-13.00	26.88	Vertical
6	17883.75	54.78	-38.16	44.10	-34.53	-13.00	21.53	Vertical

1.22. Test Band = LTE Band 25_ TM1**1.22.1. Test Channel = High**

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3792	63.97	-48.21	28.97	-50.53	-13.00	37.53	Horizontal
2	5688.75	53.72	-47.51	32.68	-56.38	-13.00	43.38	Horizontal
3	8212.5	50.76	-44.23	36.53	-52.19	-13.00	39.19	Horizontal
4	10911	50.77	-40.09	39.44	-45.14	-13.00	32.14	Horizontal
5	14312.25	54.77	-38.44	40.27	-38.66	-13.00	25.66	Horizontal
6	17941.5	54.81	-38.46	44.45	-34.46	-13.00	21.46	Horizontal

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3792	67.69	-48.21	28.97	-46.81	-13.00	33.81	Vertical
2	5688	54.08	-47.52	32.68	-56.02	-13.00	43.02	Vertical
3	8199	51.08	-44.19	36.52	-51.85	-13.00	38.85	Vertical
4	10880.25	51.17	-40.15	39.42	-44.82	-13.00	31.82	Vertical
5	14330.25	54.54	-38.47	40.27	-38.92	-13.00	25.92	Vertical
6	17892.75	54.71	-38.15	44.16	-34.55	-13.00	21.55	Vertical

1.23. Test Band = LTE Band 26_ TM1**1.23.1. Test Channel = Low**

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1449.7778	60.26	-49.92	24.45	-60.47	-13.00	47.47	Horizontal
2	2444.4444	67.04	-49.22	27.10	-50.34	-13.00	37.34	Horizontal
3	3544.8889	51.56	-48.45	28.57	-63.58	-13.00	50.58	Horizontal
4	4955.1111	53.65	-48.05	31.10	-58.56	-13.00	45.56	Horizontal
5	6736	51.95	-46.79	35.08	-55.02	-13.00	42.02	Horizontal
6	8391.1111	52.04	-44.04	36.73	-50.53	-13.00	37.53	Horizontal

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1629.7778	57.54	-49.87	25.54	-62.04	-13.00	49.04	Vertical
2	2444.4444	64.31	-49.22	27.10	-53.07	-13.00	40.07	Vertical
3	3289.7778	51.46	-48.63	28.33	-64.10	-13.00	51.10	Vertical
4	4800	52.60	-48.02	30.76	-59.92	-13.00	46.92	Vertical
5	6270.6667	52.07	-47.40	33.83	-56.76	-13.00	43.76	Vertical
6	8664.8889	51.60	-44.15	37.03	-50.78	-13.00	37.78	Vertical

1.24. Test Band = LTE Band 26_ TM1**1.24.1. Test Channel = Mid**

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1449.7778	57.47	-49.92	24.45	-63.26	-13.00	50.26	Horizontal
2	2155.1111	51.44	-49.48	26.58	-66.72	-13.00	53.72	Horizontal
3	3451.5556	51.43	-48.56	28.46	-63.92	-13.00	50.92	Horizontal
4	4416	51.45	-48.07	29.97	-61.91	-13.00	48.91	Horizontal
5	6448	51.64	-47.17	34.50	-56.29	-13.00	43.29	Horizontal
6	8308.4444	51.80	-44.72	36.64	-51.54	-13.00	38.54	Horizontal

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1649.7778	52.81	-49.83	25.57	-66.70	-13.00	53.70	Vertical
2	2289.3333	50.98	-49.17	26.82	-66.63	-13.00	53.63	Vertical
3	3452	51.32	-48.55	28.46	-64.03	-13.00	51.03	Vertical
4	4851.5556	52.96	-48.10	30.87	-59.52	-13.00	46.52	Vertical
5	7206.6667	55.39	-46.17	35.87	-50.17	-13.00	37.17	Vertical
6	8875.1111	51.88	-44.07	37.26	-50.19	-13.00	37.19	Vertical

1.25. Test Band = LTE Band 26_ TM1**1.25.1. Test Channel = High**

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1449.7778	57.27	-49.92	24.45	-63.46	-13.00	50.46	Horizontal
2	2249.7778	53.03	-49.31	26.75	-64.79	-13.00	51.79	Horizontal
3	2899.5556	52.43	-48.78	27.92	-63.69	-13.00	50.69	Horizontal
4	4771.1111	50.62	-48.04	30.70	-61.98	-13.00	48.98	Horizontal
5	6284	51.78	-47.38	33.88	-56.98	-13.00	43.98	Horizontal
6	8995.1111	50.60	-42.98	37.39	-50.24	-13.00	37.24	Horizontal

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1412	49.54	-49.99	24.18	-71.52	-13.00	58.52	Vertical
2	2312	50.90	-49.17	26.86	-66.67	-13.00	53.67	Vertical
3	3339.5556	51.43	-48.65	28.37	-64.11	-13.00	51.11	Vertical
4	4851.5556	59.94	-48.10	30.87	-52.54	-13.00	39.54	Vertical
5	6429.3333	51.71	-47.20	34.43	-56.32	-13.00	43.32	Vertical
6	8388	51.78	-44.07	36.73	-50.82	-13.00	37.82	Vertical

1.26. Test Band = LTE Band 66_ TM1**1.26.1. Test Channel = Low**

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3866.625	52.38	-48.25	29.09	-62.05	-13.00	49.05	Horizontal
2	5133	49.48	-47.84	31.57	-62.05	-13.00	49.05	Horizontal
3	7334.625	45.88	-46.16	36.10	-59.44	-13.00	46.44	Horizontal
4	9399.75	45.29	-43.05	37.96	-55.06	-13.00	42.06	Horizontal
5	12594	40.27	-39.04	39.04	-54.99	-13.00	41.99	Horizontal
6	17916	36.27	-38.27	44.30	-52.96	-13.00	39.96	Horizontal

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3866.25	49.29	-48.25	29.09	-65.14	-13.00	52.14	Vertical
2	5132.625	50.02	-47.84	31.57	-61.51	-13.00	48.51	Vertical
3	7737.75	46.09	-45.10	36.35	-57.91	-13.00	44.91	Vertical
4	10346.625	44.72	-41.19	39.04	-52.69	-13.00	39.69	Vertical
5	12699	41.07	-39.27	38.98	-54.48	-13.00	41.48	Vertical
6	17917.5	36.45	-38.28	44.31	-52.79	-13.00	39.79	Vertical

1.27. Test Band = LTE Band 66_ TM1**1.27.1. Test Channel = Mid**

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3866.625	49.41	-48.25	29.09	-65.02	-13.00	52.02	Horizontal
2	5238	54.80	-47.85	31.87	-56.44	-13.00	43.44	Horizontal
3	7178.25	46.23	-46.12	35.82	-59.33	-13.00	46.33	Horizontal
4	9397.875	44.30	-43.05	37.96	-56.05	-13.00	43.05	Horizontal
5	11968.875	40.32	-39.60	39.40	-55.13	-13.00	42.13	Horizontal
6	14237.625	39.04	-38.57	40.28	-54.51	-13.00	41.51	Horizontal

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3866.25	47.27	-48.25	29.09	-67.16	-13.00	54.16	Vertical
2	5992.125	47.66	-47.47	32.80	-62.28	-13.00	49.28	Vertical
3	8535.375	44.95	-44.17	36.89	-57.59	-13.00	44.59	Vertical
4	11965.5	41.42	-39.62	39.40	-54.05	-13.00	41.05	Vertical
5	14233.875	39.74	-38.58	40.28	-53.82	-13.00	40.82	Vertical
6	17877.375	37.01	-38.16	44.06	-52.34	-13.00	39.34	Vertical

1.28. Test Band = LTE Band 66_ TM1**1.28.1. Test Channel = High**

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3866.625	49.04	-48.25	29.09	-65.39	-13.00	52.39	Horizontal
2	6374.625	44.25	-47.03	34.22	-63.82	-13.00	50.82	Horizontal
3	8666.25	44.12	-44.07	37.03	-58.18	-13.00	45.18	Horizontal
4	12010.875	40.61	-39.44	39.39	-54.70	-13.00	41.70	Horizontal
5	14241.75	39.31	-38.56	40.28	-54.23	-13.00	41.23	Horizontal
6	17812.875	36.72	-38.18	43.68	-53.05	-13.00	40.05	Horizontal

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3866.625	48.51	-48.25	29.09	-65.92	-13.00	52.92	Vertical
2	6072	47.14	-47.41	33.07	-62.46	-13.00	49.46	Vertical
3	8667.75	44.77	-44.07	37.03	-57.53	-13.00	44.53	Vertical
4	11964.75	40.73	-39.62	39.40	-54.75	-13.00	41.75	Vertical
5	13482.75	41.22	-39.19	39.52	-53.70	-13.00	40.70	Vertical
6	17905.875	36.66	-38.19	44.24	-52.56	-13.00	39.56	Vertical

1.29. Test Band = LTE Band 38_ TM1**1.29.1. Test Channel = Low**

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3599.5	53.97	-48.28	28.66	-60.91	-25.00	35.91	Horizontal
2	4839	51.95	-48.02	30.85	-60.48	-25.00	35.48	Horizontal
3	7152.5	52.52	-46.02	35.77	-52.99	-25.00	27.99	Horizontal
4	9413.5	53.56	-42.96	37.98	-46.68	-25.00	21.68	Horizontal
5	12769	53.34	-39.29	38.94	-42.27	-25.00	17.27	Horizontal
6	17932.5	55.28	-38.39	44.40	-33.98	-25.00	8.98	Horizontal

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3599.5	54.87	-48.28	28.66	-60.01	-25.00	35.01	Vertical
2	4849.5	53.14	-48.02	30.87	-59.27	-25.00	34.27	Vertical
3	6749.5	52.53	-46.72	35.10	-54.35	-25.00	29.35	Vertical
4	9424	53.38	-42.89	37.99	-46.77	-25.00	21.77	Vertical
5	12705.5	53.89	-39.27	38.98	-41.66	-25.00	16.66	Vertical
6	17906	55.87	-38.20	44.24	-33.35	-25.00	8.35	Vertical

1.30. Test Band = LTE Band 38_ TM1**1.30.1. Test Channel = Mid**

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3597.5	53.01	-48.28	28.66	-61.87	-25.00	36.87	Horizontal
2	4800	53.18	-48.01	30.76	-59.33	-25.00	34.33	Horizontal
3	7771.5	52.81	-45.00	36.35	-51.10	-25.00	26.10	Horizontal
4	13114	52.86	-38.44	38.97	-41.87	-25.00	16.87	Horizontal
5	14901.5	54.96	-37.38	40.21	-37.47	-25.00	12.47	Horizontal
6	17916.5	55.36	-38.27	44.30	-33.87	-25.00	8.87	Horizontal

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3815	50.65	-48.20	29.00	-63.80	-25.00	38.80	Vertical
2	5857.5	52.58	-47.36	32.74	-57.30	-25.00	32.30	Vertical
3	8005	51.96	-44.32	36.31	-51.32	-25.00	26.32	Vertical
4	10314	51.74	-41.16	39.02	-45.66	-25.00	20.66	Vertical
5	14275.5	55.30	-38.48	40.27	-38.17	-25.00	13.17	Vertical
6	17856	55.78	-38.17	43.94	-33.71	-25.00	8.71	Vertical

1.31. Test Band = LTE Band 38_ TM1**1.31.1. Test Channel = High**

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3599.5	52.75	-48.28	28.66	-62.13	-25.00	37.13	Horizontal
2	5489.5	52.75	-47.62	32.57	-57.56	-25.00	32.56	Horizontal
3	7599	51.49	-44.59	36.38	-51.98	-25.00	26.98	Horizontal
4	11445.5	52.26	-40.07	39.46	-43.62	-25.00	18.62	Horizontal
5	14303.5	55.77	-38.43	40.27	-37.65	-25.00	12.65	Horizontal
6	17847.5	55.62	-38.17	43.89	-33.93	-25.00	8.93	Horizontal

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3938.5	51.81	-48.25	29.20	-62.50	-25.00	37.50	Vertical
2	6113.5	52.51	-47.40	33.23	-56.92	-25.00	31.92	Vertical
3	7758.5	58.93	-45.03	36.35	-45.02	-25.00	20.02	Vertical
4	10350	52.11	-41.20	39.05	-45.30	-25.00	20.30	Vertical
5	13709.5	53.82	-38.07	39.86	-39.64	-25.00	14.64	Vertical
6	17921	55.43	-38.31	44.33	-33.81	-25.00	8.81	Vertical

1.32. Test Band = LTE Band 41_ TM1**1.32.1. Test Channel = Low**

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	4388.5	50.87	-48.07	29.92	-62.54	-25.00	37.54	Horizontal
2	6825.5	52.57	-46.85	35.22	-54.32	-25.00	29.32	Horizontal
3	9472.5	53.30	-42.56	38.06	-46.46	-25.00	21.46	Horizontal
4	12652	53.21	-39.14	39.01	-42.18	-25.00	17.18	Horizontal
5	15444.5	54.40	-37.17	39.40	-38.63	-25.00	13.63	Horizontal
6	17890.5	55.24	-38.15	44.14	-34.03	-25.00	9.03	Horizontal

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	4364.5	51.59	-47.99	29.88	-61.78	-25.00	36.78	Vertical
2	5442.5	52.75	-47.67	32.44	-57.74	-25.00	32.74	Vertical
3	7166.5	52.51	-46.08	35.80	-53.03	-25.00	28.03	Vertical
4	9379.5	53.40	-43.02	37.93	-46.94	-25.00	21.94	Vertical
5	13724.5	54.35	-38.22	39.89	-39.25	-25.00	14.25	Vertical
6	17893.5	55.56	-38.15	44.16	-33.69	-25.00	8.69	Vertical

1.33. Test Band = LTE Band 41_ TM1**1.33.1. Test Channel = Mid**

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	4828.5	51.76	-48.02	30.82	-60.69	-25.00	35.69	Horizontal
2	6843.5	52.96	-46.82	35.25	-53.87	-25.00	28.87	Horizontal
3	10001	51.58	-41.70	38.80	-46.58	-25.00	21.58	Horizontal
4	12028.5	52.94	-39.48	39.38	-42.42	-25.00	17.42	Horizontal
5	14775	54.52	-36.81	40.22	-37.33	-25.00	12.33	Horizontal
6	17925	55.51	-38.34	44.35	-33.74	-25.00	8.74	Horizontal

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	5389.5	53.00	-47.73	32.29	-57.70	-25.00	32.70	Vertical
2	7752.5	57.37	-45.05	36.35	-46.59	-25.00	21.59	Vertical
3	9499.5	52.71	-42.37	38.10	-46.82	-25.00	21.82	Vertical
4	12656.5	53.22	-39.15	39.01	-42.18	-25.00	17.18	Vertical
5	14830	54.45	-37.01	40.22	-37.60	-25.00	12.60	Vertical
6	17958.5	55.17	-38.59	44.55	-34.13	-25.00	9.13	Vertical

1.34. Test Band = LTE Band 41_ TM1**1.34.1. Test Channel = High**

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	4519	51.06	-47.98	30.14	-62.04	-25.00	37.04	Horizontal
2	6449.5	52.04	-46.96	34.51	-55.67	-25.00	30.67	Horizontal
3	9431	53.27	-42.84	38.00	-46.83	-25.00	21.83	Horizontal
4	12752.5	53.54	-39.29	38.95	-42.06	-25.00	17.06	Horizontal
5	14820.5	55.09	-36.96	40.22	-36.91	-25.00	11.91	Horizontal
6	17983.5	55.26	-38.78	44.70	-34.08	-25.00	9.08	Horizontal

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	4415.5	52.04	-48.09	29.96	-61.35	-25.00	36.35	Vertical
2	6705	52.37	-46.57	35.03	-54.43	-25.00	29.43	Vertical
3	8013.5	59.81	-44.36	36.31	-43.50	-25.00	18.50	Vertical
4	10705	51.83	-41.00	39.29	-45.13	-25.00	20.13	Vertical
5	14890	54.99	-37.32	40.21	-37.38	-25.00	12.38	Vertical
6	17933.5	55.22	-38.40	44.40	-34.04	-25.00	9.04	Vertical

- End of the Report -