



PSD NVNT a 5745MHz Ant1



PSD NVNT a 5785MHz Ant1



PSD NVNT a 5825MHz Ant1



PSD NVNT n20 5745MHz Ant1



PSD NVNT n20 5785MHz Ant1



PSD NVNT n20 5825MHz Ant1



PSD NVNT n40 5755MHz Ant1



PSD NVNT n40 5795MHz Ant1



PSD NVNT ac20 5745MHz Ant1



PSD NVNT ac20 5785MHz Ant1



PSD NVNT ac20 5825MHz Ant1



PSD NVNT ac40 5755MHz Ant1



PSD NVNT ac40 5795MHz Ant1



PSD NVNT ax20 5745MHz Ant1



PSD NVNT ax20 5785MHz Ant1



PSD NVNT ax20 5825MHz Ant1



PSD NVNT ax40 5755MHz Ant1



PSD NVNT ax40 5795MHz Ant1

Band Edge

Condition	Antenna	Modulation	TX_Frequency (MHz)	Frequency Area(MHz)	Frequency(MHz)	Amplitude(dBm)	Limit(dBm)	Result
NVNT	ANT1	802.11a	LCH	5565-5655	5652.120	-44.53	-27.00	Pass
NVNT	ANT1	802.11a	LCH	5655-5700	5696.940	-32.10	7.48	Pass
NVNT	ANT1	802.11a	LCH	5700-5720	5711.780	-25.58	13.30	Pass
NVNT	ANT1	802.11a	LCH	5720-5725	5722.505	-20.13	21.31	Pass
NVNT	ANT1	802.11a	HCH	5850-5855	5852.205	-27.71	21.97	Pass
NVNT	ANT1	802.11a	HCH	5855-5875	5859.440	-30.13	14.36	Pass
NVNT	ANT1	802.11a	HCH	5875-5920	5879.815	-37.57	6.04	Pass
NVNT	ANT1	802.11a	HCH	5920-6005	5981.795	-42.91	-27.00	Pass
NVNT	ANT1	802.11n(HT20)	LCH	5565-5655	5579.130	-46.51	-27.00	Pass
NVNT	ANT1	802.11n(HT20)	LCH	5655-5700	5686.995	-42.23	-0.69	Pass
NVNT	ANT1	802.11n(HT20)	LCH	5700-5720	5715.260	-29.61	14.27	Pass
NVNT	ANT1	802.11n(HT20)	LCH	5720-5725	5721.695	-26.70	19.46	Pass
NVNT	ANT1	802.11n(HT20)	HCH	5850-5855	5854.695	-32.98	16.30	Pass
NVNT	ANT1	802.11n(HT20)	HCH	5855-5875	5855.180	-34.34	15.55	Pass
NVNT	ANT1	802.11n(HT20)	HCH	5875-5920	5876.755	-39.80	8.56	Pass
NVNT	ANT1	802.11n(HT20)	HCH	5920-6005	5986.980	-42.94	-27.00	Pass
NVNT	ANT1	802.11ac(VHT20)	LCH	5565-5655	5577.780	-46.58	-27.00	Pass
NVNT	ANT1	802.11ac(VHT20)	LCH	5655-5700	5687.625	-42.43	-0.18	Pass
NVNT	ANT1	802.11ac(VHT20)	LCH	5700-5720	5719.660	-29.75	15.50	Pass
NVNT	ANT1	802.11ac(VHT20)	LCH	5720-5725	5720.785	-27.11	17.39	Pass
NVNT	ANT1	802.11ac(VHT20)	HCH	5850-5855	5854.690	-33.94	16.31	Pass
NVNT	ANT1	802.11ac(VHT20)	HCH	5855-5875	5855.240	-34.03	15.53	Pass
NVNT	ANT1	802.11ac(VHT20)	HCH	5875-5920	5891.290	-45.02	-3.39	Pass
NVNT	ANT1	802.11ac(VHT20)	HCH	5920-6005	6002.620	-43.47	-27.00	Pass
NVNT	ANT1	802.11ax(HE20)	LCH	5565-5655	5592.810	-46.78	-27.00	Pass
NVNT	ANT1	802.11ax(HE20)	LCH	5655-5700	5684.835	-41.95	-2.47	Pass
NVNT	ANT1	802.11ax(HE20)	LCH	5700-5720	5718.840	-29.22	15.28	Pass
NVNT	ANT1	802.11ax(HE20)	LCH	5720-5725	5720.830	-26.93	17.49	Pass
NVNT	ANT1	802.11ax(HE20)	HCH	5850-5855	5852.130	-32.07	22.14	Pass
NVNT	ANT1	802.11ax(HE20)	HCH	5855-5875	5856.120	-34.10	15.29	Pass
NVNT	ANT1	802.11ax(HE20)	HCH	5875-5920	5882.290	-43.27	4.01	Pass
NVNT	ANT1	802.11ax(HE20)	HCH	5920-6005	5960.035	-42.27	-27.00	Pass
NVNT	ANT1	802.11n(HT40)	LCH	5595-5655	5608.740	-47.30	-27.00	Pass
NVNT	ANT1	802.11n(HT40)	LCH	5655-5700	5688.975	-41.54	0.94	Pass
NVNT	ANT1	802.11n(HT40)	LCH	5700-5720	5708.820	-33.99	12.47	Pass
NVNT	ANT1	802.11n(HT40)	LCH	5720-5725	5720.570	-32.85	16.90	Pass
NVNT	ANT1	802.11n(HT40)	HCH	5850-5855	5854.570	-42.15	16.58	Pass
NVNT	ANT1	802.11n(HT40)	HCH	5855-5875	5861.940	-42.68	13.66	Pass
NVNT	ANT1	802.11n(HT40)	HCH	5875-5920	5918.515	-46.95	-25.78	Pass

NVNT	ANT1	802.11n(HT40)	HCH	5920-5955	5924.900	-43.54	-27.00	Pass
NVNT	ANT1	802.11ac(VHT40)	LCH	5595-5655	5646.600	-46.57	-27.00	Pass
NVNT	ANT1	802.11ac(VHT40)	LCH	5655-5700	5674.485	-41.04	-10.98	Pass
NVNT	ANT1	802.11ac(VHT40)	LCH	5700-5720	5702.720	-35.30	10.76	Pass
NVNT	ANT1	802.11ac(VHT40)	LCH	5720-5725	5721.675	-33.16	19.42	Pass
NVNT	ANT1	802.11ac(VHT40)	HCH	5850-5855	5854.630	-39.62	16.44	Pass
NVNT	ANT1	802.11ac(VHT40)	HCH	5855-5875	5870.840	-44.31	11.16	Pass
NVNT	ANT1	802.11ac(VHT40)	HCH	5875-5920	5916.940	-47.65	-24.48	Pass
NVNT	ANT1	802.11ac(VHT40)	HCH	5920-5955	5922.835	-43.25	-27.00	Pass
NVNT	ANT1	802.11ax(HE40)	LCH	5595-5655	5632.740	-47.53	-27.00	Pass
NVNT	ANT1	802.11ax(HE40)	LCH	5655-5700	5689.155	-44.00	1.08	Pass
NVNT	ANT1	802.11ax(HE40)	LCH	5700-5720	5716.640	-35.51	14.66	Pass
NVNT	ANT1	802.11ax(HE40)	LCH	5720-5725	5721.910	-33.41	19.95	Pass
NVNT	ANT1	802.11ax(HE40)	HCH	5850-5855	5853.055	-41.12	20.03	Pass
NVNT	ANT1	802.11ax(HE40)	HCH	5855-5875	5866.980	-46.31	12.25	Pass
NVNT	ANT1	802.11ax(HE40)	HCH	5875-5920	5919.775	-47.81	-26.81	Pass
NVNT	ANT1	802.11ax(HE40)	HCH	5920-5955	5936.835	-41.36	-27.00	Pass


Bandedge_NVNT_ANT1_802_11a_5745




Bandedge_NVNT_ANT1_802_11a_5825




Bandedge_NVNT_ANT1_802_11n(HT20)_5745




Bandedge_NVNT_ANT1_802_11n(HT20)_5825




Bandedge_NVNT_ANT1_802_11ac(VHT20)_5745



Bandedge_NVNT_ANT1_802_11ac(VHT20)_5825




Bandedge_NVNT_ANT1_802_11ax(HE20)_5745



Bandedge_NVNT_ANT1_802_11ax(HE20)_5825




Bandedge_NVNT_ANT1_802_11n(HT40)_5755




Bandedge_NVNT_ANT1_802_11n(HT40)_5795




Bandedge_NVNT_ANT1_802_11ac(VHT40)_5755



Bandedge_NVNT_ANT1_802_11ac(VHT40)_5795



Bandedge_NVNT_ANT1_802_11ax(HE40)_5755



Bandedge_NVNT_ANT1_802_11ax(HE40)_5795



Frequency Stability

Condition	Antenna	Modulation	Frequency (MHz)	Fc(MHz)	Fi(MHz)	Fh(MHz)	Limit(MHz)	Result
55degrees C&&3.80V	ANT1	802.11a	5745.00	5744.654	5734.202	5755.114	5725~5850	Pass
45degrees C&&3.80V	ANT1	802.11a	5745.00	5744.888	5736.084	5753.684	5725~5850	Pass
35degrees C&&3.80V	ANT1	802.11a	5745.00	5745.000	5736.583	5753.418	5725~5850	Pass
25degrees C&&3.80V	ANT1	802.11a	5745.00	5744.989	5736.729	5753.253	5725~5850	Pass
15degrees C&&3.80V	ANT1	802.11a	5745.00	5745.029	5736.811	5753.241	5725~5850	Pass
5degrees C&&3.80V	ANT1	802.11a	5745.00	5744.998	5736.859	5753.144	5725~5850	Pass
-5degrees C&&3.80V	ANT1	802.11a	5745.00	5745.011	5736.905	5753.113	5725~5850	Pass
-15degrees C&&3.80V	ANT1	802.11a	5745.00	5745.011	5736.961	5753.062	5725~5850	Pass
25degrees C&&4.37V	ANT1	802.11a	5745.00	5744.985	5737.014	5752.955	5725~5850	Pass
25degrees C&&3.80V	ANT1	802.11a	5745.00	5744.995	5737.051	5752.945	5725~5850	Pass
25degrees C&&3.23V	ANT1	802.11a	5745.00	5745.018	5737.085	5752.957	5725~5850	Pass
55degrees C&&3.80V	ANT1	802.11a	5785.00	5784.723	5774.596	5794.836	5725~5850	Pass
45degrees C&&3.80V	ANT1	802.11a	5785.00	5784.879	5776.165	5793.599	5725~5850	Pass
35degrees C&&3.80V	ANT1	802.11a	5785.00	5784.985	5776.613	5793.356	5725~5850	Pass
25degrees C&&3.80V	ANT1	802.11a	5785.00	5784.993	5776.752	5793.227	5725~5850	Pass
15degrees C&&3.80V	ANT1	802.11a	5785.00	5785.006	5776.826	5793.176	5725~5850	Pass
5degrees C&&3.80V	ANT1	802.11a	5785.00	5785.003	5776.889	5793.108	5725~5850	Pass
-5degrees C&&3.80V	ANT1	802.11a	5785.00	5785.010	5776.937	5793.077	5725~5850	Pass
-15degrees C&&3.80V	ANT1	802.11a	5785.00	5785.012	5776.976	5793.029	5725~5850	Pass
25degrees C&&4.37V	ANT1	802.11a	5785.00	5784.989	5777.032	5792.938	5725~5850	Pass
25degrees C&&3.80V	ANT1	802.11a	5785.00	5784.985	5777.073	5792.883	5725~5850	Pass
25degrees C&&3.23V	ANT1	802.11a	5785.00	5785.005	5777.130	5792.877	5725~5850	Pass
55degrees C&&3.80V	ANT1	802.11a	5825.00	5825.031	5815.960	5834.105	5725~5850	Pass
45degrees C&&3.80V	ANT1	802.11a	5825.00	5825.014	5816.543	5833.483	5725~5850	Pass
35degrees C&&3.80V	ANT1	802.11a	5825.00	5825.006	5816.705	5833.322	5725~5850	Pass
25degrees C&&3.80V	ANT1	802.11a	5825.00	5825.020	5816.783	5833.252	5725~5850	Pass
15degrees C&&3.80V	ANT1	802.11a	5825.00	5825.019	5816.840	5833.195	5725~5850	Pass
5degrees C&&3.80V	ANT1	802.11a	5825.00	5825.020	5816.893	5833.135	5725~5850	Pass
-5degrees C&&3.80V	ANT1	802.11a	5825.00	5825.009	5816.938	5833.083	5725~5850	Pass
-15degrees C&&3.80V	ANT1	802.11a	5825.00	5825.031	5816.999	5833.055	5725~5850	Pass
25degrees C&&4.37V	ANT1	802.11a	5825.00	5825.014	5817.036	5832.981	5725~5850	Pass
25degrees C&&3.80V	ANT1	802.11a	5825.00	5825.022	5817.089	5832.961	5725~5850	Pass
25degrees C&&3.23V	ANT1	802.11a	5825.00	5825.009	5817.143	5832.882	5725~5850	Pass
55degrees C&&3.80V	ANT1	802.11n(HT20)	5745.00	5744.782	5732.713	5756.866	5725~5850	Pass
45degrees C&&3.80V	ANT1	802.11n(HT20)	5745.00	5744.786	5735.034	5754.523	5725~5850	Pass
35degrees C&&3.80V	ANT1	802.11n(HT20)	5745.00	5744.954	5735.826	5754.082	5725~5850	Pass

25degrees C&&3.80V	ANT1	802.11n(HT20)	5745.00	5744.983	5736.039	5753.927	5725~5850	Pass
15degrees C&&3.80V	ANT1	802.11n(HT20)	5745.00	5744.993	5736.161	5753.824	5725~5850	Pass
5degrees C&&3.80V	ANT1	802.11n(HT20)	5745.00	5745.004	5736.252	5753.763	5725~5850	Pass
-5degrees C&&3.80V	ANT1	802.11n(HT20)	5745.00	5744.997	5736.305	5753.684	5725~5850	Pass
-15degrees C&&3.80V	ANT1	802.11n(HT20)	5745.00	5745.001	5736.354	5753.652	5725~5850	Pass
25degrees C&&4.37V	ANT1	802.11n(HT20)	5745.00	5744.987	5736.399	5753.580	5725~5850	Pass
25degrees C&&3.80V	ANT1	802.11n(HT20)	5745.00	5744.972	5736.439	5753.513	5725~5850	Pass
25degrees C&&3.23V	ANT1	802.11n(HT20)	5745.00	5744.971	5736.487	5753.446	5725~5850	Pass
55degrees C&&3.80V	ANT1	802.11n(HT20)	5785.00	5784.476	5772.976	5795.981	5725~5850	Pass
45degrees C&&3.80V	ANT1	802.11n(HT20)	5785.00	5784.688	5775.098	5794.273	5725~5850	Pass
35degrees C&&3.80V	ANT1	802.11n(HT20)	5785.00	5784.942	5775.856	5794.027	5725~5850	Pass
25degrees C&&3.80V	ANT1	802.11n(HT20)	5785.00	5784.946	5776.033	5793.861	5725~5850	Pass
15degrees C&&3.80V	ANT1	802.11n(HT20)	5785.00	5784.978	5776.155	5793.802	5725~5850	Pass
5degrees C&&3.80V	ANT1	802.11n(HT20)	5785.00	5784.975	5776.239	5793.725	5725~5850	Pass
-5degrees C&&3.80V	ANT1	802.11n(HT20)	5785.00	5784.978	5776.294	5793.656	5725~5850	Pass
-15degrees C&&3.80V	ANT1	802.11n(HT20)	5785.00	5784.990	5776.349	5793.623	5725~5850	Pass
25degrees C&&4.37V	ANT1	802.11n(HT20)	5785.00	5784.974	5776.407	5793.542	5725~5850	Pass
25degrees C&&3.80V	ANT1	802.11n(HT20)	5785.00	5784.962	5776.461	5793.470	5725~5850	Pass
25degrees C&&3.23V	ANT1	802.11n(HT20)	5785.00	5784.982	5776.500	5793.451	5725~5850	Pass
55degrees C&&3.80V	ANT1	802.11n(HT20)	5825.00	5824.817	5814.381	5835.250	5725~5850	Pass
45degrees C&&3.80V	ANT1	802.11n(HT20)	5825.00	5824.979	5815.709	5834.257	5725~5850	Pass
35degrees C&&3.80V	ANT1	802.11n(HT20)	5825.00	5825.026	5816.025	5834.027	5725~5850	Pass
25degrees C&&3.80V	ANT1	802.11n(HT20)	5825.00	5825.012	5816.160	5833.862	5725~5850	Pass
15degrees C&&3.80V	ANT1	802.11n(HT20)	5825.00	5825.031	5816.249	5833.812	5725~5850	Pass
5degrees C&&3.80V	ANT1	802.11n(HT20)	5825.00	5825.022	5816.309	5833.726	5725~5850	Pass
-5degrees C&&3.80V	ANT1	802.11n(HT20)	5825.00	5825.027	5816.365	5833.681	5725~5850	Pass
-15degrees C&&3.80V	ANT1	802.11n(HT20)	5825.00	5825.021	5816.422	5833.623	5725~5850	Pass
25degrees C&&4.37V	ANT1	802.11n(HT20)	5825.00	5825.025	5816.472	5833.589	5725~5850	Pass
25degrees C&&3.80V	ANT1	802.11n(HT20)	5825.00	5825.003	5816.525	5833.493	5725~5850	Pass
25degrees C&&3.23V	ANT1	802.11n(HT20)	5825.00	5825.035	5816.568	5833.496	5725~5850	Pass
55degrees C&&3.80V	ANT1	802.11ac(VHT20)	5745.00	5744.714	5732.604	5756.817	5725~5850	Pass
45degrees C&&3.80V	ANT1	802.11ac(VHT20)	5745.00	5744.861	5735.013	5754.702	5725~5850	Pass
35degrees C&&3.80V	ANT1	802.11ac(VHT20)	5745.00	5744.935	5735.785	5754.079	5725~5850	Pass
25degrees C&&3.80V	ANT1	802.11ac(VHT20)	5745.00	5744.983	5736.027	5753.948	5725~5850	Pass
15degrees C&&3.80V	ANT1	802.11ac(VHT20)	5745.00	5744.994	5736.165	5753.831	5725~5850	Pass
5degrees C&&3.80V	ANT1	802.11ac(VHT20)	5745.00	5744.999	5736.236	5753.757	5725~5850	Pass
-5degrees C&&3.80V	ANT1	802.11ac(VHT20)	5745.00	5745.012	5736.319	5753.709	5725~5850	Pass
-15degrees C&&3.80V	ANT1	802.11ac(VHT20)	5745.00	5744.999	5736.360	5753.641	5725~5850	Pass
25degrees C&&4.37V	ANT1	802.11ac(VHT20)	5745.00	5744.995	5736.408	5753.576	5725~5850	Pass

25degrees C&&3.80V	ANT1	802.11ac(VHT20)	5745.00	5744.982	5736.446	5753.529	5725~5850	Pass
25degrees C&&3.23V	ANT1	802.11ac(VHT20)	5745.00	5745.001	5736.496	5753.519	5725~5850	Pass
55degrees C&&3.80V	ANT1	802.11ac(VHT20)	5785.00	5784.404	5772.842	5795.973	5725~5850	Pass
45degrees C&&3.80V	ANT1	802.11ac(VHT20)	5785.00	5784.607	5774.945	5794.278	5725~5850	Pass
35degrees C&&3.80V	ANT1	802.11ac(VHT20)	5785.00	5784.915	5775.767	5794.053	5725~5850	Pass
25degrees C&&3.80V	ANT1	802.11ac(VHT20)	5785.00	5784.934	5775.986	5793.883	5725~5850	Pass
15degrees C&&3.80V	ANT1	802.11ac(VHT20)	5785.00	5784.970	5776.117	5793.809	5725~5850	Pass
5degrees C&&3.80V	ANT1	802.11ac(VHT20)	5785.00	5784.969	5776.208	5793.732	5725~5850	Pass
-5degrees C&&3.80V	ANT1	802.11ac(VHT20)	5785.00	5784.972	5776.281	5793.671	5725~5850	Pass
-15degrees C&&3.80V	ANT1	802.11ac(VHT20)	5785.00	5784.955	5776.335	5793.572	5725~5850	Pass
25degrees C&&4.37V	ANT1	802.11ac(VHT20)	5785.00	5784.971	5776.378	5793.564	5725~5850	Pass
25degrees C&&3.80V	ANT1	802.11ac(VHT20)	5785.00	5784.961	5776.411	5793.505	5725~5850	Pass
25degrees C&&3.23V	ANT1	802.11ac(VHT20)	5785.00	5784.952	5776.465	5793.444	5725~5850	Pass
55degrees C&&3.80V	ANT1	802.11ac(VHT20)	5825.00	5824.890	5814.471	5835.319	5725~5850	Pass
45degrees C&&3.80V	ANT1	802.11ac(VHT20)	5825.00	5824.977	5815.712	5834.239	5725~5850	Pass
35degrees C&&3.80V	ANT1	802.11ac(VHT20)	5825.00	5825.015	5816.021	5834.017	5725~5850	Pass
25degrees C&&3.80V	ANT1	802.11ac(VHT20)	5825.00	5825.024	5816.162	5833.888	5725~5850	Pass
15degrees C&&3.80V	ANT1	802.11ac(VHT20)	5825.00	5825.029	5816.258	5833.805	5725~5850	Pass
5degrees C&&3.80V	ANT1	802.11ac(VHT20)	5825.00	5825.034	5816.319	5833.742	5725~5850	Pass
-5degrees C&&3.80V	ANT1	802.11ac(VHT20)	5825.00	5825.024	5816.366	5833.682	5725~5850	Pass
-15degrees C&&3.80V	ANT1	802.11ac(VHT20)	5825.00	5825.031	5816.429	5833.648	5725~5850	Pass
25degrees C&&4.37V	ANT1	802.11ac(VHT20)	5825.00	5825.018	5816.465	5833.568	5725~5850	Pass
25degrees C&&3.80V	ANT1	802.11ac(VHT20)	5825.00	5825.008	5816.516	5833.497	5725~5850	Pass
25degrees C&&3.23V	ANT1	802.11ac(VHT20)	5825.00	5825.025	5816.566	5833.480	5725~5850	Pass
55degrees C&&3.80V	ANT1	802.11ax(HE20)	5745.00	5744.873	5733.576	5756.169	5725~5850	Pass
45degrees C&&3.80V	ANT1	802.11ax(HE20)	5745.00	5744.983	5735.182	5754.791	5725~5850	Pass
35degrees C&&3.80V	ANT1	802.11ax(HE20)	5745.00	5745.026	5735.423	5754.616	5725~5850	Pass
25degrees C&&3.80V	ANT1	802.11ax(HE20)	5745.00	5745.019	5735.516	5754.530	5725~5850	Pass
15degrees C&&3.80V	ANT1	802.11ax(HE20)	5745.00	5745.022	5735.588	5754.453	5725~5850	Pass
5degrees C&&3.80V	ANT1	802.11ax(HE20)	5745.00	5745.026	5735.643	5754.409	5725~5850	Pass
-5degrees C&&3.80V	ANT1	802.11ax(HE20)	5745.00	5745.030	5735.690	5754.373	5725~5850	Pass
-15degrees C&&3.80V	ANT1	802.11ax(HE20)	5745.00	5745.011	5735.717	5754.296	5725~5850	Pass
25degrees C&&4.37V	ANT1	802.11ax(HE20)	5745.00	5744.998	5735.770	5754.229	5725~5850	Pass
25degrees C&&3.80V	ANT1	802.11ax(HE20)	5745.00	5744.987	5735.810	5754.171	5725~5850	Pass
25degrees C&&3.23V	ANT1	802.11ax(HE20)	5745.00	5745.003	5735.858	5754.138	5725~5850	Pass
55degrees C&&3.80V	ANT1	802.11ax(HE20)	5785.00	5784.678	5773.845	5795.521	5725~5850	Pass
45degrees C&&3.80V	ANT1	802.11ax(HE20)	5785.00	5784.950	5775.197	5794.706	5725~5850	Pass
35degrees C&&3.80V	ANT1	802.11ax(HE20)	5785.00	5784.996	5775.417	5794.564	5725~5850	Pass
25degrees C&&3.80V	ANT1	802.11ax(HE20)	5785.00	5784.999	5775.511	5794.493	5725~5850	Pass
15degrees C&&3.80V	ANT1	802.11ax(HE20)	5785.00	5784.994	5775.575	5794.427	5725~5850	Pass

5degrees C&&3.80V	ANT1	802.11ax(HE20)	5785.00	5785.000	5775.625	5794.370	5725~5850	Pass
-5degrees C&&3.80V	ANT1	802.11ax(HE20)	5785.00	5784.983	5775.679	5794.284	5725~5850	Pass
-15degrees C&&3.80V	ANT1	802.11ax(HE20)	5785.00	5784.995	5775.733	5794.260	5725~5850	Pass
25degrees C&&4.37V	ANT1	802.11ax(HE20)	5785.00	5784.987	5775.781	5794.184	5725~5850	Pass
25degrees C&&3.80V	ANT1	802.11ax(HE20)	5785.00	5785.014	5775.816	5794.208	5725~5850	Pass
25degrees C&&3.23V	ANT1	802.11ax(HE20)	5785.00	5784.959	5775.855	5794.060	5725~5850	Pass
55degrees C&&3.80V	ANT1	802.11ax(HE20)	5825.00	5824.994	5814.776	5835.216	5725~5850	Pass
45degrees C&&3.80V	ANT1	802.11ax(HE20)	5825.00	5825.040	5815.361	5834.716	5725~5850	Pass
35degrees C&&3.80V	ANT1	802.11ax(HE20)	5825.00	5825.049	5815.501	5834.586	5725~5850	Pass
25degrees C&&3.80V	ANT1	802.11ax(HE20)	5825.00	5825.044	5815.574	5834.513	5725~5850	Pass
15degrees C&&3.80V	ANT1	802.11ax(HE20)	5825.00	5825.013	5815.619	5834.414	5725~5850	Pass
5degrees C&&3.80V	ANT1	802.11ax(HE20)	5825.00	5825.011	5815.660	5834.363	5725~5850	Pass
-5degrees C&&3.80V	ANT1	802.11ax(HE20)	5825.00	5825.034	5815.704	5834.349	5725~5850	Pass
-15degrees C&&3.80V	ANT1	802.11ax(HE20)	5825.00	5825.015	5815.756	5834.275	5725~5850	Pass
25degrees C&&4.37V	ANT1	802.11ax(HE20)	5825.00	5824.989	5815.818	5834.163	5725~5850	Pass
25degrees C&&3.80V	ANT1	802.11ax(HE20)	5825.00	5825.038	5815.862	5834.205	5725~5850	Pass
25degrees C&&3.23V	ANT1	802.11ax(HE20)	5825.00	5825.004	5815.923	5834.082	5725~5850	Pass
55degrees C&&3.80V	ANT1	802.11n(HT40)	5755.00	5753.154	5730.907	5775.409	5725~5850	Pass
45degrees C&&3.80V	ANT1	802.11n(HT40)	5755.00	5754.827	5736.299	5773.352	5725~5850	Pass
35degrees C&&3.80V	ANT1	802.11n(HT40)	5755.00	5755.014	5736.812	5773.206	5725~5850	Pass
25degrees C&&3.80V	ANT1	802.11n(HT40)	5755.00	5754.977	5736.935	5773.027	5725~5850	Pass
15degrees C&&3.80V	ANT1	802.11n(HT40)	5755.00	5754.992	5737.038	5772.946	5725~5850	Pass
5degrees C&&3.80V	ANT1	802.11n(HT40)	5755.00	5754.953	5737.129	5772.775	5725~5850	Pass
-5degrees C&&3.80V	ANT1	802.11n(HT40)	5755.00	5754.956	5737.234	5772.695	5725~5850	Pass
-15degrees C&&3.80V	ANT1	802.11n(HT40)	5755.00	5755.053	5737.348	5772.752	5725~5850	Pass
25degrees C&&4.37V	ANT1	802.11n(HT40)	5755.00	5755.053	5737.418	5772.677	5725~5850	Pass
25degrees C&&3.80V	ANT1	802.11n(HT40)	5755.00	5755.013	5737.490	5772.533	5725~5850	Pass
25degrees C&&3.23V	ANT1	802.11n(HT40)	5755.00	5754.988	5737.554	5772.415	5725~5850	Pass
55degrees C&&3.80V	ANT1	802.11n(HT40)	5795.00	5793.782	5773.339	5814.224	5725~5850	Pass
45degrees C&&3.80V	ANT1	802.11n(HT40)	5795.00	5794.860	5776.473	5813.239	5725~5850	Pass
35degrees C&&3.80V	ANT1	802.11n(HT40)	5795.00	5794.979	5776.783	5813.176	5725~5850	Pass
25degrees C&&3.80V	ANT1	802.11n(HT40)	5795.00	5794.982	5776.890	5813.060	5725~5850	Pass
15degrees C&&3.80V	ANT1	802.11n(HT40)	5795.00	5794.930	5776.985	5812.866	5725~5850	Pass
5degrees C&&3.80V	ANT1	802.11n(HT40)	5795.00	5794.962	5777.076	5812.837	5725~5850	Pass
-5degrees C&&3.80V	ANT1	802.11n(HT40)	5795.00	5794.905	5777.156	5812.664	5725~5850	Pass
-15degrees C&&3.80V	ANT1	802.11n(HT40)	5795.00	5794.931	5777.216	5812.640	5725~5850	Pass
25degrees C&&4.37V	ANT1	802.11n(HT40)	5795.00	5794.956	5777.316	5812.597	5725~5850	Pass
25degrees C&&3.80V	ANT1	802.11n(HT40)	5795.00	5794.960	5777.401	5812.504	5725~5850	Pass
25degrees C&&3.23V	ANT1	802.11n(HT40)	5795.00	5794.962	5777.505	5812.412	5725~5850	Pass

55degrees C&&3.80V	ANT1	802.11ac(VHT40)	5755.00	5754.109	5734.111	5774.119	5725~5850	Pass
45degrees C&&3.80V	ANT1	802.11ac(VHT40)	5755.00	5754.907	5736.572	5773.244	5725~5850	Pass
35degrees C&&3.80V	ANT1	802.11ac(VHT40)	5755.00	5755.007	5736.843	5773.166	5725~5850	Pass
25degrees C&&3.80V	ANT1	802.11ac(VHT40)	5755.00	5754.978	5736.954	5773.008	5725~5850	Pass
15degrees C&&3.80V	ANT1	802.11ac(VHT40)	5755.00	5755.048	5737.052	5773.034	5725~5850	Pass
5degrees C&&3.80V	ANT1	802.11ac(VHT40)	5755.00	5755.000	5737.122	5772.887	5725~5850	Pass
-5degrees C&&3.80V	ANT1	802.11ac(VHT40)	5755.00	5754.936	5737.209	5772.659	5725~5850	Pass
-15degrees C&&3.80V	ANT1	802.11ac(VHT40)	5755.00	5754.998	5737.302	5772.687	5725~5850	Pass
25degrees C&&4.37V	ANT1	802.11ac(VHT40)	5755.00	5754.958	5737.370	5772.540	5725~5850	Pass
25degrees C&&3.80V	ANT1	802.11ac(VHT40)	5755.00	5754.997	5737.451	5772.533	5725~5850	Pass
25degrees C&&3.23V	ANT1	802.11ac(VHT40)	5755.00	5754.973	5737.518	5772.421	5725~5850	Pass
55degrees C&&3.80V	ANT1	802.11ac(VHT40)	5795.00	5794.315	5774.809	5813.819	5725~5850	Pass
45degrees C&&3.80V	ANT1	802.11ac(VHT40)	5795.00	5794.984	5776.640	5813.322	5725~5850	Pass
35degrees C&&3.80V	ANT1	802.11ac(VHT40)	5795.00	5795.018	5776.844	5813.184	5725~5850	Pass
25degrees C&&3.80V	ANT1	802.11ac(VHT40)	5795.00	5794.992	5776.962	5813.041	5725~5850	Pass
15degrees C&&3.80V	ANT1	802.11ac(VHT40)	5795.00	5794.971	5777.039	5812.912	5725~5850	Pass
5degrees C&&3.80V	ANT1	802.11ac(VHT40)	5795.00	5794.947	5777.102	5812.800	5725~5850	Pass
-5degrees C&&3.80V	ANT1	802.11ac(VHT40)	5795.00	5794.905	5777.144	5812.654	5725~5850	Pass
-15degrees C&&3.80V	ANT1	802.11ac(VHT40)	5795.00	5794.905	5777.194	5812.617	5725~5850	Pass
25degrees C&&4.37V	ANT1	802.11ac(VHT40)	5795.00	5794.980	5777.294	5812.661	5725~5850	Pass
25degrees C&&3.80V	ANT1	802.11ac(VHT40)	5795.00	5794.888	5777.363	5812.415	5725~5850	Pass
25degrees C&&3.23V	ANT1	802.11ac(VHT40)	5795.00	5794.922	5777.441	5812.392	5725~5850	Pass
55degrees C&&3.80V	ANT1	802.11ax(HE40)	5755.00	5754.026	5733.289	5774.756	5725~5850	Pass
45degrees C&&3.80V	ANT1	802.11ax(HE40)	5755.00	5754.959	5735.894	5774.018	5725~5850	Pass
35degrees C&&3.80V	ANT1	802.11ax(HE40)	5755.00	5755.012	5736.049	5773.968	5725~5850	Pass
25degrees C&&3.80V	ANT1	802.11ax(HE40)	5755.00	5755.025	5736.134	5773.927	5725~5850	Pass
15degrees C&&3.80V	ANT1	802.11ax(HE40)	5755.00	5754.971	5736.223	5773.727	5725~5850	Pass
5degrees C&&3.80V	ANT1	802.11ax(HE40)	5755.00	5755.025	5736.289	5773.770	5725~5850	Pass
-5degrees C&&3.80V	ANT1	802.11ax(HE40)	5755.00	5754.925	5736.370	5773.484	5725~5850	Pass
-15degrees C&&3.80V	ANT1	802.11ax(HE40)	5755.00	5754.804	5736.468	5773.144	5725~5850	Pass
25degrees C&&4.37V	ANT1	802.11ax(HE40)	5755.00	5754.913	5736.589	5773.238	5725~5850	Pass
25degrees C&&3.80V	ANT1	802.11ax(HE40)	5755.00	5755.006	5736.715	5773.291	5725~5850	Pass
25degrees C&&3.23V	ANT1	802.11ax(HE40)	5755.00	5754.838	5736.781	5772.888	5725~5850	Pass
55degrees C&&3.80V	ANT1	802.11ax(HE40)	5795.00	5793.709	5773.034	5814.385	5725~5850	Pass
45degrees C&&3.80V	ANT1	802.11ax(HE40)	5795.00	5795.057	5775.944	5814.172	5725~5850	Pass
35degrees C&&3.80V	ANT1	802.11ax(HE40)	5795.00	5795.011	5776.059	5813.970	5725~5850	Pass
25degrees C&&3.80V	ANT1	802.11ax(HE40)	5795.00	5795.012	5776.141	5813.890	5725~5850	Pass
15degrees C&&3.80V	ANT1	802.11ax(HE40)	5795.00	5794.965	5776.220	5813.719	5725~5850	Pass
5degrees C&&3.80V	ANT1	802.11ax(HE40)	5795.00	5794.916	5776.260	5813.574	5725~5850	Pass
-5degrees C&&3.80V	ANT1	802.11ax(HE40)	5795.00	5794.973	5776.321	5813.626	5725~5850	Pass

-15degrees C&&3.80V	ANT1	802.11ax(HE40)	5795.00	5794.941	5776.395	5813.480	5725~5850	Pass
25degrees C&&4.37V	ANT1	802.11ax(HE40)	5795.00	5794.905	5776.479	5813.321	5725~5850	Pass
25degrees C&&3.80V	ANT1	802.11ax(HE40)	5795.00	5794.897	5776.525	5813.260	5725~5850	Pass
25degrees C&&3.23V	ANT1	802.11ax(HE40)	5795.00	5794.800	5776.637	5812.964	5725~5850	Pass

Conducted RF Spurious Emission

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	a	5745	Ant1	-29.11	-27	Pass
NVNT	a	5785	Ant1	-30.52	-27	Pass
NVNT	a	5825	Ant1	-30.57	-27	Pass
NVNT	n20	5745	Ant1	-29.29	-27	Pass
NVNT	n20	5785	Ant1	-30.24	-27	Pass
NVNT	n20	5825	Ant1	-30.39	-27	Pass
NVNT	n40	5755	Ant1	-29.8	-27	Pass
NVNT	n40	5795	Ant1	-30.23	-27	Pass
NVNT	ac20	5745	Ant1	-29.92	-27	Pass
NVNT	ac20	5785	Ant1	-29.06	-27	Pass
NVNT	ac20	5825	Ant1	-29.84	-27	Pass
NVNT	ac40	5755	Ant1	-33.66	-27	Pass
NVNT	ac40	5795	Ant1	-35.47	-27	Pass
NVNT	ax20	5745	Ant1	-29.45	-27	Pass
NVNT	ax20	5785	Ant1	-31.93	-27	Pass
NVNT	ax20	5825	Ant1	-29.66	-27	Pass
NVNT	ax40	5755	Ant1	-34.83	-27	Pass
NVNT	ax40	5795	Ant1	-34.3	-27	Pass



Tx. Spurious NVNT a 5745MHz Ant1 Emission




Tx. Spurious NVNT a 5785MHz Ant1 Emission



Tx. Spurious NVNT a 5825MHz Ant1 Emission




Tx. Spurious NVNT n20 5745MHz Ant1 Emission



Tx. Spurious NVNT n20 5785MHz Ant1 Emission



Tx. Spurious NVNT n20 5825MHz Ant1 Emission



Tx. Spurious NVNT n40 5755MHz Ant1 Emission




Tx. Spurious NVNT n40 5795MHz Ant1 Emission



Tx. Spurious NVNT ac20 5745MHz Ant1 Emission




Tx. Spurious NVNT ac20 5785MHz Ant1 Emission



Tx. Spurious NVNT ac20 5825MHz Ant1 Emission




Tx. Spurious NVNT ac40 5755MHz Ant1 Emission



Tx. Spurious NVNT ac40 5795MHz Ant1 Emission



Tx. Spurious NVNT ax20 5745MHz Ant1 Emission



Tx. Spurious NVNT ax20 5785MHz Ant1 Emission



Tx. Spurious NVNT ax20 5825MHz Ant1 Emission



Tx. Spurious NVNT ax40 5755MHz Ant1 Emission



Tx. Spurious NVNT ax40 5795MHz Ant1 Emission