







Band Edge NVNT ac40 5510MHz Low Ant2




Band Edge NVNT ac40 5670MHz High Ant2




Band Edge NVNT ac80 5530MHz Low Ant1




Band Edge NVNT ac80 5610MHz High Ant1




Band Edge NVNT ac80 5530MHz Low Ant2




Band Edge NVNT ac80 5610MHz High Ant2




Band Edge NVNT ax20 5500MHz Low Ant1




Band Edge NVNT ax20 5700MHz High Ant1




Band Edge NVNT ax20 5500MHz Low Ant2




Band Edge NVNT ax20 5700MHz High Ant2




Band Edge NVNT ax40 5510MHz Low Ant1




Band Edge NVNT ax40 5670MHz High Ant1



Band Edge NVNT ax40 5510MHz Low Ant2




Band Edge NVNT ax40 5670MHz High Ant2




Band Edge NVNT ax80 5530MHz Low Ant1




Band Edge NVNT ax80 5610MHz High Ant1



Band Edge NVNT ax80 5530MHz Low Ant2



Band Edge NVNT ax80 5610MHz High Ant2




Conducted RF Spurious Emission

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBm)	Limit (dBm)	Verdict
NVNT	a	5500	Ant1	-32.23	-27	Pass
NVNT	a	5600	Ant1	-33.21	-27	Pass
NVNT	a	5700	Ant1	-33.16	-27	Pass
NVNT	a	5500	Ant2	-33.43	-27	Pass
NVNT	a	5600	Ant2	-33.52	-27	Pass
NVNT	a	5700	Ant2	-34.72	-27	Pass
NVNT	n20	5500	Ant1	-33.49	-27	Pass
NVNT	n20	5600	Ant1	-33.1	-27	Pass
NVNT	n20	5700	Ant1	-33.63	-27	Pass
NVNT	n20	5500	Ant2	-34.46	-27	Pass
NVNT	n20	5600	Ant2	-34.37	-27	Pass
NVNT	n20	5700	Ant2	-33.95	-27	Pass
NVNT	n40	5510	Ant1	-34.38	-27	Pass
NVNT	n40	5590	Ant1	-34.3	-27	Pass
NVNT	n40	5670	Ant1	-34.86	-27	Pass
NVNT	n40	5510	Ant2	-33.83	-27	Pass
NVNT	n40	5590	Ant2	-34.42	-27	Pass
NVNT	n40	5670	Ant2	-34.32	-27	Pass
NVNT	ac20	5500	Ant1	-32.86	-27	Pass
NVNT	ac20	5600	Ant1	-33.25	-27	Pass
NVNT	ac20	5700	Ant1	-33.54	-27	Pass
NVNT	ac20	5500	Ant2	-34.28	-27	Pass
NVNT	ac20	5600	Ant2	-34.79	-27	Pass
NVNT	ac20	5700	Ant2	-33.84	-27	Pass
NVNT	ac40	5510	Ant1	-33.34	-27	Pass
NVNT	ac40	5590	Ant1	-33.84	-27	Pass
NVNT	ac40	5670	Ant1	-33.46	-27	Pass
NVNT	ac40	5510	Ant2	-34.23	-27	Pass
NVNT	ac40	5590	Ant2	-34.39	-27	Pass
NVNT	ac40	5670	Ant2	-34.16	-27	Pass
NVNT	ac80	5530	Ant1	-33.28	-27	Pass
NVNT	ac80	5610	Ant1	-33.41	-27	Pass
NVNT	ac80	5530	Ant2	-34.06	-27	Pass
NVNT	ac80	5610	Ant2	-34.15	-27	Pass
NVNT	ax20	5500	Ant1	-33.09	-27	Pass
NVNT	ax20	5600	Ant1	-33.66	-27	Pass
NVNT	ax20	5700	Ant1	-33.59	-27	Pass
NVNT	ax20	5500	Ant2	-34.19	-27	Pass
NVNT	ax20	5600	Ant2	-33.16	-27	Pass
NVNT	ax20	5700	Ant2	-33.62	-27	Pass
NVNT	ax40	5510	Ant1	-33.32	-27	Pass


NVNT	ax40	5590	Ant1	-33.61	-27	Pass
NVNT	ax40	5670	Ant1	-33.57	-27	Pass
NVNT	ax40	5510	Ant2	-34.13	-27	Pass
NVNT	ax40	5590	Ant2	-33.88	-27	Pass
NVNT	ax40	5670	Ant2	-34.83	-27	Pass
NVNT	ax80	5530	Ant1	-33.4	-27	Pass
NVNT	ax80	5610	Ant1	-33.81	-27	Pass
NVNT	ax80	5530	Ant2	-34.45	-27	Pass
NVNT	ax80	5610	Ant2	-34.55	-27	Pass

Test Graphs


Tx. Spurious NVNT a 5500MHz Ant1 Emission




Tx. Spurious NVNT a 5600MHz Ant1 Emission




Tx. Spurious NVNT a 5700MHz Ant1 Emission




Tx. Spurious NVNT a 5500MHz Ant2 Emission




Tx. Spurious NVNT a 5600MHz Ant2 Emission




Tx. Spurious NVNT a 5700MHz Ant2 Emission




Tx. Spurious NVNT n20 5500MHz Ant1 Emission




Tx. Spurious NVNT n20 5600MHz Ant1 Emission




Tx. Spurious NVNT n20 5700MHz Ant1 Emission




Tx. Spurious NVNT n20 5500MHz Ant2 Emission




Tx. Spurious NVNT n20 5600MHz Ant2 Emission




Tx. Spurious NVNT n20 5700MHz Ant2 Emission




Tx. Spurious NVNT n40 5510MHz Ant1 Emission




Tx. Spurious NVNT n40 5590MHz Ant1 Emission




Tx. Spurious NVNT n40 5670MHz Ant1 Emission




Tx. Spurious NVNT n40 5510MHz Ant2 Emission




Tx. Spurious NVNT n40 5590MHz Ant2 Emission




Tx. Spurious NVNT n40 5670MHz Ant2 Emission




Tx. Spurious NVNT ac20 5500MHz Ant1 Emission




Tx. Spurious NVNT ac20 5600MHz Ant1 Emission




Tx. Spurious NVNT ac20 5700MHz Ant1 Emission




Tx. Spurious NVNT ac20 5500MHz Ant2 Emission




Tx. Spurious NVNT ac20 5600MHz Ant2 Emission




Tx. Spurious NVNT ac20 5700MHz Ant2 Emission




Tx. Spurious NVNT ac40 5510MHz Ant1 Emission




Tx. Spurious NVNT ac40 5590MHz Ant1 Emission




Tx. Spurious NVNT ac40 5670MHz Ant1 Emission




Tx. Spurious NVNT ac40 5510MHz Ant2 Emission




Tx. Spurious NVNT ac40 5590MHz Ant2 Emission




Tx. Spurious NVNT ac40 5670MHz Ant2 Emission




Tx. Spurious NVNT ac80 5530MHz Ant1 Emission




Tx. Spurious NVNT ac80 5610MHz Ant1 Emission




Tx. Spurious NVNT ac80 5530MHz Ant2 Emission




Tx. Spurious NVNT ac80 5610MHz Ant2 Emission




Tx. Spurious NVNT ax20 5500MHz Ant1 Emission




Tx. Spurious NVNT ax20 5600MHz Ant1 Emission




Tx. Spurious NVNT ax20 5700MHz Ant1 Emission




Tx. Spurious NVNT ax20 5500MHz Ant2 Emission




Tx. Spurious NVNT ax20 5600MHz Ant2 Emission




Tx. Spurious NVNT ax20 5700MHz Ant2 Emission




Tx. Spurious NVNT ax40 5510MHz Ant1 Emission




Tx. Spurious NVNT ax40 5590MHz Ant1 Emission




Tx. Spurious NVNT ax40 5670MHz Ant1 Emission




Tx. Spurious NVNT ax40 5510MHz Ant2 Emission




Tx. Spurious NVNT ax40 5590MHz Ant2 Emission




Tx. Spurious NVNT ax40 5670MHz Ant2 Emission




Tx. Spurious NVNT ax80 5530MHz Ant1 Emission




Tx. Spurious NVNT ax80 5610MHz Ant1 Emission



Tx. Spurious NVNT ax80 5530MHz Ant2 Emission



Tx. Spurious NVNT ax80 5610MHz Ant2 Emission




WIFI 5.6G MIMO Test Data

Duty Cycle


Condition	Mode	Frequency (MHz)	Antenna	Duty Cycle (%)	Correction Factor (dB)	1/T (kHz)
NVNT	ac20	5500	ANT 1	100	0	/
NVNT	ac20	5600	ANT 1	100	0	/
NVNT	ac20	5700	ANT 1	100	0	/
NVNT	ac40	5510	ANT 1	100	0	/
NVNT	ac40	5590	ANT 1	100	0	/
NVNT	ac40	5670	ANT 1	100	0	/
NVNT	ac80	5530	ANT 1	100	0	/
NVNT	ac80	5610	ANT 1	100	0	/
NVNT	ax20	5500	ANT 1	100	0	/
NVNT	ax20	5600	ANT 1	100	0	/
NVNT	ax20	5700	ANT 1	100	0	/
NVNT	ax40	5510	ANT 1	100	0	/
NVNT	ax40	5590	ANT 1	100	0	/
NVNT	ax40	5670	ANT 1	100	0	/
NVNT	ax80	5530	ANT 1	100	0	/
NVNT	ax80	5610	ANT 1	100	0	/
NVNT	n20	5500	ANT 1	100	0	/
NVNT	n20	5600	ANT 1	100	0	/
NVNT	n20	5700	ANT 1	100	0	/
NVNT	n40	5510	ANT 1	100	0	/
NVNT	n40	5590	ANT 1	100	0	/
NVNT	n40	5670	ANT 1	100	0	/

Test Graphs


Duty Cycle NVNT ac20 5500MHz ANT 1




Duty Cycle NVNT ac20 5600MHz ANT 1




Duty Cycle NVNT ac20 5700MHz ANT 1




Duty Cycle NVNT ac40 5510MHz ANT 1




Duty Cycle NVNT ac40 5590MHz ANT 1




Duty Cycle NVNT ac40 5670MHz ANT 1




Duty Cycle NVNT ac80 5530MHz ANT 1




Duty Cycle NVNT ac80 5610MHz ANT 1







Duty Cycle NVNT ax20 5700MHz ANT 1




Duty Cycle NVNT ax40 5510MHz ANT 1




Duty Cycle NVNT ax40 5590MHz ANT 1




Duty Cycle NVNT ax40 5670MHz ANT 1





Duty Cycle NVNT ax80 5530MHz ANT 1




Duty Cycle NVNT ax80 5610MHz ANT 1









Maximum Conducted Output Power

Condition	Mode	Frequency (MHz)	Antenna	Conducted Power (dBm)	Limit (dBm)	Verdict
NVNT	ac20	5500	Ant1	7.76	24	Pass
NVNT	ac20	5500	Ant2	8.26	24	Pass
NVNT	ac20	5500	Sum	11.03	24	Pass
NVNT	ac20	5600	Ant1	8.48	24	Pass
NVNT	ac20	5600	Ant2	8.46	24	Pass
NVNT	ac20	5600	Sum	11.48	24	Pass
NVNT	ac20	5700	Ant1	9.3	24	Pass
NVNT	ac20	5700	Ant2	9.63	24	Pass
NVNT	ac20	5700	Sum	12.48	24	Pass
NVNT	ac40	5510	Ant1	8.13	24	Pass
NVNT	ac40	5510	Ant2	8.66	24	Pass
NVNT	ac40	5510	Sum	11.41	24	Pass
NVNT	ac40	5590	Ant1	8.7	24	Pass
NVNT	ac40	5590	Ant2	8.86	24	Pass
NVNT	ac40	5590	Sum	11.79	24	Pass
NVNT	ac40	5670	Ant1	9.33	24	Pass
NVNT	ac40	5670	Ant2	9.85	24	Pass
NVNT	ac40	5670	Sum	12.61	24	Pass
NVNT	ac80	5530	Ant1	8.06	24	Pass
NVNT	ac80	5530	Ant2	8.49	24	Pass
NVNT	ac80	5530	Sum	11.29	24	Pass
NVNT	ac80	5610	Ant1	8.7	24	Pass
NVNT	ac80	5610	Ant2	8.61	24	Pass
NVNT	ac80	5610	Sum	11.67	24	Pass
NVNT	ax20	5500	Ant1	7.75	24	Pass
NVNT	ax20	5500	Ant2	8.24	24	Pass
NVNT	ax20	5500	Sum	11.01	24	Pass
NVNT	ax20	5600	Ant1	8.19	24	Pass
NVNT	ax20	5600	Ant2	9.48	24	Pass
NVNT	ax20	5600	Sum	11.89	24	Pass
NVNT	ax20	5700	Ant1	9.2	24	Pass
NVNT	ax20	5700	Ant2	10.31	24	Pass
NVNT	ax20	5700	Sum	12.8	24	Pass
NVNT	ax40	5510	Ant1	8.14	24	Pass
NVNT	ax40	5510	Ant2	9.48	24	Pass
NVNT	ax40	5510	Sum	11.87	24	Pass
NVNT	ax40	5590	Ant1	8.66	24	Pass
NVNT	ax40	5590	Ant2	9.64	24	Pass
NVNT	ax40	5590	Sum	12.19	24	Pass
NVNT	ax40	5670	Ant1	9.16	24	Pass
NVNT	ax40	5670	Ant2	10.26	24	Pass

NVNT	ax40	5670	Sum	12.76	24	Pass
NVNT	ax80	5530	Ant1	8.63	24	Pass
NVNT	ax80	5530	Ant2	8.63	24	Pass
NVNT	ax80	5530	Sum	11.64	24	Pass
NVNT	ax80	5610	Ant1	9.23	24	Pass
NVNT	ax80	5610	Ant2	8.57	24	Pass
NVNT	ax80	5610	Sum	11.92	24	Pass
NVNT	n20	5500	Ant1	10.96	24	Pass
NVNT	n20	5500	Ant2	10.46	24	Pass
NVNT	n20	5500	Sum	13.73	24	Pass
NVNT	n20	5600	Ant1	10.78	24	Pass
NVNT	n20	5600	Ant2	10.93	24	Pass
NVNT	n20	5600	Sum	13.87	24	Pass
NVNT	n20	5700	Ant1	11.5	24	Pass
NVNT	n20	5700	Ant2	12.18	24	Pass
NVNT	n20	5700	Sum	14.86	24	Pass
NVNT	n40	5510	Ant1	10.41	24	Pass
NVNT	n40	5510	Ant2	10.9	24	Pass
NVNT	n40	5510	Sum	13.67	24	Pass
NVNT	n40	5590	Ant1	11.29	24	Pass
NVNT	n40	5590	Ant2	11.35	24	Pass
NVNT	n40	5590	Sum	14.33	24	Pass
NVNT	n40	5670	Ant1	11.61	24	Pass
NVNT	n40	5670	Ant2	12.11	24	Pass
NVNT	n40	5670	Sum	14.88	24	Pass

Note:

- For 802.11n20/n40/ac20/ac40/ac80/ax20/ax40/ax80, this device employ CDD for MIMO mode, according to KDB 662911 D01 Multiple Transmitter
Output v02r01, Directional gain = $GANT + 10 \log(N)$
Directional gain = $2.71 + 3 = 5.71 \text{ dBi} < 6 \text{ dBi}$, So the limit does not need to be reduced.
- The conducted average power contains duty cycle factor.
- The limit is based on the lesser of 250 mW or $11 \text{ dBm} + 10 \log B$, where B is the 26 dB emission bandwidth in megahertz.

Maximum Power Spectral Density Level

Condition	Mode	Frequency (MHz)	Antenna	Conducted PSD (dBm/MHz)	Duty Factor (dB)	Total PSD (dBm/MHz)	Limit (dBm/MHz)	Verdict
NVNT	ac20	5500	Ant1	-4.09	0	-4.09	11	Pass
NVNT	ac20	5500	Ant2	-4.29	0	-4.29	11	Pass
NVNT	ac20	5500	Sum	-1.18	0	-1.18	11	Pass
NVNT	ac20	5600	Ant1	-3.36	0	-3.36	11	Pass
NVNT	ac20	5600	Ant2	-4.4	0	-4.4	11	Pass
NVNT	ac20	5600	Sum	-0.84	0	-0.84	11	Pass
NVNT	ac20	5700	Ant1	-2.47	0	-2.47	11	Pass
NVNT	ac20	5700	Ant2	-2.89	0	-2.89	11	Pass
NVNT	ac20	5700	Sum	0.34	0	0.34	11	Pass
NVNT	ac40	5510	Ant1	-6.91	0	-6.91	11	Pass
NVNT	ac40	5510	Ant2	-6.77	0	-6.77	11	Pass
NVNT	ac40	5510	Sum	-3.83	0	-3.83	11	Pass
NVNT	ac40	5590	Ant1	-5.72	0	-5.72	11	Pass
NVNT	ac40	5590	Ant2	-6.96	0	-6.96	11	Pass
NVNT	ac40	5590	Sum	-3.29	0	-3.29	11	Pass
NVNT	ac40	5670	Ant1	-5.55	0	-5.55	11	Pass
NVNT	ac40	5670	Ant2	-6.12	0	-6.12	11	Pass
NVNT	ac40	5670	Sum	-2.82	0	-2.82	11	Pass
NVNT	ac80	5530	Ant1	-9.84	0	-9.84	11	Pass
NVNT	ac80	5530	Ant2	-11.17	0	-11.17	11	Pass
NVNT	ac80	5530	Sum	-7.44	0	-7.44	11	Pass
NVNT	ac80	5610	Ant1	-9.66	0	-9.66	11	Pass
NVNT	ac80	5610	Ant2	-11.13	0	-11.13	11	Pass
NVNT	ac80	5610	Sum	-7.32	0	-7.32	11	Pass
NVNT	ax20	5500	Ant1	-4.22	0	-4.22	11	Pass
NVNT	ax20	5500	Ant2	-4.56	0	-4.56	11	Pass
NVNT	ax20	5500	Sum	-1.38	0	-1.38	11	Pass
NVNT	ax20	5600	Ant1	-3.82	0	-3.82	11	Pass
NVNT	ax20	5600	Ant2	-3.28	0	-3.28	11	Pass
NVNT	ax20	5600	Sum	-0.53	0	-0.53	11	Pass
NVNT	ax20	5700	Ant1	-3.22	0	-3.22	11	Pass
NVNT	ax20	5700	Ant2	-2.21	0	-2.21	11	Pass
NVNT	ax20	5700	Sum	0.32	0	0.32	11	Pass
NVNT	ax40	5510	Ant1	-6.92	0	-6.92	11	Pass
NVNT	ax40	5510	Ant2	-6.41	0	-6.41	11	Pass
NVNT	ax40	5510	Sum	-3.65	0	-3.65	11	Pass
NVNT	ax40	5590	Ant1	-6.43	0	-6.43	11	Pass
NVNT	ax40	5590	Ant2	-5.97	0	-5.97	11	Pass
NVNT	ax40	5590	Sum	-3.18	0	-3.18	11	Pass

NVNT	ax40	5670	Ant1	-5.84	0	-5.84	11	Pass
NVNT	ax40	5670	Ant2	-6.33	0	-6.33	11	Pass
NVNT	ax40	5670	Sum	-3.07	0	-3.07	11	Pass
NVNT	ax80	5530	Ant1	-9.43	0	-9.43	11	Pass
NVNT	ax80	5530	Ant2	-11.04	0	-11.04	11	Pass
NVNT	ax80	5530	Sum	-7.15	0	-7.15	11	Pass
NVNT	ax80	5610	Ant1	-9.69	0	-9.69	11	Pass
NVNT	ax80	5610	Ant2	-11.26	0	-11.26	11	Pass
NVNT	ax80	5610	Sum	-7.39	0	-7.39	11	Pass
NVNT	n20	5500	Ant1	-1.57	0	-1.57	11	Pass
NVNT	n20	5500	Ant2	-1.66	0	-1.66	11	Pass
NVNT	n20	5500	Sum	1.4	0	1.4	11	Pass
NVNT	n20	5600	Ant1	-0.7	0	-0.7	11	Pass
NVNT	n20	5600	Ant2	-1.59	0	-1.59	11	Pass
NVNT	n20	5600	Sum	1.89	0	1.89	11	Pass
NVNT	n20	5700	Ant1	-0.34	0	-0.34	11	Pass
NVNT	n20	5700	Ant2	0.42	0	0.42	11	Pass
NVNT	n20	5700	Sum	3.07	0	3.07	11	Pass
NVNT	n40	5510	Ant1	-4.32	0	-4.32	11	Pass
NVNT	n40	5510	Ant2	-4.47	0	-4.47	11	Pass
NVNT	n40	5510	Sum	-1.38	0	-1.38	11	Pass
NVNT	n40	5590	Ant1	-3.62	0	-3.62	11	Pass
NVNT	n40	5590	Ant2	-3.99	0	-3.99	11	Pass
NVNT	n40	5590	Sum	-0.79	0	-0.79	11	Pass
NVNT	n40	5670	Ant1	-3.04	0	-3.04	11	Pass
NVNT	n40	5670	Ant2	-3.21	0	-3.21	11	Pass
NVNT	n40	5670	Sum	-0.11	0	-0.11	11	Pass

Note:

1. For 802.11n20/n40/ac20/ac40/ac80/ax20/ax40/ax80, this device employ CDD for MIMO mode, according to KDB 662911 D01

Multiple Transmitter


Output v02r01, Directional gain = $G_{ANT} + 10 \log(N)$

Directional gain = $2.71 + 3 = 5.71 \text{ dBi} < 6 \text{ dBi}$, So the limit does not need to be reduced.


2. The conducted average power contains duty cycle factor.


Test Graphs


PSD NVNT ac20 5500MHz Ant1




PSD NVNT ac20 5500MHz Ant2









PSD NVNT ac40 5510MHz Ant1




PSD NVNT ac40 5510MHz Ant2




PSD NVNT ac40 5590MHz Ant1




PSD NVNT ac40 5590MHz Ant2







PSD NVNT ac80 5530MHz Ant1




PSD NVNT ac80 5530MHz Ant2




PSD NVNT ac80 5610MHz Ant1



PSD NVNT ac80 5610MHz Ant2



PSD NVNT ax20 5500MHz Ant1



PSD NVNT ax20 5500MHz Ant2

