






11AX40SISO_Ant2_2452



5.6 Power Spectral Density

Test Requirement:	47 CFR Part 15C Section 15.247 (e)
Test Method:	ANSI C63.10: 2020
Test Setup:	 $\text{Offset} = \text{cable loss} + \text{attenuation factor}$
Exploratory Test Mode:	Transmitting with all kind of modulations, data rates
Final Test Mode:	Only the worst case is recorded in the report.
Limit:	$\leq 8.00 \text{ dBm/3kHz}$
Test Results:	Pass

Test Result

ANT1:

TestMode	Frequency[MHz]	Result[dBm/3kHz]	Limit[dBm/3kHz]	Verdict
11B	2412	-18.02	≤8.00	PASS
	2437	-16.48	≤8.00	PASS
	2462	-17.55	≤8.00	PASS
11G	2412	-16.87	≤8.00	PASS
	2437	-17.44	≤8.00	PASS
	2462	-18.35	≤8.00	PASS
11N20SISO	2412	-20.06	≤8.00	PASS
	2437	-18.64	≤8.00	PASS
	2462	-18.18	≤8.00	PASS
11N40SISO	2422	-19.47	≤8.00	PASS
	2437	-19.59	≤8.00	PASS
	2452	-20.27	≤8.00	PASS
11AX20SISO	2412	-17.91	≤8.00	PASS
	2437	-16.33	≤8.00	PASS
	2462	-15.87	≤8.00	PASS
11AX40SISO	2422	-19.15	≤8.00	PASS
	2437	-17.72	≤8.00	PASS
	2452	-18.04	≤8.00	PASS

ANT2:

TestMode	Frequency[MHz]	Result[dBm/3kHz]	Limit[dBm/3kHz]	Verdict
11B	2412	-13.43	≤8.00	PASS
	2437	-11.85	≤8.00	PASS
	2462	-10.97	≤8.00	PASS
11G	2412	-17.90	≤8.00	PASS
	2437	-15.97	≤8.00	PASS
	2462	-15.57	≤8.00	PASS
11N20SISO	2412	-17.54	≤8.00	PASS
	2437	-16.24	≤8.00	PASS
	2462	-15.81	≤8.00	PASS
11N40SISO	2422	-18.33	≤8.00	PASS
	2437	-17.66	≤8.00	PASS
	2452	-17.87	≤8.00	PASS
11AX20SISO	2412	-17.82	≤8.00	PASS
	2437	-16.29	≤8.00	PASS
	2462	-15.64	≤8.00	PASS
11AX40SISO	2422	-18.99	≤8.00	PASS
	2437	-18.17	≤8.00	PASS
	2452	-18.30	≤8.00	PASS

ANT1+ANT2:


TestMode	Frequency[MHz]	Result[dBm/3kHz]	Limit[dBm/3kHz]	Verdict
11N20MIMO	2412	-15.61	≤7.66	PASS
	2437	-14.27	≤7.66	PASS
	2462	-13.82	≤7.66	PASS
11N40MIMO	2422	-15.85	≤7.66	PASS
	2437	-15.51	≤7.66	PASS
	2452	-15.90	≤7.66	PASS
11AX20MIMO	2412	-14.85	≤7.66	PASS
	2437	-13.30	≤7.66	PASS
	2462	-12.74	≤7.66	PASS
11AX40MIMO	2422	-16.06	≤7.66	PASS
	2437	-14.93	≤7.66	PASS
	2452	-15.16	≤7.66	PASS

Note: Duty cycle correction factor details please see section 4.4.


When Duty cycle >98%, D.C.F is not required.

Test Graphs


11B_Ant1_2412




11B_Ant1_2437




11B_Ant1_2462




11G_Ant1_2412



11G_Ant1_2437




11G_Ant1_2462




Date: 8.FEB.2026 10:11:47

11N20SISO_Ant1_2412




Date: 8.FEB.2026 10:14:17


11N20SISO_Ant1_2437




11N20SISO_Ant1_2462



11N40SISO_Ant1_2422




11N40SISO_Ant1_2437




Date: 8.FEB.2026 10:20:20

11N40SISO_Ant1_2452




Date: 8.FEB.2026 10:21:38


11AX20SISO_Ant1_2412




11AX20SISO_Ant1_2437



11AX20SISO_Ant1_2462




11AX40SISO_Ant1_2422





Date: 4 MAR 2026 15:14:28


11AX40SISO_Ant1_2437




Date: 4 MAR 2026 15:19:19

11AX40SISO_Ant1_2452







11B_Ant2_2462



11G_Ant2_2412




11G_Ant2_2437




Date: 27.FEB.2026 20:15:06

11G_Ant2_2462




Date: 27.FEB.2026 20:16:19


11N20SISO_Ant2_2412




11N20SISO_Ant2_2437



11N20SISO_Ant2_2462




11N40SISO_Ant2_2422




Date: 27.FEB.2026 20:23:42

11N40SISO_Ant2_2437




Date: 27.FEB.2026 20:25:01


11N40SISO_Ant2_2452




11AX20SISO_Ant2_2412



11AX20SISO_Ant2_2437




11AX20SISO_Ant2_2462




Date: 4 MAR 2026 15:45:53

11AX40SISO_Ant2_2422




Date: 4 MAR 2026 15:52:50


11AX40SISO_Ant2_2437



11AX40SISO_Ant2_2452



5.7 Band-edge for RF Conducted Emissions

Test Requirement:	47 CFR Part 15C Section 15.247 (d)
Test Method:	ANSI C63.10: 2020
Test Setup:	 Offset=cable loss+ attenuation factor
Exploratory Test Mode:	Transmitting with all kind of modulations, data rates
Final Test Mode:	Only the worst case is recorded in the report.
Limit:	In any 100 kHz bandwidth outside the frequency band in which the spread spectrum intentional radiator is operating, the radio frequency power that is produced by the intentional radiator shall be at least 30 dB below that in the 100 kHz bandwidth within the band that contains the highest level of the desired power, based on either an RF conducted or a radiated measurement.
Test Results:	Pass

Test Result

ANT1:

TestMode	ChName	Frequency[MHz]	RefLevel[dBm]	Result[dBm]	Limit[dBm]	Verdict
11B	Low	2412	4.13	-42.72	≤-25.87	PASS
	High	2462	4.11	-42.33	≤-25.89	PASS
11G	Low	2412	0.18	-42.05	≤-29.82	PASS
	High	2462	1.56	-42.28	≤-28.44	PASS
11N20SISO	Low	2412	1.64	-41.74	≤-28.36	PASS
	High	2462	2.45	-42.22	≤-27.55	PASS
11N40SISO	Low	2422	0.45	-43.22	≤-29.55	PASS
	High	2452	-0.11	-41.24	≤-30.11	PASS
11AX20SISO	Low	2412	3.88	-26.72	≤-26.12	PASS
	High	2462	5.12	-32	≤-24.88	PASS
11AX40SISO	Low	2422	0.48	-31.28	≤-29.52	PASS
	High	2452	-0.77	-33.49	≤-30.77	PASS

ANT2:

TestMode	ChName	Frequency[MHz]	RefLevel[dBm]	Result[dBm]	Limit[dBm]	Verdict
11B	Low	2412	8.47	-36.88	≤ -21.53	PASS
	High	2462	11.13	-41.96	≤ -18.87	PASS
11G	Low	2412	4.91	-25.46	≤ -25.09	PASS
	High	2462	5.15	-41.43	≤ -24.85	PASS
11N20SISO	Low	2412	4.41	-28.01	≤ -25.59	PASS
	High	2462	4.69	-39.3	≤ -25.31	PASS
11N40SISO	Low	2422	0.37	-31.99	≤ -29.63	PASS
	High	2452	3.03	-31.66	≤ -26.97	PASS
11AX20SISO	Low	2412	4.51	-28.46	≤ -25.49	PASS
	High	2462	3.89	-40.42	≤ -26.11	PASS
11AX40SISO	Low	2422	1.36	-31.97	≤ -28.64	PASS
	High	2452	0.11	-34.95	≤ -29.89	PASS


5.7.1 Test Graphs

11B_Ant1_Low_2412




Date: 8 FEB.2026 10:23:18

11B_Ant1_High_2462




Date: 8 FEB.2026 10:25:48

11G_Ant1_Low_2412




Date: 8.FEB.2026 10:09:13

11G_Ant1_High_2462




Date: 8.FEB.2026 10:11:55

11N20SISO_Ant1_Low_2412




Date: 8.FEB.2026 10:14:25

11N20SISO_Ant1_High_2462




Date: 8.FEB.2026 10:16:52

11N40SISO_Ant1_Low_2422



Date: 8.FEB.2026 10:19:11

11N40SISO_Ant1_High_2452




Date: 8 FEB.2026 10:21:46

11AX20SISO_Ant1_Low_2412




Date: 4 MAR.2026 15:05:50

11AX20SISO_Ant1_High_2462




Date: 4 MAR.2026 15:12:07

11AX40SISO_Ant1_Low_2422




Date: 4 MAR 2026 15:14:33

11AX40SISO_Ant1_High_2452




Date: 4 MAR 2026 15:21:41

11B_Ant2_Low_2412



Date: 27.FEB.2026 20:09:19

11B_Ant2_High_2462




Date: 27.FEB.2026 20:12:44

11G_Ant2_Low_2412




Date: 27.FEB.2026 20:14:05

11G_Ant2_High_2462



Date: 27.FEB.2026 20:16:27

11N20SISO_Ant2_Low_2412



Date: 2.MAR.2026 20:45:56

11N20SISO_Ant2_High_2462



Date: 27.FEB.2026 20:20:49

11N40SISO_Ant2_Low_2422




Date: 2.MAR.2026 20:45:13

11N40SISO_Ant2_High_2452



Date: 27.FEB.2026 20:26:32

11AX20SISO_Ant2_Low_2412




Date: 4 MAR 2026 15:29:58

11AX20SISO_Ant2_High_2462




Date: 4 MAR 2026 15:45:57

11AX40SISO_Ant2_Low_2422




Date: 4.MAR.2026 15:52:54

11AX40SISO_Ant2_High_2452



Date: 4.MAR.2026 16:07:04

5.8 RF Conducted Spurious Emissions

Test Requirement:	47 CFR Part 15C Section 15.247 (d)
Test Method:	ANSI C63.10: 2020
Test Setup:	 Offset=cable loss+ attenuation factor
Exploratory Test Mode:	Transmitting with all kind of modulations, data rates
Final Test Mode:	Only the worst case is recorded in the report.
Limit:	In any 100 kHz bandwidth outside the frequency band in which the spread spectrum intentional radiator is operating, the radio frequency power that is produced by the intentional radiator shall be at least 30 dB below that in the 100 kHz bandwidth within the band that contains the highest level of the desired power, based on either an RF conducted or a radiated measurement.
Test Results:	Pass

Test Result

Ant1:

TestMode	Frequency[MHz]	FreqRange [Mhz]	RefLevel [dBm]	Result [dBm]	Limit [dBm]	Verdict
11B	2412	Reference	3.36	3.36	---	PASS
		30~1000	3.36	-52.37	≤-26.64	PASS
		1000~26500	3.36	-48.22	≤-26.64	PASS
	2437	Reference	3.23	3.23	---	PASS
		30~1000	3.23	-51.7	≤-26.77	PASS
		1000~26500	3.23	-48.37	≤-26.77	PASS
	2462	Reference	1.71	1.71	---	PASS
		30~1000	1.71	-51.42	≤-28.29	PASS
		1000~26500	1.71	-48.62	≤-28.29	PASS
11G	2412	Reference	-0.69	-0.69	---	PASS
		30~1000	-0.69	-51.93	≤-30.69	PASS
		1000~26500	-0.69	-48.3	≤-30.69	PASS
	2437	Reference	-0.89	-0.89	---	PASS
		30~1000	-0.89	-51.97	≤-30.89	PASS
		1000~26500	-0.89	-47.86	≤-30.89	PASS
	2462	Reference	-1.29	-1.29	---	PASS
		30~1000	-1.29	-52.01	≤-31.29	PASS
		1000~26500	-1.29	-48.1	≤-31.29	PASS
11N20SISO	2412	Reference	-1.47	-1.47	---	PASS
		30~1000	-1.47	-51.73	≤-31.47	PASS
		1000~26500	-1.47	-48.32	≤-31.47	PASS
	2437	Reference	-0.33	-0.33	---	PASS
		30~1000	-0.33	-51.59	≤-30.33	PASS
		1000~26500	-0.33	-48.37	≤-30.33	PASS
	2462	Reference	-0.95	-0.95	---	PASS
		30~1000	-0.95	-51.75	≤-30.95	PASS
		1000~26500	-0.95	-47.48	≤-30.95	PASS
11N40SISO	2422	Reference	-2.88	-2.88	---	PASS
		30~1000	-2.88	-51.97	≤-32.88	PASS
		1000~26500	-2.88	-47.74	≤-32.88	PASS
	2437	Reference	-2.92	-2.92	---	PASS
		30~1000	-2.92	-52.28	≤-32.92	PASS
		1000~26500	-2.92	-49.04	≤-32.92	PASS


	2452	Reference	-0.64	-0.64	---	PASS
		30~1000	-0.64	-51.95	≤ -30.64	PASS
		1000~26500	-0.64	-47.67	≤ -30.64	PASS
11AX20SISO	2412	Reference	4.82	4.82	---	PASS
		30~1000	4.82	-51.97	≤ -25.18	PASS
		1000~26500	4.82	-48.77	≤ -25.18	PASS
	2437	Reference	6.49	6.49	---	PASS
		30~1000	6.49	-52.13	≤ -23.51	PASS
		1000~26500	6.49	-48.83	≤ -23.51	PASS
	2462	Reference	6.98	6.98	---	PASS
		30~1000	6.98	-51.74	≤ -23.02	PASS
		1000~26500	6.98	-48.46	≤ -23.02	PASS
11AX40SISO	2422	Reference	2.29	2.29	---	PASS
		30~1000	2.29	-52.98	≤ -27.71	PASS
		1000~26500	2.29	-48.65	≤ -27.71	PASS
	2437	Reference	3.31	3.31	---	PASS
		30~1000	3.31	-50.46	≤ -26.69	PASS
		1000~26500	3.31	-47.98	≤ -26.69	PASS
	2452	Reference	3.08	3.08	---	PASS
		30~1000	3.08	-51.91	≤ -26.92	PASS
		1000~26500	3.08	-48.04	≤ -26.92	PASS


Ant2:

TestMode	Frequency[MHz]	FreqRange [Mhz]	RefLevel [dBm]	Result [dBm]	Limit [dBm]	Verdict
11B	2412	Reference	6.48	6.48	---	PASS
		30~1000	6.48	-50.39	≤-23.52	PASS
		1000~26500	6.48	-42.16	≤-23.52	PASS
	2437	Reference	8.11	8.11	---	PASS
		30~1000	8.11	-51.88	≤-21.89	PASS
		1000~26500	8.11	-41.18	≤-21.89	PASS
	2462	Reference	10.58	10.58	---	PASS
		30~1000	10.58	-51.05	≤-19.42	PASS
		1000~26500	10.58	-41.11	≤-19.42	PASS
11G	2412	Reference	0.94	0.94	---	PASS
		30~1000	0.94	-50.91	≤-29.06	PASS
		1000~26500	0.94	-48.55	≤-29.06	PASS
	2437	Reference	3.12	3.12	---	PASS
		30~1000	3.12	-52.25	≤-26.88	PASS
		1000~26500	3.12	-48.85	≤-26.88	PASS
	2462	Reference	3.25	3.25	---	PASS
		30~1000	3.25	-52.51	≤-26.75	PASS
		1000~26500	3.25	-47.53	≤-26.75	PASS
11N20SISO	2412	Reference	0.97	0.97	---	PASS
		30~1000	0.97	-51.66	≤-29.03	PASS
		1000~26500	0.97	-48.46	≤-29.03	PASS
	2437	Reference	2.37	2.37	---	PASS
		30~1000	2.37	-52.49	≤-27.63	PASS
		1000~26500	2.37	-49.08	≤-27.63	PASS
	2462	Reference	3.16	3.16	---	PASS
		30~1000	3.16	-52.28	≤-26.84	PASS
		1000~26500	3.16	-48.2	≤-26.84	PASS
11N40SISO	2422	Reference	-1.83	-1.83	---	PASS
		30~1000	-1.83	-52.2	≤-31.83	PASS
		1000~26500	-1.83	-47.93	≤-31.83	PASS
	2437	Reference	-0.39	-0.39	---	PASS
		30~1000	-0.39	-50.91	≤-30.39	PASS
		1000~26500	-0.39	-48.92	≤-30.39	PASS
	2452	Reference	1.22	1.22	---	PASS


		30~1000	1.22	-52.41	≤ -28.78	PASS
		1000~26500	1.22	-48.39	≤ -28.78	PASS
11AX20SISO	2412	Reference	4.96	4.96	---	PASS
		30~1000	4.96	-50.69	≤ -25.04	PASS
		1000~26500	4.96	-48.47	≤ -25.04	PASS
	2437	Reference	6.62	6.62	---	PASS
		30~1000	6.62	-51.83	≤ -23.38	PASS
		1000~26500	6.62	-47.64	≤ -23.38	PASS
	2462	Reference	7.10	7.10	---	PASS
		30~1000	7.10	-52.26	≤ -22.9	PASS
		1000~26500	7.10	-48.48	≤ -22.9	PASS
11AX40SISO	2422	Reference	2.50	2.50	---	PASS
		30~1000	2.50	-51.31	≤ -27.5	PASS
		1000~26500	2.50	-47.63	≤ -27.5	PASS
	2437	Reference	3.47	3.47	---	PASS
		30~1000	3.47	-51.96	≤ -26.53	PASS
		1000~26500	3.47	-47.93	≤ -26.53	PASS
	2452	Reference	3.23	3.23	---	PASS
		30~1000	3.23	-52.07	≤ -26.77	PASS
		1000~26500	3.23	-48.15	≤ -26.77	PASS

Test Graphs







11B_Ant1_2437_0~Reference



11B_Ant1_2437_30~1000




11B_Ant1_2437_1000~26500




Date: 8.FEB.2026 10:24:50

11B_Ant1_2462_0~Reference




Date: 8.FEB.2026 10:25:52


11B_Ant1_2462_30~1000




11B_Ant1_2462_1000~26500



11G_Ant1_2412_0~Reference




11G_Ant1_2412_30~1000




Date: 8.FEB.2026 10:09:21

11G_Ant1_2412_1000~26500




Date: 8.FEB.2026 10:09:32


11G_Ant1_2437_0~Reference




11G_Ant1_2437_30~1000



11G_Ant1_2437_1000~26500




11G_Ant1_2462_0~Reference




Date: 8.FEB.2026 10:11:59

11G_Ant1_2462_30~1000




Date: 8.FEB.2026 10:12:03


11G_Ant1_2462_1000~26500




11N20SISO_Ant1_2412_0~Reference



11N20SISO_Ant1_2412_30~1000




11N20SISO_Ant1_2412_1000~26500




Date: 8.FEB.2026 10:14:44

11N20SISO_Ant1_2437_0~Reference




Date: 8.FEB.2026 10:15:41


11N20SISO_Ant1_2437_30~1000




11N20SISO_Ant1_2437_1000~26500



11N20SISO_Ant1_2462_0~Reference




11N20SISO_Ant1_2462_30~1000




Date: 8.FEB.2026 10:17:00

11N20SISO_Ant1_2462_1000~26500




Date: 8.FEB.2026 10:17:11


11N40SISO_Ant1_2422_0~Reference




11N40SISO_Ant1_2422_30~1000



11N40SISO_Ant1_2422_1000~26500




11N40SISO_Ant1_2437_0~Reference




Date: 8 FEB.2026 10:20:23

11N40SISO_Ant1_2437_30~1000




Date: 8 FEB.2026 10:20:28


11N40SISO_Ant1_2437_1000~26500




11N40SISO_Ant1_2452_0~Reference



11N40SISO_Ant1_2452_30~1000




11N40SISO_Ant1_2452_1000~26500




Date: 8 FEB 2026 10:22:05

11AX20SISO_Ant1_2412_0~Reference




Date: 4 MAR 2026 15:06:03


11AX20SISO_Ant1_2412_30~1000




11AX20SISO_Ant1_2412_1000~26500



11AX20SISO_Ant1_2437_0~Reference




11AX20SISO_Ant1_2437_30~1000




Date: 4 MAR 2026 15:09:08

11AX20SISO_Ant1_2437_1000~26500




Date: 4 MAR 2026 15:09:18


11AX20SISO_Ant1_2462_0~Reference




11AX20SISO_Ant1_2462_30~1000



11AX20SISO_Ant1_2462_1000~26500




11AX40SISO_Ant1_2422_0~Reference




Date: 4 MAR 2026 15:14:43

11AX40SISO_Ant1_2422_30~1000




Date: 4 MAR 2026 15:14:47


11AX40SISO_Ant1_2422_1000~26500




11AX40SISO_Ant1_2437_0~Reference



11AX40SISO_Ant1_2437_30~1000




11AX40SISO_Ant1_2437_1000~26500




Date: 4 MAR 2026 15:19:45

11AX40SISO_Ant1_2452_0~Reference




Date: 4 MAR 2026 15:21:51


11AX40SISO_Ant1_2452_30~1000



11AX40SISO_Ant1_2452_1000~26500




11B_Ant2_2412_0~Reference




Date: 27.FEB.2026 20:09:23

11B_Ant2_2412_30~1000




Date: 27.FEB.2026 20:09:27


11B_Ant2_2412_1000~26500




11B_Ant2_2437_0~Reference




11B_Ant2_2437_30~1000







Page:143 of 196




11B_Ant2_2462_1000~26500



11G_Ant2_2412_0~Reference




11G_Ant2_2412_30~1000




Date: 27.FEB.2026 20:14:13

11G_Ant2_2412_1000~26500




Date: 27.FEB.2026 20:14:24


11G_Ant2_2437_0~Reference




11G_Ant2_2437_30~1000



11G_Ant2_2437_1000~26500




11G_Ant2_2462_0~Reference




Date: 27.FEB.2026 20:16:31

11G_Ant2_2462_30~1000




Date: 27.FEB.2026 20:16:35


11G_Ant2_2462_1000~26500




11N20SISO_Ant2_2412_0~Reference



11N20SISO_Ant2_2412_30~1000




11N20SISO_Ant2_2412_1000~26500




Date: 27.FEB.2026 20:18:01

11N20SISO_Ant2_2437_0~Reference




Date: 27.FEB.2026 20:19:46

11N20SISO_Ant2_2437_30~1000



11N20SISO_Ant2_2437_1000~26500



11N20SISO_Ant2_2462_0~Reference

