



Test Result Record Form

sample name	Pophie	Prototype model		Application Form Number	
detection principle	national standard	sample size	1pcs	number of samples	
test item	OTA	checkout equipment	E5071C	detecting condition	22.2℃/ 43 %
Objective of the test	\				

Test Result Record

Applicant/Sample Submitter	\	software version		hardware version	—
----------------------------	---	------------------	--	------------------	---

Prototype information
(including S/N number)




H: xoy
E1: xoz
E2: zoy


Note: Explanation

Freq (MHz)	Effi (%)	Gain (dBi)	Freq (MHz)	Effi (%)	Gain (dBi)	Freq (MHz)	Effi (%)	Gain (dBi)
2400	52.99	4.18						
2410	52.82	4.17						
2420	52.34	4.24						
2430	52.36	4.24						
2440	53.71	4.32						
2450	53.63	4.28						
2460	52.10	4.14						
2470	50.80	4.06						
2480	50.94	4.19						
2490	49.83	3.95						
2500	48.71	3.75						
2G								
Freq (MHz)	Effi (%)	Gain (dBi)	Freq (MHz)	Effi (%)	Gain (dBi)	Freq (MHz)	Effi (%)	Gain (dBi)
5150	50.04	4.78	5390	55.53	5.34	5630	58.98	4.03
5160	49.95	4.64	5400	55.90	5.38	5640	58.04	4.04
5170	49.39	4.60	5410	54.66	5.20	5650	58.13	4.03


5180	50.14	4.58	5420	56.43	5.24	5660	57.15	3.96
5190	52.56	4.66	5430	57.93	5.25	5670	55.39	3.76
5200	52.24	4.63	5440	55.01	4.92	5680	55.49	3.80
5210	52.65	4.58	5450	52.92	4.64	5690	55.54	3.88
5220	53.02	4.58	5460	54.79	4.62	5700	54.25	3.82
5230	53.34	4.60	5470	55.16	4.45	5710	52.55	3.70
5240	53.78	4.54	5480	52.36	4.14	5720	52.82	3.81
5250	53.06	4.49	5490	51.31	3.95	5730	52.34	3.84
5260	53.59	4.59	5500	52.71	3.95	5740	51.86	3.75
5270	53.77	4.52	5510	51.25	3.76	5750	53.42	3.97
5280	50.77	4.28	5520	53.71	3.95	5760	51.95	3.81
5290	50.71	4.38	5530	56.43	4.11	5770	49.28	3.57
5300	51.21	4.51	5540	54.38	3.84	5780	51.51	3.81
5310	50.01	4.54	5550	53.61	3.76	5790	52.46	3.88
5320	51.61	4.77	5560	56.93	3.99	5800	50.57	3.71
5330	52.18	4.85	5570	58.03	4.10	5810	52.01	3.74
5340	50.61	4.80	5580	57.96	4.03	5820	53.80	3.80
5350	50.31	4.88	5590	58.53	4.04	5830	54.38	3.80
5360	52.12	5.06	5600	58.78	4.05	5840	54.62	3.73
5370	54.55	5.29	5610	57.58	3.97	5850	54.70	3.79
5380	54.80	5.29	5620	57.73	3.95			
5G								
Inspection personnel / Date			Sean/2026309			Review / Date		Wensen/20260309





2400MHz




2450MHz




2500MHz



XOY




XOZ




YOZ



5150MHz




5500MHz




5850MHz



XOY



XOZ



YOZ