

TEST REPORT

Product : PetVora Smart Collar
Trade mark : PetVora
Model/Type reference : PD1
Serial Number : N/A
Report Number : EED32S810600
FCC ID : 2BV45PVRD1
Date of Issue : Jul. 16, 2026
Test Standards : 47 CFR Part 2
47 CFR Part 22 subpart H
47 CFR Part 24 subpart E
47 CFR Part 27
47 CFR Part 90
Test result : PASS

Prepared for:

PETVORA HK LIMITED

**Room 1378, 13/F, Fook Cheong Building, 63 Hoi Yuen Road,
Kwun Tong, Kowloon, Hong Kong**


Prepared by:

Centre Testing International Group Co., Ltd.

**Building C, Hongwei Industrial Park Block 70, Bao'an District,
Shenzhen, China**


TEL: +86-755-3368 3668**FAX: +86-755-3368 3385**

Compiled by:



Win Wei

Reviewed by:



Keven Tan

Approved by:



Aaron Ma

Date:

Jul. 16, 2026



Check No.: 7120130526

1 Test Summary

Test Item	Test Requirement	Test method	Result
FCC Part 22 (GSM 850,WCDMA Band V,LTE Band 5,LTE Band 26A)			
Conducted output power	Part 2.1046(a)/Part 22.913(a)	TIA-603-E-2016 &KDB 971168 D01v02r02	PASS
Effective Radiated Power of Transmitter(ERP)	Part 2.1046(a)/Part 22.913(a)	TIA-603-E-2016 &KDB 971168 D01v02r02	PASS
99% & 26dB Occupied Bandwidth	Part 2.1049(h)	Part 22.917(b) &KDB 971168 D01v02r02	PASS
Band Edge at antenna terminals	Part 2.1051/Part 22.917(a)	Part 22.917(b) &KDB 971168 D01v02r02	PASS
Spurious emissions at antenna terminals	Part 2.1051/ Part 2.1057/ Part 22.917(a)(b)	TIA-603-E-2016 &KDB 971168 D01v02r02	PASS
Field strength of spurious radiation	Part 2.1053/ Part 2.1057/ Part 22.917(a)(b)	TIA-603-E-2016 &KDB 971168 D01v02r02	PASS
Frequency stability	Part 2.1055/ Part 22.355	TIA-603-E-2016 &KDB 971168 D01v02r02	PASS
FCC Part 24 (GSM 1900,WCDMA Band II,LTE Band 2,LTE Band 25)			
Conducted output power	Part 2.1046(a) /Part 24.232(c)	TIA-603-E-2016&KDB 971168 D01v02r02	PASS
Effective Radiated Power of Transmitter(EIRP)	Part 2.1046(a) / Part 24.232(c)	TIA-603-E-2016 &KDB 971168 D01v02r02	PASS
peak-to-average ratio	Part 24.232(d)	KDB 971168 D01v02r02	PASS
99% & 26dB Occupied Bandwidth	Part 2.1049(h)	Part 24.238(b) &KDB 971168 D01v02r02	PASS
Band Edge at antenna terminals	Part 2.1051/ Part 24.238(a)	Part 24.238(b) &KDB 971168 D01v02r02	PASS
Spurious emissions at antenna terminals	Part 2.1051/ Part 2.1057/ Part 24.238(a)(b)	TIA-603-E-2016 &KDB 971168 D01v02r02	PASS
Field strength of spurious radiation	Part 2.1053 /Part 2.1057 / Part 24.238(a)(b)	TIA-603-E-2016 &KDB 971168 D01v02r02	PASS
Frequency stability	Part 2.1055/Part 24.235	TIA-603-E-2016 &KDB 971168 D01v02r02	PASS
FCC Part 27 (WCDMA Band IV,LTE Band 4,LTE Band 7,LTE Band 12,LTE Band 13,LTE Band 17)			
Conducted output power	Part 2.1046(a) /Part 27.50(d)	TIA-603-E-2016&KDB 971168 D01v03r01	PASS
Effective Radiated Power of Transmitter(EIRP)	Part 2.1046(a) / Part 27.50(d)	TIA-603-E-2016&KDB 971168 D01v03r01	PASS
peak-to-average ratio	Part 27.50(d)	KDB 971168 D01v03r01	PASS

99% & 26dB Occupied Bandwidth	Part 2.1049(h)	Part 27.53(h) &KDB 971168 D01v03r01	PASS
Band Edge at antenna terminals	Part 2.1051/ Part 27.53(h)	Part 27.53(h) &KDB 971168 D01v03r01	PASS
Spurious emissions at antenna terminals	Part 2.1051/ Part 27.53(h)	TIA-603-E-2016&KDB 971168 D01v03r01	PASS
Field strength of spurious radiation	Part 2.1053/ Part 27.53(h)	TIA-603-E-2016&KDB 971168 D01v03r01	PASS
Frequency stability	Part 2.1055/Part 27.54	TIA-603-E-2016&KDB 971168 D01v03r01	PASS
FCC Part 90 (LTE Band 26B)			
Conducted output power	Part 2.1046/Part 90.635(b)	ITA-603-E-2016&KDB 971168 D01v03r01	PASS
Effective Radiated Power of Transmitter(ERP)	Part 90.542	ITA-603-E-2016&KDB 971168 D01v03r01	PASS
99% & 26dB Occupied Bandwidth	Part 2.1049/Part 90.209	ITA-603-E-2016&KDB 971168 D01v03r01	PASS
Emission Masks	90.210(b)	ITA-603-E-2016&KDB 971168 D01v03r01	PASS
Band Edge at antenna terminals	Part 2.1051/Part 90.543	ITA-603-E-2016&KDB 971168 D01v03r01	PASS
Spurious emissions at antenna terminals	Part 90.543(e)	ITA-603-E-2016&KDB 971168 D01v03r01	PASS
Field strength of spurious radiation	Part 90.543(e)	ITA-603-E-2016&KDB 971168 D01v03r01	PASS
Frequency stability	Part 90.539(c)	ITA-603-E-2016&KDB 971168 D01v03r01	PASS

Remark:

Tx: In this whole report Tx (or tx) means Transmitter.
 Rx: In this whole report Rx (or rx) means Receiver.
 RF: In this whole report RF means Radiated Frequency.
 CH: In this whole report CH means channel.
 Volt: In this whole report Volt means Voltage.
 Temp: In this whole report Temp means Temperature.
 Humid: In this whole report Humid means humidity.
 Press: In this whole report Press means Pressure.
 N/A: In this whole report not application


2 Content

1 TEST SUMMARY	2
2 CONTENT	4
3 TEST REQUIREMENT	5
3.1 TEST SETUP	5
3.1.1 <i>For Conducted test setup</i>	5
3.1.2 <i>For Radiated Emissions test setup</i>	5
3.2 TEST ENVIRONMENT	6
4 GENERAL INFORMATION	6
4.1 CLIENT INFORMATION	6
4.2 GENERAL DESCRIPTION OF EUT	6
4.3 DESCRIPTION OF SUPPORT UNITS	8
4.4 TEST LOCATION	8
4.5 DEVIATION FROM STANDARDS	8
4.6 ABNORMALITIES FROM STANDARD CONDITIONS	8
4.7 OTHER INFORMATION REQUESTED BY THE CUSTOMER	8
4.8 MEASUREMENT UNCERTAINTY (95% CONFIDENCE LEVELS, K=2)	8
5 EQUIPMENT LIST	9
6 RADIO TECHNICAL REQUIREMENTS SPECIFICATION	12
APPENDIX A) FIELD STRENGTH OF SPURIOUS RADIATION	13
7 PHOTOGRAPHS	66

3 Test Requirement

3.1 Test setup

3.1.1 For Conducted test setup



3.1.2 For Radiated Emissions test setup

Radiated Emissions setup:




Figure 1. 30MHz to 1GHz




Figure 2. above 1GHz




Figure 1. 30MHz to 1GHz




Figure 2. above 1GHz

3.2 Test Environment

Operating Environment:	
Temperature:	24.0 °C
Humidity:	54 % RH
Atmospheric Pressure:	1010mbar

4 General Information

4.1 Client Information

Applicant:	PETVORA HK LIMITED
Address of Applicant:	Room 1378, 13/F, Fook Cheong Building, 63 Hoi Yuen Road, Kwun Tong, Kowloon, Hong Kong
Manufacturer:	PETVORA HK LIMITED
Address of Manufacturer:	Room 1378, 13/F, Fook Cheong Building, 63 Hoi Yuen Road, Kwun Tong, Kowloon, Hong Kong
Factory:	Shenzhen Zowee Smart Manufacturing Co., Ltd
Address of Factory:	No. 149, Tangxiayong Industrial Avenue, Songgang Street, Bao'an District, Shenzhen

4.2 General Description of EUT

Product Name:	PetVora Smart Collar
Model No.:	PD1
Test Model No.:	PD1
Trade mark:	PetVora
Product Type:	☐ Mobile ☒ Portable ☐ Fix Location
Frequency Band:	LTE-B2:TX:1850-1910MHz, RX:1930 - 1990MHz LTE-B4:TX:1710 - 1755MHz, RX:2110 - 2155MHz LTE-B5: TX:824 - 849 MHz, RX:869 - 894MHz LTE-B12:TX:699 - 716MHz, RX:729 - 746MHz LTE-B13:TX: 777 - 787MHz, RX:746 - 756MHz LTE-B25:TX:1850 - 1915MHz, RX:1930 - 1995 MHz LTE-B26A:TX:814 - 824 MHz, RX: 859 - 894MHz LTE-B26B:TX:824 - 849 MHz, RX: 859 - 894MHz LTE-B66:TX: 1710-1780MHz, RX: 2110 - 2200MHz
Modulation Type:	QPSK
Antenna Type:	PIFA antenna
Antenna Gain:	LTE-B2: 0.19dBi LTE-B4: -1.37dBi LTE-B5: 2.55dBi LTE-B12: -3.43dBi LTE-B13: 2.01dBi LTE-B25:TX: 0.81dBi LTE-B26:TX: 2.55dBi LTE-B66:TX: -1.1dBi
Power Supply:	Battery: DC3.8V

	USB Port:	DC 5V
Nominal Voltage(NV):	DC 3.8V	
Extreme Hige Voltage(HV):	DC 3.42V	
Extreme Low Voltage(LV):	DC 4.18V	
Sample Received Date:	May 26, 2026	
Sample tested Date:	May 26, 2026 to Jun. 19, 2026	

4.3 Description of Support Units

The EUT has been tested independently.

4.4 Test Location

All tests were performed at:

Centre Testing International Group Co., Ltd

Building C, Hongwei Industrial Park Block 70, Bao'an District, Shenzhen, China

Telephone: +86 (0) 755 33683668 Fax: +86 (0) 755 33683385

No tests were sub-contracted.

FCC Designation No.: CN1164, Test Firm Registration No.: 260439

4.5 Deviation from Standards

None.

4.6 Abnormalities from Standard Conditions

None.

4.7 Other Information Requested by the Customer

None.

4.8 Measurement Uncertainty (95% confidence levels, k=2)

No.	Item	Measurement Uncertainty
1	Radio Frequency	7.9×10^{-8}
2	RF power, conducted	0.46dB (30MHz-1GHz)
		0.55dB (1GHz-18GHz)
3	Radiated Spurious emission test	4.3dB (30MHz-1GHz)
		4.5dB (1GHz-12.75GHz)
4	Conduction emission	3.5dB (9kHz to 150kHz)
		3.1dB (150kHz to 30MHz)
5	Temperature test	0.64°C
6	Humidity test	3.8%
7	DC power voltages	0.026%

5 Equipment List

2G/3G/4G Communication RF test system					
Equipment	Manufacturer	Model No.	Serial Number	Cal. Date (mm-dd-yyyy)	Cal. Due date (mm-dd-yyyy)
Spectrum Analyzer	R&S	FSVS3044	101509	05-14-2026	05-13-2027
Signal Generator	Keysight	E8257D	MY53401106	11-25-2025	11-24-2026
Signal Generator	Agilent	E4438C	MY45095744	11-13-2025	11-12-2026
Communication test set	R&S	CMW500	102898	12-22-2026	12-21-2027
DC Power	Keysight	E3642A	MY54426035	11-13-2025	11-12-2026
RF control unit	JS Tonscend	JS0806-1	22G8060601	07-21-2025	07-20-2026
DC power Box	JS Tonscend	JS0806-4	158060007	---	---
Band Reject filter group	JS Tonscend	JS0806-F	806JSFX026805251008	---	---
high-low temperature test chamber	Dong Guang Qin Zhuo	LK-80GA	QZ20150611879	---	---
Temperature/ Humidity Indicator	biaozhi	HM10	1804186	05-22-2026	05-21-2027
Automatic test software	JS Tonscend	JS1120	3.1.46	---	---
Communication test set	R&S	CMW500	120765	11-25-2025	11-24-2026
Digital multimeter	FLUKE	17B MAX	59545050WS	10-15-2025	10-14-2026

3M full-anechoic Chamber					
Equipment	Manufacturer	Model No.	Serial Number	Cal. Date (mm-dd-yyyy)	Cal. Due date (mm-dd-yyyy)
Fully Anechoic Chamber	TDK	FAC-3	---	01-29-2024	01-28-2027
Receiver	Keysight	N9038A	MY57290136	12-22-2025	12-21-2026
Spectrum Analyzer	Keysight	N9020B	MY57111112	12-21-2025	12-20-2026
Spectrum Analyzer	Keysight	N9030B	MY57140871	12-21-2025	12-20-2026
TRILOG Broadband Antenna	Schwarzbeck	VULB 9163	9163-1148	03-29-2026	03-28-2027
Horn Antenna	Schwarzbeck	BBHA 9170	9170-832	04-03-2026	04-02-2027
Horn Antenna	ETS-LINDGREN	3117	57407	05-10-2026	05-09-2027
Preamplifier	EMCI	EMC001330	980563	02-06-2026	02-05-2027
Preamplifier	EMCI	EMC051845SE	980380	11-25-2025	11-24-2026
Preamplifier	Tonscend	TAP-011858	AP21B806112	07-07-2025	07-06-2026
Communication test set	R&S	CMW500	104466	11-25-2025	11-24-2026
Temperature/ Humidity Indicator	biaozhi	GM1360	EE1186631	03-24-2026	03-23-2027
RSE Automatic test software	JS Tonscend	JS36-RSE	V5.0.0.1	---	---
Cable line	Times	SFT205-NMSM-2.50M	394812-0001	01-29-2024	01-28-2027
Cable line	Times	SFT205-NMSM-2.50M	394812-0002	01-29-2024	01-28-2027
Cable line	Times	SFT205-NMSM-2.50M	394812-0003	01-29-2024	01-28-2027
Cable line	Times	SFT205-NMSM-2.50M	393495-0001	01-29-2024	01-28-2027
Cable line	Times	EMC104-NMNM-1000	SN160710	01-29-2024	01-28-2027
Cable line	Times	SFT205-NMSM-3.00M	394813-0001	01-29-2024	01-28-2027
Cable line	Times	SFT205-NMNM-1.50M	381964-0001	01-29-2024	01-28-2027
Cable line	Times	SFT205-NMSM-7.00M	394815-0001	01-29-2024	01-28-2027
Cable line	Times	HF160-KMKM-3.00M	393493-0001	01-29-2024	01-28-2027

3M Semi-anechoic Chamber (2)- Radiated disturbance Test					
Equipment	Manufacturer	Model No.	Serial Number	Cal. date	Cal. Due date
				(mm-dd-yyyy)	(mm-dd-yyyy)
3M Chamber & Accessory Equipment	TDK	SAC-3	---	01/13/2024	01/12/2027
Receiver	R&S	ESC17	100938-003	09/03/2025	09/02/2026
TRILOG Broadband Antenna	schwarzbeck	VULB 9163	9163-618	05/11/2026	05/10/2027
Loop Antenna	Schwarzbeck	FMZB 1519B	1519B-076	03/29/2026	03/28/2027
Microwave Preamplifier	Tonscend	EMC051845SE	980380	11/25/2025	11/24/2026
Horn Antenna	A.H.SYSTEMS	SAS-574	374	07/02/2023	07/01/2026
Horn Antenna	ETS-LINGREN	BBHA 9120D	9120D-1869	03/31/2026	03/30/2027
Preamplifier	Agilent	11909A	12-1	02/06/2026	02/05/2027
Preamplifier	CD	PAP-1840-60	6041.6042	05/16/2026	05/15/2027
Test software	Fara	EZ-EMC	EMEC-3A1-Pre	---	---
Cable line	Fulai(7M)	SF106	5219/6A	01/13/2024	01/12/2027
Cable line	Fulai(6M)	SF106	5220/6A	01/13/2024	01/12/2027
Cable line	Fulai(3M)	SF106	5216/6A	01/13/2024	01/12/2027
Cable line	Fulai(3M)	SF106	5217/6A	01/13/2024	01/12/2027

6 Radio Technical Requirements Specification

Reference documents for testing:

No.	Identity	Document Title
1	PART 22	PART 22 – PUBLIC MOBILE SERVICES Subpart H – Cellular Radiotelephone Service
2	PART 24	PART 24 – PERSONAL COMMUNICATIONS SERVICES Subpart E – Broadband PCS
3	PART 27	PART 27 – MISCELLANEOUS WIRELESS COMMUNICATIONS SERVICES Subpart C – Technical Standards
4	PART 90	PART 90—PRIVATE LAND MOBILE RADIO SERVICES
5	PART 2	Frequency allocations and radio treaty matters; general rules and regulations
6	TIA-603-E-2016	Land Mobile FM or PM -Communications Equipment -Measurement and Performance Standards
7	KDB971168 D01	KDB971168 D01 Power Meas License Digital Systems v02r02
8	ANSI C63.26-2015	American National Standard for Compliance Testing of Transmitters Used in Licensed Radio Services

Test Results List:

Test Method:		Test Descriptions & Test Conditions	Verdict	Note
ANSI C63.26-2015	Clause 5.2	RF output power		Note 1
		NT/NV	PASS	
ANSI C63.26-2015	Clause 5.4	99% & 26dB Occupied Bandwidth		Note 1
		NT/NV	PASS	
ANSI C63.26-2015	Clause 5.2	Peak to average power ratio		Note 1
		NT/NV	PASS	
ANSI C63.26-2015	Clause 5.5	Spurious emissions		Appendix A)
		NT/NV	PASS	
ANSI C63.26-2015	Clause 5.7	Spurious emissions at antenna terminals		Note 1
		NT/NV	PASS	
ANSI C63.26-2015	Clause 5.6	Frequency stability		Note 1
		NT/NV	PASS	
		LT/LV	PASS	
		LT/HV	PASS	
		HT/LV	PASS	
		HT/HV	PASS	

Note 1:

The test data please refer to

Appendix: LTE Band2 of ED32S810600, Appendix: LTE Band4 of ED32S810600,
Appendix: LTE Band5 of ED32S810600, Appendix: LTE Band12 of ED32S810600,
Appendix: LTE Band13 of ED32S810600, Appendix: LTE Band25 of ED32S810600,
Appendix: LTE Band26 of ED32S810600, Appendix: LTE Band66 of ED32S810600.


Appendix A) Field strength of spurious radiation

Receiver Setup:	Frequency	Detector	RBW	VBW	Remark
	0.009MHz-30MHz	Peak	10kHz	30kHz	Peak
	30MHz-1GHz	Peak	120kHz	300kHz	Peak
	Above 1GHz	Peak	1MHz	3MHz	Peak
Measurement Procedure:	1. Scan up to 10th harmonic, find the maximum radiation frequency to measure. 2. The technique used to find the Spurious Emissions of the transmitter was the antenna substitution method. Substitution method was performed to determine the actual ERP/EIRP emission levels of the EUT. Test procedure as below: 1) The EUT was powered ON and placed on a 0.8m high table at a 3 meter fully Anechoic Chamber. The antenna of the transmitter was extended to its maximum length. modulation mode and the measuring receiver shall be tuned to the frequency of the transmitter under test. 2) The EUT was set 3 meters(above 18GHz the distance is 1 meter) away from the interference-receiving antenna, which was mounted on the top of a variable-height antenna tower. 3) The disturbance of the transmitter was maximized on the test receiver display by raising and lowering from 1m to 4m the receive antenna and by rotating through 360° the turntable. After the fundamental emission was maximized, a field strength measurement was made. 4) Steps 1) to 3) were performed with the EUT and the receive antenna in both vertical and horizontal polarization. 5) The transmitter was then removed and replaced with another antenna. The center of the antenna was approximately at the same location as the center of the transmitter. 6) A signal at the disturbance was fed to the substitution antenna by means of a non-radiating cable. With both the substitution and the receive antennas horizontally polarized, the receive antenna was raised and lowered to obtain a maximum reading at the test receiver. The level of the signal generator was adjusted until the measured field strength level in step 3) is obtained for this set of conditions. 7) The output power into the substitution antenna was then measured. 8) Steps 6) and 7) were repeated with both antennas polarized. 9) Calculate power in dBm by the following formula: $\text{ERP(dBm)} = \text{Pg(dBm)} - \text{cable loss (dB)} + \text{antenna gain (dBd)}$ $\text{EIRP(dBm)} = \text{Pg(dBm)} - \text{cable loss (dB)} + \text{antenna gain (dBi)}$ $\text{EIRP} = \text{ERP} + 2.15\text{dB}$ where: Pg is the generator output power into the substitution antenna. 10) Test the EUT in the lowest channel, the middle channel the Highest channel 11) The radiation measurements are performed in X, Y, Z axis positioning for EUT operation mode, And found the X axis positioning which it is worse case. 12) Repeat above procedures until all frequencies measured was complete.				
Limit:	Attenuated at least 43+10log(P)				

Measurement Data:

Mode	LTE	Remark	\
Band	Band=2 BW=20MHz	Channel	18700

Test Graph




Suspected List

Suspected List								
NO.	Freq. [MHz]	Height [cm]	Azimuth [deg]	Level [dBm]	Limit [dBm]	Margin [dB]	Result	Polarity
1	58.7177	150	270	-55.78	-13.00	42.78	PASS	Horizontal
2	257.2194	150	189	-58.75	-13.00	45.75	PASS	Horizontal
3	749.1078	150	126	-64.63	-13.00	51.63	PASS	Horizontal
4	2704.9705	150	189	-38.69	-13.00	25.69	PASS	Horizontal
5	3197.4474	150	357	-44.35	-13.00	31.35	PASS	Horizontal
6	12405.8078	150	223	-38.25	-13.00	25.25	PASS	Horizontal

Mode	LTE	Remark	\
Band	Band=2 BW=20MHz	Channel	18700

Test Graph




Suspected List

Suspected List								
NO.	Freq. [MHz]	Height [cm]	Azimuth [deg]	Level [dBm]	Limit [dBm]	Margin [dB]	Result	Polarity
1	58.5237	150	80	-49.67	-13.00	36.67	PASS	Vertical
2	226.9494	150	177	-60.93	-13.00	47.93	PASS	Vertical
3	799.752	150	127	-59.62	-13.00	46.62	PASS	Vertical
4	2683.9684	150	108	-38.70	-13.00	25.70	PASS	Vertical
5	6366.8433	150	16	-41.62	-13.00	28.62	PASS	Vertical
6	12573.5162	150	294	-37.60	-13.00	24.60	PASS	Vertical

Mode	LTE	Remark	\
Band	Band=2 BW=20MHz	Channel	18900

Test Graph




Suspected List

Suspected List								
NO.	Freq. [MHz]	Height [cm]	Azimuth [deg]	Level [dBm]	Limit [dBm]	Margin [dB]	Result	Polarity
1	58.1356	150	210	-62.01	-13.00	49.01	PASS	Horizontal
2	142.5425	150	110	-57.51	-13.00	44.51	PASS	Horizontal
3	750.078	150	12	-68.21	-13.00	55.21	PASS	Horizontal
4	2401.9402	150	22	-39.10	-13.00	26.10	PASS	Horizontal
5	3193.5472	150	357	-44.78	-13.00	31.78	PASS	Horizontal
6	12568.1534	150	241	-37.32	-13.00	24.32	PASS	Horizontal

Mode	LTE	Remark	\
Band	Band=2 BW=20MHz	Channel	18900

Test Graph




Suspected List

Suspected List								
NO.	Freq. [MHz]	Height [cm]	Azimuth [deg]	Level [dBm]	Limit [dBm]	Margin [dB]	Result	Polarity
1	58.7177	150	63	-49.68	-13.00	36.68	PASS	Vertical
2	262.2645	150	126	-61.17	-13.00	48.17	PASS	Vertical
3	797.2294	150	118	-59.14	-13.00	46.14	PASS	Vertical
4	2479.3479	150	3	-38.96	-13.00	25.96	PASS	Vertical
5	6380.0065	150	27	-41.64	-13.00	28.64	PASS	Vertical
6	12412.1456	150	322	-36.99	-13.00	23.99	PASS	Vertical

Mode	LTE	Remark	\
Band	Band=2 BW=20MHz	Channel	19100

Test Graph




Suspected List

Suspected List								
NO.	Freq. [MHz]	Height [cm]	Azimuth [deg]	Level [dBm]	Limit [dBm]	Margin [dB]	Result	Polarity
1	36.5973	150	50	-58.38	-13.00	45.38	PASS	Horizontal
2	270.6081	150	30	-58.97	-13.00	45.97	PASS	Horizontal
3	797.4235	150	194	-67.42	-13.00	54.42	PASS	Horizontal
4	2710.171	150	354	-38.37	-13.00	25.37	PASS	Horizontal
5	6987.9494	150	91	-43.62	-13.00	30.62	PASS	Horizontal
6	12557.4279	150	301	-38.22	-13.00	25.22	PASS	Horizontal

Mode	LTE	Remark	\
Band	Band=2 BW=20MHz	Channel	19100

Test Graph




Suspected List

Suspected List								
NO.	Freq. [MHz]	Height [cm]	Azimuth [deg]	Level [dBm]	Limit [dBm]	Margin [dB]	Result	Polarity
1	58.5237	150	90	-49.54	-13.00	36.54	PASS	Vertical
2	269.2498	150	135	-60.28	-13.00	47.28	PASS	Vertical
3	750.078	150	288	-65.61	-13.00	52.61	PASS	Vertical
4	2438.9439	150	243	-39.76	-13.00	26.76	PASS	Vertical
5	6376.5938	150	23	-40.34	-13.00	27.34	PASS	Vertical
6	12411.6581	150	272	-37.47	-13.00	24.47	PASS	Vertical

Mode	LTE	Remark	\
Band	Band=4 BW=20MHz	Channel	20175

Test Graph




Suspected List

Suspected List								
NO.	Freq. [MHz]	Height [cm]	Azimuth [deg]	Level [dBm]	Limit [dBm]	Margin [dB]	Result	Polarity
1	118.8698	150	82	-64.51	-13.00	51.51	PASS	Horizontal
2	208.9038	150	56	-67.08	-13.00	54.08	PASS	Horizontal
3	735.9132	150	3	-70.52	-13.00	57.52	PASS	Horizontal
4	2690.7691	150	102	-38.72	-13.00	25.72	PASS	Horizontal
5	6471.6611	150	116	-44.27	-13.00	31.27	PASS	Horizontal
6	12407.7579	150	88	-37.78	-13.00	24.78	PASS	Horizontal

Mode	LTE	Remark	\
Band	Band=4 BW=20MHz	Channel	20175

Test Graph




Suspected List

Suspected List								
NO.	Freq. [MHz]	Height [cm]	Azimuth [deg]	Level [dBm]	Limit [dBm]	Margin [dB]	Result	Polarity
1	58.7177	150	352	-51.98	-13.00	38.98	PASS	Vertical
2	208.9038	150	3	-69.66	-13.00	56.66	PASS	Vertical
3	750.078	150	61	-67.35	-13.00	54.35	PASS	Vertical
4	2567.1567	150	212	-39.97	-13.00	26.97	PASS	Vertical
5	6786.6018	150	63	-44.79	-13.00	31.79	PASS	Vertical
6	12346.3298	150	153	-37.50	-13.00	24.50	PASS	Vertical

Mode	LTE	Remark	\
Band	Band=4 BW=20MHz	Channel	20175

Test Graph




Suspected List

Suspected List								
NO.	Freq. [MHz]	Height [cm]	Azimuth [deg]	Level [dBm]	Limit [dBm]	Margin [dB]	Result	Polarity
1	118.8698	150	80	-63.43	-13.00	50.43	PASS	Horizontal
2	208.9038	150	360	-66.85	-13.00	53.85	PASS	Horizontal
3	750.078	150	116	-68.34	-13.00	55.34	PASS	Horizontal
4	2688.7689	150	32	-38.95	-13.00	25.95	PASS	Horizontal
5	7056.6903	150	332	-44.62	-13.00	31.62	PASS	Horizontal
6	12552.0651	150	42	-37.88	-13.00	24.88	PASS	Horizontal

Mode	LTE	Remark	\
Band	Band=4 BW=20MHz	Channel	20175

Test Graph




Suspected List

Suspected List								
NO.	Freq. [MHz]	Height [cm]	Azimuth [deg]	Level [dBm]	Limit [dBm]	Margin [dB]	Result	Polarity
1	60.2701	150	190	-52.11	-13.00	39.11	PASS	Vertical
2	208.9038	150	324	-69.08	-13.00	56.08	PASS	Vertical
3	750.078	150	360	-66.93	-13.00	53.93	PASS	Vertical
4	2677.7678	150	238	-39.42	-13.00	26.42	PASS	Vertical
5	9666.8958	150	103	-40.95	-13.00	27.95	PASS	Vertical
6	12412.1456	150	237	-37.74	-13.00	24.74	PASS	Vertical

Mode	LTE	Remark	\
Band	Band=4 BW=20MHz	Channel	20300

Test Graph




Suspected List

Suspected List								
NO.	Freq. [MHz]	Height [cm]	Azimuth [deg]	Level [dBm]	Limit [dBm]	Margin [dB]	Result	Polarity
1	60.2701	150	209	-58.16	-13.00	45.16	PASS	Horizontal
2	208.9038	150	3	-67.04	-13.00	54.04	PASS	Horizontal
3	750.078	150	70	-68.23	-13.00	55.23	PASS	Horizontal
4	2703.1703	150	253	-38.86	-13.00	25.86	PASS	Horizontal
5	6983.0742	150	207	-43.57	-13.00	30.57	PASS	Horizontal
6	12477.9614	150	271	-37.88	-13.00	24.88	PASS	Horizontal

Mode	LTE	Remark	\
Band	Band=4 BW=20MHz	Channel	20300

Test Graph




Suspected List

Suspected List								
NO.	Freq. [MHz]	Height [cm]	Azimuth [deg]	Level [dBm]	Limit [dBm]	Margin [dB]	Result	Polarity
1	80.062	150	186	-65.60	-13.00	52.60	PASS	Vertical
2	208.9038	150	288	-69.66	-13.00	56.66	PASS	Vertical
3	750.078	150	67	-66.82	-13.00	53.82	PASS	Vertical
4	2480.5481	150	86	-39.97	-13.00	26.97	PASS	Vertical
5	7750.4375	150	245	-42.90	-13.00	29.90	PASS	Vertical
6	12384.3567	150	208	-38.01	-13.00	25.01	PASS	Vertical

Mode	LTE	Remark	\
Band	Band=5 BW=20MHz	Channel	20450

Test Graph




Suspected List

Suspected List								
NO.	Freq. [MHz]	Height [cm]	Azimuth [deg]	Level [dBm]	Limit [dBm]	Margin [dB]	Result	Polarity
1	37.5675	150	89	-57.76	-13.00	44.76	PASS	Horizontal
2	119.2579	150	80	-63.93	-13.00	50.93	PASS	Horizontal
3	750.078	150	109	-67.38	-13.00	54.38	PASS	Horizontal
4	3092.8843	150	149	-50.12	-13.00	37.12	PASS	Horizontal
5	7203.4453	150	99	-41.37	-13.00	28.37	PASS	Horizontal
6	12346.9347	150	149	-37.94	-13.00	24.94	PASS	Horizontal

Mode	LTE	Remark	\
Band	Band=5 BW=20MHz	Channel	20450

Test Graph




Suspected List

Suspected List								
NO.	Freq. [MHz]	Height [cm]	Azimuth [deg]	Level [dBm]	Limit [dBm]	Margin [dB]	Result	Polarity
1	60.4641	150	32	-51.90	-13.00	38.90	PASS	Vertical
2	208.9038	150	357	-69.19	-13.00	56.19	PASS	Vertical
3	750.078	150	62	-67.14	-13.00	54.14	PASS	Vertical
4	2403.0903	150	357	-48.85	-13.00	35.85	PASS	Vertical
5	4990.6991	150	328	-47.16	-13.00	34.16	PASS	Vertical
6	12338.7089	150	92	-38.50	-13.00	25.50	PASS	Vertical

Mode	LTE	Remark	\
Band	Band=5 BW=20MHz	Channel	20525

Test Graph




Suspected List

Suspected List								
NO.	Freq. [MHz]	Height [cm]	Azimuth [deg]	Level [dBm]	Limit [dBm]	Margin [dB]	Result	Polarity
1	37.5675	150	256	-58.39	-13.00	45.39	PASS	Horizontal
2	118.0936	150	66	-64.07	-13.00	51.07	PASS	Horizontal
3	208.9038	150	39	-67.38	-13.00	54.38	PASS	Horizontal
4	2591.1091	150	274	-50.27	-13.00	37.27	PASS	Horizontal
5	5585.3085	150	39	-48.18	-13.00	35.18	PASS	Horizontal
6	12398.6399	150	330	-38.12	-13.00	25.12	PASS	Horizontal

Mode	LTE	Remark	\
Band	Band=5 BW=20MHz	Channel	20525

Test Graph




Suspected List

Suspected List								
NO.	Freq. [MHz]	Height [cm]	Azimuth [deg]	Level [dBm]	Limit [dBm]	Margin [dB]	Result	Polarity
1	60.2701	150	68	-51.63	-13.00	38.63	PASS	Vertical
2	119.0638	150	357	-71.77	-13.00	58.77	PASS	Vertical
3	224.2328	150	39	-76.25	-13.00	63.25	PASS	Vertical
4	2280.8781	150	114	-49.74	-13.00	36.74	PASS	Vertical
5	5687.5438	150	328	-47.24	-13.00	34.24	PASS	Vertical
6	9606.5607	150	68	-39.95	-13.00	26.95	PASS	Vertical

Mode	LTE	Remark	\
Band	Band=5 BW=20MHz	Channel	20600

Test Graph




Suspected List

Suspected List								
NO.	Freq. [MHz]	Height [cm]	Azimuth [deg]	Level [dBm]	Limit [dBm]	Margin [dB]	Result	Polarity
1	60.4641	150	360	-59.43	-13.00	46.43	PASS	Horizontal
2	208.9038	150	22	-67.60	-13.00	54.60	PASS	Horizontal
3	375.001	150	338	-71.36	-13.00	58.36	PASS	Horizontal
4	2616.9617	150	247	-50.16	-13.00	37.16	PASS	Horizontal
5	6108.2358	150	22	-47.07	-13.00	34.07	PASS	Horizontal
6	12572.5573	150	257	-37.50	-13.00	24.50	PASS	Horizontal

Mode	LTE	Remark	\
Band	Band=5 BW=20MHz	Channel	20600

Test Graph




Suspected List

Suspected List								
NO.	Freq. [MHz]	Height [cm]	Azimuth [deg]	Level [dBm]	Limit [dBm]	Margin [dB]	Result	Polarity
1	80.062	150	202	-65.09	-13.00	52.09	PASS	Vertical
2	208.9038	150	20	-69.65	-13.00	56.65	PASS	Vertical
3	750.078	150	20	-67.03	-13.00	54.03	PASS	Vertical
4	2279.703	150	168	-49.25	-13.00	36.25	PASS	Vertical
5	5547.7048	150	150	-46.72	-13.00	33.72	PASS	Vertical
6	12351.6352	150	318	-38.46	-13.00	25.46	PASS	Vertical

Mode	LTE	Remark	\
Band	Band=12 BW=20MHz	Channel	23060

Test Graph




Suspected List

Suspected List								
NO.	Freq. [MHz]	Height [cm]	Azimuth [deg]	Level [dBm]	Limit [dBm]	Margin [dB]	Result	Polarity
1	58.7177	150	177	-59.52	-13.00	46.52	PASS	Horizontal
2	119.0638	150	83	-65.15	-13.00	52.15	PASS	Horizontal
3	750.078	150	140	-67.12	-13.00	54.12	PASS	Horizontal
4	2407.7908	150	22	-49.39	-13.00	36.39	PASS	Horizontal
5	6459.596	150	120	-45.06	-13.00	32.06	PASS	Horizontal
6	12429.1929	150	130	-38.36	-13.00	25.36	PASS	Horizontal

Mode	LTE	Remark	\
Band	Band=12 BW=20MHz	Channel	23060

Test Graph




Suspected List

Suspected List								
NO.	Freq. [MHz]	Height [cm]	Azimuth [deg]	Level [dBm]	Limit [dBm]	Margin [dB]	Result	Polarity
1	58.5237	150	90	-53.29	-13.00	40.29	PASS	Vertical
2	208.9038	150	357	-70.12	-13.00	57.12	PASS	Vertical
3	750.078	150	357	-66.90	-13.00	53.90	PASS	Vertical
4	2279.703	150	132	-49.11	-13.00	36.11	PASS	Vertical
5	4988.3488	150	116	-47.64	-13.00	34.64	PASS	Vertical
6	9608.9109	150	19	-37.97	-13.00	24.97	PASS	Vertical

Mode	LTE	Remark	\
Band	Band=12 BW=20MHz	Channel	23095

Test Graph




Suspected List

Suspected List								
NO.	Freq. [MHz]	Height [cm]	Azimuth [deg]	Level [dBm]	Limit [dBm]	Margin [dB]	Result	Polarity
1	37.5675	150	182	-58.51	-13.00	45.51	PASS	Horizontal
2	118.0936	150	78	-65.23	-13.00	52.23	PASS	Horizontal
3	750.078	150	50	-69.20	-13.00	56.20	PASS	Horizontal
4	2405.4405	150	198	-51.16	-13.00	38.16	PASS	Horizontal
5	7439.644	150	326	-39.90	-13.00	26.90	PASS	Horizontal
6	12549.0549	150	41	-38.78	-13.00	25.78	PASS	Horizontal

Mode	LTE	Remark	\
Band	Band=12 BW=20MHz	Channel	23095

Test Graph




Suspected List

Suspected List								
NO.	Freq. [MHz]	Height [cm]	Azimuth [deg]	Level [dBm]	Limit [dBm]	Margin [dB]	Result	Polarity
1	57.7476	150	214	-54.07	-13.00	41.07	PASS	Vertical
2	208.9038	150	54	-70.32	-13.00	57.32	PASS	Vertical
3	720.7782	150	117	-67.65	-13.00	54.65	PASS	Vertical
4	2279.703	150	28	-49.63	-13.00	36.63	PASS	Vertical
5	5005.9756	150	187	-47.38	-13.00	34.38	PASS	Vertical
6	12498.5249	150	2	-37.67	-13.00	24.67	PASS	Vertical

Mode	LTE	Remark	\
Band	Band=12 BW=20MHz	Channel	23130

Test Graph




Suspected List

Suspected List								
NO.	Freq. [MHz]	Height [cm]	Azimuth [deg]	Level [dBm]	Limit [dBm]	Margin [dB]	Result	Polarity
1	37.1794	150	306	-59.14	-13.00	46.14	PASS	Horizontal
2	208.9038	150	3	-66.92	-13.00	53.92	PASS	Horizontal
3	750.078	150	132	-66.83	-13.00	53.83	PASS	Horizontal
4	2426.5927	150	30	-49.58	-13.00	36.58	PASS	Horizontal
5	7440.8191	150	192	-40.99	-13.00	27.99	PASS	Horizontal
6	12129.538	150	60	-34.13	-13.00	21.13	PASS	Horizontal

Mode	LTE	Remark	\
Band	Band=12 BW=20MHz	Channel	23130

Test Graph




Suspected List

Suspected List								
NO.	Freq. [MHz]	Height [cm]	Azimuth [deg]	Level [dBm]	Limit [dBm]	Margin [dB]	Result	Polarity
1	58.7177	150	196	-52.84	-13.00	39.84	PASS	Vertical
2	208.9038	150	357	-69.69	-13.00	56.69	PASS	Vertical
3	2279.703	150	302	-49.48	-13.00	36.48	PASS	Vertical
4	5010.6761	150	160	-47.60	-13.00	34.60	PASS	Vertical
5	12393.9394	150	340	-38.43	-13.00	25.43	PASS	Vertical

Mode	LTE	Remark	\
Band	Band=13 BW=20MHz	Channel	23220

Test Graph




Suspected List

Suspected List								
NO.	Freq. [MHz]	Height [cm]	Azimuth [deg]	Level [dBm]	Limit [dBm]	Margin [dB]	Result	Polarity
1	58.5237	150	80	-57.86	-13.00	44.86	PASS	Horizontal
2	120.228	150	56	-65.27	-13.00	52.27	PASS	Horizontal
3	750.078	150	357	-66.09	-13.00	53.09	PASS	Horizontal
4	2424.2424	150	178	-49.51	-13.00	36.51	PASS	Horizontal
5	5004.8005	150	279	-47.92	-13.00	34.92	PASS	Horizontal
6	9606.5607	150	72	-39.02	-13.00	26.02	PASS	Horizontal

Mode	LTE	Remark	\
Band	Band=13 BW=20MHz	Channel	23220

Test Graph




Suspected List

Suspected List								
NO.	Freq. [MHz]	Height [cm]	Azimuth [deg]	Level [dBm]	Limit [dBm]	Margin [dB]	Result	Polarity
1	58.5237	150	25	-51.67	-13.00	38.67	PASS	Vertical
2	208.9038	150	275	-69.33	-13.00	56.33	PASS	Vertical
3	750.078	150	348	-65.90	-13.00	52.90	PASS	Vertical
4	2279.703	150	357	-49.30	-13.00	36.30	PASS	Vertical
5	4852.0352	150	0	-43.58	-13.00	30.58	PASS	Vertical
6	9702.9203	150	275	-35.81	-13.00	22.81	PASS	Vertical

Mode	LTE	Remark	\
Band	Band=13 BW=20MHz	Channel	23255

Test Graph




Suspected List

Suspected List								
NO.	Freq. [MHz]	Height [cm]	Azimuth [deg]	Level [dBm]	Limit [dBm]	Margin [dB]	Result	Polarity
1	117.7055	150	360	-65.06	-13.00	52.06	PASS	Horizontal
2	208.9038	150	32	-67.63	-13.00	54.63	PASS	Horizontal
3	750.078	150	360	-67.89	-13.00	54.89	PASS	Horizontal
4	2472.4222	150	175	-49.86	-13.00	36.86	PASS	Horizontal
5	4991.8742	150	58	-47.42	-13.00	34.42	PASS	Horizontal
6	12477.3727	150	139	-38.00	-13.00	25.00	PASS	Horizontal

Mode	LTE	Remark	\
Band	Band=13 BW=20MHz	Channel	23255

Test Graph




Suspected List

Suspected List								
NO.	Freq. [MHz]	Height [cm]	Azimuth [deg]	Level [dBm]	Limit [dBm]	Margin [dB]	Result	Polarity
1	80.062	150	190	-65.04	-13.00	52.04	PASS	Vertical
2	208.9038	150	0	-69.48	-13.00	56.48	PASS	Vertical
3	741.3463	150	338	-68.04	-13.00	55.04	PASS	Vertical
4	2499.4499	150	259	-39.43	-13.00	26.43	PASS	Vertical
5	6367.9368	150	144	-45.26	-13.00	32.26	PASS	Vertical
6	12398.6399	150	101	-34.70	-13.00	21.70	PASS	Vertical

Mode	LTE	Remark	\
Band	Band=13 BW=20MHz	Channel	23230

Test Graph




Suspected List

Suspected List								
NO.	Freq. [MHz]	Height [cm]	Azimuth [deg]	Level [dBm]	Limit [dBm]	Margin [dB]	Result	Polarity
1	118.0936	150	75	-64.12	-13.00	51.12	PASS	Horizontal
2	208.9038	150	3	-67.40	-13.00	54.40	PASS	Horizontal
3	750.078	150	3	-67.53	-13.00	54.53	PASS	Horizontal
4	2807.3307	150	196	-49.13	-13.00	36.13	PASS	Horizontal
5	6532.4532	150	175	-45.39	-13.00	32.39	PASS	Horizontal
6	12554.9305	150	120	-38.29	-13.00	25.29	PASS	Horizontal

Mode	LTE	Remark	\
Band	Band=13 BW=20MHz	Channel	23230

Test Graph




Suspected List

Suspected List								
NO.	Freq. [MHz]	Height [cm]	Azimuth [deg]	Level [dBm]	Limit [dBm]	Margin [dB]	Result	Polarity
1	58.7177	150	299	-51.32	-13.00	38.32	PASS	Vertical
2	214.5309	150	348	-68.47	-13.00	55.47	PASS	Vertical
3	750.078	150	338	-65.58	-13.00	52.58	PASS	Vertical
4	2279.703	150	0	-48.74	-13.00	35.74	PASS	Vertical
5	5008.3258	150	46	-48.01	-13.00	35.01	PASS	Vertical
6	12257.6258	150	46	-38.02	-13.00	25.02	PASS	Vertical

Mode	LTE	Remark	\
Band	Band=25 BW=20MHz	Channel	26140

Test Graph




Suspected List

Suspected List								
NO.	Freq. [MHz]	Height [cm]	Azimuth [deg]	Level [dBm]	Limit [dBm]	Margin [dB]	Result	Polarity
1	36.7914	150	136	-59.58	-13.00	46.58	PASS	Horizontal
2	118.6757	150	60	-65.15	-13.00	52.15	PASS	Horizontal
3	725.241	150	117	-73.02	-13.00	60.02	PASS	Horizontal
4	2644.3644	150	236	-38.33	-13.00	25.33	PASS	Horizontal
5	4989.1989	150	133	-47.96	-13.00	34.96	PASS	Horizontal
6	16463.8464	150	161	-31.37	-13.00	18.37	PASS	Horizontal

Mode	LTE	Remark	\
Band	Band=25 BW=20MHz	Channel	26140

Test Graph




Suspected List

Suspected List								
NO.	Freq. [MHz]	Height [cm]	Azimuth [deg]	Level [dBm]	Limit [dBm]	Margin [dB]	Result	Polarity
1	80.062	150	38	-65.43	-13.00	52.43	PASS	Vertical
2	208.9038	150	330	-69.79	-13.00	56.79	PASS	Vertical
3	750.078	150	22	-67.78	-13.00	54.78	PASS	Vertical
4	2802.5803	150	22	-38.48	-13.00	25.48	PASS	Vertical
5	6438.3438	150	0	-44.64	-13.00	31.64	PASS	Vertical
6	17026.4026	150	0	-33.34	-13.00	20.34	PASS	Vertical

Mode	LTE	Remark	\
Band	Band=25 BW=20MHz	Channel	26365

Test Graph




Suspected List

Suspected List								
NO.	Freq. [MHz]	Height [cm]	Azimuth [deg]	Level [dBm]	Limit [dBm]	Margin [dB]	Result	Polarity
1	60.2701	150	292	-57.68	-13.00	44.68	PASS	Horizontal
2	208.9038	150	263	-68.29	-13.00	55.29	PASS	Horizontal
3	750.078	150	326	-68.55	-13.00	55.55	PASS	Horizontal
4	2682.1682	150	352	-38.74	-13.00	25.74	PASS	Horizontal
5	6951.3951	150	43	-43.38	-13.00	30.38	PASS	Horizontal
6	16490.8491	150	243	-32.74	-13.00	19.74	PASS	Horizontal

Mode	LTE	Remark	\
Band	Band=25 BW=20MHz	Channel	26365

Test Graph




Suspected List

Suspected List								
NO.	Freq. [MHz]	Height [cm]	Azimuth [deg]	Level [dBm]	Limit [dBm]	Margin [dB]	Result	Polarity
1	58.7177	150	234	-52.18	-13.00	39.18	PASS	Vertical
2	208.9038	150	317	-68.84	-13.00	55.84	PASS	Vertical
3	750.078	150	327	-66.06	-13.00	53.06	PASS	Vertical
4	2673.7674	150	335	-39.31	-13.00	26.31	PASS	Vertical
5	6939.3939	150	320	-43.37	-13.00	30.37	PASS	Vertical
6	17608.4608	150	0	-32.79	-13.00	19.79	PASS	Vertical

Mode	LTE	Remark	\
Band	Band=25 BW=20MHz	Channel	26590

Test Graph




Suspected List

Suspected List								
NO.	Freq. [MHz]	Height [cm]	Azimuth [deg]	Level [dBm]	Limit [dBm]	Margin [dB]	Result	Polarity
1	60.4641	150	195	-59.42	-13.00	46.42	PASS	Horizontal
2	208.9038	150	360	-67.39	-13.00	54.39	PASS	Horizontal
3	750.078	150	126	-69.21	-13.00	56.21	PASS	Horizontal
4	2670.5671	150	118	-38.47	-13.00	25.47	PASS	Horizontal
5	5010.201	150	233	-47.26	-13.00	34.26	PASS	Horizontal
6	16484.8485	150	242	-32.85	-13.00	19.85	PASS	Horizontal

Mode	LTE	Remark	\
Band	Band=25 BW=20MHz	Channel	26590

Test Graph



Suspected List

Suspected List								
NO.	Freq. [MHz]	Height [cm]	Azimuth [deg]	Level [dBm]	Limit [dBm]	Margin [dB]	Result	Polarity
1	60.2701	150	354	-52.88	-13.00	39.88	PASS	Vertical
2	208.9038	150	274	-68.84	-13.00	55.84	PASS	Vertical
3	723.3007	150	244	-62.96	-13.00	49.96	PASS	Vertical
4	2822.9823	150	161	-39.31	-13.00	26.31	PASS	Vertical
5	5010.201	150	246	-47.86	-13.00	34.86	PASS	Vertical
6	16981.3981	150	329	-32.46	-13.00	19.46	PASS	Vertical