







n78(3450-3550) SCS=30kHz DFT_64QAM BW=70MHz HighChannel=634332 RB=1@188




n78(3450-3550) SCS=30kHz DFT_64QAM BW=90MHz HighChannel=633666 RB=243@0




n78(3450-3550) SCS=30kHz DFT_64QAM BW=90MHz LowChannel=633000 RB=1@0




n78(3450-3550) SCS=30kHz DFT_64QAM BW=90MHz LowChannel=633000 RB=243@0




n78(3450-3550) SCS=30kHz DFT_64QAM BW=90MHz HighChannel=633666 RB=1@244




n78(3450-3550) SCS=30kHz DFT_64QAM BW=80MHz HighChannel=634000 RB=216@0




n78(3450-3550) SCS=30kHz DFT_64QAM BW=80MHz LowChannel=632668 RB=1@0




n78(3450-3550) SCS=30kHz DFT_64QAM BW=80MHz LowChannel=632668 RB=216@0




n78(3450-3550) SCS=30kHz DFT_BPSK BW=100MHz LowChannel=633334 RB=270@0




n78(3450-3550) SCS=30kHz DFT_BPSK BW=10MHz HighChannel=636332 RB=1@23




n78(3450-3550) SCS=30kHz DFT_BPSK BW=100MHz LowChannel=633334 RB=1@0




n78(3450-3550) SCS=30kHz DFT_BPSK BW=100MHz HighChannel=633334 RB=1@272




n78(3450-3550) SCS=30kHz DFT_BPSK BW=100MHz HighChannel=633334 RB=270@0




n78(3450-3550) SCS=30kHz DFT_BPSK BW=15MHz HighChannel=636166 RB=36@0




n78(3450-3550) SCS=30kHz DFT_BPSK BW=15MHz LowChannel=630500 RB=1@0




n78(3450-3550) SCS=30kHz DFT_BPSK BW=15MHz LowChannel=630500 RB=36@0




n78(3450-3550) SCS=30kHz DFT_BPSK BW=15MHz HighChannel=636166 RB=1@37




n78(3450-3550) SCS=30kHz DFT_BPSK BW=10MHz HighChannel=636332 RB=24@0




n78(3450-3550) SCS=30kHz DFT_BPSK BW=10MHz LowChannel=630334 RB=1@0




n78(3450-3550) SCS=30kHz DFT_BPSK BW=10MHz LowChannel=630334 RB=24@0




n78(3450-3550) SCS=30kHz DFT_BPSK BW=20MHz LowChannel=630668 RB=50@0




n78(3450-3550) SCS=30kHz DFT_BPSK BW=40MHz HighChannel=635332 RB=100@0




n78(3450-3550) SCS=30kHz DFT_BPSK BW=40MHz HighChannel=635332 RB=1@105




n78(3450-3550) SCS=30kHz DFT_BPSK BW=20MHz HighChannel=636000 RB=1@50




n78(3450-3550) SCS=30kHz DFT_BPSK BW=20MHz HighChannel=636000 RB=50@0




n78(3450-3550) SCS=30kHz DFT_BPSK BW=20MHz LowChannel=630668 RB=1@0




n78(3450-3550) SCS=30kHz DFT_BPSK BW=50MHz HighChannel=635000 RB=1@132




n78(3450-3550) SCS=30kHz DFT_BPSK BW=50MHz LowChannel=631668 RB=128@0




n78(3450-3550) SCS=30kHz DFT_BPSK BW=50MHz LowChannel=631668 RB=1@0




n78(3450-3550) SCS=30kHz DFT_BPSK BW=40MHz LowChannel=631334 RB=100@0




n78(3450-3550) SCS=30kHz DFT_BPSK BW=40MHz LowChannel=631334 RB=1@0




n78(3450-3550) SCS=30kHz DFT_BPSK BW=50MHz HighChannel=635000 RB=128@0




n78(3450-3550) SCS=30kHz DFT_BPSK BW=60MHz LowChannel=632000 RB=1@0




n78(3450-3550) SCS=30kHz DFT_BPSK BW=70MHz HighChannel=634332 RB=180@0




n78(3450-3550) SCS=30kHz DFT_BPSK BW=70MHz HighChannel=634332 RB=1@188




n78(3450-3550) SCS=30kHz DFT_BPSK BW=60MHz HighChannel=634666 RB=162@0




n78(3450-3550) SCS=30kHz DFT_BPSK BW=60MHz HighChannel=634666 RB=1@161




n78(3450-3550) SCS=30kHz DFT_BPSK BW=60MHz LowChannel=632000 RB=162@0




n78(3450-3550) SCS=30kHz DFT_BPSK BW=80MHz HighChannel=634000 RB=216@0




n78(3450-3550) SCS=30kHz DFT_BPSK BW=80MHz LowChannel=632668 RB=1@0




n78(3450-3550) SCS=30kHz DFT_BPSK BW=80MHz HighChannel=634000 RB=1@216




n78(3450-3550) SCS=30kHz DFT_BPSK BW=70MHz LowChannel=632334 RB=180@0




n78(3450-3550) SCS=30kHz DFT_BPSK BW=70MHz LowChannel=632334 RB=1@0




n78(3450-3550) SCS=30kHz DFT_BPSK BW=90MHz LowChannel=633000 RB=1@0




n78(3450-3550) SCS=30kHz DFT_BPSK BW=90MHz LowChannel=633000 RB=243@0




n78(3450-3550) SCS=30kHz DFT_QPSK BW=100MHz HighChannel=633334 RB=1@272




n78(3450-3550) SCS=30kHz DFT_BPSK BW=80MHz LowChannel=632668 RB=216@0




n78(3450-3550) SCS=30kHz DFT_BPSK BW=90MHz HighChannel=633666 RB=1@244




n78(3450-3550) SCS=30kHz DFT_BPSK BW=90MHz HighChannel=633666 RB=243@0




n78(3450-3550) SCS=30kHz DFT_QPSK BW=10MHz HighChannel=636332 RB=1@23




n78(3450-3550) SCS=30kHz DFT_QPSK BW=10MHz HighChannel=636332 RB=24@0




n78(3450-3550) SCS=30kHz DFT_QPSK BW=10MHz LowChannel=630334 RB=1@0




n78(3450-3550) SCS=30kHz DFT_QPSK BW=100MHz HighChannel=633334 RB=270@0




n78(3450-3550) SCS=30kHz DFT_QPSK BW=100MHz LowChannel=633334 RB=1@0




n78(3450-3550) SCS=30kHz DFT_QPSK BW=100MHz LowChannel=633334 RB=270@0




n78(3450-3550) SCS=30kHz DFT_QPSK BW=15MHz LowChannel=630500 RB=36@0




n78(3450-3550) SCS=30kHz DFT_QPSK BW=20MHz HighChannel=636000 RB=1@50




n78(3450-3550) SCS=30kHz DFT_QPSK BW=20MHz HighChannel=636000 RB=50@0




n78(3450-3550) SCS=30kHz DFT_QPSK BW=15MHz LowChannel=630500 RB=1@0




n78(3450-3550) SCS=30kHz DFT_QPSK BW=10MHz LowChannel=630334 RB=24@0




n78(3450-3550) SCS=30kHz DFT_QPSK BW=15MHz HighChannel=636166 RB=1@37




n78(3450-3550) SCS=30kHz DFT_QPSK BW=15MHz HighChannel=636166 RB=36@0




n78(3450-3550) SCS=30kHz DFT_QPSK BW=40MHz HighChannel=635332 RB=1@105




n78(3450-3550) SCS=30kHz DFT_QPSK BW=40MHz LowChannel=631334 RB=100@0




n78(3450-3550) SCS=30kHz DFT_QPSK BW=40MHz LowChannel=631334 RB=1@0




n78(3450-3550) SCS=30kHz DFT_QPSK BW=20MHz LowChannel=630668 RB=1@0




n78(3450-3550) SCS=30kHz DFT_QPSK BW=20MHz LowChannel=630668 RB=50@0




n78(3450-3550) SCS=30kHz DFT_QPSK BW=40MHz HighChannel=635332 RB=100@0




n78(3450-3550) SCS=30kHz DFT_QPSK BW=50MHz LowChannel=631668 RB=1@0




n78(3450-3550) SCS=30kHz DFT_QPSK BW=60MHz HighChannel=634666 RB=162@0




n78(3450-3550) SCS=30kHz DFT_QPSK BW=60MHz HighChannel=634666 RB=1@161




n78(3450-3550) SCS=30kHz DFT_QPSK BW=50MHz HighChannel=635000 RB=128@0




n78(3450-3550) SCS=30kHz DFT_QPSK BW=50MHz HighChannel=635000 RB=1@132




n78(3450-3550) SCS=30kHz DFT_QPSK BW=50MHz LowChannel=631668 RB=128@0




n78(3450-3550) SCS=30kHz DFT_QPSK BW=70MHz HighChannel=634332 RB=1@188




n78(3450-3550) SCS=30kHz DFT_QPSK BW=70MHz LowChannel=632334 RB=180@0




n78(3450-3550) SCS=30kHz DFT_QPSK BW=70MHz LowChannel=632334 RB=1@0




n78(3450-3550) SCS=30kHz DFT_QPSK BW=60MHz LowChannel=632000 RB=162@0




n78(3450-3550) SCS=30kHz DFT_QPSK BW=60MHz LowChannel=632000 RB=1@0




n78(3450-3550) SCS=30kHz DFT_QPSK BW=70MHz HighChannel=634332 RB=180@0




n78(3450-3550) SCS=30kHz DFT_QPSK BW=80MHz HighChannel=634000 RB=1@216




n78(3450-3550) SCS=30kHz DFT_QPSK BW=80MHz HighChannel=634000 RB=216@0




n78(3450-3550) SCS=30kHz DFT_QPSK BW=80MHz LowChannel=632668 RB=1@0




n78(3450-3550) SCS=30kHz DFT_QPSK BW=90MHz HighChannel=633666 RB=243@0




n78(3450-3550) SCS=30kHz DFT_QPSK BW=90MHz HighChannel=633666 RB=1@244



n78(3450-3550) SCS=30kHz DFT_QPSK BW=80MHz LowChannel=632668 RB=216@0



n78(3450-3550) SCS=30kHz DFT_QPSK BW=90MHz LowChannel=633000 RB=243@0




n78(3450-3550) SCS=30kHz DFT_QPSK BW=90MHz LowChannel=633000 RB=1@0

6. Conducted Spurious Emissions for NR FR1

Band	SCS (kHz)	Bandwidth (MHz)	UL Channel	RB Allocation	Modulation	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)	Verdict
n78(3450-3550)	30	10	630334	1@0	DFT_BPSK	38907.25	-34.91	-13	PASS
n78(3450-3550)	30	10	630334	1@23	DFT_BPSK	8825.95	-34.66	-13	PASS
n78(3450-3550)	30	10	630334	24@0	DFT_BPSK	38595.25	-34.45	-13	PASS
n78(3450-3550)	30	10	633334	1@0	DFT_BPSK	8503.30	-35.26	-13	PASS
n78(3450-3550)	30	10	633334	1@23	DFT_BPSK	38271.25	-33.75	-13	PASS
n78(3450-3550)	30	10	633334	24@0	DFT_BPSK	38608.00	-34.87	-13	PASS
n78(3450-3550)	30	10	636332	1@0	DFT_BPSK	38597.50	-33.79	-13	PASS
n78(3450-3550)	30	10	636332	1@23	DFT_BPSK	3912.63	-34.85	-13	PASS
n78(3450-3550)	30	10	636332	24@0	DFT_BPSK	3955.15	-34.89	-13	PASS
n78(3450-3550)	30	15	630500	1@0	DFT_BPSK	9280.45	-35.37	-13	PASS
n78(3450-3550)	30	15	630500	1@37	DFT_BPSK	38988.25	-34.94	-13	PASS
n78(3450-3550)	30	15	630500	36@0	DFT_BPSK	9635.28	-35.10	-13	PASS
n78(3450-3550)	30	15	633334	1@0	DFT_BPSK	38646.25	-35.38	-13	PASS
n78(3450-3550)	30	15	633334	1@37	DFT_BPSK	3980.58	-34.98	-13	PASS
n78(3450-3550)	30	15	633334	36@0	DFT_BPSK	38646.25	-34.75	-13	PASS
n78(3450-3550)	30	15	636166	1@0	DFT_BPSK	8819.43	-34.06	-13	PASS
n78(3450-3550)	30	15	636166	1@37	DFT_BPSK	38653.00	-35.07	-13	PASS
n78(3450-3550)	30	15	636166	36@0	DFT_BPSK	9012.70	-34.87	-13	PASS
n78(3450-3550)	30	20	630668	1@0	DFT_BPSK	3920.50	-35.32	-13	PASS
n78(3450-3550)	30	20	630668	1@50	DFT_BPSK	4733.20	-34.43	-13	PASS
n78(3450-3550)	30	20	630668	50@0	DFT_BPSK	39191.50	-35.02	-13	PASS
n78(3450-3550)	30	20	633334	1@0	DFT_BPSK	5512.83	-35.05	-13	PASS
n78(3450-3550)	30	20	633334	1@50	DFT_BPSK	3923.88	-35.05	-13	PASS
n78(3450-3550)	30	20	633334	50@0	DFT_BPSK	38638.75	-35.10	-13	PASS
n78(3450-3550)	30	20	636000	1@0	DFT_BPSK	8239.38	-34.79	-13	PASS
n78(3450-3550)	30	20	636000	1@50	DFT_BPSK	4777.98	-34.68	-13	PASS
n78(3450-3550)	30	20	636000	50@0	DFT_BPSK	38666.50	-35.09	-13	PASS
n78(3450-3550)	30	40	631334	1@0	DFT_BPSK	38626.75	-34.45	-13	PASS
n78(3450-3550)	30	40	631334	1@105	DFT_BPSK	4735.90	-34.64	-13	PASS
n78(3450-3550)	30	40	631334	100@0	DFT_BPSK	3963.25	-35.22	-13	PASS
n78(3450-3550)	30	40	633334	1@0	DFT_BPSK	38584.75	-34.25	-13	PASS
n78(3450-3550)	30	40	633334	1@105	DFT_BPSK	39271.75	-34.90	-13	PASS
n78(3450-3550)	30	40	633334	100@0	DFT_BPSK	3941.88	-34.42	-13	PASS
n78(3450-3550)	30	40	635332	1@0	DFT_BPSK	39262.00	-35.26	-13	PASS
n78(3450-3550)	30	40	635332	1@105	DFT_BPSK	4735.68	-35.16	-13	PASS
n78(3450-3550)	30	40	635332	100@0	DFT_BPSK	38652.25	-34.88	-13	PASS
n78(3450-3550)	30	50	631668	1@0	DFT_BPSK	5743.90	-35.22	-13	PASS
n78(3450-3550)	30	50	631668	1@132	DFT_BPSK	38650.75	-34.37	-13	PASS


n78(3450-3550)	30	50	631668	128@0	DFT_BPSK	5779.90	-35.06	-13	PASS
n78(3450-3550)	30	50	633334	1@0	DFT_BPSK	39816.25	-34.97	-13	PASS
n78(3450-3550)	30	50	633334	1@132	DFT_BPSK	9504.55	-34.86	-13	PASS
n78(3450-3550)	30	50	633334	128@0	DFT_BPSK	4791.48	-35.11	-13	PASS
n78(3450-3550)	30	50	635000	1@0	DFT_BPSK	39204.25	-34.94	-13	PASS
n78(3450-3550)	30	50	635000	1@132	DFT_BPSK	39805.00	-34.92	-13	PASS
n78(3450-3550)	30	50	635000	128@0	DFT_BPSK	38546.50	-34.92	-13	PASS
n78(3450-3550)	30	60	632000	1@0	DFT_BPSK	38648.50	-34.09	-13	PASS
n78(3450-3550)	30	60	632000	1@161	DFT_BPSK	38667.25	-35.01	-13	PASS
n78(3450-3550)	30	60	632000	162@0	DFT_BPSK	4841.88	-34.93	-13	PASS
n78(3450-3550)	30	60	633334	1@0	DFT_BPSK	4752.78	-34.67	-13	PASS
n78(3450-3550)	30	60	633334	1@161	DFT_BPSK	38660.50	-35.05	-13	PASS
n78(3450-3550)	30	60	633334	162@0	DFT_BPSK	9996.18	-34.18	-13	PASS
n78(3450-3550)	30	60	634666	1@0	DFT_BPSK	3901.60	-34.93	-13	PASS
n78(3450-3550)	30	60	634666	1@161	DFT_BPSK	3938.05	-35.17	-13	PASS
n78(3450-3550)	30	60	634666	162@0	DFT_BPSK	4246.30	-34.90	-13	PASS
n78(3450-3550)	30	70	632334	1@0	DFT_BPSK	38601.25	-34.96	-13	PASS
n78(3450-3550)	30	70	632334	1@188	DFT_BPSK	4781.35	-34.93	-13	PASS
n78(3450-3550)	30	70	632334	180@0	DFT_BPSK	3978.33	-35.07	-13	PASS
n78(3450-3550)	30	70	633334	1@0	DFT_BPSK	38265.25	-34.98	-13	PASS
n78(3450-3550)	30	70	633334	1@188	DFT_BPSK	3992.73	-33.97	-13	PASS
n78(3450-3550)	30	70	633334	180@0	DFT_BPSK	38653.75	-35.46	-13	PASS
n78(3450-3550)	30	70	634332	1@0	DFT_BPSK	38948.50	-34.86	-13	PASS
n78(3450-3550)	30	70	634332	1@188	DFT_BPSK	38601.25	-34.98	-13	PASS
n78(3450-3550)	30	70	634332	180@0	DFT_BPSK	38626.00	-34.20	-13	PASS
n78(3450-3550)	30	80	632668	1@0	DFT_BPSK	38962.75	-34.68	-13	PASS
n78(3450-3550)	30	80	632668	1@216	DFT_BPSK	7243.08	-34.89	-13	PASS
n78(3450-3550)	30	80	632668	216@0	DFT_BPSK	38293.00	-34.66	-13	PASS
n78(3450-3550)	30	80	633334	1@0	DFT_BPSK	3954.03	-34.74	-13	PASS
n78(3450-3550)	30	80	633334	1@216	DFT_BPSK	3948.85	-34.04	-13	PASS
n78(3450-3550)	30	80	633334	216@0	DFT_BPSK	38605.75	-34.50	-13	PASS
n78(3450-3550)	30	80	634000	1@0	DFT_BPSK	39733.00	-34.95	-13	PASS
n78(3450-3550)	30	80	634000	1@216	DFT_BPSK	4783.83	-34.41	-13	PASS
n78(3450-3550)	30	80	634000	216@0	DFT_BPSK	38623.75	-35.25	-13	PASS
n78(3450-3550)	30	90	633000	1@0	DFT_BPSK	38648.50	-34.69	-13	PASS
n78(3450-3550)	30	90	633000	1@244	DFT_BPSK	38685.25	-35.59	-13	PASS
n78(3450-3550)	30	90	633000	243@0	DFT_BPSK	4770.55	-34.53	-13	PASS
n78(3450-3550)	30	90	633334	1@0	DFT_BPSK	38630.50	-35.09	-13	PASS
n78(3450-3550)	30	90	633334	1@244	DFT_BPSK	38635.00	-34.31	-13	PASS
n78(3450-3550)	30	90	633334	243@0	DFT_BPSK	4809.70	-34.57	-13	PASS
n78(3450-3550)	30	90	633666	1@0	DFT_BPSK	4734.33	-34.81	-13	PASS
n78(3450-3550)	30	90	633666	1@244	DFT_BPSK	39229.00	-34.57	-13	PASS
n78(3450-3550)	30	90	633666	243@0	DFT_BPSK	4832.43	-34.67	-13	PASS

n78(3450-3550)	30	100	633334	1@0	DFT_BPSK	4724.88	-35.15	-13	PASS
n78(3450-3550)	30	100	633334	1@272	DFT_BPSK	3982.60	-34.55	-13	PASS
n78(3450-3550)	30	100	633334	270@0	DFT_BPSK	38611.75	-34.89	-13	PASS




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	887.07	-41.76	-13
2	1000	10000	1000	4724.88	-35.15	-13
3	10000	40000	1000	39088.00	-35.38	-13

n78(3450-3550) SCS=30kHz DFT_BPSK BW=100MHz Channel=633334 RB=1@0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	605.11	-42.09	-13
2	1000	10000	1000	3982.60	-34.55	-13
3	10000	40000	1000	38929.00	-34.78	-13

n78(3450-3550) SCS=30kHz DFT_BPSK BW=100MHz Channel=633334 RB=1@272




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	761.19	-41.65	-13
2	1000	10000	1000	3717.55	-35.15	-13
3	10000	40000	1000	38907.25	-34.91	-13

n78(3450-3550) SCS=30kHz DFT_BPSK BW=10MHz Channel=630334 RB=1@0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	996.46	-41.23	-13
2	1000	10000	1000	8989.30	-35.65	-13
3	10000	40000	1000	38611.75	-34.89	-13

n78(3450-3550) SCS=30kHz DFT_BPSK BW=100MHz Channel=633334 RB=270@0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	910.20	-41.81	-13
2	1000	10000	1000	8503.30	-35.26	-13
3	10000	40000	1000	38626.00	-35.84	-13

n78(3450-3550) SCS=30kHz DFT_BPSK BW=10MHz Channel=633334 RB=1@0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	884.84	-41.25	-13
2	1000	10000	1000	4743.78	-35.03	-13
3	10000	40000	1000	38595.25	-34.45	-13

n78(3450-3550) SCS=30kHz DFT_BPSK BW=10MHz Channel=630334 RB=24@0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	584.28	-41.20	-13
2	1000	10000	1000	8825.95	-34.66	-13
3	10000	40000	1000	38235.25	-35.48	-13

n78(3450-3550) SCS=30kHz DFT_BPSK BW=10MHz Channel=630334 RB=1@23




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	870.77	-41.25	-13
2	1000	10000	1000	3912.63	-34.85	-13
3	10000	40000	1000	38635.00	-35.09	-13

n78(3450-3550) SCS=30kHz DFT_BPSK BW=10MHz Channel=636332 RB=1@23




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	797.49	-41.46	-13
2	1000	10000	1000	3955.15	-34.89	-13
3	10000	40000	1000	38611.75	-34.96	-13

n78(3450-3550) SCS=30kHz DFT_BPSK BW=10MHz Channel=636332 RB=24@0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	848.17	-41.72	-13
2	1000	10000	1000	4773.03	-35.61	-13
3	10000	40000	1000	38597.50	-33.79	-13

n78(3450-3550) SCS=30kHz DFT_BPSK BW=10MHz Channel=636332 RB=1@0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	923.69	-41.81	-13
2	1000	10000	1000	4792.15	-35.51	-13
3	10000	40000	1000	38271.25	-33.75	-13

n78(3450-3550) SCS=30kHz DFT_BPSK BW=10MHz Channel=633334 RB=1@23




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	992.29	-41.76	-13
2	1000	10000	1000	8799.18	-35.31	-13
3	10000	40000	1000	38608.00	-34.87	-13

n78(3450-3550) SCS=30kHz DFT_BPSK BW=10MHz Channel=633334 RB=24@0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	883.70	-41.58	-13
2	1000	10000	1000	9931.38	-35.68	-13
3	10000	40000	1000	38646.25	-35.38	-13

n78(3450-3550) SCS=30kHz DFT_BPSK BW=15MHz Channel=633334 RB=1@0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	883.58	-41.41	-13
2	1000	10000	1000	3980.58	-34.98	-13
3	10000	40000	1000	38227.00	-35.37	-13

n78(3450-3550) SCS=30kHz DFT_BPSK BW=15MHz Channel=633334 RB=1@37




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	738.78	-42.10	-13
2	1000	10000	1000	3976.30	-35.01	-13
3	10000	40000	1000	38646.25	-34.75	-13

n78(3450-3550) SCS=30kHz DFT_BPSK BW=15MHz Channel=633334 RB=36@0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	748.43	-42.24	-13
2	1000	10000	1000	9280.45	-35.37	-13
3	10000	40000	1000	39364.00	-35.39	-13

n78(3450-3550) SCS=30kHz DFT_BPSK BW=15MHz Channel=630500 RB=1@0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	759.56	-41.84	-13
2	1000	10000	1000	5992.30	-35.10	-13
3	10000	40000	1000	38988.25	-34.94	-13

n78(3450-3550) SCS=30kHz DFT_BPSK BW=15MHz Channel=630500 RB=1@37




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	947.33	-41.34	-13
2	1000	10000	1000	9635.28	-35.10	-13
3	10000	40000	1000	38611.75	-35.43	-13

n78(3450-3550) SCS=30kHz DFT_BPSK BW=15MHz Channel=630500 RB=36@0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	859.86	-41.00	-13
2	1000	10000	1000	9012.70	-34.87	-13
3	10000	40000	1000	38651.50	-34.92	-13

n78(3450-3550) SCS=30kHz DFT_BPSK BW=15MHz Channel=636166 RB=36@0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	701.00	-41.70	-13
2	1000	10000	1000	3920.50	-35.32	-13
3	10000	40000	1000	38634.25	-35.71	-13

n78(3450-3550) SCS=30kHz DFT_BPSK BW=20MHz Channel=630668 RB=1@0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	758.49	-41.69	-13
2	1000	10000	1000	8819.43	-34.06	-13
3	10000	40000	1000	38609.50	-34.55	-13

n78(3450-3550) SCS=30kHz DFT_BPSK BW=15MHz Channel=636166 RB=1@0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	792.18	-41.45	-13
2	1000	10000	1000	4792.60	-35.28	-13
3	10000	40000	1000	38653.00	-35.07	-13

n78(3450-3550) SCS=30kHz DFT_BPSK BW=15MHz Channel=636166 RB=1@37




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	874.22	-41.76	-13
2	1000	10000	1000	3923.88	-35.05	-13
3	10000	40000	1000	38588.50	-35.40	-13

n78(3450-3550) SCS=30kHz DFT_BPSK BW=20MHz Channel=633334 RB=1@50




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	977.37	-41.59	-13
2	1000	10000	1000	4823.20	-35.17	-13
3	10000	40000	1000	38638.75	-35.10	-13

n78(3450-3550) SCS=30kHz DFT_BPSK BW=20MHz Channel=633334 RB=50@0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	907.97	-41.76	-13
2	1000	10000	1000	5512.83	-35.05	-13
3	10000	40000	1000	38537.50	-35.76	-13

n78(3450-3550) SCS=30kHz DFT_BPSK BW=20MHz Channel=633334 RB=1@0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	936.37	-41.30	-13
2	1000	10000	1000	4733.20	-34.43	-13
3	10000	40000	1000	39280.75	-34.91	-13

n78(3450-3550) SCS=30kHz DFT_BPSK BW=20MHz Channel=630668 RB=1@50




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	977.23	-41.05	-13
2	1000	10000	1000	8801.65	-35.29	-13
3	10000	40000	1000	39191.50	-35.02	-13

n78(3450-3550) SCS=30kHz DFT_BPSK BW=20MHz Channel=630668 RB=50@0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	743.29	-41.51	-13
2	1000	10000	1000	3963.25	-35.22	-13
3	10000	40000	1000	38582.50	-35.47	-13

n78(3450-3550) SCS=30kHz DFT_BPSK BW=40MHz Channel=631334 RB=100@0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	915.78	-41.85	-13
2	1000	10000	1000	4729.60	-34.84	-13
3	10000	40000	1000	38626.75	-34.45	-13

n78(3450-3550) SCS=30kHz DFT_BPSK BW=40MHz Channel=631334 RB=1@0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	968.91	-41.33	-13
2	1000	10000	1000	4681.68	-35.85	-13
3	10000	40000	1000	38666.50	-35.09	-13

n78(3450-3550) SCS=30kHz DFT_BPSK BW=20MHz Channel=636000 RB=50@0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	739.34	-41.45	-13
2	1000	10000	1000	8239.38	-34.79	-13
3	10000	40000	1000	38632.75	-34.83	-13

n78(3450-3550) SCS=30kHz DFT_BPSK BW=20MHz Channel=636000 RB=1@0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	919.66	-41.58	-13
2	1000	10000	1000	4777.98	-34.68	-13
3	10000	40000	1000	38684.50	-34.90	-13

n78(3450-3550) SCS=30kHz DFT_BPSK BW=20MHz Channel=636000 RB=1@50




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	894.34	-42.18	-13
2	1000	10000	1000	3950.88	-35.20	-13
3	10000	40000	1000	39271.75	-34.90	-13

n78(3450-3550) SCS=30kHz DFT_BPSK BW=40MHz Channel=633334 RB=1@105




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	912.05	-41.30	-13
2	1000	10000	1000	4797.10	-35.06	-13
3	10000	40000	1000	38652.25	-34.88	-13

n78(3450-3550) SCS=30kHz DFT_BPSK BW=40MHz Channel=635332 RB=100@0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	941.61	-41.91	-13
2	1000	10000	1000	4044.25	-34.74	-13
3	10000	40000	1000	38584.75	-34.25	-13

n78(3450-3550) SCS=30kHz DFT_BPSK BW=40MHz Channel=633334 RB=1@0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	707.42	-41.68	-13
2	1000	10000	1000	4735.90	-34.64	-13
3	10000	40000	1000	38853.25	-35.60	-13

n78(3450-3550) SCS=30kHz DFT_BPSK BW=40MHz Channel=631334 RB=1@105




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	887.00	-41.92	-13
2	1000	10000	1000	3941.88	-34.42	-13
3	10000	40000	1000	39737.50	-35.11	-13

n78(3450-3550) SCS=30kHz DFT_BPSK BW=40MHz Channel=633334 RB=100@0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	856.73	-41.88	-13
2	1000	10000	1000	5743.90	-35.22	-13
3	10000	40000	1000	38249.50	-35.38	-13

n78(3450-3550) SCS=30kHz DFT_BPSK BW=50MHz Channel=631668 RB=1@0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	729.71	-41.66	-13
2	1000	10000	1000	4744.00	-34.90	-13
3	10000	40000	1000	38650.75	-34.37	-13

n78(3450-3550) SCS=30kHz DFT_BPSK BW=50MHz Channel=631668 RB=1@132




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	853.29	-41.74	-13
2	1000	10000	1000	4791.48	-35.11	-13
3	10000	40000	1000	38680.00	-35.73	-13

n78(3450-3550) SCS=30kHz DFT_BPSK BW=50MHz Channel=633334 RB=128@0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	656.01	-41.84	-13
2	1000	10000	1000	9768.48	-35.30	-13
3	10000	40000	1000	39262.00	-35.26	-13

n78(3450-3550) SCS=30kHz DFT_BPSK BW=40MHz Channel=635332 RB=1@0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	749.21	-40.53	-13
2	1000	10000	1000	4735.68	-35.16	-13
3	10000	40000	1000	39295.00	-35.29	-13

n78(3450-3550) SCS=30kHz DFT_BPSK BW=40MHz Channel=635332 RB=1@105



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	592.02	-41.88	-13
2	1000	10000	1000	5779.90	-35.06	-13
3	10000	40000	1000	36403.75	-35.33	-13

n78(3450-3550) SCS=30kHz DFT_BPSK BW=50MHz Channel=631668 RB=128@0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	884.76	-41.49	-13
2	1000	10000	1000	9283.60	-35.43	-13
3	10000	40000	1000	39204.25	-34.94	-13

n78(3450-3550) SCS=30kHz DFT_BPSK BW=50MHz Channel=635000 RB=1@0